



Full wwPDB X-ray Structure Validation Report

Feb 28, 2022 – 12:05 pm GMT


PDB ID : 7ACX
Title : H/L (SLPH/SLPL) complex from *C. difficile* (R7404 strain)
Authors : Lanzoni-Mangutchi, P.; Barwinska-Sendra, A.; Basle, A.; El Omari, K.; Wagner, A.; Salgado, P.S.
Deposited on : 2020-09-11
Resolution : 2.65 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	
1	C	317	
2	B	373	
2	D	373	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10096 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-layer protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	313	Total	C	N	O	S	0	0	0
			2346	1465	385	493	3			
1	C	278	Total	C	N	O	S	0	0	0
			2103	1315	344	442	2			

- Molecule 2 is a protein called S-layer protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	369	Total	C	N	O	S	5	0	0
			2732	1690	450	587	5			
2	D	373	Total	C	N	O	S	0	0	0
			2764	1710	456	593	5			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			15	8	1	6		
3	C	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	38	Total	O	0	0
			38	38		
5	B	21	Total	O	0	0
			21	21		
5	C	31	Total	O	0	0
			31	31		
5	D	21	Total	O	0	0
			21	21		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S-layer protein

Chain A: 





- Molecule 1: S-layer protein

Chain C: 





- Molecule 2: S-layer protein

Chain B: 



● Molecule 2: S-layer protein

Chain D:  87% 13%

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.05Å 137.94Å 84.73Å 90.00° 100.70° 90.00°	Depositor
Resolution (Å)	83.26 – 2.65 83.26 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.7 (83.26-2.65) 100.0 (83.26-2.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 2.65Å)	Xtrriage
Refinement program	PHENIX 1.18.2	Depositor
R, R_{free}	0.225 , 0.278 0.231 , 0.282	Depositor DCC
R_{free} test set	2592 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	52.5	Xtrriage
Anisotropy	0.648	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10096	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 31.93 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0205e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	2/2374 (0.1%)	0.60	2/3219 (0.1%)
1	C	0.36	0/2127	0.65	4/2879 (0.1%)
2	B	0.40	0/2754	0.76	10/3725 (0.3%)
2	D	0.45	2/2787 (0.1%)	0.62	0/3769
All	All	0.41	4/10042 (0.0%)	0.66	16/13592 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
2	B	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	291	GLU	CB-CG	9.02	1.69	1.52
2	D	169	GLU	CD-OE1	-8.62	1.16	1.25
1	A	195	GLU	CD-OE1	-6.99	1.18	1.25
2	D	169	GLU	CD-OE2	-5.19	1.20	1.25

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	332	LEU	CB-CG-CD2	-12.39	89.94	111.00
1	A	291	GLU	CA-CB-CG	9.87	135.12	113.40
2	B	109	LEU	CB-CG-CD1	7.52	123.79	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	112	LYS	CB-CG-CD	7.25	130.44	111.60
1	A	291	GLU	CB-CA-C	-6.98	96.43	110.40
1	C	19	LYS	CB-CA-C	-6.91	96.57	110.40
1	C	215	GLN	CA-CB-CG	-6.72	98.61	113.40
2	B	244	ASN	C-N-CA	6.33	137.54	121.70
2	B	134	LYS	CB-CG-CD	-6.05	95.88	111.60
2	B	332	LEU	CB-CG-CD1	5.49	120.33	111.00
1	C	19	LYS	CA-CB-CG	5.46	125.42	113.40
2	B	46	GLU	CA-CB-CG	-5.39	101.55	113.40
2	B	183	ASP	CB-CA-C	-5.28	99.84	110.40
2	B	346	LYS	CD-CE-NZ	-5.15	99.85	111.70
2	B	243	LYS	CA-CB-CG	-5.04	102.32	113.40
2	B	282	ASP	C-N-CA	5.03	134.28	121.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	20	LEU	Peptide
1	C	117	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2346	0	2351	26	1
1	C	2103	0	2100	31	0
2	B	2732	0	2753	61	1
2	D	2764	0	2791	34	0
3	A	15	0	15	1	0
3	C	15	0	15	1	0
4	A	5	0	0	0	0
4	C	5	0	0	0	0
5	A	38	0	0	5	0
5	B	21	0	0	1	0
5	C	31	0	0	4	0
5	D	21	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	10096	0	10025	145	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:187:ILE:HG23	1:C:220:VAL:HB	1.39	1.03
2:B:226:ASP:HA	2:B:229:LYS:HD2	1.58	0.86
2:D:313:PRO:O	5:D:401:HOH:O	1.92	0.86
1:C:231:SER:O	5:C:501:HOH:O	1.99	0.80
1:C:100:GLU:OE2	5:C:502:HOH:O	2.00	0.79
2:B:231:PHE:HD2	2:B:232:LEU:HD12	1.49	0.78
1:A:277:GLU:OE1	5:A:601:HOH:O	2.02	0.76
2:B:251:GLU:OE2	5:B:401:HOH:O	2.04	0.75
2:B:296:LYS:HE2	2:B:304:GLN:HB3	1.68	0.74
1:C:214:VAL:C	1:C:215:GLN:HG2	2.09	0.73
2:B:85:VAL:HG11	2:B:167:ARG:HD2	1.69	0.73
1:A:313:LEU:HB3	2:D:129:ILE:HD11	1.71	0.71
1:A:302:TYR:CE2	2:B:20:LEU:HD23	2.26	0.70
2:B:252:GLU:HG3	2:B:252:GLU:O	1.90	0.70
2:D:195:ASP:OD2	5:D:403:HOH:O	2.11	0.68
2:B:131:THR:HA	2:B:158:LYS:HE2	1.74	0.67
2:B:183:ASP:O	2:B:184:LYS:HD2	1.95	0.67
1:A:173:LEU:O	5:A:602:HOH:O	2.14	0.66
1:A:49:SER:N	5:A:607:HOH:O	2.29	0.65
2:B:239:ILE:HD11	2:B:262:PRO:HB2	1.78	0.65
2:D:317:ARG:N	5:D:401:HOH:O	2.06	0.65
2:B:48:ARG:HH22	2:B:303:ASP:HB3	1.62	0.64
2:B:49:ILE:HD13	2:B:110:ASP:OD2	1.97	0.64
2:D:89:VAL:HG13	2:D:214:ILE:HB	1.80	0.62
2:B:88:LEU:HD21	2:B:196:ALA:CB	2.30	0.62
1:C:3:THR:HG22	1:C:4:THR:H	1.65	0.62
1:A:134:LYS:NZ	1:A:179:GLY:O	2.27	0.61
1:C:114:LEU:HD11	1:C:143:VAL:HG12	1.81	0.61
1:C:69:ASN:OD1	1:C:70:THR:N	2.33	0.61
1:A:69:ASN:OD1	1:A:70:THR:N	2.35	0.59
2:D:79:VAL:HG13	2:D:103:LEU:HD23	1.84	0.59
2:D:110:ASP:HB2	2:D:113:VAL:HG12	1.84	0.59
1:C:256:SER:N	5:C:508:HOH:O	2.35	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:243:LYS:HA	2:B:246:VAL:O	2.02	0.58
2:B:65:LYS:HE3	2:D:126:ASP:OD2	2.03	0.58
1:C:106:LEU:HD11	1:C:204:ILE:HD13	1.86	0.57
2:D:316:GLY:HA2	2:D:322:PRO:HB3	1.86	0.57
2:D:363:VAL:HA	2:D:366:LYS:HE3	1.85	0.57
2:B:164:GLY:H	2:B:170:THR:HG22	1.70	0.56
1:A:230:ALA:O	5:A:603:HOH:O	2.17	0.56
1:A:297:LEU:HD13	1:A:302:TYR:CD1	2.40	0.56
2:D:79:VAL:HG21	2:D:87:GLY:HA3	1.86	0.56
2:B:273:THR:O	2:B:277:VAL:HG23	2.06	0.55
2:B:87:GLY:HA2	2:B:90:ALA:HB3	1.87	0.55
2:B:48:ARG:NH2	2:B:303:ASP:HB3	2.22	0.55
2:B:129:ILE:HG12	1:C:311:LYS:O	2.07	0.54
1:C:107:GLN:HG2	1:C:149:ILE:HD12	1.89	0.54
1:A:302:TYR:HD1	1:A:302:TYR:N	2.05	0.54
1:C:103:LEU:O	1:C:107:GLN:HG3	2.08	0.54
2:D:89:VAL:O	2:D:92:PRO:HD2	2.08	0.54
2:B:81:SER:HA	2:B:103:LEU:HD13	1.89	0.54
2:B:199:ILE:HD11	2:B:283:TYR:CE1	2.43	0.53
2:B:280:GLU:HG2	2:B:283:TYR:CD2	2.44	0.52
1:C:94:ILE:HD12	1:C:99:ALA:HB2	1.91	0.52
1:C:213:THR:HG22	1:C:215:GLN:HE21	1.73	0.52
2:B:121:MET:HE3	2:B:123:LEU:HD11	1.91	0.52
3:C:401:NAG:O6	5:C:504:HOH:O	2.16	0.52
1:A:302:TYR:CD1	1:A:302:TYR:N	2.78	0.52
1:A:302:TYR:CD2	2:B:20:LEU:HD23	2.45	0.51
2:D:108:LYS:HD3	2:D:109:LEU:O	2.10	0.51
2:B:163:SER:OG	2:B:164:GLY:N	2.44	0.51
1:C:208:LYS:HB3	1:C:226:VAL:HG21	1.92	0.51
2:B:346:LYS:HG3	2:B:347:ASP:N	2.25	0.50
2:B:96:GLU:OE1	2:B:210:ASP:HA	2.11	0.50
2:D:153:LYS:HD3	2:D:159:VAL:HB	1.92	0.50
2:B:88:LEU:HD21	2:B:196:ALA:HB3	1.91	0.50
2:D:243:LYS:N	2:D:243:LYS:HD2	2.26	0.50
2:D:124:LYS:HB3	2:D:126:ASP:OD1	2.11	0.50
1:A:195:GLU:OE2	1:A:227:LEU:HD12	2.12	0.50
2:B:73:VAL:O	2:B:121:MET:HG2	2.12	0.50
2:D:267:GLY:N	2:D:273:THR:HG22	2.27	0.49
2:B:110:ASP:HB2	2:B:113:VAL:HG12	1.94	0.49
1:C:153:ILE:HG22	1:C:163:ILE:HD13	1.93	0.49
2:B:164:GLY:HA3	2:B:169:GLU:HG3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:501:NAG:O7	3:A:501:NAG:O3	2.29	0.48
1:C:9:VAL:HB	1:C:243:VAL:HG22	1.94	0.48
2:B:242:GLY:C	2:B:264:ARG:HH12	2.17	0.48
2:B:29:ASP:O	2:B:33:TYR:HD1	1.96	0.48
2:B:164:GLY:N	2:B:170:THR:HG22	2.28	0.48
1:C:249:GLU:HB2	2:D:13:ILE:HG12	1.96	0.48
2:B:19:LYS:HB3	2:B:21:LYS:HB3	1.96	0.47
1:A:10:VAL:HG11	1:A:248:GLU:HB2	1.96	0.47
2:B:88:LEU:HD21	2:B:196:ALA:HB1	1.96	0.47
1:A:153:ILE:HG22	1:A:163:ILE:HD13	1.97	0.47
2:D:233:GLY:O	2:D:258:THR:HG22	2.14	0.47
2:B:159:VAL:HG23	2:B:159:VAL:O	2.14	0.47
1:A:9:VAL:HB	1:A:243:VAL:HG22	1.97	0.47
1:A:86:THR:OG1	1:A:238:THR:HG22	2.15	0.46
1:A:119:THR:OG1	1:A:122:VAL:HG22	2.15	0.46
1:A:88:ASN:ND2	1:A:91:THR:HG23	2.31	0.46
2:D:360:ALA:O	2:D:363:VAL:HG12	2.16	0.46
1:A:183:ALA:O	5:A:604:HOH:O	2.21	0.46
2:B:239:ILE:HG21	2:B:246:VAL:HG11	1.97	0.46
1:C:214:VAL:O	1:C:215:GLN:HG2	2.15	0.46
2:B:199:ILE:HD11	2:B:283:TYR:HE1	1.81	0.46
2:B:224:ILE:O	2:B:229:LYS:HE3	2.16	0.46
1:C:115:ILE:HG22	1:C:116:ASN:O	2.16	0.46
1:A:128:ASP:HA	1:A:174:LEU:HD12	1.98	0.45
2:B:162:LEU:HD22	2:B:174:ILE:HA	1.98	0.45
1:C:262:GLU:HG3	2:D:33:TYR:CD1	2.51	0.45
2:B:362:SER:O	2:B:366:LYS:HG3	2.16	0.45
2:B:280:GLU:CG	2:B:283:TYR:CD2	2.99	0.45
1:C:114:LEU:HD12	1:C:114:LEU:N	2.32	0.45
1:C:213:THR:HG22	1:C:215:GLN:NE2	2.32	0.45
2:D:250:ILE:O	2:D:254:ILE:HG13	2.17	0.45
2:B:224:ILE:HG22	2:B:228:ALA:HB3	1.99	0.45
2:B:239:ILE:CD1	2:B:262:PRO:HB2	2.45	0.44
2:D:49:ILE:HD13	2:D:110:ASP:OD2	2.17	0.44
1:C:240:LYS:HB3	1:C:240:LYS:HE2	1.81	0.44
2:D:321:SER:OG	5:D:402:HOH:O	1.98	0.44
2:D:331:THR:OG1	2:D:366:LYS:NZ	2.51	0.44
2:B:199:ILE:HD12	2:B:199:ILE:HA	1.69	0.44
2:B:19:LYS:CB	2:B:21:LYS:HB3	2.48	0.44
2:B:43:VAL:HG11	2:B:55:LEU:HD23	1.99	0.44
1:C:85:VAL:O	1:C:238:THR:HA	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:247:SER:OG	2:D:249:GLU:HG3	2.18	0.44
2:D:203:ALA:HB1	2:D:212:THR:O	2.19	0.43
1:A:85:VAL:O	1:A:238:THR:HA	2.18	0.43
2:B:175:ALA:HA	2:B:178:ILE:HD12	1.99	0.43
2:D:197:MET:HG3	2:D:305:LEU:HD22	2.00	0.43
1:C:3:THR:HG22	1:C:4:THR:N	2.31	0.43
1:C:262:GLU:HG3	2:D:33:TYR:CE1	2.53	0.43
2:D:144:ILE:HG22	2:D:148:VAL:HG21	2.00	0.42
2:D:187:VAL:HG22	2:D:215:VAL:CG2	2.49	0.42
2:B:319:LYS:HB3	2:B:320:GLU:H	1.63	0.42
2:B:199:ILE:CD1	2:B:283:TYR:HE1	2.32	0.42
2:B:241:GLY:O	2:B:264:ARG:NH1	2.52	0.42
1:A:266:LYS:HB3	1:A:266:LYS:HE3	1.85	0.42
2:D:319:LYS:HD2	2:D:319:LYS:HA	1.73	0.42
2:B:134:LYS:HB3	2:B:134:LYS:HE2	1.32	0.42
1:C:148:THR:HB	1:C:167:THR:OG1	2.20	0.42
2:B:174:ILE:HG22	2:B:178:ILE:HD11	2.00	0.41
1:C:205:ASP:HB3	1:C:226:VAL:HG23	2.01	0.41
1:A:249:GLU:HB2	2:B:13:ILE:HD13	2.02	0.41
1:A:134:LYS:HG2	1:A:179:GLY:HA2	2.03	0.41
2:D:44:ALA:HB1	2:D:357:LYS:HG3	2.03	0.41
2:B:231:PHE:CD2	2:B:232:LEU:HD12	2.41	0.41
2:D:165:GLU:CD	2:D:169:GLU:OE2	2.59	0.41
1:A:263:ASN:HA	1:A:266:LYS:HE3	2.03	0.41
2:B:133:LYS:O	2:B:158:LYS:HG2	2.21	0.41
1:C:191:THR:O	1:C:192:ALA:HB3	2.21	0.41
2:B:85:VAL:HG11	2:B:167:ARG:CD	2.46	0.40
2:B:294:VAL:HG12	2:B:359:ILE:HD13	2.04	0.40
1:C:259:ILE:HD11	1:C:263:ASN:HB3	2.02	0.40
2:B:166:ASP:O	2:B:170:THR:HG23	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130:GLN:O	2:B:244:ASN:ND2[2_543]	1.95	0.25

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/317 (98%)	306 (98%)	5 (2%)	0	100	100
1	C	272/317 (86%)	263 (97%)	9 (3%)	0	100	100
2	B	365/373 (98%)	351 (96%)	12 (3%)	2 (0%)	29	43
2	D	371/373 (100%)	362 (98%)	8 (2%)	1 (0%)	41	56
All	All	1319/1380 (96%)	1282 (97%)	34 (3%)	3 (0%)	47	64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	21	LYS
2	B	183	ASP
2	D	319	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	259/263 (98%)	256 (99%)	3 (1%)	71	84
1	C	233/263 (89%)	233 (100%)	0	100	100
2	B	307/310 (99%)	304 (99%)	3 (1%)	76	86
2	D	310/310 (100%)	310 (100%)	0	100	100
All	All	1109/1146 (97%)	1103 (100%)	6 (0%)	88	94

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	266	LYS
1	A	291	GLU
1	A	302	TYR
2	B	183	ASP
2	B	244	ASN
2	B	252	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	107	GLN
1	C	215	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	501	-	15,15,15	0.27	0	21,21,21	0.67	0
4	SO4	C	402	-	4,4,4	0.12	0	6,6,6	0.25	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	C	401	-	15,15,15	0.29	0	21,21,21	0.45	0
4	SO4	A	502	-	4,4,4	0.17	0	6,6,6	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	501	-	-	4/6/26/26	0/1/1/1
3	NAG	C	401	-	-	2/6/26/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	NAG	C1-C2-N2-C7
3	A	501	NAG	O5-C5-C6-O6
3	C	401	NAG	O5-C5-C6-O6
3	C	401	NAG	C4-C5-C6-O6
3	A	501	NAG	C4-C5-C6-O6
3	A	501	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	NAG	1	0
3	C	401	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/317 (98%)	-0.34	0 100 100	38, 63, 87, 111	0
1	C	278/317 (87%)	-0.04	6 (2%) 62 57	40, 68, 109, 126	5 (1%)
2	B	369/373 (98%)	-0.02	7 (1%) 66 63	48, 77, 118, 134	10 (2%)
2	D	373/373 (100%)	-0.19	1 (0%) 94 95	43, 66, 94, 108	4 (1%)
All	All	1333/1380 (96%)	-0.15	14 (1%) 80 79	38, 69, 107, 134	19 (1%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	169	LYS	5.3
1	C	187	ILE	4.2
2	B	235	SER	3.7
1	C	216	GLY	3.7
2	D	86	ASP	3.6
1	C	115	ILE	3.5
2	B	135	VAL	3.2
1	C	215	GLN	3.0
2	B	357	LYS	2.9
2	B	254	ILE	2.7
2	B	232	LEU	2.4
1	C	168	GLU	2.2
2	B	262	PRO	2.2
2	B	88	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	501	15/15	0.85	0.22	53,64,72,79	0
4	SO4	C	402	5/5	0.88	0.19	67,72,105,113	0
3	NAG	C	401	15/15	0.90	0.19	47,61,71,75	0
4	SO4	A	502	5/5	0.92	0.16	67,86,112,148	0

6.5 Other polymers [i](#)

There are no such residues in this entry.