



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 11:06 am GMT

PDB ID : 3AGV  
Title : Crystal structure of a human IgG-aptamer complex  
Authors : Nomura, Y.; Sugiyama, S.; Sakamoto, T.; Miyakawa, S.; Adachi, H.; Takano, K.; Murakami, S.; Inoue, T.; Mori, Y.; Nakamura, Y.; Matsumura, H.  
Deposited on : 2010-04-08  
Resolution : 2.15 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1287 (2.16-2.16)
Clashscore	122126	1390 (2.16-2.16)
Ramachandran outliers	120053	1368 (2.16-2.16)
Sidechain outliers	120020	1367 (2.16-2.16)
RSRZ outliers	108989	1262 (2.16-2.16)
RNA backbone	2636	1006 (2.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	211	
1	B	211	
2	S	24	
2	U	24	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
4	NDG	B	2	-	-	X	-
9	GAL	B	7	-	-	X	-

## 2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 4413 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ig gamma-1 chain C region.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	177	Total	C	N	O	S	0	0	0
			1433	916	240	271	6			
1	B	208	Total	C	N	O	S	0	0	0
			1664	1059	280	319	6			

- Molecule 2 is a RNA chain called 5'-R(\*GP\*GP\*AP\*GP\*GP\*(UFT)P\*GP\*(CFZ)P\*(UFT)P\*(CFZ)P\*(CFZ)P\*GP\*AP\*AP\*A\*GP\*GP\*AP\*AP\*(CFZ)P\*(UFT)P\*(CFZ)P\*(CFZ)P\*A)-3'.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	F	N	O				P
2	S	19	Total	C	F	N	O	P	0	0	0
			401	181	9	74	120	17			
2	U	24	Total	C	F	N	O	P	0	0	0
			515	231	9	99	153	23			

- Molecule 3 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	6	6		
3	A	1	Total	C	O	0	0
			11	6	5		
3	B	1	Total	C	O	0	0
			11	6	5		
3	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is 2-(ACETYLAMINO)-2-DEOXY-A-D-GLUCOPYRANOSE (three-letter code: NDG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 5 is ALPHA D-GALACTOSE (three-letter code: GLA) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 6 is BETA-L-FUCOSE (three-letter code: FUL) (formula:  $C_6H_{12}O_5$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is BETA-D-MANNOSE (three-letter code: BMA) (formula:  $C_6H_{12}O_6$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O		
			11	6	5	0	0

- Molecule 9 is BETA-D-GALACTOSE (three-letter code: GAL) (formula:  $C_6H_{12}O_6$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total C O 11 6 5	0	0

- Molecule 10 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	S	1	Total Ca 1 1	0	0
10	U	1	Total Ca 1 1	0	0

- Molecule 11 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	88	Total O 88 88	0	0
11	B	126	Total O 126 126	0	0
11	S	14	Total O 14 14	0	0
11	U	25	Total O 25 25	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ig gamma-1 chain C region



- Molecule 1: Ig gamma-1 chain C region




- Molecule 2: 5'-R(\*GP\*GP\*AP\*GP\*GP\*(UFT)P\*GP\*(CFZ)P\*(UFT)P\*(CFZ)P\*(CFZ)P\*GP\*AP\*AP\*A\*GP\*GP\*AP\*AP\*(CFZ)P\*(UFT)P\*(CFZ)P\*(CFZ)P\*A)-3'



- Molecule 2: 5'-R(\*GP\*GP\*AP\*GP\*GP\*(UFT)P\*GP\*(CFZ)P\*(UFT)P\*(CFZ)P\*(CFZ)P\*GP\*AP\*AP\*A\*GP\*GP\*AP\*AP\*(CFZ)P\*(UFT)P\*(CFZ)P\*(CFZ)P\*A)-3'





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	83.59Å 107.24Å 79.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.37 – 2.15 65.93 – 2.15	Depositor EDS
% Data completeness (in resolution range)	91.1 (30.37-2.15) 97.2 (65.93-2.15)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.70 (at 2.14Å)	Xtrriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.237 , 0.277 0.238 , 0.225	Depositor DCC
$R_{free}$ test set	1944 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.5	Xtrriage
Anisotropy	0.726	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 65.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.019 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4413	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, GLA, CA, NDG, GAL, CFZ, FUL, UFT, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/1470	0.59	0/1995
1	B	0.36	0/1710	0.59	0/2330
2	S	0.28	0/249	0.68	1/388 (0.3%)
2	U	0.24	0/377	0.73	0/585
All	All	0.34	0/3806	0.61	1/5298 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	S	5	G	C2'-C3'-O3'	5.50	122.50	113.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1433	0	1401	80	0
1	B	1664	0	1631	54	0
2	S	401	0	201	27	2
2	U	515	0	254	44	2
3	A	23	0	20	2	0
3	B	22	0	19	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	14	0	12	1	0
4	B	15	0	13	8	0
5	A	11	0	10	4	0
6	B	10	0	10	1	0
7	B	28	0	24	7	0
8	B	11	0	8	0	0
9	B	11	0	10	8	0
10	S	1	0	0	0	0
10	U	1	0	0	0	0
11	A	88	0	0	6	0
11	B	126	0	0	8	0
11	S	14	0	0	0	0
11	U	25	0	0	2	0
All	All	4413	0	3613	217	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:22:CFZ:H2'	2:S:23:CFZ:H5'	1.26	1.17
1:B:270:ASP:HB2	1:B:326:LYS:HE2	1.37	1.06
1:A:260:THR:HG22	1:A:262:VAL:HG23	1.46	0.96
1:B:311:GLN:HE21	1:B:311:GLN:H	1.18	0.90
1:B:346:PRO:HB3	1:B:372:PHE:HB3	1.51	0.89
1:A:347:GLN:HG3	11:A:101:HOH:O	1.74	0.87
2:S:22:CFZ:C2'	2:S:23:CFZ:H5'	2.05	0.86
1:A:303:VAL:HG12	1:A:304:SER:H	1.41	0.85
1:A:260:THR:CG2	1:A:262:VAL:HG23	2.06	0.84
2:S:17:G:H2'	2:S:18:A:H5''	1.61	0.83
1:B:246:LYS:HD3	9:B:7:GAL:H5	1.59	0.81
3:A:4:MAN:O4	3:A:5:MAN:H5	1.80	0.81
4:B:2:NDG:H6C1	7:B:3:NAG:H82	1.61	0.81
2:S:2:G:H5'	2:S:3:A:OP2	1.81	0.80
2:U:2:G:H2'	2:U:3:A:H8	1.46	0.79
2:S:17:G:C2'	2:S:18:A:H5''	2.14	0.77
1:B:418:GLN:HA	1:B:443:LEU:HD12	1.68	0.75
1:B:238:PRO:HG3	1:B:266:VAL:HA	1.68	0.74
1:A:248:LYS:HD3	1:A:252:MET:HE3	1.70	0.74
1:B:398:LEU:HA	11:B:186:HOH:O	1.88	0.72

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:U:15:A:H2'	2:U:16:G:H5'	1.72	0.71
1:B:328:LEU:HD21	1:B:332:ILE:HG13	1.72	0.71
7:B:6:NAG:H4	9:B:7:GAL:O2	1.90	0.71
1:A:258:GLU:O	5:A:7:GLA:H62	1.92	0.70
1:B:429:HIS:CD2	1:B:431:ALA:H	2.09	0.70
1:A:309:LEU:HB2	1:A:312:ASP:OD2	1.92	0.69
1:B:297:ASN:ND2	4:B:2:NDG:H1	2.07	0.69
1:B:311:GLN:NE2	1:B:311:GLN:H	1.88	0.69
9:B:7:GAL:H62	11:B:157:HOH:O	1.91	0.69
1:B:398:LEU:HD12	11:B:186:HOH:O	1.92	0.68
1:B:265:ASP:OD2	4:B:2:NDG:H8C1	1.92	0.68
1:A:422:VAL:HG22	1:A:442:SER:HB3	1.76	0.67
2:U:22:CFZ:F2'	2:U:23:CFZ:H5'A	1.83	0.67
1:B:382:GLU:HG3	11:B:231:HOH:O	1.94	0.67
2:S:4:G:H2'	2:S:5:G:H5'	1.76	0.67
1:A:436:TYR:O	11:A:216:HOH:O	2.14	0.66
1:B:270:ASP:OD1	1:B:326:LYS:HG2	1.97	0.65
2:S:1:G:H2'	2:S:2:G:O4'	1.96	0.65
1:A:290:LYS:HB3	1:A:291:PRO:CD	2.25	0.65
1:A:312:ASP:HB3	1:A:317:LYS:HD2	1.77	0.65
1:B:292:ARG:HB2	1:B:300:TYR:HD2	1.62	0.65
2:U:17:G:C2'	2:U:18:A:H5''	2.27	0.65
2:U:14:A:H2'	2:U:15:A:C5'	2.26	0.65
2:U:1:G:H2'	2:U:1:G:N3	2.11	0.65
2:U:15:A:C2'	2:U:16:G:H5'	2.27	0.65
2:U:14:A:H2'	2:U:15:A:H5''	1.78	0.64
2:U:18:A:H5'	2:U:18:A:H8	1.62	0.64
1:B:297:ASN:HD22	4:B:2:NDG:H1	1.63	0.63
1:B:246:LYS:NZ	7:B:6:NAG:O3	2.27	0.63
1:A:262:VAL:O	1:A:262:VAL:HG12	1.99	0.62
1:A:292:ARG:HD3	1:A:292:ARG:N	2.15	0.62
1:B:245:PRO:HA	9:B:7:GAL:H62	1.81	0.62
2:U:15:A:N3	2:U:15:A:H5'	2.15	0.62
2:U:18:A:H2'	2:U:19:A:H5'	1.83	0.61
1:A:290:LYS:HB3	1:A:291:PRO:HD2	1.82	0.61
2:S:18:A:H2'	2:S:19:A:H5'	1.83	0.61
2:U:17:G:H2'	2:U:18:A:H5''	1.82	0.61
1:A:243:PHE:HE1	1:A:262:VAL:HB	1.65	0.60
1:B:268:HIS:O	1:B:271:PRO:HD3	2.02	0.60
2:S:5:G:H2'	2:S:6:UFT:H5'A	1.82	0.60
1:A:406:LEU:C	1:A:406:LEU:HD12	2.22	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:303:VAL:HG12	1:A:304:SER:N	2.14	0.59
1:A:262:VAL:HG21	4:A:6:NDG:O6	2.02	0.58
1:B:429:HIS:HD2	1:B:431:ALA:H	1.51	0.58
2:U:2:G:O2'	2:U:3:A:H5'	2.03	0.58
2:S:18:A:H2'	2:S:19:A:C5'	2.33	0.58
2:U:22:CFZ:C2'	2:U:23:CFZ:H5'A	2.33	0.58
5:A:7:GLA:H3	11:A:450:HOH:O	2.02	0.57
2:U:2:G:H2'	2:U:3:A:C8	2.35	0.57
2:U:22:CFZ:H6	2:U:22:CFZ:O5'	2.05	0.57
1:A:348:VAL:O	1:A:439:LYS:HD2	2.05	0.57
2:S:5:G:O2'	2:S:6:UFT:OP1	2.18	0.56
1:B:253:ILE:HD13	1:B:254:SER:N	2.20	0.56
1:A:292:ARG:HG2	1:A:292:ARG:HH11	1.71	0.56
1:A:290:LYS:HB2	1:A:303:VAL:HG11	1.87	0.55
1:A:286:ASN:H	1:A:286:ASN:ND2	2.04	0.55
1:A:355:ARG:HA	1:A:358:LEU:HD22	1.88	0.55
1:A:346:PRO:HD2	1:A:432:LEU:CD2	2.37	0.55
1:B:292:ARG:HB2	1:B:300:TYR:CD2	2.41	0.55
1:A:241:PHE:HB2	1:A:243:PHE:CE1	2.41	0.55
1:A:422:VAL:HG22	1:A:442:SER:CB	2.36	0.55
1:A:261:CYS:HB2	1:A:277:TRP:CZ2	2.40	0.55
1:A:293:GLU:N	1:A:293:GLU:CD	2.60	0.54
2:S:2:G:H3'	2:S:3:A:C8	2.41	0.54
1:B:253:ILE:HD13	1:B:253:ILE:C	2.28	0.54
1:B:241:PHE:CE2	7:B:3:NAG:H4	2.43	0.54
2:U:13:A:H2'	2:U:14:A:O4'	2.08	0.54
2:S:4:G:C2'	2:S:5:G:H5'	2.37	0.54
2:S:17:G:H2'	2:S:18:A:C5'	2.33	0.54
2:S:5:G:C2'	2:S:6:UFT:H5'A	2.38	0.54
1:B:297:ASN:HD22	4:B:2:NDG:C1	2.21	0.54
1:B:361:ASN:ND2	11:B:179:HOH:O	2.41	0.53
2:U:24:A:N3	2:U:24:A:OP1	2.41	0.53
2:U:24:A:N3	2:U:24:A:P	2.82	0.53
1:A:436:TYR:CD1	1:A:437:THR:N	2.77	0.52
1:A:346:PRO:HG3	1:A:372:PHE:HB3	1.92	0.52
2:S:16:G:N2	2:S:17:G:H1'	2.24	0.52
1:A:289:THR:HA	1:A:304:SER:HA	1.91	0.51
1:A:290:LYS:O	1:A:291:PRO:O	2.28	0.51
1:A:247:PRO:HG3	1:A:376:ASP:OD2	2.10	0.51
1:A:429:HIS:CD2	1:A:431:ALA:H	2.28	0.51
1:A:248:LYS:HG3	11:A:160:HOH:O	2.10	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:B:7:GAL:C6	11:B:157:HOH:O	2.53	0.50
2:S:6:UFT:O4	2:S:17:G:H3'	2.11	0.50
2:U:14:A:C2'	2:U:15:A:H5''	2.40	0.50
1:B:291:PRO:HA	11:B:222:HOH:O	2.10	0.50
2:S:2:G:H3'	2:S:3:A:H8	1.76	0.50
2:U:1:G:H2'	2:U:2:G:O5'	2.12	0.50
2:U:24:A:H3'	2:U:24:A:OP1	2.12	0.50
2:U:20:CFZ:O5'	2:U:20:CFZ:H6	2.12	0.50
1:A:246:LYS:HE3	5:A:7:GLA:O2	2.12	0.49
1:B:242:LEU:HD13	1:B:336:ILE:HG22	1.93	0.49
1:A:258:GLU:O	5:A:7:GLA:C6	2.59	0.49
2:U:14:A:H2'	2:U:15:A:H5'	1.94	0.49
1:A:247:PRO:O	1:A:251:LEU:HG	2.13	0.49
1:B:346:PRO:CB	1:B:372:PHE:HB3	2.33	0.49
4:B:2:NDG:C6	7:B:3:NAG:H82	2.38	0.48
1:A:387:PRO:HG2	11:A:170:HOH:O	2.13	0.48
1:B:266:VAL:HB	1:B:300:TYR:HB2	1.96	0.48
1:B:430:GLU:HG3	1:B:431:ALA:N	2.28	0.48
1:A:260:THR:CG2	1:A:262:VAL:CG2	2.85	0.48
1:A:260:THR:HG21	1:A:262:VAL:HG23	1.95	0.48
1:B:238:PRO:CG	1:B:266:VAL:HA	2.41	0.48
1:A:390:ASN:ND2	11:A:131:HOH:O	2.46	0.47
1:B:238:PRO:HA	1:B:265:ASP:HB2	1.96	0.47
2:S:18:A:C2'	2:S:19:A:H5'	2.42	0.47
1:A:346:PRO:HD2	1:A:432:LEU:HD21	1.96	0.47
3:B:5:MAN:O5	7:B:6:NAG:H82	2.15	0.47
1:B:406:LEU:C	1:B:406:LEU:HD12	2.34	0.47
2:S:11:CFZ:N4	2:S:16:G:O6	2.48	0.47
1:B:277:TRP:O	1:B:283:GLU:HA	2.14	0.47
1:B:325:ASN:O	1:B:328:LEU:HB3	2.15	0.47
2:U:24:A:N3	2:U:24:A:OP2	2.47	0.47
1:A:243:PHE:CE1	1:A:262:VAL:HB	2.47	0.47
2:U:15:A:H2'	2:U:16:G:C5'	2.42	0.47
2:U:15:A:N3	2:U:15:A:H3'	2.31	0.46
1:A:303:VAL:O	1:A:304:SER:HB3	2.16	0.46
2:U:22:CFZ:H2'	2:U:23:CFZ:C5'	2.45	0.46
1:A:302:VAL:HG22	1:A:303:VAL:HG23	1.96	0.46
2:U:13:A:C2	2:U:14:A:H1'	2.51	0.46
2:U:18:A:C2'	2:U:19:A:H5'	2.43	0.46
1:A:292:ARG:CD	1:A:292:ARG:N	2.77	0.46
2:S:18:A:H8	2:S:18:A:H5'	1.81	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:VAL:CG1	1:A:439:LYS:HG3	2.45	0.46
2:S:5:G:H5'	2:S:5:G:H8	1.80	0.46
1:A:262:VAL:O	1:A:262:VAL:CG1	2.63	0.45
1:B:297:ASN:HB2	4:B:2:NDG:H1	1.98	0.45
1:B:311:GLN:N	1:B:311:GLN:HE21	1.99	0.45
2:U:14:A:C2'	2:U:15:A:C5'	2.95	0.45
7:B:6:NAG:C4	9:B:7:GAL:O2	2.63	0.45
1:A:367:CYS:HB2	1:A:381:TRP:CZ2	2.52	0.45
1:A:286:ASN:N	1:A:286:ASN:HD22	2.14	0.45
1:A:374:PRO:O	1:A:429:HIS:HE1	1.99	0.45
1:A:358:LEU:O	1:A:414:LYS:HE3	2.16	0.45
1:B:325:ASN:OD1	1:B:327:ALA:HB3	2.17	0.45
1:A:241:PHE:HB2	1:A:243:PHE:CZ	2.52	0.44
1:A:261:CYS:HB2	1:A:277:TRP:CH2	2.52	0.44
1:B:328:LEU:HD12	1:B:329:PRO:HD2	2.00	0.44
9:B:7:GAL:H4	11:B:17:HOH:O	2.17	0.44
1:B:326:LYS:C	1:B:328:LEU:H	2.20	0.44
3:A:4:MAN:HO4	3:A:5:MAN:H5	1.80	0.44
2:U:1:G:N2	2:U:2:G:O4'	2.50	0.44
1:A:253:ILE:HG13	1:A:254:SER:N	2.32	0.44
2:U:10:CFZ:H5	11:U:117:HOH:O	2.16	0.44
1:B:269:GLU:OE2	1:B:326:LYS:HE3	2.17	0.44
1:B:238:PRO:HA	1:B:265:ASP:CB	2.47	0.44
1:A:286:ASN:N	1:A:286:ASN:ND2	2.64	0.43
2:U:21:UFT:H2'	2:U:22:CFZ:C6	2.48	0.43
1:B:318:GLU:HA	1:B:337:SER:HB3	1.99	0.43
2:U:1:G:C2'	2:U:2:G:O5'	2.64	0.43
1:A:242:LEU:O	1:A:336:ILE:HD12	2.19	0.43
1:A:433:HIS:O	1:A:434:ASN:HB2	2.17	0.43
1:B:370:LYS:HB2	1:B:370:LYS:HE2	1.71	0.43
1:A:280:ASP:OD1	1:A:318:GLU:HG2	2.18	0.43
1:A:365:LEU:HD12	1:A:410:LEU:HD23	2.00	0.43
1:A:260:THR:HG22	1:A:262:VAL:CG2	2.33	0.43
2:U:17:G:H2'	2:U:18:A:C5'	2.47	0.43
1:A:293:GLU:O	1:A:294:GLU:HG3	2.19	0.43
1:B:289:THR:HA	1:B:304:SER:HA	2.00	0.43
1:A:345:GLU:HA	1:A:346:PRO:HD3	1.81	0.43
1:A:249:ASP:OD2	1:A:255:ARG:HD3	2.18	0.42
1:A:277:TRP:O	1:A:283:GLU:HA	2.18	0.42
2:U:13:A:O2'	2:U:14:A:P	2.77	0.42
1:A:259:VAL:HG23	1:A:308:VAL:HG11	2.00	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:TYR:HB3	1:A:281:GLY:O	2.20	0.42
2:S:4:G:C3'	2:S:5:G:H5'	2.49	0.42
1:B:268:HIS:N	1:B:268:HIS:CD2	2.85	0.42
2:U:4:G:N2	2:U:20:CFZ:O2	2.52	0.42
1:A:355:ARG:O	1:A:358:LEU:HB2	2.20	0.42
1:A:406:LEU:CD1	1:A:406:LEU:C	2.88	0.42
2:U:8:CFZ:H5	11:U:82:HOH:O	2.20	0.42
1:B:278:TYR:HA	1:B:282:VAL:O	2.19	0.41
2:U:22:CFZ:C2'	2:U:23:CFZ:C5'	2.97	0.41
1:A:293:GLU:OE1	1:A:302:VAL:CG1	2.68	0.41
1:A:343:PRO:HA	1:A:373:TYR:O	2.20	0.41
2:U:1:G:HO2'	2:U:2:G:P	2.42	0.41
1:B:377:ILE:HD11	1:B:427:VAL:CG1	2.51	0.41
1:A:259:VAL:HG12	1:A:260:THR:N	2.36	0.41
1:B:238:PRO:HB3	1:B:264:VAL:O	2.21	0.41
2:S:17:G:C2'	2:S:18:A:C5'	2.95	0.41
2:U:18:A:H5'	2:U:18:A:C8	2.51	0.41
6:B:1:FUL:H63	4:B:2:NDG:O6	2.21	0.41
1:B:386:GLN:HA	1:B:387:PRO:HD3	1.92	0.41
2:U:2:G:C6	2:U:23:CFZ:N4	2.89	0.41
1:A:418:GLN:HA	1:A:443:LEU:HD22	2.03	0.41
2:U:13:A:HO2'	2:U:14:A:P	2.43	0.41
1:A:259:VAL:HG23	1:A:308:VAL:CG1	2.51	0.40
1:A:380:GLU:HG2	1:A:391:TYR:OH	2.21	0.40
1:B:365:LEU:HD12	1:B:410:LEU:HD23	2.03	0.40
1:A:244:PRO:HD3	1:A:336:ILE:HD11	2.02	0.40
1:A:423:PHE:O	1:A:441:LEU:N	2.54	0.40
2:S:21:UFT:H2'	2:S:22:CFZ:H6	2.02	0.40
1:A:429:HIS:O	1:A:435:HIS:HA	2.22	0.40
2:S:20:CFZ:H6	2:S:20:CFZ:O5'	2.21	0.40
2:S:2:G:H2'	2:S:2:G:N3	2.36	0.40
1:A:365:LEU:HB2	1:A:410:LEU:HB3	2.03	0.40
1:B:258:GLU:O	9:B:7:GAL:O6	2.25	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:11:CFZ:O4'	2:U:24:A:O2'[4_556]	2.09	0.11
2:S:11:CFZ:O5'	2:U:24:A:O2'[4_556]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	169/211 (80%)	152 (90%)	12 (7%)	5 (3%)	5	1
1	B	206/211 (98%)	198 (96%)	7 (3%)	1 (0%)	31	24
All	All	375/422 (89%)	350 (93%)	19 (5%)	6 (2%)	11	4

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	291	PRO
1	A	303	VAL
1	A	282	VAL
1	A	295	GLN
1	A	304	SER
1	B	329	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	166/196 (85%)	153 (92%)	13 (8%)	14	8
1	B	194/196 (99%)	184 (95%)	10 (5%)	25	21
All	All	360/392 (92%)	337 (94%)	23 (6%)	19	13

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	274	LYS
1	A	283	GLU
1	A	286	ASN
1	A	289	THR
1	A	292	ARG
1	A	293	GLU
1	A	295	GLN
1	A	340	LYS
1	A	358	LEU
1	A	376	ASP
1	A	390	ASN
1	A	414	LYS
1	A	439	LYS
1	B	242	LEU
1	B	253	ILE
1	B	269	GLU
1	B	296	TYR
1	B	309	LEU
1	B	311	GLN
1	B	370	LYS
1	B	434	ASN
1	B	443	LEU
1	B	444	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	ASN
1	A	295	GLN
1	A	315	ASN
1	A	361	ASN
1	A	362	GLN
1	A	390	ASN
1	A	419	GLN
1	A	429	HIS
1	A	434	ASN
1	A	438	GLN
1	B	297	ASN
1	B	311	GLN
1	B	361	ASN
1	B	390	ASN
1	B	429	HIS
1	B	434	ASN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	B	438	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	S	8/24 (33%)	4 (50%)	0
2	U	15/24 (62%)	6 (40%)	2 (13%)
All	All	23/48 (47%)	10 (43%)	2 (8%)

All (10) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	S	2	G
2	S	5	G
2	S	7	G
2	S	18	A
2	U	2	G
2	U	7	G
2	U	14	A
2	U	15	A
2	U	18	A
2	U	24	A

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	U	1	G
2	U	13	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	CFZ	S	10	2	15,21,22	0.94	0	18,30,33	0.80	0
2	CFZ	S	11	2	15,21,22	0.81	0	18,30,33	0.80	1 (5%)
2	CFZ	S	20	2	15,21,22	0.82	0	18,30,33	0.74	0
2	UFT	S	21	2	14,21,22	1.17	1 (7%)	17,30,33	3.79	2 (11%)
2	CFZ	S	22	2	15,21,22	0.81	0	18,30,33	0.79	1 (5%)
2	CFZ	S	23	2	15,21,22	0.75	0	18,30,33	0.80	1 (5%)
2	UFT	S	6	2	14,21,22	1.16	1 (7%)	17,30,33	3.81	3 (17%)
2	CFZ	S	8	2	15,21,22	0.84	0	18,30,33	0.68	0
2	UFT	S	9	2	14,21,22	1.21	1 (7%)	17,30,33	3.79	3 (17%)
2	CFZ	U	10	2	15,21,22	0.87	0	18,30,33	0.77	0
2	CFZ	U	11	2	15,21,22	0.86	0	18,30,33	0.78	0
2	CFZ	U	20	2	15,21,22	0.83	0	18,30,33	0.84	1 (5%)
2	UFT	U	21	2	14,21,22	1.15	1 (7%)	17,30,33	3.80	3 (17%)
2	CFZ	U	22	2	15,21,22	0.90	0	18,30,33	0.76	0
2	CFZ	U	23	2	15,21,22	0.84	0	18,30,33	0.96	0
2	UFT	U	6	2	14,21,22	1.22	1 (7%)	17,30,33	3.86	4 (23%)
2	CFZ	U	8	2	15,21,22	0.87	0	18,30,33	0.72	1 (5%)
2	UFT	U	9	2	14,21,22	1.12	1 (7%)	17,30,33	3.77	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CFZ	S	10	2	-	0/3/25/26	0/2/2/2
2	CFZ	S	11	2	-	0/3/25/26	0/2/2/2
2	CFZ	S	20	2	-	0/3/25/26	0/2/2/2
2	UFT	S	21	2	-	0/3/25/26	0/2/2/2
2	CFZ	S	22	2	-	0/3/25/26	0/2/2/2
2	CFZ	S	23	2	-	0/3/25/26	0/2/2/2
2	UFT	S	6	2	-	0/3/25/26	0/2/2/2
2	CFZ	S	8	2	-	0/3/25/26	0/2/2/2
2	UFT	S	9	2	-	0/3/25/26	0/2/2/2
2	CFZ	U	10	2	-	0/3/25/26	0/2/2/2
2	CFZ	U	11	2	-	0/3/25/26	0/2/2/2
2	CFZ	U	20	2	-	0/3/25/26	0/2/2/2
2	UFT	U	21	2	-	0/3/25/26	0/2/2/2
2	CFZ	U	22	2	-	0/3/25/26	0/2/2/2
2	CFZ	U	23	2	-	0/3/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UFT	U	6	2	-	0/3/25/26	0/2/2/2
2	CFZ	U	8	2	-	0/3/25/26	0/2/2/2
2	UFT	U	9	2	-	0/3/25/26	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	U	21	UFT	C4-N3	2.88	1.38	1.33
2	S	6	UFT	C4-N3	2.93	1.38	1.33
2	U	9	UFT	C4-N3	2.97	1.38	1.33
2	S	21	UFT	C4-N3	2.98	1.38	1.33
2	S	9	UFT	C4-N3	3.13	1.38	1.33
2	U	6	UFT	C4-N3	3.25	1.38	1.33

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	U	6	UFT	C5-C4-N3	-3.69	114.59	123.17
2	S	9	UFT	C5-C4-N3	-3.69	114.60	123.17
2	U	9	UFT	C5-C4-N3	-3.69	114.61	123.17
2	U	21	UFT	C5-C4-N3	-3.67	114.66	123.17
2	S	6	UFT	C5-C4-N3	-3.66	114.67	123.17
2	S	21	UFT	C5-C4-N3	-3.65	114.69	123.17
2	S	11	CFZ	F2'-C2'-C1'	2.02	113.40	109.28
2	U	21	UFT	F2'-C2'-C1'	2.02	113.41	109.28
2	S	9	UFT	F2'-C2'-C1'	2.05	113.48	109.28
2	U	8	CFZ	F2'-C2'-C1'	2.11	113.60	109.28
2	S	22	CFZ	F2'-C2'-C1'	2.15	113.68	109.28
2	U	6	UFT	F2'-C2'-C1'	2.17	113.73	109.28
2	S	23	CFZ	F2'-C2'-C1'	2.26	113.91	109.28
2	U	6	UFT	O4'-C1'-C2'	2.27	108.14	105.74
2	U	20	CFZ	F2'-C2'-C1'	2.31	114.00	109.28
2	S	6	UFT	O4'-C1'-C2'	2.46	108.34	105.74
2	U	9	UFT	C4-N3-C2	14.82	126.89	114.14
2	S	6	UFT	C4-N3-C2	14.87	126.94	114.14
2	S	21	UFT	C4-N3-C2	14.89	126.95	114.14
2	U	6	UFT	C4-N3-C2	14.91	126.97	114.14
2	S	9	UFT	C4-N3-C2	14.92	126.98	114.14
2	U	21	UFT	C4-N3-C2	14.95	127.00	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

12 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	S	11	CFZ	1	2
2	S	20	CFZ	1	0
2	S	21	UFT	1	0
2	S	22	CFZ	3	0
2	S	23	CFZ	2	0
2	S	6	UFT	4	0
2	U	10	CFZ	1	0
2	U	20	CFZ	2	0
2	U	21	UFT	1	0
2	U	22	CFZ	6	0
2	U	23	CFZ	5	0
2	U	8	CFZ	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	MAN	A	4	3	12,12,12	0.53	0	17,17,17	0.49	0
3	MAN	A	5	3,4	11,11,12	0.68	0	15,15,17	0.66	0
4	NDG	A	6	3,5	14,14,15	0.59	0	17,19,21	0.93	2 (11%)
5	GLA	A	7	4	11,11,12	0.66	0	15,15,17	0.71	0
6	FUL	B	1	4	9,10,11	0.50	0	13,14,16	0.73	0
4	NDG	B	2	7,6	15,15,15	0.54	0	21,21,21	0.64	0
7	NAG	B	3	8,4	14,14,15	0.55	0	17,19,21	0.81	1 (5%)
8	BMA	B	4	3,7	11,11,12	0.49	0	15,15,17	0.56	0
3	MAN	B	5	8,7	11,11,12	0.42	0	15,15,17	0.59	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	B	6	9,3	14,14,15	0.46	0	17,19,21	0.77	0
9	GAL	B	7	7	11,11,12	0.58	0	15,15,17	1.13	1 (6%)
3	MAN	B	8	8	11,11,12	0.54	0	15,15,17	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAN	A	4	3	-	0/2/22/22	0/1/1/1
3	MAN	A	5	3,4	-	0/2/19/22	0/1/1/1
4	NDG	A	6	3,5	-	0/6/23/26	0/1/1/1
5	GLA	A	7	4	-	0/2/19/22	0/1/1/1
6	FUL	B	1	4	-	0/0/17/20	0/1/1/1
4	NDG	B	2	7,6	-	0/6/26/26	0/1/1/1
7	NAG	B	3	8,4	-	0/6/23/26	0/1/1/1
8	BMA	B	4	3,7	-	0/2/19/22	0/1/1/1
3	MAN	B	5	8,7	-	0/2/19/22	0/1/1/1
7	NAG	B	6	9,3	-	0/6/23/26	0/1/1/1
9	GAL	B	7	7	-	0/2/19/22	0/1/1/1
3	MAN	B	8	8	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	6	NDG	C2-N2-C7	-2.08	119.91	122.94
7	B	3	NAG	C2-N2-C7	-2.04	119.97	122.94
4	A	6	NDG	C1-O-C5	2.63	115.81	112.19
9	B	7	GAL	C1-O5-C5	3.14	116.51	112.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	4	MAN	2	0
3	A	5	MAN	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	6	NDG	1	0
5	A	7	GLA	4	0
6	B	1	FUL	1	0
4	B	2	NDG	8	0
7	B	3	NAG	3	0
3	B	5	MAN	1	0
7	B	6	NAG	4	0
9	B	7	GAL	8	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	177/211 (83%)	1.14	32 (18%) <b>1</b> <b>1</b>	21, 41, 96, 107	0
1	B	208/211 (98%)	0.77	22 (10%) <b>6</b> <b>8</b>	21, 38, 88, 100	0
2	S	10/24 (41%)	0.41	1 (10%) <b>7</b> <b>10</b>	48, 77, 98, 107	0
2	U	15/24 (62%)	0.60	3 (20%) <b>1</b> <b>1</b>	38, 79, 111, 117	0
All	All	410/470 (87%)	0.91	58 (14%) <b>2</b> <b>3</b>	21, 40, 94, 117	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	241	PHE	10.7
1	B	296	TYR	8.9
1	A	278	TYR	7.9
1	A	302	VAL	7.5
1	A	303	VAL	6.6
1	A	289	THR	5.9
1	A	273	VAL	5.4
1	A	284	VAL	5.2
1	B	271	PRO	5.1
1	A	296	TYR	5.0
1	A	262	VAL	4.7
1	B	300	TYR	4.7
1	B	330	ALA	4.5
1	A	277	TRP	4.4
1	A	256	THR	4.4
1	B	239	SER	4.1
1	B	323	VAL	4.0
1	B	267	SER	4.0
1	A	286	ASN	4.0
1	B	299	THR	3.9
1	A	290	LYS	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	280	ASP	3.7
1	A	304	SER	3.6
1	B	328	LEU	3.6
1	B	331	PRO	3.5
1	A	305	VAL	3.4
1	B	297	ASN	3.4
1	B	265	ASP	3.4
1	B	298	SER	3.3
1	A	336	ILE	3.2
1	A	295	GLN	3.2
1	B	238	PRO	3.2
1	B	273	VAL	3.2
1	B	327	ALA	3.1
1	A	243	PHE	3.1
1	B	266	VAL	3.0
1	A	261	CYS	2.9
1	A	276	ASN	2.8
1	B	325	ASN	2.8
1	A	272	GLU	2.8
1	A	292	ARG	2.8
2	U	24	A	2.7
1	B	329	PRO	2.7
1	A	281	GLY	2.7
1	A	320	LYS	2.5
2	U	1	G	2.5
1	A	275	PHE	2.5
1	B	268	HIS	2.4
2	U	15	A	2.3
1	A	279	VAL	2.3
1	A	334	LYS	2.2
1	A	321	CYS	2.2
2	S	1	G	2.2
1	A	242	LEU	2.2
1	B	263	VAL	2.1
1	A	389	ASN	2.1
1	A	282	VAL	2.1
1	B	292	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CFZ	S	23	20/21	0.65	0.25	89,91,95,95	0
2	CFZ	U	23	20/21	0.74	0.21	83,90,95,97	0
2	CFZ	S	11	20/21	0.76	0.22	68,81,83,83	0
2	CFZ	S	10	20/21	0.85	0.14	53,57,63,68	0
2	CFZ	S	22	20/21	0.87	0.22	65,84,87,88	0
2	UFT	U	6	20/21	0.88	0.16	48,52,61,62	0
2	UFT	S	6	20/21	0.89	0.22	62,66,68,71	0
2	UFT	S	21	20/21	0.90	0.19	54,62,69,69	0
2	CFZ	U	20	20/21	0.90	0.17	37,40,45,47	0
2	CFZ	U	10	20/21	0.92	0.14	44,46,49,49	0
2	CFZ	U	22	20/21	0.92	0.18	57,75,76,81	0
2	UFT	S	9	20/21	0.92	0.12	43,48,53,56	0
2	CFZ	S	20	20/21	0.92	0.17	51,53,54,57	0
2	UFT	U	21	20/21	0.94	0.15	41,52,54,55	0
2	CFZ	U	11	20/21	0.94	0.12	46,49,55,57	0
2	CFZ	S	8	20/21	0.95	0.13	35,42,52,52	0
2	UFT	U	9	20/21	0.95	0.13	38,41,44,46	0
2	CFZ	U	8	20/21	0.97	0.11	31,38,45,46	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	GAL	B	7	11/12	0.68	0.25	72,74,75,77	0
3	MAN	B	8	11/12	0.73	0.19	79,80,81,82	0
5	GLA	A	7	11/12	0.79	0.36	106,107,108,108	0
4	NDG	B	2	15/15	0.80	0.34	85,87,92,96	0
7	NAG	B	3	14/15	0.81	0.17	74,80,83,84	0
3	MAN	A	5	11/12	0.82	0.17	110,111,112,112	0
3	MAN	A	4	12/12	0.82	0.16	110,111,112,112	0
3	MAN	B	5	11/12	0.85	0.17	69,70,72,73	0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Atoms</b>	<b>RSCC</b>	<b>RSR</b>	<b>B-factors(<math>\text{\AA}^2</math>)</b>	<b>Q&lt;0.9</b>
4	NDG	A	6	14/15	0.85	0.23	107,108,109,109	0
7	NAG	B	6	14/15	0.86	0.12	68,69,70,71	0
8	BMA	B	4	11/12	0.87	0.12	71,76,77,77	0
6	FUL	B	1	10/11	0.87	0.39	99,101,101,102	0
10	CA	S	25	1/1	0.89	0.06	79,79,79,79	0
10	CA	U	25	1/1	0.97	0.15	56,56,56,56	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.