



Full wwPDB EM Validation Report ⓘ

Dec 30, 2024 – 08:24 AM EST

PDB ID : 8AGZ
EMDB ID : EMD-15428
Title : Yeast RQC complex in state with the RING domain of Ltn1 in the OUT position
Authors : Tesina, P.; Buschauer, R.; Beckmann, R.
Deposited on : 2022-07-20
Resolution : 2.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	204	
2	B	199	
3	C	184	
4	D	186	
5	E	189	
6	F	172	
7	G	160	























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	121	
9	I	137	
10	J	155	
11	K	142	
12	L	127	
13	M	136	
14	N	149	
15	O	59	
16	P	105	
17	Q	113	
18	R	130	
19	S	107	
20	T	121	
21	U	120	
22	V	100	
23	W	88	
24	X	78	
25	Y	51	
26	Z	128	
27	b	106	
28	c	92	
29	d	25	
30	f	3395	
31	h	121	
32	i	158	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	j	254	 97%
34	k	387	 99%
35	l	362	 99%
36	m	297	 98%
37	n	176	 94% 5%
38	o	244	 91% 9%
39	p	256	 89% 9%
40	q	191	 98%
41	r	221	 98%
42	s	174	 94%
43	t	199	 96%
44	u	138	 97%
45	a	1038	 81% 18% 21%
46	e	1562	 92% 6% 16%
47	g	245	 91% 8%
48	v	157	 89% 10% 39%
49	w	217	 99% 88%
50	x	76	 66% 30% 5%
50	y	76	 67% 25% 7%
51	z	165	 89% 10%
52	0	312	 30% 7% 61%
53	1	18	 78% 22%

2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 151339 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	203	1720	1077	361	281	1	0	0

- Molecule 2 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	197	1555	1003	289	262	1	197	0

- Molecule 3 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	C	183	1416	879	284	253	0	0

- Molecule 4 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	185	1441	908	290	241	2	0	0

- Molecule 5 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	E	156	1258	781	265	212	0	0

- Molecule 6 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	171	1437	925	266	243	3	0	0

- Molecule 7 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	159	1272	802	245	221	4	0	0

- Molecule 8 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	H	100	796	516	131	149	0	0

- Molecule 9 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	136	1003	628	189	179	7	0	0

- Molecule 10 is a protein called 60S ribosomal protein L24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	63	518	333	102	82	1	0	0

- Molecule 11 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	121	964	620	169	173	2	0	0

- Molecule 12 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	L	125	984	620	191	173	0	0

- Molecule 13 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	M	135	1080	701	199	180	0	0

- Molecule 14 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	N	148	1169	747	231	188	3	0	0

- Molecule 15 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	O	58	462	289	100	73		0	0

- Molecule 16 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	P	96	737	476	123	137	1	0	0

- Molecule 17 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Q	109	876	556	167	152	1	0	0

- Molecule 18 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	R	127	1013	642	205	165	1	0	0

- Molecule 19 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	S	106	850	540	165	144	1	0	0

- Molecule 20 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	T	112	880	545	179	152	4	0	0

- Molecule 21 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 22 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 23 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	81	Total	C	N	O	S	0	0
			645	393	141	106	5		

- Molecule 24 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	X	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 25 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 26 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	52	Total	C	N	O	S	0	0
			410	254	86	65	5		

- Molecule 27 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 28 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 29 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	22	Total	C	N	O	S	0	0
			207	127	56	23	1		

- Molecule 30 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	f	3216	Total	C	N	O	P	0	0
			68782	30723	12389	22454	3216		

- Molecule 31 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	h	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 32 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	i	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 33 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	j	246	Total	C	N	O	S	0	0
			1874	1168	380	325	1		

- Molecule 34 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	k	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 35 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	l	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 36 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	m	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 37 is a protein called 60S ribosomal protein L6-B.

Mol	Chain	Residues	Atoms				AltConf	Trace
37	n	167	Total	C	N	O	0	0
			1307	843	234	230		

- Molecule 38 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	o	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 39 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	p	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 40 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	q	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 41 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	r	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 42 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	s	169	1346	843	252	247	4	0	0

- Molecule 43 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	t	193	1543	962	315	266		0	0

- Molecule 44 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	u	136	1053	675	199	177	2	0	0

- Molecule 45 is a protein called RQC2 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	a	848	6579	4194	1142	1226	17	0	0

- Molecule 46 is a protein called E3 ubiquitin-protein ligase listerin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	e	1527	11506	7350	1937	2181	38	0	0

- Molecule 47 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	g	225	1651	1030	282	332	7	0	0

- Molecule 48 is a protein called Eukaryotic translation initiation factor 5A-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	v	142	1085	676	183	217	9	0	0

- Molecule 49 is a protein called 60S ribosomal protein L1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	w	216	Total	C	N	O	S	0	0
			1709	1092	298	310	9		

- Molecule 50 is a RNA chain called Ala tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	x	74	Total	C	N	O	P	0	0
			1579	702	277	526	74		
50	y	73	Total	C	N	O	P	0	0
			1556	692	272	519	73		

- Molecule 51 is a protein called 60S ribosomal protein L12-B.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	z	148	Total	C	N	O	0	0
			728	432	148	148		

- Molecule 52 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	0	121	Total	C	N	O	S	0	0
			961	618	167	173	3		

- Molecule 53 is a protein called CAT-tailed nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	1	18	Total	C	N	O	0	0
			90	54	18	18		

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
54	A	1	Total	Mg	0
			1	1	
54	C	1	Total	Mg	0
			1	1	
54	E	1	Total	Mg	0
			1	1	
54	I	1	Total	Mg	0
			1	1	
54	R	1	Total	Mg	0
			1	1	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
54	T	1	Total 1	Mg 1	0
54	f	3	Total 3	Mg 3	0
54	h	1	Total 1	Mg 1	0
54	j	2	Total 2	Mg 2	0
54	k	1	Total 1	Mg 1	0

- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
55	T	1	Total 1	Zn 1	0
55	W	1	Total 1	Zn 1	0
55	Z	1	Total 1	Zn 1	0
55	b	1	Total 1	Zn 1	0
55	c	1	Total 1	Zn 1	0
55	e	2	Total 2	Zn 2	0

- Molecule 56 is SPERMIDINE (three-letter code: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
56	f	1	Total	C	N	0
			10	7	3	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 60S ribosomal protein L15-A




- Molecule 2: 60S ribosomal protein L16-A




- Molecule 3: 60S ribosomal protein L17-A



- Molecule 4: 60S ribosomal protein L18-A





- Molecule 5: 60S ribosomal protein L19-A





GLU
ASP
ALA

- Molecule 6: 60S ribosomal protein L20-A

Chain F:  88% 12%


- Molecule 7: 60S ribosomal protein L21-A

Chain G:  89% 11%


- Molecule 8: 60S ribosomal protein L22-A

Chain H:  67% 15% 17%



- Molecule 9: 60S ribosomal protein L23-A

Chain I:  88% 11%

- Molecule 10: 60S ribosomal protein L24-A


Chain J:  37% 59%

- Molecule 11: 60S ribosomal protein L25

Chain K:  84% 15%

- Molecule 12: 60S ribosomal protein L26-A

Chain L:  92% 6%



- Molecule 13: 60S ribosomal protein L27-A

Chain M:  92% 7%





- Molecule 14: 60S ribosomal protein L28

Chain N:  92% 7%




- Molecule 15: 60S ribosomal protein L29

Chain O:  83% 12%





- Molecule 16: 60S ribosomal protein L30

Chain P:  86% 6% 9%



- Molecule 17: 60S ribosomal protein L31-A

Chain Q:  80% 17%




- Molecule 18: 60S ribosomal protein L32

Chain R:  92% 6%





- Molecule 19: 60S ribosomal protein L33-A

Chain S:  93% 6%



- Molecule 20: 60S ribosomal protein L34-A

Chain T:  88% 5% 7%




- Molecule 21: 60S ribosomal protein L35-A

Chain U:  93% 6%




- Molecule 22: 60S ribosomal protein L36-A

Chain V:  93% 6%





- Molecule 23: 60S ribosomal protein L37-A

Chain W:  85% 7% 8%



- Molecule 24: 60S ribosomal protein L38

Chain X:  88% 10%



- Molecule 25: 60S ribosomal protein L39

Chain Y:  98%



- Molecule 26: Ubiquitin-60S ribosomal protein L40



MET	GLN	ILE	PHE	VAL	LYS	THR	LEU	THR	LEU	GLY	LYS	THR	ILE	THR	LEU	GLU	VAL	GLU	SER	SER	THR	ASP	ILE	ASP	ASN	VAL	LYS	SER	SER	LYS	ILE	GLN	ASP	GLN	ARG	GLN	ARG	LEU	ILE	PHE	ALA	GLY	LYS	GLN	LEU	LEU	GLU	ASP	GLY	ARG	THR	LEU	SER	ASP	TYR	ASN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ILE	GLN	LYS	GLU	SER	THR	LEU	HIS	LEU	VAL	LEU	ARG	LEU	ARG	GLY	I77	K128
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

- Molecule 27: 60S ribosomal protein L42-A




MET	V2	L104	GLN	PHE
-----	----	------	-----	-----

- Molecule 28: 60S ribosomal protein L43-A



MET	A2	A92
-----	----	-----

- Molecule 29: 60S ribosomal protein L41-A



M4	K22	V23	R24	A25	ARG	SER	LYS
----	-----	-----	-----	-----	-----	-----	-----

- Molecule 30: 25S rRNA



G	U	U3	A6	A13	U14	A26	C36	A40	A43	A49	G59	A60	A65	A66	U78	U87	G92	U97	G98	A99	A109	C110	C111	U112	C113	A116	G120	A121	A122	U133	U134	C135	G136	C142	U149	G156	A157	A165
---	---	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

C166	G172	G173	A187	U190	U191	C192	C200	G206	U210	A211	G212	A213	G218	A219	G234	U240	G241	C242	U244	G243	G244	U245	U249	U252	G269	U270	G282	G283	U286	A295	U305	C315	A323	U329	C339	C350	U354
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

A374	A375	G376	A398	A399	G400	U401	A402	C403	G406	U411	G421	A422	C439	A440	U441	G442	G443	G444	G445	U446	U447	U448	U449	G450	U451	G	C	C	U	U	U	C	G	U	C	C	U	U	U	C	C	U	C	C	U	C	C	U	C
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



U	C	G	C	A486	U487	U488	U489	C490	G494	G518	A519	U520	A521	A522	A523	U524	G535	U536	C543	C544	U545	C546	C547	U548	C548	A551	C552	U555	U556	A557	U558	A559	A578	C579	A589	G597	G604	A608	G609	G610	A611	U620	A621	A622	C637	C638
---	---	---	---	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

A649	A660	A677	U681	G684	A690	A691	A705	G712	A715	A716	U719	A720	C758	G763	U764	C765	U766	U767	U776	U777	A780	G781	G785	A786	A806	A817	A830	C835	A846	C849	U850	C861	U865	U874	U879
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------


U2818	C3034	U2862	U29505	A2404	A2223	C	C	A1760	A1566	G1349	A1217	U1028	U885
C2821	A3048	A2856	U29514	C2405	A2224	U	U	C1761	U1567	A1369	A1218	U1036	U886
G2834	U3056	A2674	A2515	U2411	U2225	G	A	U1764	U1568	A1351	U1219	A1036	C890
C2836	U3057	U2835	G2522	U2419	A2226	C	G	U1765	U1569	A1352	C1219	U1041	A896
U2842	G3059	G2677	C2526	G2437	C2235	C	C	G1766	U1572	G1354	G1222	A1047	A897
U2843	U3078	A2689	C2531	C2444	G2249	C	C	G1770	G1573	A1355	A1225	A1048	G907
C2844	U3079	G2690	U2537	A2445	U2254	C	U	G1775	C1574	A1356	G1226	C1049	G908
A2845	G3080	A2691	U2538	U2446	U	A	U	A1386	A1575	A1064	C1227	G1063	A914
U2846	A3086	A2694	C2539	A2447	U	A	C	A1387	G1576	A1065	A917	A1064	A915
C2849	C3092	A2695	U2540	G2450	A	C	C	G1780	G1577	A1388	U1235	G1063	A916
U2850	U3104	A2696	U2542	G2451	U	C	A	A1389	U1236	A1066	G1236	A1066	A917
C2857	A3113	A2704	U2543	U2453	A2262	C	C	A1797	C1237	A1067	G1237	A1065	A917
G2871	A3122	G2714	U2544	G2454	U	C	C	A1814	U1238	G1072	G1238	G1072	A920
A2872	U3130	U2719	A2547	U2455	G2272	C	A	U1815	C1581	A1392	U1239	A1083	A921
U2873	A3131	C2726	C2548	A2456	U2273	C	C	U1816	C1582	G1399	C1240	U1094	A922
G2874	U3131	U2727	U2551	G2458	U2274	C	C	A1817	C1583	A1400	U1081	U1094	U922
U2875	A3142	A2728	U2552	A2459	A2281	C	C	U1818	U1606	A1437	U1241	U1089	C923
A2887	C3143	U2729	U2553	U2460	U2282	U	U	U1819	U1607	A1446	G1242	U1089	G824
G2898	U3148	A2740	U2554	A2461	G2288	C	A	U1820	C1608	A1447	G1243	A1093	A925
C2899	U3151	U2752	U2555	G2462	G2307	C	C	U1821	U1607	U1448	G1244	U1093	A925
A2911	U3152	G2753	A2561	A2463	C2308	C	C	A1835	C1608	G1487	G1245	U1103	G937
G2914	C3154	G2754	U2568	G2464	U2310	C	U	A1836	U1607	U1488	A1251	U1104	C944
C3154	U3155	C2755	C2569	U2465	A2313	G	G	U1837	C1607	G1488	U1252	A1103	U954
U3155	U3155	C2764	U2570	G2466	U2314	C	C	A1842	C1607	G1487	G1254	U1104	C959
U3156	U3157	U2471	U2571	A2467	G2315	C	C	U1844	U1620	G1488	U1258	G1115	U960
U3157	A3165	G2472	C2572	U2472	A2144	U	A	C1872	U1629	C1272	U1259	G1115	C969
A3170	A3170	U2473	U2581	G2473	G2134	C	C	A1878	U1639	A1263	A1263	G1116	U981
G3173	A3174	G2474	U2581	G2474	U2137	A	U	U1880	C1639	G1264	G1264	G1117	C982
U3175	U3175	U2475	G2585	G2475	A2137	G	C	A1881	A1642	U1265	U1265	G1131	U985
G3176	A3180	U2476	C2588	G2476	U2140	C	C	U1881	A1643	G1282	G1282	U1144	U986
U3179	C3181	A2484	U2593	C2477	A2144	U	A	A1893	C1644	G1285	C1277	A1163	G991
A3180	A3181	A2485	C2594	G2478	G2158	G	C	U1906	U1716	G1285	C1277	A1159	G994
U3187	U3187	U2487	U2594	A2486	U2159	C	U	G1907	U1717	A1286	A1278	C1160	U995
U3196	U3196	A2488	G2606	U2487	G2160	C	C	U1907	U1724	A1287	C1279	G1177	G1001
U3207	U3207	U2490	G2607	G2478	G2169	C	G	C1943	U1725	G1295	G1282	G1191	A1002
G3208	A3209	A2491	G2614	A2488	C2201	U	C	U1951	C1725	G1307	G1285	U1191	G1010
A3209	A3209	U2492	U2617	A2488	C2204	C	C	G1952	U1732	A1308	G1285	C1192	U1015
		U2493	C2622	A2488	G2206	C	C	U1953	U1736	A1557	G1307	A1181	C1016
		U2494	C2638	G2479	A2208	A	U	U1954	G1736	C1560	A1309	A1181	C1017
		U2495	U2648	A2488	U2209	C	C	U1955	A1741	G1560	U1309	G1191	G1018
		U2496	G2651	A2489	G2210	C	C	U1955	U1750	G1561	G1313	A1190	G1021
		U2497		U2497	A2402	C	U	U	G1751	G1562	G1313	A1190	U1015
		U2498		U2498	G2403	C	U	U			A1330	A1190	C1016
		U2499		U2499		C	C	U			A1330	A1190	C1017
		U2500		U2500		C	C	U			A1330	A1190	G1018
		U2501		U2501		C	U	U			A1330	A1190	G1021
		G2503		G2503		C	C	U			A1330	A1190	G1024
		U2504		U2504		C	U	U			U1348	A1208	A1025
						C	U				U1348	A1208	A1026
						U	A				U1348	A1208	A1027




• Molecule 31: 5S rRNA



• Molecule 32: 5.8S rRNA



• Molecule 33: 60S ribosomal protein L2-A




• Molecule 34: 60S ribosomal protein L3



• Molecule 35: 60S ribosomal protein L4-A




• Molecule 36: 60S ribosomal protein L5





- Molecule 37: 60S ribosomal protein L6-B

Chain n:  94% 5%





- Molecule 38: 60S ribosomal protein L7-A

Chain o:  91% 9%



- Molecule 39: 60S ribosomal protein L8-A

Chain p:  89% 9%



- Molecule 40: 60S ribosomal protein L9-A

Chain q:  98%



- Molecule 41: 60S ribosomal protein L10

Chain r:  98%



- Molecule 42: 60S ribosomal protein L11-A

Chain s:  94%




- Molecule 43: 60S ribosomal protein L13-A


Chain t:  96%




• Molecule 44: 60S ribosomal protein L14-A




• Molecule 45: RQC2 isoform 1




• Molecule 46: E3 ubiquitin-protein ligase listerin








• Molecule 47: Eukaryotic translation initiation factor 6




• Molecule 48: Eukaryotic translation initiation factor 5A-1




• Molecule 49: 60S ribosomal protein L1-A








• Molecule 50: Ala tRNA




• Molecule 50: Ala tRNA



• Molecule 51: 60S ribosomal protein L12-B




• Molecule 52: 60S acidic ribosomal protein P0



LEU ALA VAL ILE ALA ALA SER TYR HIS TYR PRO GLU ILE GLU LEU VAL ASP ARG ILE GLU ASN PRO GLU LYS TYR ALA ALA ALA PRO ALA ALA THR SER ALA ALA SER GLY ASP ALA PRO ALA GLU GLU ALA ALA GLU GLU GLU GLU SER SER ASP ASP MET

GLY PHE GLY LEU PHE ASP

- Molecule 53: CAT-tailed nascent chain

Chain 1:  78% 22%

X41 X42 X43 X44 X45 X58

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	79267	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	46	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	3.680	Depositor
Minimum map value	-0.672	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.131	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	476.55002, 476.55002, 476.55002	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.059, 1.059, 1.059	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, SPD, 5CT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/1757	0.70	1/2354 (0.0%)
2	B	0.39	0/1585	0.64	1/2128 (0.0%)
3	C	0.37	0/1439	0.71	2/1938 (0.1%)
4	D	0.34	0/1465	0.67	1/1965 (0.1%)
5	E	0.37	0/1275	0.67	1/1702 (0.1%)
6	F	0.38	0/1473	0.65	0/1980
7	G	0.36	0/1296	0.62	0/1739
8	H	0.39	0/812	0.69	3/1099 (0.3%)
9	I	0.35	0/1018	0.64	0/1369
10	J	0.36	0/530	0.63	0/703
11	K	0.41	0/979	0.69	1/1321 (0.1%)
12	L	0.35	0/995	0.67	1/1329 (0.1%)
13	M	0.36	0/1106	0.61	0/1485
14	N	0.40	0/1200	0.62	0/1607
15	O	0.32	0/473	0.72	2/629 (0.3%)
16	P	0.35	0/745	0.68	0/1001
17	Q	0.39	0/890	0.77	2/1196 (0.2%)
18	R	0.32	0/1034	0.59	0/1385
19	S	0.38	0/868	0.61	0/1168
20	T	0.35	0/890	0.67	0/1189
21	U	0.34	0/978	0.65	1/1301 (0.1%)
22	V	0.34	0/772	0.66	0/1026
23	W	0.39	0/660	0.69	0/875
24	X	0.33	0/618	0.78	1/826 (0.1%)
25	Y	0.33	0/443	0.65	0/588
26	Z	0.33	0/416	0.70	0/553
27	b	0.36	0/836	0.65	0/1104
28	c	0.36	0/701	0.66	0/934
29	d	0.26	0/208	0.84	0/267
30	f	0.61	0/76989	1.03	301/120031 (0.3%)
31	h	0.53	0/2883	0.98	9/4491 (0.2%)
32	i	0.60	0/3746	0.96	7/5832 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	j	0.37	0/1908	0.67	0/2564
34	k	0.37	0/3146	0.64	1/4228 (0.0%)
35	l	0.36	0/2800	0.65	2/3790 (0.1%)
36	m	0.34	0/2400	0.66	4/3239 (0.1%)
37	n	0.36	0/1329	0.67	0/1794
38	o	0.37	0/1821	0.61	0/2451
39	p	0.34	0/1836	0.62	2/2481 (0.1%)
40	q	0.37	0/1529	0.68	2/2060 (0.1%)
41	r	0.33	0/1801	0.64	0/2416
42	s	0.36	0/1367	0.70	3/1834 (0.2%)
43	t	0.36	0/1568	0.69	1/2106 (0.0%)
44	u	0.34	0/1068	0.66	1/1438 (0.1%)
45	a	0.31	0/6689	0.57	3/9023 (0.0%)
46	e	0.37	0/11705	0.57	1/15895 (0.0%)
47	g	0.32	0/1672	0.63	0/2281
48	v	0.31	0/1084	0.62	1/1456 (0.1%)
49	w	0.33	0/1736	0.65	0/2332
50	x	0.36	0/1760	1.02	8/2738 (0.3%)
50	y	0.40	0/1734	1.10	7/2697 (0.3%)
51	z	0.37	0/726	0.60	0/1006
52	0	0.33	0/976	0.55	0/1313
All	All	0.50	0/161735	0.88	370/236257 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
15	O	0	1
21	U	0	1
34	k	0	1
35	l	0	2
39	p	0	3
40	q	0	1
44	u	0	1
46	e	0	1
47	g	0	1
All	All	0	12

There are no bond length outliers.

All (370) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	3217	C	N1-C2-O2	12.11	126.17	118.90
30	f	3217	C	C2-N1-C1'	11.31	131.25	118.80
50	y	75	C	C6-N1-C2	-10.30	116.18	120.30
30	f	3217	C	N3-C2-O2	-9.73	115.09	121.90
11	K	134	ASP	CB-CG-OD1	9.72	127.05	118.30
30	f	922	U	C2-N1-C1'	9.30	128.86	117.70
17	Q	84	ASP	CB-CG-OD1	9.26	126.64	118.30
50	y	75	C	C5-C6-N1	9.09	125.55	121.00
30	f	2531	C	N1-C2-O2	8.89	124.23	118.90
30	f	922	U	N1-C2-O2	8.84	128.99	122.80
30	f	3278	C	N1-C2-O2	8.70	124.12	118.90
30	f	3181	C	N1-C2-O2	8.69	124.11	118.90
30	f	3181	C	C2-N1-C1'	8.47	128.12	118.80
30	f	2836	C	N3-C2-O2	-8.26	116.12	121.90
30	f	1279	C	C5-C6-N1	8.24	125.12	121.00
30	f	2836	C	C2-N1-C1'	8.19	127.81	118.80
36	m	230	ASP	CB-CG-OD1	8.12	125.61	118.30
30	f	1496	C	C2-N1-C1'	8.10	127.71	118.80
30	f	922	U	N3-C2-O2	-8.00	116.60	122.20
30	f	406	G	O4'-C1'-N9	7.98	114.58	108.20
30	f	1645	U	N3-C2-O2	-7.86	116.70	122.20
4	D	41	ASP	CB-CG-OD1	7.84	125.36	118.30
30	f	2205	U	N1-C2-O2	7.84	128.29	122.80
30	f	2444	C	C2-N1-C1'	7.82	127.40	118.80
30	f	3217	C	C6-N1-C2	-7.79	117.18	120.30
30	f	3217	C	C6-N1-C1'	-7.76	111.48	120.80
30	f	2983	C	C2-N1-C1'	7.74	127.31	118.80
30	f	1208	U	N1-C2-O2	7.73	128.21	122.80
30	f	3306	U	N3-C2-O2	-7.71	116.80	122.20
30	f	2652	U	N3-C2-O2	-7.66	116.84	122.20
30	f	3278	C	N3-C2-O2	-7.58	116.60	121.90
30	f	2541	U	P-O3'-C3'	7.53	128.74	119.70
30	f	3278	C	C2-N1-C1'	7.53	127.09	118.80
30	f	3306	U	C2-N1-C1'	7.53	126.74	117.70
30	f	2205	U	N3-C2-O2	-7.51	116.94	122.20
30	f	758	C	C2-N1-C1'	7.42	126.97	118.80
30	f	1277	C	C2-N1-C1'	7.41	126.95	118.80
30	f	1645	U	N1-C2-O2	7.41	127.98	122.80
30	f	2836	C	N1-C2-O2	7.40	123.34	118.90
30	f	2502	A	OP2-P-O3'	7.39	121.46	105.20
30	f	2235	C	C2-N1-C1'	7.38	126.92	118.80
30	f	3181	C	N3-C2-O2	-7.31	116.78	121.90
30	f	1556	C	N1-C2-O2	7.31	123.28	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	1239	C	C2-N1-C1'	7.26	126.78	118.80
30	f	1349	G	N3-C4-C5	-7.22	124.99	128.60
15	O	36	ASP	CB-CG-OD1	7.22	124.80	118.30
30	f	2531	C	C2-N1-C1'	7.18	126.70	118.80
42	s	170	ASP	CB-CG-OD1	7.18	124.76	118.30
30	f	2923	U	N1-C2-O2	7.15	127.81	122.80
39	p	158	ASP	CB-CG-OD1	7.13	124.72	118.30
30	f	2502	A	P-O3'-C3'	7.13	128.25	119.70
30	f	1227	C	C2-N1-C1'	7.12	126.64	118.80
30	f	1277	C	N1-C2-O2	7.11	123.17	118.90
30	f	2205	U	C2-N1-C1'	7.11	126.24	117.70
30	f	78	U	N3-C2-O2	-7.11	117.22	122.20
30	f	1227	C	N1-C2-O2	7.09	123.15	118.90
30	f	1307	G	P-O3'-C3'	7.07	128.19	119.70
30	f	1604	G	C4-N9-C1'	7.07	135.69	126.50
30	f	982	C	C2-N1-C1'	7.06	126.57	118.80
30	f	1815	U	P-O3'-C3'	7.06	128.17	119.70
30	f	14	U	O5'-P-OP2	-7.03	99.37	105.70
30	f	1645	U	C2-N1-C1'	7.01	126.11	117.70
30	f	36	C	N1-C2-O2	7.01	123.11	118.90
30	f	1872	C	N1-C2-O2	6.97	123.08	118.90
30	f	2405	C	C6-N1-C2	-6.97	117.51	120.30
30	f	1272	C	N1-C2-O2	6.96	123.07	118.90
30	f	1208	U	C2-N1-C1'	6.93	126.02	117.70
30	f	1349	G	C4-N9-C1'	6.93	135.51	126.50
50	x	25	C	N3-C2-O2	-6.92	117.05	121.90
30	f	3306	U	N1-C2-O2	6.90	127.63	122.80
30	f	1227	C	C5-C6-N1	6.86	124.43	121.00
30	f	3217	C	C5-C6-N1	6.86	124.43	121.00
30	f	3275	U	OP1-P-O3'	6.84	120.26	105.20
30	f	3235	C	C2-N1-C1'	6.83	126.32	118.80
30	f	2923	U	N3-C2-O2	-6.81	117.43	122.20
30	f	2846	U	C2-N1-C1'	6.80	125.86	117.70
30	f	2846	U	N3-C2-O2	-6.78	117.45	122.20
30	f	1227	C	C6-N1-C2	-6.78	117.59	120.30
30	f	270	U	N1-C2-O2	6.76	127.53	122.80
12	L	11	ASP	CB-CG-OD1	6.76	124.38	118.30
30	f	2537	U	P-O3'-C3'	6.67	127.71	119.70
50	x	28	U	N3-C4-O4	6.67	124.07	119.40
30	f	2983	C	N3-C2-O2	-6.66	117.23	121.90
30	f	2189	U	N1-C2-O2	6.66	127.46	122.80
30	f	2836	C	C6-N1-C2	-6.65	117.64	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	h	26	C	N1-C2-O2	6.65	122.89	118.90
30	f	270	U	N3-C2-O2	-6.64	117.55	122.20
30	f	2531	C	N3-C2-O2	-6.64	117.25	121.90
30	f	3058	U	C2-N1-C1'	6.61	125.63	117.70
30	f	2112	U	OP2-P-O3'	6.60	119.72	105.20
30	f	1239	C	N1-C2-O2	6.54	122.83	118.90
2	B	27[A]	LEU	CB-CG-CD2	-6.54	99.88	111.00
30	f	2189	U	N3-C2-O2	-6.52	117.64	122.20
30	f	2235	C	C6-N1-C2	-6.51	117.70	120.30
30	f	3214	U	C2-N1-C1'	6.51	125.51	117.70
32	i	64	U	N3-C2-O2	-6.49	117.66	122.20
30	f	1208	U	N3-C2-O2	-6.49	117.66	122.20
30	f	2101	C	P-O3'-C3'	6.47	127.46	119.70
30	f	3034	C	N1-C2-O2	6.46	122.78	118.90
30	f	2112	U	P-O3'-C3'	6.46	127.45	119.70
30	f	524	U	N1-C2-O2	6.40	127.28	122.80
44	u	47	ASP	CB-CG-OD1	6.40	124.06	118.30
30	f	2550	U	N3-C2-O2	-6.38	117.73	122.20
35	l	155	ASP	CB-CG-OD1	6.38	124.04	118.30
30	f	1556	C	N3-C2-O2	-6.38	117.44	121.90
30	f	1269	U	C2-N1-C1'	6.37	125.34	117.70
30	f	1269	U	N1-C2-O2	6.34	127.24	122.80
30	f	2983	C	N1-C2-O2	6.34	122.70	118.90
31	h	105	C	N1-C2-O2	6.33	122.70	118.90
30	f	865	U	N3-C2-O2	-6.33	117.77	122.20
21	U	79	ASP	CB-CG-OD1	6.32	123.99	118.30
30	f	986	U	N3-C2-O2	-6.32	117.78	122.20
30	f	2274	U	N1-C2-O2	6.31	127.22	122.80
30	f	3058	U	N1-C2-O2	6.31	127.22	122.80
30	f	524	U	N3-C2-O2	-6.29	117.80	122.20
30	f	2617	U	N3-C2-O2	-6.29	117.80	122.20
36	m	137	ASP	CB-CG-OD1	6.28	123.95	118.30
30	f	922	U	C6-N1-C1'	-6.27	112.42	121.20
30	f	2726	C	N3-C2-O2	-6.27	117.51	121.90
30	f	2464	U	C2-N1-C1'	6.26	125.21	117.70
30	f	1496	C	C6-N1-C2	-6.26	117.80	120.30
1	A	153	ASP	CB-CG-OD1	6.25	123.92	118.30
45	a	697	LEU	CA-CB-CG	6.25	129.67	115.30
30	f	36	C	N3-C2-O2	-6.22	117.54	121.90
30	f	1097	G	P-O3'-C3'	6.22	127.17	119.70
30	f	1269	U	N3-C2-O2	-6.22	117.85	122.20
30	f	2444	C	C6-N1-C2	-6.21	117.82	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	2726	C	C2-N1-C1'	6.21	125.62	118.80
30	f	1349	G	N3-C4-N9	6.20	129.72	126.00
30	f	192	C	C2-N1-C1'	6.19	125.61	118.80
30	f	1716	U	P-O3'-C3'	6.18	127.11	119.70
30	f	1878	G	C4-N9-C1'	6.18	134.53	126.50
40	q	42	ASP	CB-CG-OD1	6.18	123.86	118.30
30	f	3104	U	N1-C2-O2	6.17	127.12	122.80
30	f	637	C	P-O3'-C3'	6.14	127.07	119.70
30	f	915	A	C2-N3-C4	6.14	113.67	110.60
30	f	2846	U	N1-C2-O2	6.13	127.09	122.80
30	f	2550	U	C2-N1-C1'	6.13	125.05	117.70
30	f	2388	U	N3-C2-O2	-6.12	117.92	122.20
30	f	1115	G	C4-N9-C1'	6.09	134.41	126.50
30	f	2842	U	N1-C2-O2	6.08	127.06	122.80
30	f	2923	U	C2-N1-C1'	6.07	124.98	117.70
30	f	3104	U	N3-C2-O2	-6.06	117.96	122.20
30	f	995	U	N1-C2-O2	6.06	127.04	122.80
30	f	1064	A	P-O3'-C3'	6.04	126.95	119.70
30	f	2553	U	C2-N1-C1'	6.04	124.95	117.70
30	f	1872	C	N3-C2-O2	-6.04	117.67	121.90
30	f	3300	U	N3-C2-O2	-6.03	117.98	122.20
30	f	1604	G	C8-N9-C1'	-6.03	119.17	127.00
30	f	2274	U	C2-N1-C1'	6.03	124.93	117.70
30	f	2132	C	N3-C2-O2	-6.02	117.69	121.90
31	h	26	C	C6-N1-C2	-6.02	117.89	120.30
30	f	2204	C	C6-N1-C2	-6.01	117.90	120.30
30	f	3131	U	C2-N1-C1'	5.98	124.87	117.70
30	f	1907	C	N1-C2-O2	5.97	122.48	118.90
30	f	2585	G	N3-C4-C5	-5.97	125.61	128.60
30	f	2405	C	N3-C2-O2	-5.96	117.72	121.90
30	f	985	U	N3-C2-O2	-5.96	118.03	122.20
8	H	51	GLY	C-N-CA	5.95	136.59	121.70
30	f	1604	G	N3-C4-N9	5.95	129.57	126.00
8	H	18	ASP	CB-CG-OD1	5.94	123.65	118.30
34	k	87	VAL	CG1-CB-CG2	-5.94	101.39	110.90
30	f	969	C	C6-N1-C2	-5.94	117.92	120.30
30	f	2132	C	C6-N1-C2	-5.94	117.92	120.30
30	f	2652	U	N1-C2-O2	5.94	126.96	122.80
30	f	1355	A	P-O3'-C3'	5.94	126.82	119.70
30	f	3181	C	C6-N1-C1'	-5.93	113.68	120.80
30	f	1556	C	C2-N1-C1'	5.93	125.32	118.80
32	i	100	U	C2-N1-C1'	5.91	124.79	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	3048	A	O4'-C1'-N9	5.91	112.92	108.20
30	f	1425	U	N3-C2-O2	-5.90	118.07	122.20
30	f	865	U	N1-C2-O2	5.90	126.93	122.80
30	f	1279	C	C6-N1-C2	-5.88	117.95	120.30
30	f	1820	U	P-O3'-C3'	5.87	126.75	119.70
30	f	1562	C	P-O3'-C3'	5.87	126.74	119.70
30	f	3214	U	N3-C2-O2	-5.86	118.10	122.20
30	f	1525	G	C4-N9-C1'	5.86	134.11	126.50
30	f	1272	C	N3-C2-O2	-5.84	117.81	121.90
30	f	1437	C	C2-N1-C1'	5.83	125.21	118.80
30	f	1604	G	N3-C4-C5	-5.82	125.69	128.60
30	f	3316	A	P-O3'-C3'	5.82	126.68	119.70
30	f	2531	C	C6-N1-C2	-5.81	117.97	120.30
30	f	142	C	N1-C2-O2	5.80	122.38	118.90
30	f	835	G	O4'-C1'-N9	5.79	112.83	108.20
30	f	1577	G	N1-C6-O6	-5.79	116.42	119.90
30	f	2204	C	C5-C6-N1	5.79	123.90	121.00
42	s	9	MET	CA-CB-CG	5.79	123.14	113.30
30	f	2638	C	N1-C2-O2	5.78	122.37	118.90
30	f	3350	C	C6-N1-C2	-5.78	117.99	120.30
30	f	2274	U	N3-C2-O2	-5.75	118.18	122.20
30	f	2531	C	C5-C6-N1	5.74	123.87	121.00
30	f	3228	C	P-O3'-C3'	5.74	126.58	119.70
45	a	117	PHE	N-CA-CB	-5.73	100.29	110.60
30	f	270	U	C2-N1-C1'	5.72	124.57	117.70
30	f	2132	C	N1-C2-O2	5.71	122.32	118.90
30	f	2622	C	N1-C2-O2	5.71	122.32	118.90
30	f	3218	A	P-O3'-C3'	5.70	126.54	119.70
30	f	1190	A	C4-N9-C1'	5.70	136.56	126.30
30	f	282	G	P-O3'-C3'	5.69	126.53	119.70
30	f	354	U	N1-C2-O2	5.68	126.78	122.80
30	f	2992	U	N3-C2-O2	-5.68	118.22	122.20
8	H	50	LEU	CA-CB-CG	5.67	128.33	115.30
30	f	916	G	P-O3'-C3'	5.66	126.50	119.70
30	f	2899	C	N3-C2-O2	-5.66	117.94	121.90
30	f	97	U	N3-C2-O2	-5.65	118.24	122.20
30	f	3034	C	N3-C2-O2	-5.65	117.94	121.90
30	f	142	C	C6-N1-C2	-5.65	118.04	120.30
30	f	2899	C	C2-N1-C1'	5.65	125.02	118.80
30	f	1277	C	N3-C2-O2	-5.65	117.95	121.90
30	f	2366	C	C2-N1-C1'	5.65	125.01	118.80
30	f	2553	U	C6-N1-C1'	-5.64	113.30	121.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	2842	U	N3-C2-O2	-5.62	118.27	122.20
30	f	113	C	C2-N1-C1'	5.62	124.98	118.80
30	f	3058	U	N3-C2-O2	-5.61	118.27	122.20
31	h	26	C	N3-C2-O2	-5.61	117.98	121.90
30	f	1448	U	N3-C2-O2	-5.60	118.28	122.20
30	f	2378	C	C2-N1-C1'	5.60	124.96	118.80
30	f	1349	G	C8-N9-C1'	-5.60	119.72	127.00
50	x	25	C	N1-C2-O2	5.59	122.25	118.90
30	f	2137	U	C2-N1-C1'	5.59	124.40	117.70
32	i	64	U	N1-C2-O2	5.58	126.71	122.80
30	f	1496	C	C5-C6-N1	5.58	123.79	121.00
30	f	2726	C	N1-C2-O2	5.58	122.25	118.90
3	C	53	ASP	CB-CG-OD1	5.58	123.32	118.30
50	y	70	U	N1-C2-O2	5.56	126.69	122.80
40	q	107	ASP	CB-CG-OD1	5.56	123.30	118.30
32	i	125	U	C2-N1-C1'	5.55	124.37	117.70
50	x	70	U	N1-C2-O2	5.55	126.69	122.80
30	f	2552	C	N1-C2-O2	5.55	122.23	118.90
30	f	2983	C	C6-N1-C2	-5.55	118.08	120.30
30	f	758	C	C6-N1-C2	-5.55	118.08	120.30
30	f	1496	C	N1-C2-O2	5.54	122.22	118.90
30	f	3269	U	P-O3'-C3'	5.54	126.34	119.70
30	f	2764	C	N1-C2-O2	5.53	122.22	118.90
30	f	3057	U	N3-C2-O2	-5.53	118.33	122.20
50	x	28	U	C5-C4-O4	-5.53	122.58	125.90
30	f	3214	U	N1-C2-O2	5.53	126.67	122.80
30	f	777	U	N3-C2-O2	-5.53	118.33	122.20
30	f	982	C	N1-C2-O2	5.51	122.20	118.90
30	f	995	U	N3-C2-O2	-5.50	118.35	122.20
30	f	1554	U	P-O3'-C3'	5.49	126.29	119.70
30	f	1688	U	N3-C2-O2	-5.49	118.36	122.20
30	f	2366	C	C5-C6-N1	5.49	123.74	121.00
31	h	35	C	N1-C2-O2	5.48	122.19	118.90
31	h	52	G	P-O3'-C3'	5.48	126.28	119.70
30	f	283	G	C4-N9-C1'	5.47	133.62	126.50
24	X	14	LEU	CA-CB-CG	5.46	127.86	115.30
50	x	25	C	C6-N1-C2	-5.46	118.12	120.30
30	f	3355	U	C2-N1-C1'	5.46	124.25	117.70
30	f	315	C	C2-N1-C1'	5.44	124.79	118.80
30	f	986	U	N1-C2-O2	5.44	126.61	122.80
30	f	982	C	C6-N1-C2	-5.44	118.12	120.30
30	f	2585	G	N3-C4-N9	5.43	129.26	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	411	U	N3-C2-O2	-5.43	118.40	122.20
30	f	3153	U	C2-N1-C1'	5.43	124.21	117.70
50	y	72	C	C2-N1-C1'	5.43	124.77	118.80
30	f	283	G	N3-C4-N9	5.42	129.25	126.00
45	a	439	LEU	CA-CB-CG	-5.42	102.83	115.30
30	f	2783	U	N3-C2-O2	-5.42	118.41	122.20
30	f	1732	U	N1-C2-O2	5.42	126.59	122.80
30	f	1878	G	C8-N9-C1'	-5.41	119.96	127.00
30	f	3350	C	P-O3'-C3'	5.41	126.20	119.70
30	f	2210	G	N3-C4-C5	-5.41	125.89	128.60
30	f	1349	G	C2-N3-C4	5.40	114.60	111.90
30	f	2552	C	C2-N1-C1'	5.40	124.74	118.80
30	f	78	U	N1-C2-O2	5.40	126.58	122.80
30	f	1425	U	N1-C2-O2	5.40	126.58	122.80
30	f	2444	C	N1-C2-O2	5.40	122.14	118.90
3	C	114	VAL	CG1-CB-CG2	-5.39	102.27	110.90
30	f	2500	A	P-O3'-C3'	5.39	126.17	119.70
30	f	142	C	N3-C2-O2	-5.37	118.14	121.90
30	f	1437	C	C6-N1-C2	-5.37	118.15	120.30
30	f	890	C	N1-C2-O2	5.36	122.11	118.90
30	f	1277	C	C6-N1-C2	-5.36	118.16	120.30
30	f	1496	C	C6-N1-C1'	-5.36	114.37	120.80
30	f	2336	U	N3-C2-O2	-5.36	118.45	122.20
30	f	2366	C	C6-N1-C2	-5.35	118.16	120.30
30	f	1525	G	C8-N9-C1'	-5.35	120.05	127.00
30	f	2497	U	N3-C2-O2	-5.34	118.46	122.20
30	f	3057	U	N1-C2-O2	5.33	126.53	122.80
30	f	915	A	C4-N9-C1'	5.33	135.90	126.30
30	f	1190	A	C2-N3-C4	5.33	113.26	110.60
30	f	3181	C	C6-N1-C2	-5.33	118.17	120.30
30	f	3278	C	C6-N1-C1'	-5.33	114.41	120.80
50	y	26	G	N3-C4-N9	5.32	129.19	126.00
30	f	3235	C	N1-C2-O2	5.32	122.09	118.90
30	f	2114	C	C6-N1-C2	-5.31	118.17	120.30
30	f	1608	C	C2-N1-C1'	5.31	124.64	118.80
30	f	2836	C	C6-N1-C1'	-5.31	114.43	120.80
30	f	982	C	C5-C6-N1	5.30	123.65	121.00
30	f	1115	G	C8-N9-C1'	-5.30	120.11	127.00
30	f	2622	C	N3-C2-O2	-5.30	118.19	121.90
30	f	2726	C	C6-N1-C2	-5.30	118.18	120.30
30	f	1732	U	N3-C2-O2	-5.29	118.50	122.20
43	t	136	GLU	CA-CB-CG	5.28	125.02	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	1907	C	N3-C2-O2	-5.28	118.20	121.90
30	f	2622	C	C6-N1-C2	-5.27	118.19	120.30
30	f	1560	G	N3-C4-N9	-5.27	122.84	126.00
30	f	3148	U	N3-C2-O2	-5.26	118.52	122.20
31	h	105	C	N3-C2-O2	-5.25	118.22	121.90
30	f	2444	C	C5-C6-N1	5.24	123.62	121.00
30	f	2568	C	O4'-C1'-N1	5.24	112.40	108.20
48	v	50	GLY	N-CA-C	-5.24	99.99	113.10
32	i	125	U	N1-C2-O2	5.24	126.47	122.80
46	e	437	LYS	N-CA-C	-5.24	96.85	111.00
30	f	2496	C	C2-N1-C1'	5.24	124.56	118.80
30	f	2585	G	C4-N9-C1'	5.24	133.31	126.50
30	f	890	C	N3-C2-O2	-5.23	118.24	121.90
42	s	108	GLU	CA-CB-CG	5.22	124.89	113.40
30	f	1239	C	C6-N1-C1'	-5.21	114.54	120.80
30	f	1608	C	C5-C6-N1	5.21	123.60	121.00
30	f	2235	C	N1-C2-O2	5.21	122.02	118.90
30	f	192	C	C6-N1-C2	-5.19	118.22	120.30
30	f	2405	C	N1-C2-O2	5.18	122.01	118.90
30	f	758	C	N1-C2-O2	5.18	122.01	118.90
30	f	3349	C	C6-N1-C2	-5.18	118.23	120.30
30	f	1563	C	C6-N1-C1'	5.18	127.01	120.80
50	x	70	U	N3-C2-O2	-5.17	118.58	122.20
30	f	149	U	N3-C2-O2	-5.17	118.58	122.20
30	f	2983	C	C6-N1-C1'	-5.17	114.60	120.80
50	y	23	C	C6-N1-C2	-5.17	118.23	120.30
30	f	1237	G	N3-C4-N9	5.17	129.10	126.00
30	f	915	A	C8-N9-C4	-5.16	103.73	105.80
30	f	1597	C	C5-C6-N1	5.16	123.58	121.00
30	f	969	C	N3-C2-O2	-5.16	118.29	121.90
30	f	637	C	OP1-P-O3'	5.16	116.55	105.20
30	f	1608	C	C6-N1-C2	-5.16	118.24	120.30
30	f	2446	U	O4'-C1'-N1	5.16	112.33	108.20
30	f	2405	C	C2-N1-C1'	5.15	124.47	118.80
30	f	2772	C	N1-C2-O2	5.15	121.99	118.90
30	f	1951	C	C2-N1-C1'	5.15	124.47	118.80
31	h	18	C	C2-N1-C1'	5.15	124.46	118.80
30	f	2899	C	N1-C2-O2	5.14	121.99	118.90
30	f	166	C	C2-N1-C1'	5.12	124.44	118.80
50	x	23	C	C6-N1-C2	-5.12	118.25	120.30
30	f	849	C	P-O3'-C3'	5.10	125.83	119.70
50	y	70	U	N3-C2-O2	-5.10	118.63	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	2235	C	C5-C6-N1	5.10	123.55	121.00
30	f	87	U	N1-C2-O2	5.09	126.37	122.80
30	f	954	U	N3-C2-O2	-5.09	118.64	122.20
32	i	157	U	N1-C2-O2	5.09	126.36	122.80
35	l	4	PRO	C-N-CA	5.08	134.41	121.70
30	f	2638	C	N3-C2-O2	-5.08	118.34	121.90
30	f	2873	U	C2-N1-C1'	5.08	123.79	117.70
17	Q	42	LEU	CA-CB-CG	5.07	126.96	115.30
30	f	1097	G	OP2-P-O3'	5.07	116.35	105.20
30	f	2444	C	C6-N1-C1'	-5.07	114.72	120.80
36	m	222	LEU	CA-CB-CG	5.07	126.95	115.30
30	f	2550	U	N1-C2-O2	5.06	126.34	122.80
32	i	100	U	N1-C2-O2	5.06	126.34	122.80
30	f	1562	C	N3-C2-O2	-5.06	118.36	121.90
30	f	885	U	N3-C2-O2	-5.05	118.66	122.20
30	f	969	C	N1-C2-O2	5.05	121.93	118.90
15	O	21	ILE	CG1-CB-CG2	-5.04	100.30	111.40
39	p	79	GLN	CA-CB-CG	5.04	124.49	113.40
30	f	3355	U	N1-C2-O2	5.04	126.33	122.80
30	f	2873	U	N3-C2-O2	-5.03	118.68	122.20
30	f	2836	C	O4'-C1'-N1	5.03	112.22	108.20
30	f	354	U	N3-C2-O2	-5.03	118.68	122.20
31	h	39	C	N1-C2-O2	5.03	121.92	118.90
30	f	1820	U	OP2-P-O3'	5.02	116.25	105.20
30	f	1272	C	C6-N1-C2	-5.02	118.29	120.30
30	f	2497	U	N1-C2-O2	5.02	126.31	122.80
30	f	3306	U	O4'-C1'-N1	5.01	112.21	108.20
5	E	10	LEU	CB-CG-CD1	5.01	119.52	111.00
30	f	283	G	C8-N9-C1'	-5.01	120.48	127.00
36	m	146	LEU	CB-CG-CD1	-5.01	102.48	111.00
30	f	1355	A	OP2-P-O3'	5.01	116.21	105.20
30	f	2899	C	C6-N1-C2	-5.00	118.30	120.30
30	f	282	G	C2'-C3'-O3'	5.00	121.71	113.70

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
15	O	20	GLY	Peptide
21	U	83	LYS	Peptide
46	e	392	GLY	Peptide
47	g	8	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
34	k	141	GLY	Peptide
35	l	13	GLY	Peptide
35	l	318	LEU	Peptide
39	p	158	ASP	Peptide
39	p	30	THR	Peptide
39	p	76	ALA	Peptide
40	q	21	LYS	Peptide
44	u	12	TRP	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1720	0	1779	9	0
2	B	1555	0	1659	13	0
3	C	1416	0	1433	11	0
4	D	1441	0	1543	7	0
5	E	1258	0	1342	6	0
6	F	1437	0	1475	14	0
7	G	1272	0	1312	10	0
8	H	796	0	812	8	0
9	I	1003	0	1048	8	0
10	J	518	0	542	3	0
11	K	964	0	1025	1	0
12	L	984	0	1075	4	0
13	M	1080	0	1122	5	0
14	N	1169	0	1211	7	0
15	O	462	0	491	5	0
16	P	737	0	792	3	0
17	Q	876	0	912	9	0
18	R	1013	0	1077	5	0
19	S	850	0	880	3	0
20	T	880	0	942	3	0
21	U	969	0	1078	3	0
22	V	766	0	844	4	0
23	W	645	0	645	3	0
24	X	612	0	682	3	0
25	Y	436	0	475	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	Z	410	0	442	0	0
27	b	824	0	888	0	0
28	c	694	0	734	0	0
29	d	207	0	250	0	0
30	f	68782	0	34563	0	0
31	h	2579	0	1304	0	0
32	i	3353	0	1695	0	0
33	j	1874	0	1943	0	0
34	k	3075	0	3142	0	0
35	l	2748	0	2859	0	0
36	m	2351	0	2294	0	0
37	n	1307	0	1377	0	0
38	o	1784	0	1862	0	0
39	p	1804	0	1877	0	0
40	q	1508	0	1572	0	0
41	r	1764	0	1804	0	0
42	s	1346	0	1370	0	0
43	t	1543	0	1608	0	0
44	u	1053	0	1149	0	0
45	a	6579	0	6482	0	0
46	e	11506	0	10754	0	0
47	g	1651	0	1613	0	0
48	v	1085	0	1086	0	0
49	w	1709	0	1799	0	0
50	x	1579	0	798	0	0
50	y	1556	0	788	0	0
51	z	728	0	337	0	0
52	0	961	0	979	12	0
53	1	90	0	23	3	0
54	A	1	0	0	0	0
54	C	1	0	0	0	0
54	E	1	0	0	0	0
54	I	1	0	0	0	0
54	R	1	0	0	0	0
54	T	1	0	0	0	0
54	f	3	0	0	0	0
54	h	1	0	0	0	0
54	j	2	0	0	0	0
54	k	1	0	0	0	0
55	T	1	0	0	0	0
55	W	1	0	0	0	0
55	Z	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	b	1	0	0	0	0
55	c	1	0	0	0	0
55	e	2	0	0	0	0
56	f	10	0	19	0	0
All	All	151339	0	113607	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:O:16:ALA:O	15:O:20:GLY:HA3	1.69	0.90
15:O:16:ALA:O	15:O:20:GLY:CA	2.36	0.73
23:W:21:ARG:HE	23:W:39:TYR:HB2	1.58	0.69
52:O:26:PHE:HB2	52:O:87:VAL:HB	1.73	0.69
2:B:46[A]:GLU:HB3	2:B:49[A]:ARG:HG3	1.75	0.68
53:1:44:UNK:O	53:1:45:UNK:C	2.43	0.67
7:G:84:TYR:HB2	15:O:24:PRO:HD3	1.78	0.65
2:B:27[A]:LEU:HD21	2:B:102[A]:LEU:HB2	1.80	0.63
13:M:27:LYS:HB3	13:M:42:LEU:HB2	1.81	0.62
9:I:14:SER:O	9:I:81:GLN:NE2	2.33	0.62
52:O:192:ASP:HB2	52:O:197:PHE:HE2	1.67	0.60
6:F:80:ARG:HH21	6:F:87:THR:HG21	1.66	0.59
6:F:8:GLN:HB3	6:F:64:ILE:HD11	1.84	0.59
1:A:183:THR:HG22	1:A:187:ARG:HB2	1.85	0.59
21:U:5:LYS:HB2	21:U:8:GLU:HG2	1.84	0.58
6:F:77:VAL:HG22	6:F:126:VAL:HG23	1.86	0.58
52:O:43:LYS:HA	52:O:46:ARG:HG2	1.87	0.57
11:K:50:ALA:HB1	21:U:66:VAL:HG11	1.86	0.57
17:Q:4:LEU:O	17:Q:79:ARG:NH2	2.38	0.56
17:Q:55:LEU:HB2	17:Q:95:PRO:HD3	1.86	0.56
20:T:87:GLU:OE2	20:T:91:ARG:NH1	2.39	0.55
18:R:19:ARG:HD3	18:R:33:ARG:HB2	1.89	0.55
52:O:42:ARG:HG2	52:O:51:VAL:HG11	1.89	0.55
8:H:19:VAL:HG12	8:H:105:LEU:HD22	1.89	0.55
2:B:157[A]:GLU:OE2	2:B:160[A]:ARG:NH2	2.40	0.55
53:1:43:UNK:C	53:1:45:UNK:H2	2.20	0.54
8:H:56:VAL:HG12	8:H:65:VAL:HG22	1.88	0.54
17:Q:9:THR:HG23	17:Q:109:VAL:HG23	1.88	0.54
7:G:17:ARG:HG2	7:G:22:HIS:HA	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:95:SER:OG	14:N:98:THR:OG1	2.25	0.53
10:J:6:ASP:OD1	10:J:32:GLN:N	2.40	0.53
2:B:75[A]:ALA:HB3	2:B:78[A]:ARG:HG2	1.90	0.53
6:F:96:ASP:OD1	6:F:97:VAL:N	2.38	0.53
10:J:47:ARG:HH21	10:J:58:HIS:HB2	1.73	0.52
8:H:44:GLU:OE2	8:H:49:ASN:ND2	2.41	0.52
2:B:61[A]:ALA:HA	2:B:70[A]:PRO:HD2	1.90	0.52
6:F:77:VAL:HG11	6:F:106:LEU:HD22	1.92	0.52
6:F:80:ARG:HB2	6:F:122:HIS:HB2	1.91	0.52
3:C:118:GLN:NE2	3:C:147:GLU:OE2	2.39	0.52
4:D:36:LEU:O	4:D:40:THR:OG1	2.27	0.52
9:I:94:TYR:OH	10:J:41:LYS:NZ	2.39	0.52
14:N:100:PRO:HG2	14:N:123:VAL:HG23	1.93	0.51
7:G:136:ARG:HD2	7:G:139:ARG:HH12	1.74	0.51
1:A:103:GLU:HG3	1:A:160:GLU:HB2	1.93	0.50
3:C:107:LEU:HD12	3:C:152:GLU:HG3	1.92	0.50
15:O:23:LYS:HG3	15:O:24:PRO:HD2	1.93	0.50
2:B:74[A]:ARG:O	2:B:142[A]:SER:OG	2.23	0.50
3:C:60:PHE:HB3	3:C:64:ASN:HB3	1.93	0.49
17:Q:77:ARG:HD2	17:Q:89:LEU:HD13	1.94	0.49
2:B:46[A]:GLU:HG3	2:B:48[A]:PHE:H	1.77	0.49
7:G:99:SER:HG	7:G:101:CYS:HG	1.59	0.49
16:P:30:THR:HG23	16:P:91:SER:HB2	1.95	0.49
6:F:155:ARG:HB2	6:F:172:TYR:HD1	1.77	0.49
17:Q:80:ASN:OD1	17:Q:81:GLU:N	2.45	0.49
14:N:94:ALA:HA	14:N:121:VAL:HG23	1.95	0.49
16:P:9:SER:OG	16:P:10:ILE:N	2.38	0.49
4:D:131:ALA:HB1	4:D:135:GLN:H	1.78	0.48
7:G:108:ARG:O	7:G:112:ASN:HB2	2.12	0.48
19:S:49:ILE:HD11	19:S:71:VAL:HG22	1.96	0.48
13:M:133:LYS:HE3	13:M:135:ARG:HD3	1.95	0.48
4:D:102:ALA:HA	4:D:122:ILE:O	2.14	0.48
6:F:93:GLU:HG3	6:F:140:VAL:HG11	1.95	0.48
3:C:22:LEU:HD12	3:C:146:ILE:HD12	1.97	0.47
17:Q:75:ILE:HG12	17:Q:93:VAL:HG22	1.96	0.47
13:M:23:VAL:HG12	13:M:45:GLY:HA3	1.94	0.47
52:O:26:PHE:HZ	52:O:93:LEU:HA	1.80	0.47
4:D:19:PRO:HB3	4:D:53:PHE:HA	1.96	0.47
5:E:21:LYS:HE3	5:E:55:VAL:HA	1.97	0.47
1:A:5:LYS:HE2	22:V:40:VAL:HG21	1.97	0.47
4:D:170:ARG:HD2	14:N:57:GLY:HA3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:I:18:PRO:HA	9:I:51:ALA:HA	1.97	0.47
5:E:151:ARG:NH2	5:E:152:GLU:OE2	2.44	0.47
3:C:67:ILE:HD11	3:C:80:LYS:HB3	1.97	0.46
5:E:68:GLN:OE1	5:E:71:ARG:NH2	2.43	0.46
14:N:96:LYS:HB2	14:N:96:LYS:HE2	1.70	0.46
15:O:55:ALA:O	15:O:59:LYS:HB3	2.16	0.46
12:L:55:GLU:HB2	12:L:108:LYS:HB3	1.98	0.46
12:L:74:TYR:HB3	12:L:77:LYS:HB2	1.98	0.46
18:R:60:ASN:HB3	18:R:63:THR:HB	1.97	0.46
13:M:28:PRO:O	13:M:29:HIS:ND1	2.48	0.46
18:R:9:ILE:HG12	18:R:63:THR:HG23	1.97	0.46
6:F:22:PRO:O	7:G:146:ASN:ND2	2.38	0.46
2:B:39[A]:GLU:HG2	2:B:40[A]:GLU:HG2	1.97	0.45
17:Q:44:MET:O	17:Q:77:ARG:NH1	2.49	0.45
1:A:159:ARG:HB3	1:A:164:LEU:HB2	1.98	0.45
8:H:90:ARG:O	8:H:91:ASP:HB2	2.16	0.45
19:S:14:LEU:HD11	19:S:31:LYS:HB2	1.98	0.45
13:M:22:LYS:NZ	13:M:132:SER:O	2.47	0.45
22:V:53:TYR:HA	22:V:56:ARG:HG2	1.99	0.45
9:I:38:ALA:HB3	9:I:59:MET:HB2	1.99	0.44
9:I:10:LYS:NZ	9:I:56:ASP:OD1	2.41	0.44
24:X:10:GLN:HA	24:X:13:GLU:HG2	1.99	0.44
6:F:80:ARG:HG3	6:F:124:LEU:HD21	1.99	0.44
9:I:129:VAL:O	9:I:133:SER:HB3	2.17	0.44
14:N:36:GLY:HA3	14:N:40:HIS:CE1	2.53	0.44
2:B:127[A]:LEU:HD22	6:F:156:VAL:HG13	2.00	0.44
6:F:80:ARG:HD2	7:G:155:PRO:HA	2.00	0.43
7:G:68:THR:OG1	7:G:69:LYS:N	2.51	0.43
17:Q:46:THR:HG22	17:Q:48:ASP:H	1.82	0.43
8:H:20:SER:HA	8:H:23:THR:HG22	2.00	0.43
52:0:15:LEU:O	52:0:19:LEU:HG	2.18	0.43
52:0:45:LEU:HB3	52:0:49:ALA:HB3	1.99	0.43
53:1:42:UNK:O	53:1:43:UNK:C	2.66	0.43
23:W:58:THR:OG1	23:W:59:THR:N	2.51	0.43
9:I:117:PRO:HA	9:I:135:VAL:HG13	2.00	0.43
20:T:95:ILE:HG21	20:T:95:ILE:HD13	1.81	0.43
23:W:27:PHE:HA	23:W:34:CYS:HA	2.01	0.43
1:A:68:ARG:HA	1:A:98:LEU:HD21	2.00	0.43
4:D:124:LEU:HD13	4:D:127:LEU:HD23	2.01	0.43
4:D:161:LYS:HA	4:D:161:LYS:HD3	1.82	0.43
52:0:75:LYS:O	52:0:78:PRO:HD2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
52:0:67:LEU:HD22	52:0:67:LEU:HA	1.85	0.43
1:A:158:HIS:HB3	1:A:161:ALA:HB3	2.00	0.43
3:C:56:ARG:NH2	3:C:75:GLU:OE2	2.51	0.43
5:E:102:LEU:HD22	5:E:138:LEU:HD22	2.01	0.43
24:X:2:ALA:N	24:X:51:LEU:O	2.52	0.43
3:C:179:GLN:HA	3:C:182:ILE:HG22	2.00	0.42
6:F:95:ARG:HB2	6:F:140:VAL:HG23	2.00	0.42
8:H:81:LYS:HD2	8:H:90:ARG:NH1	2.33	0.42
52:0:14:LYS:HE3	52:0:52:LEU:HD11	2.00	0.42
2:B:54[A]:TYR:OH	2:B:73[A]:PHE:O	2.37	0.42
12:L:86:THR:OG1	12:L:94:SER:OG	2.36	0.42
18:R:3:SER:OG	18:R:4:LEU:N	2.51	0.42
21:U:78:LYS:HA	21:U:81:ARG:HG2	2.00	0.42
6:F:32:SER:HB2	6:F:36:ILE:HD12	2.01	0.42
9:I:80:ARG:HB2	9:I:99:ALA:HB3	2.00	0.42
52:0:70:LEU:HB3	52:0:73:PHE:CD1	2.55	0.42
3:C:182:ILE:HD12	3:C:182:ILE:HA	1.85	0.42
8:H:41:ILE:HG21	8:H:54:VAL:HG21	2.02	0.42
52:0:61:ARG:HA	52:0:61:ARG:HD2	1.92	0.42
7:G:102:ARG:HD2	7:G:102:ARG:HA	1.77	0.42
3:C:116:HIS:HB3	3:C:149:VAL:HB	2.02	0.41
12:L:63:LYS:HA	12:L:63:LYS:HD3	1.92	0.41
24:X:33:LYS:HA	24:X:33:LYS:HD3	1.84	0.41
16:P:73:GLY:N	16:P:76:GLU:OE1	2.42	0.41
1:A:98:LEU:HD22	1:A:128:LYS:HD2	2.02	0.41
8:H:107:PHE:O	8:H:108:TYR:C	2.58	0.41
2:B:8[A]:VAL:HG12	2:B:117[A]:ARG:HG3	2.02	0.41
3:C:131:ARG:HG3	3:C:137:ASN:ND2	2.36	0.41
14:N:75:LEU:HD23	14:N:75:LEU:HA	1.92	0.41
22:V:5:THR:HG23	22:V:12:ASN:HB2	2.03	0.41
1:A:18:VAL:HG13	1:A:19:LEU:HD12	2.01	0.41
5:E:7:GLN:NE2	5:E:35:ALA:O	2.53	0.41
2:B:121[A]:PRO:HA	2:B:124[A]:LEU:HD12	2.03	0.41
3:C:122:ALA:HB3	3:C:143:PRO:HB2	2.02	0.41
17:Q:20:LEU:HD11	17:Q:32:ALA:HB2	2.03	0.41
1:A:9:GLU:HG3	22:V:44:VAL:HG21	2.03	0.40
7:G:73:GLY:HA2	7:G:89:LEU:O	2.21	0.40
18:R:4:LEU:HD12	18:R:5:PRO:HD2	2.02	0.40
5:E:31:GLU:HA	5:E:34:GLN:HB2	2.03	0.40
20:T:93:PHE:HD2	20:T:94:LEU:HD22	1.86	0.40
2:B:189[A]:ASP:OD1	2:B:190[A]:VAL:N	2.53	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:S:37:THR:HG23	19:S:40:ASP:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	201/204 (98%)	190 (94%)	11 (6%)	0	100	100
2	B	195/199 (98%)	192 (98%)	3 (2%)	0	100	100
3	C	181/184 (98%)	172 (95%)	9 (5%)	0	100	100
4	D	183/186 (98%)	176 (96%)	7 (4%)	0	100	100
5	E	154/189 (82%)	151 (98%)	3 (2%)	0	100	100
6	F	169/172 (98%)	163 (96%)	6 (4%)	0	100	100
7	G	157/160 (98%)	149 (95%)	8 (5%)	0	100	100
8	H	98/121 (81%)	93 (95%)	5 (5%)	0	100	100
9	I	134/137 (98%)	132 (98%)	2 (2%)	0	100	100
10	J	61/155 (39%)	61 (100%)	0	0	100	100
11	K	119/142 (84%)	118 (99%)	1 (1%)	0	100	100
12	L	123/127 (97%)	119 (97%)	4 (3%)	0	100	100
13	M	133/136 (98%)	126 (95%)	7 (5%)	0	100	100
14	N	146/149 (98%)	136 (93%)	10 (7%)	0	100	100
15	O	56/59 (95%)	52 (93%)	3 (5%)	1 (2%)	7	14
16	P	94/105 (90%)	93 (99%)	1 (1%)	0	100	100
17	Q	107/113 (95%)	98 (92%)	9 (8%)	0	100	100
18	R	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
19	S	104/107 (97%)	101 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	T	110/121 (91%)	108 (98%)	2 (2%)	0	100	100
21	U	117/120 (98%)	112 (96%)	5 (4%)	0	100	100
22	V	97/100 (97%)	93 (96%)	4 (4%)	0	100	100
23	W	79/88 (90%)	75 (95%)	4 (5%)	0	100	100
24	X	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
25	Y	48/51 (94%)	46 (96%)	2 (4%)	0	100	100
26	Z	50/128 (39%)	47 (94%)	3 (6%)	0	100	100
27	b	101/106 (95%)	95 (94%)	6 (6%)	0	100	100
28	c	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
29	d	20/25 (80%)	19 (95%)	1 (5%)	0	100	100
33	j	244/254 (96%)	226 (93%)	18 (7%)	0	100	100
34	k	384/387 (99%)	363 (94%)	21 (6%)	0	100	100
35	l	359/362 (99%)	329 (92%)	29 (8%)	1 (0%)	37	59
36	m	292/297 (98%)	277 (95%)	15 (5%)	0	100	100
37	n	163/176 (93%)	154 (94%)	9 (6%)	0	100	100
38	o	220/244 (90%)	207 (94%)	13 (6%)	0	100	100
39	p	231/256 (90%)	220 (95%)	11 (5%)	0	100	100
40	q	189/191 (99%)	174 (92%)	14 (7%)	1 (0%)	25	47
41	r	216/221 (98%)	206 (95%)	10 (5%)	0	100	100
42	s	167/174 (96%)	161 (96%)	5 (3%)	1 (1%)	22	43
43	t	191/199 (96%)	174 (91%)	16 (8%)	1 (0%)	25	47
44	u	134/138 (97%)	125 (93%)	9 (7%)	0	100	100
45	a	842/1038 (81%)	827 (98%)	15 (2%)	0	100	100
46	e	1519/1562 (97%)	1501 (99%)	16 (1%)	2 (0%)	48	71
47	g	223/245 (91%)	215 (96%)	8 (4%)	0	100	100
48	v	139/157 (88%)	139 (100%)	0	0	100	100
49	w	214/217 (99%)	211 (99%)	3 (1%)	0	100	100
51	z	144/165 (87%)	134 (93%)	9 (6%)	1 (1%)	19	38
52	0	117/312 (38%)	116 (99%)	0	1 (1%)	14	31
All	All	9314/10279 (91%)	8958 (96%)	347 (4%)	9 (0%)	50	71

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
51	z	88	PRO
35	l	4	PRO
40	q	107	ASP
42	s	108	GLU
46	e	437	LYS
52	o	93	LEU
46	e	350	PRO
15	O	21	ILE
43	t	47	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/176 (99%)	175 (100%)	0	100	100
2	B	160/162 (99%)	160 (100%)	0	100	100
3	C	138/146 (94%)	138 (100%)	0	100	100
4	D	150/151 (99%)	149 (99%)	1 (1%)	81	93
5	E	129/154 (84%)	129 (100%)	0	100	100
6	F	155/156 (99%)	155 (100%)	0	100	100
7	G	135/137 (98%)	134 (99%)	1 (1%)	81	93
8	H	87/107 (81%)	85 (98%)	2 (2%)	45	71
9	I	104/105 (99%)	104 (100%)	0	100	100
10	J	54/129 (42%)	54 (100%)	0	100	100
11	K	104/118 (88%)	104 (100%)	0	100	100
12	L	108/110 (98%)	108 (100%)	0	100	100
13	M	112/116 (97%)	112 (100%)	0	100	100
14	N	117/119 (98%)	117 (100%)	0	100	100
15	O	46/47 (98%)	45 (98%)	1 (2%)	47	72
16	P	81/88 (92%)	81 (100%)	0	100	100
17	Q	92/97 (95%)	92 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	R	107/111 (96%)	107 (100%)	0	100	100
19	S	90/91 (99%)	90 (100%)	0	100	100
20	T	95/103 (92%)	94 (99%)	1 (1%)	70	86
21	U	104/105 (99%)	104 (100%)	0	100	100
22	V	80/82 (98%)	80 (100%)	0	100	100
23	W	67/71 (94%)	67 (100%)	0	100	100
24	X	68/69 (99%)	66 (97%)	2 (3%)	37	64
25	Y	45/46 (98%)	45 (100%)	0	100	100
26	Z	45/116 (39%)	45 (100%)	0	100	100
27	b	87/91 (96%)	87 (100%)	0	100	100
28	c	71/72 (99%)	71 (100%)	0	100	100
29	d	20/23 (87%)	20 (100%)	0	100	100
33	j	189/196 (96%)	189 (100%)	0	100	100
34	k	321/323 (99%)	319 (99%)	2 (1%)	84	94
35	l	288/289 (100%)	288 (100%)	0	100	100
36	m	241/245 (98%)	241 (100%)	0	100	100
37	n	139/155 (90%)	138 (99%)	1 (1%)	81	93
38	o	186/205 (91%)	186 (100%)	0	100	100
39	p	187/208 (90%)	187 (100%)	0	100	100
40	q	168/171 (98%)	168 (100%)	0	100	100
41	r	185/187 (99%)	183 (99%)	2 (1%)	70	86
42	s	145/150 (97%)	142 (98%)	3 (2%)	48	73
43	t	154/159 (97%)	154 (100%)	0	100	100
44	u	107/109 (98%)	107 (100%)	0	100	100
45	a	678/949 (71%)	675 (100%)	3 (0%)	89	96
46	e	1149/1451 (79%)	1057 (92%)	92 (8%)	10	21
47	g	180/211 (85%)	180 (100%)	0	100	100
48	v	119/132 (90%)	118 (99%)	1 (1%)	79	91
49	w	197/198 (100%)	196 (100%)	1 (0%)	86	95
52	0	104/254 (41%)	95 (91%)	9 (9%)	8	17
All	All	7563/8690 (87%)	7441 (98%)	122 (2%)	58	79

All (122) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	D	12	ARG
7	G	83	ARG
8	H	92	TRP
8	H	108	TYR
15	O	33	LYS
20	T	106	LYS
24	X	9	LYS
24	X	63	LYS
34	k	332	ARG
34	k	369	ARG
37	n	8	LYS
41	r	112	GLN
41	r	144	ASN
42	s	29	ARG
42	s	55	ARG
42	s	60	ARG
45	a	98	ASP
45	a	136	ARG
45	a	893	LYS
46	e	30	PHE
46	e	77	ASN
46	e	105	VAL
46	e	125	ILE
46	e	156	THR
46	e	178	LEU
46	e	229	VAL
46	e	254	ASN
46	e	264	VAL
46	e	277	MET
46	e	299	THR
46	e	309	VAL
46	e	327	THR
46	e	354	PHE
46	e	372	ASP
46	e	380	PHE
46	e	387	ARG
46	e	412	PHE
46	e	710	LYS
46	e	731	LEU
46	e	737	TYR
46	e	738	PHE
46	e	743	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	e	754	ILE
46	e	757	CYS
46	e	760	THR
46	e	764	PHE
46	e	770	ILE
46	e	782	TYR
46	e	785	SER
46	e	799	THR
46	e	807	LYS
46	e	826	LEU
46	e	844	LEU
46	e	858	LEU
46	e	861	ASP
46	e	862	PHE
46	e	867	PHE
46	e	869	HIS
46	e	895	THR
46	e	902	ASN
46	e	924	VAL
46	e	933	LEU
46	e	951	ASP
46	e	954	TYR
46	e	955	LEU
46	e	979	LEU
46	e	987	ILE
46	e	989	GLU
46	e	998	LYS
46	e	1000	LEU
46	e	1006	LEU
46	e	1028	PHE
46	e	1033	LYS
46	e	1075	LEU
46	e	1077	GLU
46	e	1079	LEU
46	e	1094	TYR
46	e	1095	LEU
46	e	1102	CYS
46	e	1123	TYR
46	e	1164	LEU
46	e	1175	PHE
46	e	1179	LEU
46	e	1189	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	e	1195	THR
46	e	1239	LYS
46	e	1258	GLU
46	e	1294	LEU
46	e	1300	ILE
46	e	1303	MET
46	e	1342	GLU
46	e	1367	THR
46	e	1372	LEU
46	e	1379	LEU
46	e	1400	PHE
46	e	1408	ASP
46	e	1409	ARG
46	e	1421	LEU
46	e	1422	ASN
46	e	1428	VAL
46	e	1439	LEU
46	e	1454	ILE
46	e	1470	LYS
46	e	1477	GLN
46	e	1480	ILE
46	e	1508	CYS
46	e	1512	TYR
46	e	1527	CYS
46	e	1539	LEU
46	e	1551	CYS
46	e	1555	ARG
48	v	54	HIS
49	w	92	LYS
52	0	30	VAL
52	0	51	VAL
52	0	52	LEU
52	0	67	LEU
52	0	76	LEU
52	0	80	VAL
52	0	93	LEU
52	0	95	GLU
52	0	189	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
45	a	121	ASN
46	e	13	ASN
46	e	174	GLN
46	e	189	ASN
46	e	254	ASN
46	e	368	HIS
46	e	397	ASN
46	e	795	HIS
46	e	805	ASN
46	e	810	GLN
46	e	832	ASN
46	e	902	ASN
46	e	1141	GLN
46	e	1189	ASN
46	e	1288	GLN
46	e	1457	ASN
47	g	9	ASN
48	v	52	HIS
52	0	36	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	f	3212/3395 (94%)	591 (18%)	0
31	h	120/121 (99%)	12 (10%)	0
32	i	157/158 (99%)	32 (20%)	0
50	x	72/76 (94%)	21 (29%)	0
50	y	71/76 (93%)	20 (28%)	0
All	All	3632/3826 (94%)	676 (18%)	0

All (676) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	f	6	A
30	f	13	A
30	f	14	U
30	f	26	A
30	f	40	A
30	f	43	A
30	f	49	A
30	f	59	G
30	f	60	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	65	A
30	f	66	A
30	f	92	G
30	f	99	A
30	f	109	A
30	f	110	G
30	f	111	C
30	f	116	A
30	f	120	G
30	f	121	A
30	f	122	A
30	f	133	U
30	f	134	U
30	f	135	C
30	f	136	G
30	f	156	G
30	f	157	A
30	f	165	A
30	f	166	C
30	f	172	G
30	f	173	G
30	f	187	A
30	f	190	U
30	f	191	U
30	f	200	C
30	f	206	G
30	f	210	U
30	f	211	A
30	f	213	A
30	f	218	G
30	f	219	A
30	f	234	G
30	f	240	U
30	f	241	G
30	f	242	C
30	f	243	G
30	f	245	U
30	f	249	U
30	f	252	U
30	f	269	G
30	f	283	G
30	f	286	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	295	A
30	f	305	U
30	f	323	A
30	f	329	U
30	f	339	C
30	f	350	C
30	f	374	A
30	f	376	G
30	f	398	A
30	f	399	A
30	f	401	U
30	f	402	A
30	f	403	C
30	f	421	G
30	f	422	A
30	f	439	C
30	f	440	A
30	f	441	U
30	f	442	G
30	f	443	G
30	f	445	G
30	f	446	U
30	f	447	U
30	f	448	U
30	f	450	G
30	f	487	U
30	f	488	U
30	f	489	U
30	f	490	C
30	f	494	G
30	f	518	G
30	f	520	U
30	f	521	A
30	f	523	A
30	f	535	G
30	f	536	U
30	f	543	C
30	f	544	C
30	f	546	C
30	f	547	G
30	f	548	G
30	f	551	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	552	G
30	f	555	U
30	f	557	A
30	f	559	A
30	f	578	A
30	f	579	G
30	f	589	A
30	f	597	G
30	f	604	G
30	f	608	A
30	f	609	G
30	f	611	A
30	f	620	U
30	f	621	A
30	f	622	A
30	f	637	C
30	f	638	C
30	f	649	A
30	f	660	A
30	f	677	A
30	f	681	U
30	f	684	G
30	f	690	A
30	f	691	A
30	f	705	A
30	f	712	G
30	f	715	A
30	f	716	A
30	f	719	U
30	f	720	A
30	f	758	C
30	f	763	G
30	f	764	U
30	f	765	C
30	f	766	U
30	f	767	U
30	f	776	U
30	f	777	U
30	f	780	A
30	f	781	G
30	f	785	G
30	f	786	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	806	A
30	f	817	A
30	f	830	A
30	f	846	A
30	f	849	C
30	f	850	U
30	f	861	C
30	f	874	U
30	f	879	U
30	f	896	A
30	f	907	G
30	f	908	G
30	f	914	A
30	f	916	G
30	f	917	A
30	f	920	A
30	f	921	A
30	f	924	G
30	f	925	A
30	f	937	G
30	f	944	C
30	f	959	C
30	f	960	U
30	f	981	U
30	f	982	C
30	f	991	G
30	f	994	G
30	f	1001	G
30	f	1002	A
30	f	1010	G
30	f	1015	U
30	f	1016	C
30	f	1017	C
30	f	1018	G
30	f	1021	G
30	f	1024	G
30	f	1025	A
30	f	1028	U
30	f	1036	A
30	f	1041	U
30	f	1047	A
30	f	1049	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1063	G
30	f	1064	A
30	f	1065	A
30	f	1072	G
30	f	1081	U
30	f	1087	G
30	f	1093	A
30	f	1094	U
30	f	1095	U
30	f	1097	G
30	f	1098	A
30	f	1103	A
30	f	1104	G
30	f	1117	G
30	f	1131	G
30	f	1144	U
30	f	1153	A
30	f	1159	A
30	f	1160	C
30	f	1177	G
30	f	1180	A
30	f	1181	U
30	f	1192	C
30	f	1193	A
30	f	1196	C
30	f	1197	A
30	f	1201	C
30	f	1202	A
30	f	1208	U
30	f	1217	A
30	f	1218	U
30	f	1219	C
30	f	1222	G
30	f	1225	A
30	f	1227	C
30	f	1235	U
30	f	1236	G
30	f	1238	C
30	f	1241	U
30	f	1242	G
30	f	1244	A
30	f	1245	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1251	A
30	f	1252	A
30	f	1254	C
30	f	1258	U
30	f	1259	A
30	f	1263	A
30	f	1264	G
30	f	1265	U
30	f	1269	U
30	f	1272	C
30	f	1277	C
30	f	1278	A
30	f	1279	C
30	f	1282	G
30	f	1285	G
30	f	1286	A
30	f	1287	A
30	f	1295	G
30	f	1307	G
30	f	1308	A
30	f	1309	U
30	f	1313	G
30	f	1330	A
30	f	1348	U
30	f	1349	G
30	f	1351	U
30	f	1352	A
30	f	1354	G
30	f	1355	A
30	f	1356	U
30	f	1357	G
30	f	1386	A
30	f	1392	G
30	f	1399	A
30	f	1400	G
30	f	1419	A
30	f	1434	G
30	f	1437	C
30	f	1446	A
30	f	1450	G
30	f	1481	A
30	f	1482	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1483	G
30	f	1487	G
30	f	1488	G
30	f	1502	C
30	f	1508	C
30	f	1536	G
30	f	1539	A
30	f	1555	U
30	f	1556	C
30	f	1557	A
30	f	1560	G
30	f	1562	C
30	f	1563	C
30	f	1566	A
30	f	1568	U
30	f	1569	U
30	f	1572	U
30	f	1573	G
30	f	1575	A
30	f	1576	G
30	f	1580	A
30	f	1581	C
30	f	1582	C
30	f	1583	A
30	f	1589	A
30	f	1590	G
30	f	1605	A
30	f	1607	U
30	f	1620	U
30	f	1629	U
30	f	1639	C
30	f	1642	A
30	f	1643	A
30	f	1645	U
30	f	1657	C
30	f	1683	A
30	f	1716	U
30	f	1717	U
30	f	1724	U
30	f	1725	C
30	f	1736	G
30	f	1741	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1750	A
30	f	1751	G
30	f	1760	A
30	f	1761	C
30	f	1764	U
30	f	1765	U
30	f	1766	G
30	f	1770	G
30	f	1775	G
30	f	1780	G
30	f	1797	A
30	f	1814	A
30	f	1816	A
30	f	1819	U
30	f	1820	U
30	f	1821	U
30	f	1835	A
30	f	1839	A
30	f	1840	U
30	f	1841	A
30	f	1842	A
30	f	1846	C
30	f	1849	C
30	f	1850	A
30	f	1866	C
30	f	1867	A
30	f	1880	U
30	f	1881	A
30	f	1893	A
30	f	1906	G
30	f	1943	C
30	f	1952	G
30	f	1953	G
30	f	1954	G
30	f	2094	C
30	f	2101	C
30	f	2102	U
30	f	2111	G
30	f	2112	U
30	f	2113	A
30	f	2114	C
30	f	2121	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2122	G
30	f	2131	A
30	f	2134	G
30	f	2140	U
30	f	2144	A
30	f	2158	A
30	f	2160	G
30	f	2169	G
30	f	2176	U
30	f	2201	G
30	f	2206	G
30	f	2207	A
30	f	2208	A
30	f	2209	U
30	f	2222	A
30	f	2223	A
30	f	2225	U
30	f	2228	A
30	f	2249	G
30	f	2272	G
30	f	2273	G
30	f	2274	U
30	f	2281	A
30	f	2282	U
30	f	2288	G
30	f	2307	G
30	f	2308	C
30	f	2310	U
30	f	2313	A
30	f	2314	U
30	f	2315	G
30	f	2334	U
30	f	2335	G
30	f	2336	U
30	f	2373	A
30	f	2374	C
30	f	2375	G
30	f	2385	G
30	f	2388	U
30	f	2393	G
30	f	2397	A
30	f	2402	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2403	G
30	f	2404	A
30	f	2411	U
30	f	2419	A
30	f	2437	G
30	f	2446	U
30	f	2447	A
30	f	2450	G
30	f	2461	A
30	f	2463	G
30	f	2464	U
30	f	2468	A
30	f	2469	G
30	f	2470	C
30	f	2471	U
30	f	2472	U
30	f	2474	G
30	f	2479	C
30	f	2480	A
30	f	2484	A
30	f	2486	A
30	f	2487	U
30	f	2488	A
30	f	2494	A
30	f	2495	C
30	f	2496	C
30	f	2499	U
30	f	2501	U
30	f	2502	A
30	f	2503	G
30	f	2505	U
30	f	2514	U
30	f	2515	A
30	f	2522	G
30	f	2526	C
30	f	2531	C
30	f	2537	U
30	f	2538	U
30	f	2539	C
30	f	2540	A
30	f	2541	U
30	f	2542	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2544	U
30	f	2547	A
30	f	2548	C
30	f	2549	G
30	f	2552	C
30	f	2554	A
30	f	2555	G
30	f	2561	A
30	f	2569	A
30	f	2570	U
30	f	2571	U
30	f	2572	C
30	f	2573	G
30	f	2581	U
30	f	2585	G
30	f	2593	A
30	f	2594	C
30	f	2606	G
30	f	2607	G
30	f	2614	G
30	f	2648	G
30	f	2651	G
30	f	2652	U
30	f	2656	A
30	f	2674	A
30	f	2677	G
30	f	2678	A
30	f	2689	A
30	f	2691	A
30	f	2694	A
30	f	2696	A
30	f	2704	A
30	f	2714	G
30	f	2719	U
30	f	2728	G
30	f	2729	U
30	f	2740	A
30	f	2752	U
30	f	2753	G
30	f	2755	C
30	f	2772	C
30	f	2773	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2777	G
30	f	2778	G
30	f	2788	C
30	f	2796	G
30	f	2800	G
30	f	2801	A
30	f	2803	A
30	f	2810	C
30	f	2814	G
30	f	2816	G
30	f	2817	A
30	f	2818	U
30	f	2821	C
30	f	2834	G
30	f	2842	U
30	f	2844	C
30	f	2845	A
30	f	2849	C
30	f	2860	U
30	f	2867	C
30	f	2871	G
30	f	2872	A
30	f	2875	U
30	f	2887	A
30	f	2898	G
30	f	2899	C
30	f	2911	A
30	f	2914	G
30	f	2923	U
30	f	2935	U
30	f	2936	A
30	f	2941	A
30	f	2942	C
30	f	2947	G
30	f	2971	A
30	f	2983	C
30	f	2990	G
30	f	2992	U
30	f	2996	U
30	f	2997	G
30	f	3006	A
30	f	3012	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	3056	U
30	f	3059	G
30	f	3078	U
30	f	3079	U
30	f	3080	G
30	f	3086	A
30	f	3092	C
30	f	3104	U
30	f	3113	A
30	f	3122	A
30	f	3130	A
30	f	3131	U
30	f	3142	A
30	f	3143	C
30	f	3151	U
30	f	3154	C
30	f	3155	U
30	f	3156	U
30	f	3157	U
30	f	3165	A
30	f	3170	A
30	f	3173	G
30	f	3174	A
30	f	3175	U
30	f	3176	G
30	f	3179	U
30	f	3181	C
30	f	3186	A
30	f	3187	A
30	f	3196	U
30	f	3207	U
30	f	3209	A
30	f	3217	C
30	f	3218	A
30	f	3219	G
30	f	3228	C
30	f	3229	G
30	f	3243	A
30	f	3245	A
30	f	3247	G
30	f	3259	U
30	f	3263	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	3269	U
30	f	3270	U
30	f	3273	A
30	f	3276	G
30	f	3281	U
30	f	3287	U
30	f	3288	G
30	f	3289	G
30	f	3294	A
30	f	3295	A
30	f	3303	G
30	f	3304	U
30	f	3307	A
30	f	3313	U
30	f	3316	A
30	f	3317	U
30	f	3318	G
30	f	3319	U
30	f	3320	A
30	f	3341	U
30	f	3342	A
30	f	3345	G
30	f	3351	U
30	f	3352	U
30	f	3353	G
30	f	3354	U
30	f	3355	U
30	f	3369	G
30	f	3375	A
30	f	3378	C
30	f	3382	U
30	f	3383	G
30	f	3386	G
30	f	3389	U
30	f	3390	G
30	f	3396	U
31	h	7	G
31	h	29	C
31	h	53	U
31	h	54	U
31	h	55	A
31	h	65	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	h	73	C
31	h	74	C
31	h	95	A
31	h	102	A
31	h	112	G
31	h	121	U
32	i	23	U
32	i	34	U
32	i	35	C
32	i	39	G
32	i	48	A
32	i	52	A
32	i	53	A
32	i	59	A
32	i	62	C
32	i	63	G
32	i	80	A
32	i	81	U
32	i	82	U
32	i	83	C
32	i	84	C
32	i	85	G
32	i	86	U
32	i	87	G
32	i	90	U
32	i	95	G
32	i	104	A
32	i	105	A
32	i	106	C
32	i	111	A
32	i	113	U
32	i	125	U
32	i	126	A
32	i	138	A
32	i	151	C
32	i	152	G
32	i	157	U
32	i	158	U
50	x	5	G
50	x	9	G
50	x	15	G
50	x	16	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	x	17	C
50	x	18	G
50	x	22	G
50	x	28	U
50	x	33	U
50	x	34	I
50	x	35	G
50	x	37	A
50	x	38	U
50	x	39	G
50	x	46	G
50	x	48	C
50	x	56	C
50	x	57	G
50	x	58	A
50	x	60	U
50	x	74	C
50	y	7	G
50	y	9	G
50	y	13	U
50	y	17	C
50	y	23	C
50	y	26	G
50	y	34	I
50	y	35	G
50	y	36	C
50	y	38	U
50	y	43	G
50	y	45	G
50	y	46	G
50	y	47	U
50	y	48	C
50	y	56	C
50	y	58	A
50	y	61	C
50	y	75	C
50	y	76	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
48	5CT	v	51	48	13,14,15	0.78	0	8,15,17	1.28	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	5CT	v	51	48	-	9/13/14/16	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	v	51	5CT	C4-C3-C2	-2.20	108.84	113.47

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
48	v	51	5CT	NZ-C1-C2-C3
48	v	51	5CT	O1-C2-C3-C4
48	v	51	5CT	C2-C3-C4-N1
48	v	51	5CT	C-CA-CB-CG
48	v	51	5CT	N-CA-CB-CG
48	v	51	5CT	NZ-C1-C2-O1
48	v	51	5CT	C1-C2-C3-C4
48	v	51	5CT	C2-C1-NZ-CE
48	v	51	5CT	CE-CD-CG-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 20 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
56	SPD	f	3401	-	9,9,9	0.32	0	8,8,8	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	SPD	f	3401	-	-	5/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
56	f	3401	SPD	C3-C4-C5-N6
56	f	3401	SPD	N6-C7-C8-C9
56	f	3401	SPD	C2-C3-C4-C5
56	f	3401	SPD	C4-C5-N6-C7
56	f	3401	SPD	C8-C7-N6-C5

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-15428. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225




Y Index: 225




Z Index: 225


6.2.2 Raw map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 219




Y Index: 237




Z Index: 231


6.3.2 Raw map



X Index: 219



Y Index: 237




Z Index: 231


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1851 nm^3 ; this corresponds to an approximate mass of 1672 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.385 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.55	2.94	2.60
Unmasked-calculated*	3.25	4.65	3.34

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.25 differs from the reported value 2.6 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-15428 and PDB model 8AGZ. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9190	 0.5120
0	 0.8470	 0.2900
1	 1.0000	 0.4020
A	 0.9930	 0.6120
B	 0.9790	 0.5890
C	 0.9640	 0.5890
D	 0.9820	 0.5850
E	 0.9390	 0.5500
F	 0.9810	 0.5800
G	 0.9680	 0.5650
H	 0.9220	 0.4640
I	 0.9680	 0.5780
J	 0.9660	 0.5780
K	 0.9660	 0.5740
L	 0.9770	 0.5700
M	 0.9560	 0.5210
N	 0.9810	 0.5940
O	 0.9580	 0.5420
P	 0.9390	 0.5230
Q	 0.9260	 0.5490
R	 0.9820	 0.5990
S	 0.9920	 0.6150
T	 0.9770	 0.5760
U	 0.9670	 0.5580
V	 0.9600	 0.5300
W	 1.0000	 0.6280
X	 0.9210	 0.4970
Y	 1.0000	 0.6020
Z	 0.9700	 0.5760
a	 0.5850	 0.2180
b	 0.9640	 0.5730
c	 0.9720	 0.5700
d	 0.7610	 0.4030
e	 0.6980	 0.2570
f	 0.9820	 0.5700



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
g	 0.8440	 0.4880
h	 0.9990	 0.5720
i	 0.9970	 0.5980
j	 0.9910	 0.6050
k	 0.9790	 0.5880
l	 0.9780	 0.5770
m	 0.9400	 0.4870
n	 0.9500	 0.5290
o	 0.9690	 0.5710
p	 0.9460	 0.5210
q	 0.9610	 0.5500
r	 0.9610	 0.5470
s	 0.9300	 0.4480
t	 0.9710	 0.5610
u	 0.9700	 0.5500
v	 0.4610	 0.3610
w	 0.1230	 0.2290
x	 0.7470	 0.2550
y	 0.8690	 0.2310
z	 0.9090	 0.2990