



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 15, 2024 – 02:14 AM EST

PDB ID : 1AI2
Title : ISOCITRATE DEHYDROGENASE COMPLEXED WITH ISOCITRATE,
NADP+, AND CALCIUM (FLASH-COOLED)
Authors : Stoddard, B.L.; Mesecar, A.; Koshland Junior, D.E.
Deposited on : 1997-04-30
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	416	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAP	A	417	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3562 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ISOCITRATE DEHYDROGENASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	414	3196	2035	538	605	18	0	0	0

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	48	21	7	17	3	0	0

- Molecule 3 is ISOCITRATE CALCIUM COMPLEX (three-letter code: ICA) (formula: C₆H₇CaO₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	Ca	O		
3	A	1	14	6	1	7	1	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	304	304	304	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: ISOCITRATE DEHYDROGENASE

Chain A:  70% 23% 5%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	102.30Å 102.30Å 150.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90	Depositor
% Data completeness (in resolution range)	98.6 (50.00-1.90)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.191 , 0.215	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3562	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, ICA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.16	15/3257 (0.5%)	1.24	10/4405 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	154	GLU	C-N	15.68	1.70	1.34
1	A	83	TRP	NE1-CE2	8.83	1.49	1.37
1	A	65	TRP	NE1-CE2	8.80	1.49	1.37
1	A	165	TRP	NE1-CE2	8.76	1.49	1.37
1	A	369	TRP	NE1-CE2	8.73	1.49	1.37
1	A	263	TRP	NE1-CE2	8.71	1.48	1.37
1	A	244	TRP	NE1-CE2	8.71	1.48	1.37
1	A	165	TRP	C-N	-7.46	1.16	1.34
1	A	164	GLU	C-N	5.86	1.47	1.34
1	A	210	VAL	C-N	-5.80	1.20	1.34
1	A	190	PHE	C-N	-5.46	1.23	1.34
1	A	7	VAL	C-N	-5.36	1.24	1.34
1	A	143	HIS	C-N	-5.35	1.24	1.34
1	A	29	ILE	C-N	-5.35	1.24	1.34
1	A	129	ARG	C-N	-5.22	1.24	1.34

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	157	GLU	O-C-N	-23.18	85.62	122.70
1	A	3	SER	O-C-N	-6.57	112.19	122.70
1	A	132	ARG	O-C-N	-6.47	112.34	122.70
1	A	164	GLU	C-N-CA	6.33	137.51	121.70
1	A	164	GLU	O-C-N	-6.12	112.91	122.70
1	A	311	ASP	O-C-N	-5.97	113.15	122.70
1	A	132	ARG	CD-NE-CZ	-5.29	116.20	123.60
1	A	316	GLN	O-C-N	-5.24	114.32	122.70
1	A	157	GLU	C-N-CA	5.23	134.78	121.70
1	A	211	ARG	CD-NE-CZ	-5.23	116.28	123.60

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	132	ARG	Mainchain
1	A	157	GLU	Mainchain
1	A	211	ARG	Mainchain
1	A	230	LYS	Mainchain
1	A	297	ASP	Mainchain
1	A	311	ASP	Mainchain
1	A	316	GLN	Mainchain
1	A	331	GLU	Mainchain
1	A	350	LYS	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3196	0	3220	154	3
2	A	48	0	24	21	0
3	A	14	0	4	2	0
4	A	304	0	0	23	0
All	All	3562	0	3248	157	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:GLU:C	1:A:155:ASN:N	1.70	1.45
1:A:344:LYS:CE	4:A:470:HOH:O	1.77	1.25
1:A:37:ILE:HD12	1:A:351:VAL:CG1	1.69	1.22
1:A:37:ILE:CD1	1:A:351:VAL:HG11	1.79	1.11
1:A:36:GLY:HA3	1:A:341:THR:HG23	1.30	1.06
1:A:220:ASN:OD1	4:A:610:HOH:O	1.73	1.06
1:A:203:GLU:OE1	4:A:599:HOH:O	1.73	1.05
1:A:37:ILE:CG2	1:A:351:VAL:HG21	1.87	1.04
1:A:344:LYS:HE2	4:A:470:HOH:O	1.43	1.04
1:A:220:ASN:OD1	1:A:220:ASN:O	1.75	1.03
1:A:156:SER:OG	4:A:686:HOH:O	1.76	1.02
1:A:220:ASN:ND2	4:A:711:HOH:O	1.71	1.01
1:A:87:GLU:HA	1:A:87:GLU:OE1	1.66	0.93
1:A:341:THR:H	2:A:417:NAP:C5D	1.85	0.90
1:A:395:ARG:NE	4:A:483:HOH:O	1.99	0.89
1:A:157:GLU:O	1:A:158:ASP:CB	2.18	0.88
1:A:37:ILE:CB	1:A:351:VAL:HG21	2.02	0.87
1:A:36:GLY:HA3	1:A:341:THR:CG2	2.04	0.87
1:A:87:GLU:OE1	1:A:87:GLU:CA	2.23	0.86
1:A:283:ASP:OD1	1:A:284:ALA:N	2.09	0.85
1:A:273:LYS:HA	1:A:273:LYS:NZ	1.92	0.85
1:A:250:ARG:HB3	1:A:250:ARG:NH1	1.90	0.85
1:A:142:LYS:HB2	1:A:142:LYS:HZ3	1.42	0.84
1:A:341:THR:HB	2:A:417:NAP:H52N	1.57	0.84
1:A:273:LYS:HA	1:A:273:LYS:HZ2	1.42	0.83
1:A:37:ILE:HB	1:A:351:VAL:HG21	1.59	0.83
1:A:100:LYS:HE3	1:A:336:GLU:HB2	1.61	0.82
1:A:273:LYS:HD2	4:A:638:HOH:O	1.77	0.82
1:A:37:ILE:HG21	1:A:351:VAL:HG21	1.60	0.80
1:A:339:HIS:CE1	2:A:417:NAP:H61A	1.98	0.80
1:A:36:GLY:CA	1:A:341:THR:HG23	2.11	0.79
1:A:87:GLU:OE1	1:A:87:GLU:O	2.01	0.79
1:A:395:ARG:NH2	4:A:483:HOH:O	2.13	0.79
1:A:13:LYS:HE2	1:A:94:GLU:O	1.83	0.78
1:A:142:LYS:HB2	1:A:142:LYS:NZ	1.99	0.77
1:A:351:VAL:HG23	4:A:486:HOH:O	1.87	0.75
1:A:341:THR:N	2:A:417:NAP:C5D	2.51	0.74
1:A:352:ASN:HB3	2:A:417:NAP:N1A	2.02	0.73
1:A:165:TRP:CD1	1:A:171:ASP:HB3	2.23	0.73
1:A:273:LYS:HA	1:A:273:LYS:CE	2.15	0.72
1:A:37:ILE:HD12	1:A:351:VAL:HG11	0.83	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:LYS:HE3	1:A:274:GLU:N	2.05	0.71
1:A:211:ARG:HD2	4:A:613:HOH:O	1.92	0.70
1:A:250:ARG:HB3	1:A:250:ARG:HH11	1.54	0.69
1:A:37:ILE:HG21	1:A:351:VAL:CG2	2.23	0.68
1:A:154:GLU:C	1:A:155:ASN:CA	2.62	0.68
1:A:341:THR:CB	2:A:417:NAP:H52N	2.23	0.68
1:A:324:PRO:HB3	1:A:358:LEU:HB3	1.75	0.68
1:A:341:THR:N	2:A:417:NAP:H51N	2.09	0.68
1:A:209:LEU:C	1:A:209:LEU:HD13	2.13	0.68
1:A:341:THR:HB	2:A:417:NAP:C5D	2.26	0.66
2:A:417:NAP:H4N	3:A:418:ICA:H2	1.76	0.66
1:A:37:ILE:CG2	1:A:351:VAL:CG2	2.71	0.66
1:A:273:LYS:HE3	1:A:274:GLU:H	1.61	0.66
1:A:342:ALA:H	2:A:417:NAP:H51N	1.62	0.65
1:A:112:ARG:CG	1:A:112:ARG:HH11	2.09	0.65
1:A:132:ARG:NH1	1:A:134:TYR:OH	2.30	0.64
2:A:417:NAP:C4N	3:A:418:ICA:H2	2.28	0.64
1:A:344:LYS:CD	4:A:470:HOH:O	2.24	0.64
1:A:341:THR:H	2:A:417:NAP:C4D	2.10	0.64
1:A:250:ARG:NH1	1:A:250:ARG:CB	2.59	0.63
1:A:42:THR:N	1:A:43:PRO:HD2	2.14	0.63
1:A:157:GLU:O	1:A:158:ASP:HB3	1.99	0.63
1:A:127:CYS:HB3	1:A:153:ARG:HB3	1.82	0.62
1:A:344:LYS:HD3	4:A:470:HOH:O	1.94	0.62
1:A:12:LYS:NZ	1:A:12:LYS:HB2	2.15	0.62
1:A:127:CYS:HB2	1:A:155:ASN:OD1	2.01	0.61
1:A:157:GLU:O	1:A:158:ASP:HB2	2.01	0.61
1:A:395:ARG:HH22	2:A:417:NAP:P2B	2.23	0.61
1:A:221:ASP:N	1:A:221:ASP:OD1	2.34	0.60
1:A:87:GLU:OE1	1:A:87:GLU:C	2.40	0.60
1:A:258:ILE:O	1:A:259:ASP:HB2	2.01	0.59
1:A:37:ILE:CD1	1:A:351:VAL:CG1	2.59	0.59
1:A:410:ASP:O	1:A:414:GLU:HG3	2.03	0.58
1:A:395:ARG:CZ	4:A:483:HOH:O	2.34	0.58
1:A:70:THR:CG2	1:A:103:LEU:HD21	2.34	0.57
1:A:341:THR:H	2:A:417:NAP:H51N	1.61	0.57
1:A:106:PRO:HG2	1:A:111:ILE:HD12	1.87	0.57
1:A:112:ARG:HG3	1:A:112:ARG:NH1	2.19	0.57
1:A:162:GLY:HA2	4:A:755:HOH:O	2.05	0.57
1:A:160:TYR:HE1	1:A:304:LEU:HD12	1.69	0.56
1:A:208:ARG:HA	1:A:211:ARG:NH1	2.21	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:ASN:C	1:A:221:ASP:OD1	2.45	0.55
1:A:273:LYS:CE	1:A:274:GLU:H	2.18	0.55
1:A:250:ARG:CB	1:A:250:ARG:CZ	2.85	0.54
1:A:160:TYR:HE1	1:A:304:LEU:CD1	2.21	0.54
1:A:167:ALA:O	1:A:168:ASP:HB2	2.07	0.54
1:A:57:TYR:CE1	1:A:61:ARG:NH1	2.75	0.54
1:A:4:LYS:HD2	1:A:77:VAL:HG13	1.90	0.53
1:A:142:LYS:NZ	1:A:142:LYS:CB	2.67	0.53
1:A:273:LYS:HZ1	1:A:274:GLU:H	1.56	0.53
1:A:32:ILE:HB	1:A:100:LYS:CB	2.39	0.53
1:A:273:LYS:CE	1:A:273:LYS:CA	2.85	0.52
1:A:100:LYS:HE3	1:A:336:GLU:CB	2.38	0.51
1:A:57:TYR:CG	1:A:61:ARG:HD2	2.46	0.51
1:A:220:ASN:CG	1:A:222:ARG:HD3	2.31	0.50
1:A:160:TYR:CE1	1:A:304:LEU:CD1	2.94	0.50
1:A:30:PRO:HD2	1:A:97:VAL:O	2.11	0.49
1:A:381:GLU:HB3	4:A:569:HOH:O	2.11	0.49
1:A:95:TYR:O	1:A:96:ARG:HB2	2.12	0.49
1:A:55:LYS:HD3	1:A:375:LEU:HD13	1.93	0.49
1:A:369:TRP:CD1	1:A:369:TRP:N	2.81	0.49
1:A:155:ASN:O	4:A:529:HOH:O	2.20	0.48
1:A:160:TYR:CE1	1:A:304:LEU:HD12	2.46	0.48
1:A:341:THR:CA	2:A:417:NAP:H52N	2.43	0.48
1:A:124:LEU:O	1:A:155:ASN:HB3	2.14	0.48
1:A:344:LYS:HE3	4:A:470:HOH:O	1.73	0.48
1:A:13:LYS:CE	1:A:94:GLU:O	2.59	0.48
1:A:220:ASN:C	1:A:221:ASP:CG	2.72	0.48
1:A:45:MET:SD	1:A:45:MET:C	2.92	0.48
1:A:158:ASP:OD1	1:A:159:ILE:N	2.42	0.47
1:A:391:TYR:O	1:A:395:ARG:HG2	2.15	0.47
1:A:209:LEU:HD13	1:A:209:LEU:O	2.16	0.46
1:A:12:LYS:HB2	1:A:12:LYS:HZ3	1.79	0.46
1:A:70:THR:HG21	1:A:103:LEU:HD21	1.96	0.46
1:A:263:TRP:CD1	1:A:263:TRP:N	2.81	0.46
1:A:273:LYS:NZ	1:A:274:GLU:H	2.13	0.46
1:A:341:THR:CG2	1:A:341:THR:O	2.63	0.46
1:A:156:SER:HB3	4:A:545:HOH:O	2.16	0.46
1:A:211:ARG:HD2	1:A:211:ARG:HH11	1.59	0.46
1:A:349:ASP:OD1	1:A:405:CYS:HB3	2.15	0.46
1:A:209:LEU:C	1:A:209:LEU:CD1	2.82	0.46
1:A:220:ASN:ND2	4:A:590:HOH:O	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:LYS:HD3	1:A:416:MET:OXT	2.15	0.46
1:A:165:TRP:CD1	1:A:171:ASP:CB	2.97	0.45
2:A:417:NAP:H6N	2:A:417:NAP:H2D	1.73	0.45
1:A:257:LEU:HD11	1:A:261:GLY:CA	2.46	0.45
1:A:342:ALA:H	2:A:417:NAP:C5D	2.27	0.44
1:A:335:PHE:CD1	1:A:335:PHE:N	2.85	0.44
1:A:342:ALA:N	2:A:417:NAP:C5D	2.81	0.44
1:A:283:ASP:OD1	1:A:283:ASP:C	2.52	0.44
1:A:246:TYR:O	1:A:250:ARG:HG3	2.17	0.43
1:A:339:HIS:HB2	2:A:417:NAP:N7A	2.33	0.43
1:A:125:TYR:C	1:A:155:ASN:HB2	2.38	0.43
1:A:32:ILE:HB	1:A:100:LYS:HB2	2.00	0.43
1:A:76:GLN:OE1	1:A:76:GLN:CA	2.66	0.43
1:A:83:TRP:CE2	1:A:106:PRO:HG3	2.53	0.43
1:A:203:GLU:OE1	1:A:207:LYS:HD2	2.18	0.43
1:A:173:GLU:HG2	4:A:465:HOH:O	2.19	0.42
1:A:324:PRO:HB2	1:A:362:MET:SD	2.59	0.42
1:A:207:LYS:O	1:A:211:ARG:CB	2.68	0.42
1:A:340:GLY:HA2	2:A:417:NAP:N1N	2.33	0.42
1:A:389:VAL:HG21	1:A:393:PHE:HB3	2.00	0.42
1:A:112:ARG:HH11	1:A:112:ARG:HG3	1.81	0.42
1:A:129:ARG:HH11	1:A:129:ARG:HD2	1.64	0.42
1:A:358:LEU:HD12	1:A:358:LEU:HA	1.75	0.42
1:A:4:LYS:CD	1:A:77:VAL:HG13	2.49	0.41
1:A:13:LYS:HG2	1:A:14:ILE:O	2.20	0.41
1:A:339:HIS:CG	2:A:417:NAP:H61A	2.38	0.41
1:A:112:ARG:NH1	4:A:746:HOH:O	2.50	0.41
1:A:68:ILE:HD12	1:A:88:THR:HG23	2.01	0.41
1:A:222:ARG:HB3	1:A:297:ASP:OD2	2.21	0.41
1:A:341:THR:O	1:A:342:ALA:C	2.59	0.40
1:A:358:LEU:CD1	1:A:380:MET:HG3	2.52	0.40
1:A:229:HIS:O	1:A:281:ILE:HA	2.22	0.40
1:A:358:LEU:O	1:A:361:GLU:HB3	2.22	0.40
1:A:156:SER:C	4:A:530:HOH:O	2.60	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:PHE:CE1	1:A:204:GLU:OE1[7_555]	1.96	0.24

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:PRO:O	1:A:142:LYS:NZ[7_555]	2.08	0.12
1:A:157:GLU:OE2	1:A:189:ARG:CB[7_555]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	412/416 (99%)	394 (96%)	16 (4%)	2 (0%)	25 17

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	158	ASP
1	A	80	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	336/338 (99%)	322 (96%)	14 (4%)	25 18

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	GLU
1	A	91	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	100	LYS
1	A	132	ARG
1	A	142	LYS
1	A	160	TYR
1	A	203	GLU
1	A	221	ASP
1	A	232	ASN
1	A	273	LYS
1	A	316	GLN
1	A	344	LYS
1	A	358	LEU
1	A	381	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	220	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	417	-	46,52,52	3.66	21 (45%)	61,80,80	4.23	25 (40%)
3	ICA	A	418	4,1	11,13,13	3.07	6 (54%)	12,17,17	1.50	2 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	417	-	-	14/31/67/67	0/5/5/5
3	ICA	A	418	4,1	-	8/16/18/18	-

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	417	NAP	PA-O3	-10.68	1.48	1.59
2	A	417	NAP	C4N-C3N	10.67	1.55	1.39
2	A	417	NAP	O2D-C2D	7.64	1.61	1.43
3	A	418	ICA	C3-C2	-7.11	1.46	1.54
2	A	417	NAP	C5D-C4D	6.70	1.71	1.51
2	A	417	NAP	C5N-C4N	6.30	1.49	1.38
2	A	417	NAP	O5D-C5D	-5.82	1.22	1.44
2	A	417	NAP	PN-O5D	5.26	1.80	1.59
2	A	417	NAP	O4D-C4D	-4.77	1.34	1.45
2	A	417	NAP	C2N-N1N	4.26	1.39	1.35
3	A	418	ICA	C4-C5	-4.19	1.40	1.51
2	A	417	NAP	O4D-C1D	-4.06	1.35	1.40
2	A	417	NAP	PN-O3	4.05	1.63	1.59
3	A	418	ICA	C3-C6	3.70	1.57	1.51
2	A	417	NAP	O2B-C2B	3.70	1.56	1.44
2	A	417	NAP	O4B-C1B	3.70	1.45	1.40
2	A	417	NAP	C3B-C4B	-3.68	1.43	1.53
2	A	417	NAP	O5B-C5B	3.35	1.57	1.44
2	A	417	NAP	C3N-C7N	-2.76	1.46	1.50
3	A	418	ICA	O4-C5	-2.66	1.22	1.30
2	A	417	NAP	C2N-C3N	2.49	1.42	1.39
2	A	417	NAP	C8A-N7A	-2.26	1.30	1.34
2	A	417	NAP	C2D-C3D	2.22	1.59	1.53
2	A	417	NAP	PA-O1A	2.19	1.58	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	417	NAP	PA-O2A	-2.16	1.45	1.55
3	A	418	ICA	O2-C1	-2.15	1.23	1.30
3	A	418	ICA	C4-C3	-2.07	1.49	1.53

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	417	NAP	C4D-O4D-C1D	19.13	127.45	109.92
2	A	417	NAP	C5N-C4N-C3N	-17.02	103.63	120.36
2	A	417	NAP	C2N-C3N-C4N	8.56	128.22	118.26
2	A	417	NAP	C6N-C5N-C4N	6.38	128.65	119.45
2	A	417	NAP	C5D-C4D-C3D	5.28	134.20	115.21
2	A	417	NAP	O3-PA-O1A	5.12	126.11	110.70
2	A	417	NAP	O3D-C3D-C4D	4.84	124.98	111.08
2	A	417	NAP	C6N-N1N-C1D	-4.49	110.91	119.73
2	A	417	NAP	C2N-N1N-C1D	4.17	128.33	119.13
2	A	417	NAP	O3B-C3B-C4B	4.02	122.63	111.08
3	A	418	ICA	C3-C4-C5	4.00	121.43	113.95
2	A	417	NAP	C2B-C1B-N9A	3.91	121.23	112.56
2	A	417	NAP	O2N-PN-O3	3.82	117.59	107.27
2	A	417	NAP	C4N-C3N-C7N	-3.82	110.66	121.06
2	A	417	NAP	C3B-C2B-C1B	-3.78	95.57	102.81
2	A	417	NAP	O7N-C7N-N7N	-3.75	117.19	122.62
2	A	417	NAP	C2B-C3B-C4B	3.47	109.44	101.99
2	A	417	NAP	O2D-C2D-C3D	3.45	122.87	111.82
2	A	417	NAP	O4D-C4D-C3D	-3.10	99.01	105.15
2	A	417	NAP	O4B-C1B-N9A	-2.89	104.91	108.75
2	A	417	NAP	O2B-C2B-C1B	-2.85	100.02	110.05
2	A	417	NAP	C3N-C7N-N7N	2.35	120.63	117.74
2	A	417	NAP	C4B-O4B-C1B	-2.19	107.92	109.92
3	A	418	ICA	O5-C6-C3	-2.15	117.93	123.01
2	A	417	NAP	O5D-PN-O1N	-2.11	100.56	108.94
2	A	417	NAP	O7N-C7N-C3N	2.11	122.17	119.60
2	A	417	NAP	O4B-C4B-C3B	-2.08	101.03	105.15

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	417	NAP	C5D-O5D-PN-O1N
2	A	417	NAP	C5D-O5D-PN-O2N
2	A	417	NAP	O4D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	417	NAP	O4D-C1D-N1N-C6N
2	A	417	NAP	C2D-C1D-N1N-C2N
2	A	417	NAP	C2D-C1D-N1N-C6N
3	A	418	ICA	C1-C2-C3-C4
3	A	418	ICA	O7-C2-C3-C4
3	A	418	ICA	C4-C3-C6-O5
3	A	418	ICA	C1-C2-C3-C6
2	A	417	NAP	C3B-C4B-C5B-O5B
2	A	417	NAP	O4D-C4D-C5D-O5D
2	A	417	NAP	C4D-C5D-O5D-PN
2	A	417	NAP	C3D-C4D-C5D-O5D
2	A	417	NAP	O4B-C4B-C5B-O5B
3	A	418	ICA	C6-C3-C4-C5
3	A	418	ICA	C4-C3-C6-O6
3	A	418	ICA	O7-C2-C3-C6
2	A	417	NAP	C5B-O5B-PA-O1A
2	A	417	NAP	C5B-O5B-PA-O2A
2	A	417	NAP	C5D-O5D-PN-O3
3	A	418	ICA	C2-C3-C4-C5

There are no ring outliers.

2 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	417	NAP	21	0
3	A	418	ICA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	154:GLU	C	155:ASN	N	1.70
1	A	165:TRP	C	166:LYS	N	1.16

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.