



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2023 – 04:47 pm BST

PDB ID : 8AJV
Title : Crystal structure of the Q65N mutant of S-adenosyl-L-homocysteine hydrolase from *Pseudomonas aeruginosa* crystallized in the presence of K⁺ cations
Authors : Drozdal, P.; Wozniak, K.; Malecki, P.; Gawel, M.; Komorowska, M.; Brzezinski, K.
Deposited on : 2022-07-28
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.34
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.34


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	472	
1	BBB	472	
1	CCC	472	
1	DDD	472	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	FFF	472	 89% 8% •
1	GGG	472	 89% 8% •
1	HHH	472	 89% 8% •
1	III	472	 85% 12% ••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PEG	CCC	505	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 32384 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AAA	461	Total 3642	C 2292	N 633	O 694	S 23	35	14	0
1	BBB	461	Total 3626	C 2284	N 630	O 689	S 23	53	10	0
1	CCC	461	Total 3606	C 2272	N 626	O 685	S 23	27	9	0
1	DDD	461	Total 3626	C 2283	N 629	O 691	S 23	24	13	0
1	FFF	461	Total 3636	C 2287	N 631	O 695	S 23	4	13	0
1	GGG	461	Total 3623	C 2280	N 627	O 693	S 23	44	11	0
1	HHH	461	Total 3592	C 2263	N 623	O 683	S 23	24	8	0
1	III	461	Total 3654	C 2301	N 636	O 694	S 23	39	14	0

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
AAA	-2	SER	-	expression tag	UNP Q9I685
AAA	-1	ASN	-	expression tag	UNP Q9I685
AAA	0	ALA	-	expression tag	UNP Q9I685
AAA	65	ASN	GLN	engineered mutation	UNP Q9I685
BBB	-2	SER	-	expression tag	UNP Q9I685
BBB	-1	ASN	-	expression tag	UNP Q9I685
BBB	0	ALA	-	expression tag	UNP Q9I685
BBB	65	ASN	GLN	engineered mutation	UNP Q9I685
CCC	-2	SER	-	expression tag	UNP Q9I685
CCC	-1	ASN	-	expression tag	UNP Q9I685
CCC	0	ALA	-	expression tag	UNP Q9I685
CCC	65	ASN	GLN	engineered mutation	UNP Q9I685
DDD	-2	SER	-	expression tag	UNP Q9I685

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
DDD	-1	ASN	-	expression tag	UNP Q9I685
DDD	0	ALA	-	expression tag	UNP Q9I685
DDD	65	ASN	GLN	engineered mutation	UNP Q9I685
FFF	-2	SER	-	expression tag	UNP Q9I685
FFF	-1	ASN	-	expression tag	UNP Q9I685
FFF	0	ALA	-	expression tag	UNP Q9I685
FFF	65	ASN	GLN	engineered mutation	UNP Q9I685
GGG	-2	SER	-	expression tag	UNP Q9I685
GGG	-1	ASN	-	expression tag	UNP Q9I685
GGG	0	ALA	-	expression tag	UNP Q9I685
GGG	65	ASN	GLN	engineered mutation	UNP Q9I685
HHH	-2	SER	-	expression tag	UNP Q9I685
HHH	-1	ASN	-	expression tag	UNP Q9I685
HHH	0	ALA	-	expression tag	UNP Q9I685
HHH	65	ASN	GLN	engineered mutation	UNP Q9I685
III	-2	SER	-	expression tag	UNP Q9I685
III	-1	ASN	-	expression tag	UNP Q9I685
III	0	ALA	-	expression tag	UNP Q9I685
III	65	ASN	GLN	engineered mutation	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	AAA	1	44	21	7	14	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	BBB	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	CCC	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	DDD	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	FFF	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	GGG	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	HHH	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	III	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	AAA	1	Total	C O	0	0
			6	3 3		
3	BBB	1	Total	C O	0	0
			6	3 3		
3	BBB	1	Total	C O	0	0
			6	3 3		
3	BBB	1	Total	C O	0	0
			6	3 3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	CCC	1	Total	C	O	0	0
			6	3	3		
3	DDD	1	Total	C	O	0	0
			6	3	3		
3	DDD	1	Total	C	O	0	0
			6	3	3		
3	DDD	1	Total	C	O	0	0
			6	3	3		
3	GGG	1	Total	C	O	0	0
			6	3	3		
3	HHH	1	Total	C	O	0	0
			6	3	3		
3	III	1	Total	C	O	0	0
			6	3	3		
3	III	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	AAA	1	Total	O	P	0	0
			5	4	1		
4	AAA	1	Total	O	P	0	0
			5	4	1		
4	AAA	1	Total	O	P	0	0
			5	4	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
4	BBB	1	5	4	1	0	0
4	BBB	1	5	4	1	0	0
4	BBB	1	5	4	1	0	0
4	BBB	1	5	4	1	0	0
4	CCC	1	5	4	1	0	0
4	CCC	1	5	4	1	0	0
4	DDD	1	5	4	1	0	0
4	DDD	1	5	4	1	0	0
4	DDD	1	5	4	1	0	0
4	FFF	1	5	4	1	0	0
4	FFF	1	5	4	1	0	0
4	FFF	1	5	4	1	0	0
4	GGG	1	5	4	1	0	0
4	GGG	1	5	4	1	0	0
4	GGG	1	5	4	1	0	0
4	GGG	1	5	4	1	0	0
4	HHH	1	5	4	1	0	0
4	HHH	1	5	4	1	0	0
4	III	1	5	4	1	0	0
4	III	1	5	4	1	0	0
4	III	1	5	4	1	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	BBB	1	Total K 1 1	0	0

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	CCC	1	Total C O 7 4 3	0	0
6	CCC	1	Total C O 7 4 3	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	AAA	429	Total O 429 429	0	0
7	BBB	337	Total O 337 337	0	0
7	CCC	385	Total O 385 385	0	0
7	DDD	333	Total O 333 333	0	0
7	FFF	390	Total O 390 390	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	GGG	280	Total 280	O 280	0	0
7	HHH	337	Total 337	O 337	0	0
7	III	329	Total 329	O 329	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase






- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	111.48Å 211.88Å 111.35Å 90.00° 105.33° 90.00°	Depositor
Resolution (Å)	95.88 – 1.90 95.88 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (95.88-1.90) 99.2 (95.88-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.160 , 0.194 0.167 , 0.201	Depositor DCC
R_{free} test set	1122 reflections (0.29%)	wwPDB-VP
Wilson B-factor (Å ²)	33.2	Xtrriage
Anisotropy	0.283	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	0.140 for l,-k,h	Xtrriage
Reported twinning fraction	0.861 for H, K, L 0.139 for -L, -K, -H	Depositor
Outliers	1 of 386695 reflections (0.000%)	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	32384	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, PEG, K, PO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AAA	0.88	3/3711 (0.1%)	0.85	3/5015 (0.1%)
1	BBB	0.92	5/3699 (0.1%)	0.85	7/4998 (0.1%)
1	CCC	0.90	2/3681 (0.1%)	0.88	6/4975 (0.1%)
1	DDD	0.97	2/3701 (0.1%)	0.85	7/5002 (0.1%)
1	FFF	0.86	5/3705 (0.1%)	0.82	1/5008 (0.0%)
1	GGG	0.83	3/3698 (0.1%)	0.83	5/4998 (0.1%)
1	HHH	0.88	5/3664 (0.1%)	0.83	5/4952 (0.1%)
1	III	0.86	6/3729 (0.2%)	0.82	0/5039
All	All	0.89	31/29588 (0.1%)	0.84	34/39987 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AAA	0	1
1	BBB	0	1
1	CCC	0	1
1	DDD	0	3
1	GGG	0	2
1	HHH	0	1
1	III	0	1
All	All	0	10

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	DDD	156	GLU	CD-OE2	20.98	1.48	1.25
1	DDD	156	GLU	CD-OE1	-18.28	1.05	1.25
1	BBB	156	GLU	CD-OE1	-11.41	1.13	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	BBB	434	GLU	CD-OE2	10.32	1.37	1.25
1	HHH	434	GLU	CD-OE2	10.12	1.36	1.25
1	BBB	421	GLU	CD-OE2	-8.99	1.15	1.25
1	HHH	417	ARG	CD-NE	7.89	1.59	1.46
1	GGG	114	GLU	CD-OE1	7.48	1.33	1.25
1	HHH	413	GLU	CD-OE1	7.23	1.33	1.25
1	AAA	434[A]	GLU	CD-OE2	7.15	1.33	1.25
1	AAA	434[B]	GLU	CD-OE2	7.15	1.33	1.25
1	HHH	413	GLU	CB-CG	7.01	1.65	1.52
1	FFF	429	GLU	CD-OE1	6.44	1.32	1.25
1	BBB	114	GLU	CD-OE2	6.19	1.32	1.25
1	FFF	370	GLU	CD-OE1	-6.18	1.18	1.25
1	CCC	452	GLU	CG-CD	-6.10	1.42	1.51
1	FFF	156	GLU	CD-OE2	-5.99	1.19	1.25
1	III	434	GLU	CD-OE2	5.88	1.32	1.25
1	FFF	434[A]	GLU	CD-OE2	5.79	1.32	1.25
1	FFF	434[B]	GLU	CD-OE2	5.79	1.32	1.25
1	III	452	GLU	CD-OE1	-5.71	1.19	1.25
1	III	429	GLU	CD-OE2	5.50	1.31	1.25
1	HHH	370	GLU	CD-OE1	-5.49	1.19	1.25
1	GGG	153	GLN	CB-CG	5.36	1.67	1.52
1	BBB	452	GLU	CD-OE1	-5.33	1.19	1.25
1	III	153	GLN	CB-CG	5.24	1.66	1.52
1	CCC	403	GLU	CD-OE1	-5.24	1.19	1.25
1	III	452	GLU	CB-CG	-5.24	1.42	1.52
1	III	370	GLU	CD-OE1	-5.20	1.20	1.25
1	GGG	44	LYS	CB-CG	-5.15	1.38	1.52
1	AAA	452	GLU	CD-OE2	-5.08	1.20	1.25

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	CCC	204	ARG	NE-CZ-NH2	10.48	125.54	120.30
1	BBB	421	GLU	OE1-CD-OE2	9.40	134.59	123.30
1	DDD	204	ARG	NE-CZ-NH1	9.26	124.93	120.30
1	DDD	204	ARG	CB-CG-CD	8.92	134.80	111.60
1	CCC	204	ARG	NE-CZ-NH1	-8.91	115.84	120.30
1	HHH	413	GLU	OE1-CD-OE2	8.45	133.44	123.30
1	DDD	204	ARG	NE-CZ-NH2	-8.33	116.13	120.30
1	DDD	156	GLU	CG-CD-OE2	-8.09	102.12	118.30
1	DDD	156	GLU	N-CA-CB	7.33	123.80	110.60
1	HHH	279	THR	OG1-CB-CG2	-6.90	94.12	110.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	CCC	204	ARG	CB-CG-CD	6.87	129.45	111.60
1	HHH	279	THR	CA-CB-CG2	6.84	121.98	112.40
1	BBB	197	ASN	N-CA-CB	6.70	122.66	110.60
1	GGG	153	GLN	CA-CB-CG	-6.63	98.82	113.40
1	CCC	204	ARG	CD-NE-CZ	6.33	132.46	123.60
1	AAA	452	GLU	CG-CD-OE1	-6.31	105.68	118.30
1	CCC	334	ARG	NE-CZ-NH2	-6.18	117.21	120.30
1	GGG	372	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	BBB	459	GLU	CG-CD-OE1	-6.05	106.20	118.30
1	BBB	204[A]	ARG	NE-CZ-NH1	-6.03	117.28	120.30
1	BBB	204[B]	ARG	NE-CZ-NH1	-6.03	117.28	120.30
1	DDD	156	GLU	CG-CD-OE1	5.96	130.23	118.30
1	GGG	277[A]	ASP	CB-CA-C	-5.95	98.51	110.40
1	GGG	277[B]	ASP	CB-CA-C	-5.95	98.51	110.40
1	DDD	334	ARG	NE-CZ-NH2	-5.93	117.33	120.30
1	HHH	277	ASP	CB-CA-C	-5.89	98.61	110.40
1	BBB	459	GLU	CG-CD-OE2	5.80	129.90	118.30
1	GGG	153	GLN	CB-CG-CD	-5.67	96.85	111.60
1	AAA	117	GLU	OE1-CD-OE2	5.58	129.99	123.30
1	FFF	334	ARG	CG-CD-NE	5.31	122.94	111.80
1	CCC	149	LYS	CB-CG-CD	5.10	124.86	111.60
1	AAA	26	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	HHH	417	ARG	CD-NE-CZ	-5.06	116.51	123.60
1	BBB	421	GLU	CG-CD-OE2	-5.01	108.28	118.30

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AAA	452	GLU	Sidechain
1	BBB	358	ASP	Sidechain
1	CCC	114	GLU	Sidechain
1	DDD	156	GLU	Sidechain
1	DDD	355	ASP	Mainchain
1	DDD	356[B]	GLY	Peptide
1	GGG	190	ASP	Peptide
1	GGG	277[A]	ASP	Mainchain
1	HHH	417	ARG	Sidechain
1	III	356	GLY	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	3642	0	3641	37	0
1	BBB	3626	0	3630	29	0
1	CCC	3606	0	3620	19	0
1	DDD	3626	0	3627	29	0
1	FFF	3636	0	3627	34	0
1	GGG	3623	0	3621	28	0
1	HHH	3592	0	3599	28	0
1	III	3654	0	3656	55	0
2	AAA	44	0	26	0	0
2	BBB	44	0	26	0	0
2	CCC	44	0	26	0	0
2	DDD	44	0	26	0	0
2	FFF	44	0	26	0	0
2	GGG	44	0	26	1	0
2	HHH	44	0	26	0	0
2	III	44	0	26	2	0
3	AAA	6	0	8	3	0
3	BBB	18	0	24	1	0
3	CCC	6	0	8	0	0
3	DDD	18	0	24	4	0
3	GGG	6	0	8	1	0
3	HHH	6	0	8	0	0
3	III	12	0	16	2	0
4	AAA	15	0	0	0	0
4	BBB	20	0	0	2	0
4	CCC	10	0	0	0	0
4	DDD	15	0	0	2	0
4	FFF	15	0	0	0	0
4	GGG	20	0	0	0	0
4	HHH	10	0	0	0	0
4	III	15	0	0	1	0
5	BBB	1	0	0	0	0
6	CCC	14	0	20	5	0
7	AAA	429	0	0	9	0
7	BBB	337	0	0	8	0
7	CCC	385	0	0	1	0
7	DDD	333	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	FFF	390	0	0	9	1
7	GGG	280	0	0	9	0
7	HHH	337	0	0	11	1
7	III	329	0	0	12	0
All	All	32384	0	29345	252	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (252) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:HHH:43[A]:ARG:HG3	7:HHH:637:HOH:O	1.45	1.11
1:BBB:355[B]:ASP:O	7:BBB:601:HOH:O	1.75	1.02
1:BBB:409:LEU:HD21	1:BBB:417:ARG:NH1	1.82	0.94
1:FFF:49:GLN:OE1	7:FFF:601:HOH:O	1.89	0.90
3:GGG:506:GOL:O3	7:GGG:601:HOH:O	1.91	0.89
1:FFF:177:LYS:HG3	7:FFF:693:HOH:O	1.74	0.88
1:BBB:409:LEU:HD21	1:BBB:417:ARG:HH12	1.40	0.86
1:FFF:457:SER:OG	1:FFF:459:GLU:OE1	1.96	0.84
1:FFF:197[B]:ASN:OD1	1:III:258[B]:MET:SD	2.36	0.83
1:BBB:409:LEU:CD2	1:BBB:417:ARG:NH1	2.41	0.82
1:III:223[B]:GLN:HG2	7:III:734:HOH:O	1.79	0.81
1:HHH:284:ASP:O	1:HHH:288:LEU:HD13	1.80	0.81
1:DDD:335:LYS:HD3	7:DDD:821:HOH:O	1.81	0.79
1:BBB:370:GLU:OE2	7:BBB:602:HOH:O	2.01	0.78
1:III:44:LYS:HE2	1:III:45:TYR:CE2	2.19	0.77
1:AAA:355:ASP:OD1	1:AAA:356:GLY:N	2.18	0.77
1:FFF:355:ASP:OD1	1:FFF:356:GLY:N	2.15	0.77
1:FFF:334:ARG:HD2	1:FFF:339:TRP:CZ2	2.20	0.77
1:AAA:170:HIS:ND1	3:AAA:502:GOL:H32	2.00	0.76
1:GGG:11:THR:HG23	7:GGG:839:HOH:O	1.83	0.76
1:III:287:LEU:HD12	7:III:660:HOH:O	1.83	0.76
1:BBB:204[A]:ARG:NH2	7:BBB:604:HOH:O	2.19	0.74
1:GGG:258[A]:MET:SD	1:HHH:193:THR:HG22	2.29	0.73
1:AAA:156:GLU:OE2	7:AAA:602:HOH:O	2.07	0.72
1:GGG:276[B]:ASN:OD1	7:GGG:602:HOH:O	2.08	0.72
1:III:345:GLN:HE22	3:III:505:GOL:H11	1.54	0.72
1:HHH:303:VAL:O	7:HHH:601:HOH:O	2.08	0.70
1:AAA:190:ASP:OD2	7:AAA:603:HOH:O	2.10	0.70
1:III:362:ASP:OD2	7:III:603:HOH:O	2.09	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:HHH:241[B]:ARG:NH2	1:HHH:263:ASP:O	2.25	0.70
1:III:426:LYS:HD2	7:III:680:HOH:O	1.91	0.69
1:CCC:409:LEU:CD1	1:CCC:417:ARG:HD2	2.22	0.69
1:GGG:276[A]:ASN:OD1	7:GGG:602:HOH:O	2.11	0.69
1:GGG:182:LYS:HE2	1:GGG:182:LYS:HA	1.76	0.68
1:HHH:241[B]:ARG:NH2	7:HHH:605:HOH:O	2.27	0.68
1:HHH:275:ILE:HB	7:HHH:602:HOH:O	1.94	0.68
1:FFF:182:LYS:HA	1:FFF:182:LYS:HE2	1.77	0.67
1:CCC:409:LEU:HD11	1:CCC:417:ARG:HD2	1.76	0.66
1:AAA:170:HIS:HE1	7:DDD:724:HOH:O	1.80	0.65
1:GGG:71[B]:GLU:OE1	7:GGG:603:HOH:O	2.08	0.65
1:GGG:121[A]:GLU:OE2	1:GGG:151:TYR:OH	2.13	0.64
1:BBB:409:LEU:CD1	1:BBB:417:ARG:HD3	2.28	0.64
1:III:404[A]:GLN:NE2	1:III:417:ARG:HD3	2.13	0.63
1:AAA:258[B]:MET:SD	1:DDD:197:ASN:OD1	2.56	0.63
3:DDD:502:GOL:H2	7:DDD:679:HOH:O	1.98	0.63
1:CCC:64:ILE:HG21	6:CCC:505:PEG:H21	1.82	0.62
1:III:323:HIS:HD2	4:III:502:PO4:O4	1.83	0.61
1:DDD:134:ASN:C	1:DDD:158[A]:ILE:HD13	2.21	0.61
1:AAA:197:ASN:HD21	1:AAA:386:ILE:HA	1.67	0.60
1:III:134:ASN:C	1:III:158[A]:ILE:HD13	2.22	0.60
1:AAA:134:ASN:C	1:AAA:158[A]:ILE:HD13	2.22	0.60
1:DDD:140:GLY:HA3	1:DDD:323:HIS:CE1	2.37	0.60
1:FFF:334:ARG:NE	7:FFF:607:HOH:O	2.32	0.59
1:AAA:258[A]:MET:SD	1:DDD:193:THR:HG22	2.42	0.59
1:AAA:400:HIS:HD2	7:AAA:976:HOH:O	1.86	0.59
1:HHH:241[B]:ARG:HD2	7:HHH:862:HOH:O	2.03	0.59
1:FFF:134:ASN:C	1:FFF:158[A]:ILE:HD13	2.23	0.59
1:III:370:GLU:OE2	7:III:604:HOH:O	2.17	0.59
1:III:217:HIS:HE1	7:III:709:HOH:O	1.86	0.58
1:CCC:204:ARG:HD2	1:CCC:238:GLN:HG2	1.85	0.57
1:FFF:258[A]:MET:SD	1:III:193:THR:HG22	2.45	0.57
1:III:241[B]:ARG:O	1:III:241[B]:ARG:HG3	2.03	0.57
1:FFF:193:THR:HG22	1:III:258[A]:MET:SD	2.45	0.57
1:III:406:TYR:HA	1:III:409:LEU:HD22	1.87	0.56
4:BBB:506:PO4:O4	7:BBB:603:HOH:O	2.18	0.56
1:III:290:LYS:HE2	7:III:895:HOH:O	2.04	0.56
1:III:140:GLY:HA3	1:III:323:HIS:CE1	2.41	0.56
1:III:345:GLN:HE22	3:III:505:GOL:C1	2.19	0.56
1:DDD:114:GLU:HG3	7:DDD:627:HOH:O	2.06	0.55
1:BBB:409:LEU:HD13	1:BBB:417:ARG:HD3	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:III:134:ASN:CA	1:III:158[A]:ILE:HD13	2.37	0.55
1:BBB:193:THR:O	1:BBB:197:ASN:ND2	2.39	0.54
1:HHH:272:LYS:O	7:HHH:602:HOH:O	2.18	0.54
1:AAA:195:SER:O	1:AAA:199:ASN:HB2	2.07	0.54
1:DDD:134:ASN:CA	1:DDD:158[A]:ILE:HD13	2.38	0.54
1:III:400:HIS:HA	1:III:403[B]:GLU:HG2	1.90	0.54
1:BBB:217:HIS:HE1	7:BBB:763:HOH:O	1.90	0.54
7:BBB:803:HOH:O	3:DDD:504:GOL:H12	2.08	0.54
1:BBB:409:LEU:CD2	1:BBB:417:ARG:HH12	2.11	0.53
1:GGG:36:PRO:HB3	7:GGG:871:HOH:O	2.07	0.53
1:AAA:134:ASN:CA	1:AAA:158[A]:ILE:HD13	2.39	0.53
1:CCC:273:ASN:ND2	1:III:403[A]:GLU:OE1	2.42	0.53
1:AAA:135:MET:N	1:AAA:158[A]:ILE:HD13	2.24	0.53
6:CCC:505:PEG:H41	1:DDD:216:ASP:CB	2.39	0.53
1:HHH:195:SER:O	1:HHH:199:ASN:HB2	2.09	0.53
1:HHH:409:LEU:HD13	1:HHH:417:ARG:HD2	1.91	0.53
1:DDD:204:ARG:HD2	7:DDD:854:HOH:O	2.08	0.53
1:FFF:135:MET:N	1:FFF:158[A]:ILE:HD13	2.24	0.52
1:III:135:MET:N	1:III:158[A]:ILE:HD13	2.25	0.52
1:FFF:134:ASN:CA	1:FFF:158[A]:ILE:HD13	2.39	0.52
1:GGG:205:HIS:CD2	1:GGG:383:PRO:HD3	2.45	0.52
1:CCC:205:HIS:CD2	1:CCC:383:PRO:HD3	2.45	0.52
1:III:334[B]:ARG:NH1	1:III:370:GLU:OE1	2.43	0.51
1:FFF:217:HIS:HE1	7:FFF:686:HOH:O	1.93	0.51
1:FFF:287:LEU:HB2	7:FFF:821:HOH:O	2.09	0.51
1:III:195:SER:O	1:III:199:ASN:HB2	2.11	0.51
1:CCC:275:ILE:HG13	1:III:45:TYR:CE1	2.45	0.51
1:III:217:HIS:CE1	7:III:709:HOH:O	2.62	0.51
1:AAA:277[B]:ASP:C	1:AAA:277[B]:ASP:OD1	2.49	0.51
1:FFF:195:SER:O	1:FFF:199:ASN:HB2	2.11	0.51
1:HHH:43[A]:ARG:CG	7:HHH:637:HOH:O	2.27	0.51
1:III:45:TYR:CD1	1:III:50:PRO:HG3	2.46	0.51
1:III:290:LYS:HD2	7:III:681:HOH:O	2.11	0.50
1:CCC:204:ARG:HD2	1:CCC:238:GLN:CG	2.41	0.50
1:III:155:LEU:HA	1:III:158[B]:ILE:HD12	1.94	0.50
1:DDD:135:MET:N	1:DDD:158[A]:ILE:HD13	2.26	0.50
1:BBB:197:ASN:HA	1:BBB:201:TYR:CD2	2.47	0.49
1:DDD:276[B]:ASN:OD1	1:DDD:278:GLY:N	2.40	0.49
1:CCC:195:SER:O	1:CCC:199:ASN:HB2	2.12	0.49
1:GGG:409:LEU:HD13	1:GGG:417:ARG:HD2	1.94	0.49
1:BBB:217:HIS:CE1	7:BBB:763:HOH:O	2.63	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:205:HIS:CD2	1:AAA:383:PRO:HD3	2.48	0.48
1:DDD:32:GLU:OE2	4:DDD:505:PO4:O3	2.32	0.48
1:AAA:193:THR:HG22	1:DDD:258[A]:MET:SD	2.54	0.48
1:GGG:11:THR:CG2	7:GGG:839:HOH:O	2.54	0.48
1:III:271:TYR:CE1	1:III:276[B]:ASN:HB2	2.48	0.48
1:AAA:400:HIS:CD2	7:AAA:976:HOH:O	2.65	0.48
1:BBB:205:HIS:CD2	1:BBB:383:PRO:HD3	2.49	0.48
1:DDD:323:HIS:HD2	4:DDD:506:PO4:O3	1.96	0.48
1:AAA:149:LYS:HD3	1:AAA:149:LYS:N	2.27	0.48
1:BBB:32:GLU:OE2	4:BBB:505:PO4:O2	2.31	0.48
1:CCC:310:LYS:HE3	1:CCC:332:PHE:CZ	2.48	0.48
1:CCC:404:GLN:HG3	1:CCC:417:ARG:NH1	2.29	0.48
1:GGG:369:ALA:O	1:GGG:372:ARG:HG2	2.14	0.48
1:HHH:205:HIS:CD2	1:HHH:383:PRO:HD3	2.48	0.47
1:FFF:205:HIS:CD2	1:FFF:383:PRO:HD3	2.49	0.47
1:DDD:195:SER:O	1:DDD:199:ASN:HB2	2.15	0.47
1:HHH:48:GLN:NE2	7:HHH:607:HOH:O	2.31	0.47
1:FFF:361:ASN:O	7:FFF:602:HOH:O	2.20	0.47
1:CCC:115:GLU:HG2	6:CCC:506:PEG:H42	1.96	0.47
1:GGG:193:THR:HG22	1:HHH:258[A]:MET:SD	2.55	0.47
1:GGG:195:SER:O	1:GGG:199:ASN:HB2	2.14	0.47
1:III:399:ILE:O	1:III:403[A]:GLU:HG2	2.15	0.47
1:AAA:170:HIS:CG	3:AAA:502:GOL:H32	2.48	0.47
1:DDD:55:LYS:HE2	1:DDD:132:ASP:OD1	2.15	0.47
1:GGG:88:PHE:CD2	1:GGG:372:ARG:HG3	2.50	0.47
1:CCC:189:ASN:HA	1:CCC:194:LYS:HD2	1.97	0.46
1:BBB:195:SER:O	1:BBB:199:ASN:HB2	2.15	0.46
1:HHH:55:LYS:HE3	7:HHH:747:HOH:O	2.15	0.46
1:BBB:219:LEU:O	1:BBB:245:MET:HG2	2.15	0.46
1:DDD:205:HIS:CD2	1:DDD:383:PRO:HD3	2.50	0.46
1:FFF:219:LEU:O	1:FFF:245:MET:HG2	2.15	0.46
1:III:55:LYS:HE2	1:III:132:ASP:OD1	2.15	0.46
1:GGG:42:ARG:O	1:GGG:46:ALA:HB2	2.15	0.46
1:III:402[B]:PHE:C	1:III:404[B]:GLN:H	2.19	0.46
1:FFF:258[B]:MET:SD	1:III:197:ASN:OD1	2.74	0.46
1:GGG:161:ILE:O	1:GGG:185:ALA:HA	2.16	0.46
1:AAA:275[B]:ILE:HD12	7:AAA:918:HOH:O	2.16	0.46
1:AAA:189:ASN:HA	1:AAA:194:LYS:HD2	1.98	0.45
1:BBB:161:ILE:O	1:BBB:185:ALA:HA	2.17	0.45
2:III:504:NAD:H8A	7:III:784:HOH:O	2.16	0.45
1:III:42:ARG:O	1:III:46:ALA:HB2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:FFF:161:ILE:O	1:FFF:185:ALA:HA	2.15	0.45
1:GGG:277[B]:ASP:C	1:GGG:277[B]:ASP:OD1	2.55	0.45
1:HHH:190:ASP:OD2	7:HHH:603:HOH:O	2.20	0.45
1:AAA:336:ASN:C	1:AAA:354:LYS:HG2	2.36	0.45
1:DDD:161:ILE:O	1:DDD:185:ALA:HA	2.16	0.45
1:DDD:425:LYS:HB2	3:DDD:502:GOL:H31	1.99	0.45
1:FFF:258[A]:MET:SD	1:III:197:ASN:ND2	2.89	0.45
1:GGG:219:LEU:O	1:GGG:245:MET:HG2	2.16	0.45
1:III:400:HIS:O	1:III:403[B]:GLU:HG2	2.16	0.45
1:HHH:241[B]:ARG:NH1	1:HHH:263:ASP:O	2.48	0.45
1:III:161:ILE:O	1:III:185:ALA:HA	2.16	0.45
1:III:189:ASN:HA	1:III:194:LYS:HD2	1.99	0.45
1:AAA:161:ILE:O	1:AAA:185:ALA:HA	2.17	0.45
1:GGG:189:ASN:O	1:GGG:195:SER:HB3	2.17	0.45
6:CCC:505:PEG:H41	1:DDD:216:ASP:HB3	1.99	0.44
1:GGG:217:HIS:HE1	7:GGG:624:HOH:O	2.00	0.44
1:GGG:189:ASN:HA	1:GGG:194:LYS:HD2	1.99	0.44
1:HHH:283:ILE:HG13	1:HHH:307:ASN:HB3	2.00	0.44
1:AAA:170:HIS:HD1	3:AAA:502:GOL:H32	1.80	0.44
1:GGG:148:HIS:CD2	1:GGG:175:MET:HE2	2.53	0.44
1:III:241[B]:ARG:CZ	1:III:265:PHE:CZ	3.00	0.44
1:AAA:196:LYS:NZ	7:AAA:645:HOH:O	2.51	0.44
1:AAA:283:ILE:HG13	1:AAA:307:ASN:HB3	2.00	0.44
1:BBB:409:LEU:CD2	1:BBB:417:ARG:HH11	2.29	0.44
1:DDD:61:HIS:CE1	1:DDD:85:CYS:SG	3.10	0.44
1:FFF:42:ARG:O	1:FFF:46:ALA:HB2	2.18	0.44
1:FFF:153:GLN:HB3	7:FFF:908:HOH:O	2.18	0.44
1:BBB:412:ALA:HB3	1:BBB:413:GLU:OE2	2.18	0.44
1:GGG:230:GLY:HA3	2:GGG:505:NAD:O5B	2.17	0.44
1:FFF:189:ASN:O	1:FFF:195:SER:HB3	2.18	0.44
1:BBB:194:LYS:HD3	1:BBB:194:LYS:C	2.39	0.43
1:BBB:341:GLU:H	3:BBB:504:GOL:H32	1.83	0.43
1:CCC:161:ILE:O	1:CCC:185:ALA:HA	2.18	0.43
1:FFF:334:ARG:HD2	1:FFF:339:TRP:CH2	2.51	0.43
1:III:223[B]:GLN:HE22	1:III:290:LYS:HE3	1.83	0.43
1:III:271:TYR:CD1	1:III:276[B]:ASN:HB2	2.54	0.43
1:HHH:189:ASN:HA	1:HHH:194:LYS:HD2	2.00	0.43
1:III:205:HIS:CD2	1:III:383:PRO:HD3	2.53	0.43
1:AAA:55:LYS:HE3	7:AAA:826:HOH:O	2.18	0.43
1:AAA:189:ASN:O	1:AAA:195:SER:HB3	2.18	0.43
1:HHH:161:ILE:O	1:HHH:185:ALA:HA	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:III:219:LEU:O	1:III:245:MET:HG2	2.18	0.43
1:DDD:275:ILE:O	7:DDD:602:HOH:O	2.21	0.43
1:GGG:61:HIS:CE1	1:GGG:85:CYS:SG	3.11	0.43
1:AAA:336:ASN:HA	1:AAA:354:LYS:HE2	2.00	0.43
1:HHH:284:ASP:O	1:HHH:288:LEU:CD1	2.60	0.43
1:BBB:61:HIS:CE1	1:BBB:85:CYS:SG	3.12	0.43
1:BBB:283:ILE:HG13	1:BBB:307:ASN:HB3	1.99	0.43
1:CCC:310:LYS:HE3	1:CCC:332:PHE:HZ	1.84	0.43
1:CCC:404:GLN:HB2	7:CCC:925:HOH:O	2.17	0.43
1:III:189:ASN:O	1:III:195:SER:HB3	2.19	0.43
1:AAA:14:LYS:HD3	1:AAA:108:TRP:CZ3	2.54	0.43
1:FFF:222:LYS:NZ	7:FFF:626:HOH:O	2.45	0.43
1:AAA:42:ARG:O	1:AAA:46:ALA:HB2	2.19	0.42
1:AAA:354:LYS:O	1:AAA:355:ASP:O	2.37	0.42
1:BBB:97:ALA:O	7:BBB:605:HOH:O	2.21	0.42
1:DDD:219:LEU:O	1:DDD:245:MET:HG2	2.19	0.42
1:HHH:14:LYS:HD3	1:HHH:108:TRP:CH2	2.54	0.42
1:HHH:219:LEU:O	1:HHH:245:MET:HG2	2.19	0.42
1:FFF:189:ASN:HA	1:FFF:194:LYS:HD2	2.01	0.42
1:III:148:HIS:CD2	1:III:175:MET:HE1	2.55	0.42
1:FFF:61:HIS:CE1	1:FFF:85:CYS:SG	3.12	0.42
1:AAA:219:LEU:O	1:AAA:245:MET:HG2	2.20	0.42
1:HHH:288:LEU:N	1:HHH:288:LEU:HD12	2.34	0.42
1:HHH:322:GLY:HA3	1:HHH:327:GLU:OE2	2.20	0.42
1:HHH:148:HIS:CD2	1:HHH:175:MET:HE1	2.55	0.42
1:AAA:180:THR:OG1	7:AAA:601:HOH:O	2.00	0.41
1:DDD:413:GLU:OE2	1:DDD:417:ARG:NH1	2.53	0.41
7:HHH:840:HOH:O	1:III:205:HIS:HB2	2.20	0.41
1:AAA:468:ARG:NH1	7:AAA:648:HOH:O	2.52	0.41
1:DDD:189:ASN:HA	1:DDD:194:LYS:HD2	2.02	0.41
1:III:230:GLY:HA3	2:III:504:NAD:O5B	2.20	0.41
1:DDD:42:ARG:O	1:DDD:46:ALA:HB2	2.20	0.41
1:BBB:409:LEU:HD22	1:BBB:417:ARG:NH1	2.30	0.41
1:CCC:219:LEU:O	1:CCC:245:MET:HG2	2.20	0.41
1:FFF:277[A]:ASP:OD1	1:FFF:277[A]:ASP:C	2.59	0.41
1:FFF:343:LYS:HE2	7:GGG:807:HOH:O	2.20	0.41
1:DDD:194:LYS:C	1:DDD:194:LYS:HD3	2.41	0.41
1:AAA:148:HIS:CD2	1:AAA:175:MET:HE2	2.56	0.41
6:CCC:505:PEG:C4	1:DDD:216:ASP:HB3	2.51	0.41
1:GGG:194:LYS:HD3	1:GGG:194:LYS:C	2.41	0.41
1:GGG:335:LYS:HB2	1:GGG:335:LYS:HE2	1.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:HHH:14:LYS:HD3	1:HHH:108:TRP:CZ3	2.56	0.41
1:CCC:429:GLU:OE1	1:CCC:461:PRO:HA	2.21	0.41
1:BBB:148:HIS:CD2	1:BBB:175:MET:HE2	2.55	0.41
1:III:61:HIS:CE1	1:III:85:CYS:SG	3.14	0.41
1:III:271:TYR:CZ	1:III:276[B]:ASN:HB2	2.56	0.41
1:III:323:HIS:CE1	7:III:618:HOH:O	2.74	0.41
1:AAA:429:GLU:OE1	1:AAA:461:PRO:HA	2.21	0.41
1:FFF:170:HIS:HE1	7:FFF:757:HOH:O	2.03	0.41
1:III:448:PRO:HD2	7:III:831:HOH:O	2.20	0.41
1:BBB:189:ASN:HA	1:BBB:194:LYS:HD2	2.03	0.40
1:DDD:423:LEU:O	3:DDD:502:GOL:O2	2.37	0.40
1:FFF:258[B]:MET:HE3	1:FFF:259:GLN:HG3	2.03	0.40
1:III:283:ILE:HG13	1:III:307:ASN:HB3	2.04	0.40
1:BBB:189:ASN:O	1:BBB:195:SER:HB3	2.22	0.40
1:GGG:182:LYS:HE2	1:GGG:182:LYS:CA	2.44	0.40
1:III:194:LYS:HD3	1:III:194:LYS:C	2.41	0.40
1:CCC:14:LYS:HD3	1:CCC:108:TRP:CZ3	2.57	0.40
1:FFF:277[B]:ASP:OD1	1:FFF:277[B]:ASP:C	2.60	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:FFF:623:HOH:O	7:HHH:816:HOH:O[1_556]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	AAA	471/472 (100%)	458 (97%)	10 (2%)	3 (1%)	25 15
1	BBB	469/472 (99%)	457 (97%)	10 (2%)	2 (0%)	34 24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	CCC	467/472 (99%)	454 (97%)	11 (2%)	2 (0%)	34	24
1	DDD	470/472 (100%)	459 (98%)	9 (2%)	2 (0%)	34	24
1	FFF	470/472 (100%)	458 (97%)	9 (2%)	3 (1%)	25	15
1	GGG	469/472 (99%)	457 (97%)	10 (2%)	2 (0%)	34	24
1	HHH	465/472 (98%)	454 (98%)	9 (2%)	2 (0%)	34	24
1	III	472/472 (100%)	457 (97%)	13 (3%)	2 (0%)	34	24
All	All	3753/3776 (99%)	3654 (97%)	81 (2%)	18 (0%)	29	18

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	AAA	355	ASP
1	BBB	61	HIS
1	CCC	61	HIS
1	DDD	373	LEU
1	FFF	61	HIS
1	FFF	373	LEU
1	GGG	61	HIS
1	GGG	373	LEU
1	HHH	61	HIS
1	HHH	373	LEU
1	III	61	HIS
1	III	373	LEU
1	AAA	61	HIS
1	AAA	373	LEU
1	CCC	373	LEU
1	DDD	61	HIS
1	FFF	355	ASP
1	BBB	373	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	388/385 (101%)	387 (100%)	1 (0%)	92	93
1	BBB	386/385 (100%)	385 (100%)	1 (0%)	92	93
1	CCC	385/385 (100%)	385 (100%)	0	100	100
1	DDD	387/385 (100%)	386 (100%)	1 (0%)	92	93
1	FFF	388/385 (101%)	387 (100%)	1 (0%)	92	93
1	GGG	387/385 (100%)	384 (99%)	3 (1%)	81	82
1	HHH	383/385 (100%)	382 (100%)	1 (0%)	92	93
1	III	390/385 (101%)	389 (100%)	1 (0%)	92	93
All	All	3094/3080 (100%)	3085 (100%)	9 (0%)	92	93

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	197	ASN
1	BBB	43	ARG
1	DDD	290	LYS
1	FFF	334	ARG
1	GGG	182	LYS
1	GGG	372	ARG
1	GGG	413	GLU
1	HHH	349	ILE
1	III	409	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 47 ligands modelled in this entry, 1 is monoatomic - leaving 46 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	III	506	-	5,5,5	0.15	0	5,5,5	0.34	0
4	PO4	BBB	505	-	4,4,4	1.07	0	6,6,6	0.76	0
4	PO4	AAA	505	-	4,4,4	0.55	0	6,6,6	0.57	0
4	PO4	CCC	503	-	4,4,4	0.57	0	6,6,6	0.32	0
3	GOL	CCC	502	-	5,5,5	0.23	0	5,5,5	0.31	0
4	PO4	FFF	503	-	4,4,4	1.36	1 (25%)	6,6,6	0.60	0
3	GOL	BBB	502	-	5,5,5	0.17	0	5,5,5	0.25	0
4	PO4	DDD	507	-	4,4,4	0.89	0	6,6,6	0.58	0
3	GOL	DDD	503	-	5,5,5	0.17	0	5,5,5	0.29	0
2	NAD	DDD	501	-	42,48,48	0.98	2 (4%)	50,73,73	1.04	4 (8%)
4	PO4	DDD	506	-	4,4,4	0.46	0	6,6,6	0.78	0
4	PO4	FFF	501	-	4,4,4	0.57	0	6,6,6	0.73	0
6	PEG	CCC	505	-	6,6,6	0.16	0	5,5,5	0.20	0
2	NAD	HHH	503	-	42,48,48	0.84	2 (4%)	50,73,73	0.89	2 (4%)
3	GOL	III	505	-	5,5,5	0.30	0	5,5,5	0.45	0
3	GOL	HHH	504	-	5,5,5	0.22	0	5,5,5	0.59	0
2	NAD	GGG	505	-	42,48,48	0.96	3 (7%)	50,73,73	0.95	3 (6%)
4	PO4	GGG	504	-	4,4,4	0.35	0	6,6,6	0.43	0
4	PO4	BBB	506	-	4,4,4	1.01	0	6,6,6	0.73	0
2	NAD	AAA	501	-	42,48,48	0.62	0	50,73,73	0.86	2 (4%)
2	NAD	CCC	501	-	42,48,48	0.82	2 (4%)	50,73,73	0.96	3 (6%)
4	PO4	III	501	-	4,4,4	1.39	1 (25%)	6,6,6	0.71	0
3	GOL	BBB	504	-	5,5,5	0.11	0	5,5,5	0.43	0
6	PEG	CCC	506	-	6,6,6	0.29	0	5,5,5	0.11	0
4	PO4	HHH	502	-	4,4,4	0.92	0	6,6,6	0.69	0
2	NAD	BBB	501	-	42,48,48	0.82	2 (4%)	50,73,73	0.91	1 (2%)
2	NAD	III	504	-	42,48,48	1.03	2 (4%)	50,73,73	0.98	2 (4%)
4	PO4	GGG	501	-	4,4,4	0.75	0	6,6,6	0.57	0
4	PO4	AAA	503	-	4,4,4	1.23	1 (25%)	6,6,6	0.39	0
4	PO4	III	503	-	4,4,4	1.09	0	6,6,6	0.64	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	FFF	504	-	42,48,48	0.97	3 (7%)	50,73,73	1.02	2 (4%)
4	PO4	BBB	507	-	4,4,4	0.40	0	6,6,6	0.30	0
4	PO4	DDD	505	-	4,4,4	1.03	0	6,6,6	0.63	0
3	GOL	GGG	506	-	5,5,5	0.17	0	5,5,5	0.37	0
4	PO4	FFF	502	-	4,4,4	0.92	0	6,6,6	0.60	0
4	PO4	GGG	502	-	4,4,4	0.33	0	6,6,6	0.54	0
4	PO4	GGG	503	-	4,4,4	1.27	1 (25%)	6,6,6	0.34	0
4	PO4	AAA	504	-	4,4,4	1.15	0	6,6,6	0.48	0
3	GOL	DDD	502	-	5,5,5	0.13	0	5,5,5	0.34	0
4	PO4	HHH	501	-	4,4,4	0.35	0	6,6,6	0.58	0
4	PO4	CCC	504	-	4,4,4	0.77	0	6,6,6	0.41	0
4	PO4	III	502	-	4,4,4	1.34	1 (25%)	6,6,6	0.79	0
3	GOL	BBB	503	-	5,5,5	0.25	0	5,5,5	0.43	0
4	PO4	BBB	508	-	4,4,4	0.74	0	6,6,6	0.54	0
3	GOL	DDD	504	-	5,5,5	0.37	0	5,5,5	0.69	0
3	GOL	AAA	502	-	5,5,5	0.11	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	III	506	-	-	4/4/4/4	-
3	GOL	CCC	502	-	-	2/4/4/4	-
3	GOL	BBB	502	-	-	2/4/4/4	-
3	GOL	DDD	503	-	-	2/4/4/4	-
2	NAD	DDD	501	-	-	5/26/62/62	0/5/5/5
6	PEG	CCC	505	-	-	4/4/4/4	-
2	NAD	HHH	503	-	-	5/26/62/62	0/5/5/5
3	GOL	III	505	-	-	2/4/4/4	-
3	GOL	HHH	504	-	-	4/4/4/4	-
2	NAD	GGG	505	-	-	5/26/62/62	0/5/5/5
2	NAD	AAA	501	-	-	5/26/62/62	0/5/5/5
2	NAD	CCC	501	-	-	5/26/62/62	0/5/5/5
3	GOL	BBB	504	-	-	4/4/4/4	-
6	PEG	CCC	506	-	-	3/4/4/4	-
2	NAD	BBB	501	-	-	5/26/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	III	504	-	-	5/26/62/62	0/5/5/5
2	NAD	FFF	504	-	-	5/26/62/62	0/5/5/5
3	GOL	GGG	506	-	-	0/4/4/4	-
3	GOL	DDD	502	-	-	4/4/4/4	-
3	GOL	BBB	503	-	-	4/4/4/4	-
3	GOL	DDD	504	-	-	3/4/4/4	-
3	GOL	AAA	502	-	-	4/4/4/4	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	III	504	NAD	C2N-N1N	4.87	1.40	1.35
2	DDD	501	NAD	C2N-N1N	4.03	1.39	1.35
2	GGG	505	NAD	C2N-N1N	3.94	1.39	1.35
2	FFF	504	NAD	O4D-C1D	2.94	1.45	1.41
2	GGG	505	NAD	O4D-C1D	2.92	1.45	1.41
2	BBB	501	NAD	O4D-C1D	2.92	1.45	1.41
2	FFF	504	NAD	C2N-N1N	2.89	1.38	1.35
2	HHH	503	NAD	C2N-N1N	2.86	1.38	1.35
2	CCC	501	NAD	C2N-N1N	2.85	1.38	1.35
2	HHH	503	NAD	O4D-C1D	2.71	1.44	1.41
2	BBB	501	NAD	C2N-N1N	2.67	1.38	1.35
2	DDD	501	NAD	O4D-C1D	2.45	1.44	1.41
4	GGG	503	PO4	P-O1	2.39	1.56	1.50
4	AAA	503	PO4	P-O1	2.29	1.56	1.50
4	III	502	PO4	P-O1	2.20	1.56	1.50
2	CCC	501	NAD	O4D-C1D	2.17	1.44	1.41
2	III	504	NAD	C8A-N7A	-2.15	1.30	1.34
4	FFF	503	PO4	P-O1	2.11	1.55	1.50
2	GGG	505	NAD	C8A-N7A	-2.10	1.31	1.34
2	FFF	504	NAD	C4N-C3N	2.09	1.42	1.39
4	III	501	PO4	P-O2	-2.05	1.48	1.54

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	DDD	501	NAD	C6N-N1N-C2N	-3.39	118.89	121.97
2	CCC	501	NAD	C6N-N1N-C2N	-3.33	118.93	121.97
2	HHH	503	NAD	C6N-N1N-C2N	-3.15	119.10	121.97
2	GGG	505	NAD	C6N-N1N-C2N	-3.05	119.19	121.97
2	FFF	504	NAD	C6N-N1N-C2N	-2.94	119.30	121.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	III	504	NAD	C6N-N1N-C2N	-2.67	119.54	121.97
2	BBB	501	NAD	C6N-N1N-C2N	-2.64	119.56	121.97
2	AAA	501	NAD	C6N-N1N-C2N	-2.58	119.62	121.97
2	FFF	504	NAD	C5A-C6A-N6A	2.46	124.09	120.35
2	HHH	503	NAD	C5A-C6A-N6A	2.35	123.92	120.35
2	CCC	501	NAD	O4B-C1B-C2B	-2.28	103.59	106.93
2	DDD	501	NAD	O3D-C3D-C4D	-2.22	104.63	111.05
2	GGG	505	NAD	O4B-C1B-C2B	-2.17	103.76	106.93
2	CCC	501	NAD	C5A-C6A-N6A	2.16	123.64	120.35
2	AAA	501	NAD	C5A-C6A-N6A	2.14	123.60	120.35
2	GGG	505	NAD	O4D-C1D-C2D	-2.10	103.85	106.93
2	DDD	501	NAD	O4D-C1D-C2D	-2.05	103.93	106.93
2	III	504	NAD	C5A-C6A-N6A	2.03	123.43	120.35
2	DDD	501	NAD	C5A-C6A-N6A	2.01	123.40	120.35

There are no chirality outliers.

All (82) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	AAA	501	NAD	O4D-C1D-N1N-C2N
2	AAA	501	NAD	O4D-C1D-N1N-C6N
2	AAA	501	NAD	C2D-C1D-N1N-C2N
2	AAA	501	NAD	C2D-C1D-N1N-C6N
2	BBB	501	NAD	O4D-C1D-N1N-C2N
2	BBB	501	NAD	O4D-C1D-N1N-C6N
2	BBB	501	NAD	C2D-C1D-N1N-C2N
2	BBB	501	NAD	C2D-C1D-N1N-C6N
2	CCC	501	NAD	O4D-C1D-N1N-C2N
2	CCC	501	NAD	O4D-C1D-N1N-C6N
2	CCC	501	NAD	C2D-C1D-N1N-C2N
2	CCC	501	NAD	C2D-C1D-N1N-C6N
2	DDD	501	NAD	O4D-C1D-N1N-C2N
2	DDD	501	NAD	O4D-C1D-N1N-C6N
2	DDD	501	NAD	C2D-C1D-N1N-C2N
2	DDD	501	NAD	C2D-C1D-N1N-C6N
2	FFF	504	NAD	O4D-C1D-N1N-C2N
2	FFF	504	NAD	O4D-C1D-N1N-C6N
2	FFF	504	NAD	C2D-C1D-N1N-C2N
2	FFF	504	NAD	C2D-C1D-N1N-C6N
2	GGG	505	NAD	O4D-C1D-N1N-C2N
2	GGG	505	NAD	O4D-C1D-N1N-C6N
2	GGG	505	NAD	C2D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	GGG	505	NAD	C2D-C1D-N1N-C6N
2	HHH	503	NAD	O4D-C1D-N1N-C2N
2	HHH	503	NAD	O4D-C1D-N1N-C6N
2	HHH	503	NAD	C2D-C1D-N1N-C2N
2	HHH	503	NAD	C2D-C1D-N1N-C6N
2	III	504	NAD	O4D-C1D-N1N-C2N
2	III	504	NAD	O4D-C1D-N1N-C6N
2	III	504	NAD	C2D-C1D-N1N-C2N
2	III	504	NAD	C2D-C1D-N1N-C6N
3	AAA	502	GOL	O1-C1-C2-C3
3	BBB	502	GOL	O1-C1-C2-C3
3	BBB	503	GOL	O1-C1-C2-C3
3	BBB	503	GOL	C1-C2-C3-O3
3	BBB	503	GOL	O2-C2-C3-O3
3	BBB	504	GOL	O1-C1-C2-C3
3	CCC	502	GOL	O1-C1-C2-C3
3	DDD	502	GOL	C1-C2-C3-O3
3	DDD	502	GOL	O2-C2-C3-O3
3	DDD	504	GOL	C1-C2-C3-O3
3	DDD	504	GOL	O2-C2-C3-O3
3	III	505	GOL	O1-C1-C2-C3
3	III	506	GOL	C1-C2-C3-O3
3	HHH	504	GOL	O2-C2-C3-O3
6	CCC	505	PEG	O1-C1-C2-O2
6	CCC	506	PEG	O1-C1-C2-O2
3	BBB	504	GOL	C1-C2-C3-O3
3	DDD	502	GOL	O1-C1-C2-C3
3	HHH	504	GOL	O1-C1-C2-C3
3	HHH	504	GOL	C1-C2-C3-O3
3	III	506	GOL	O1-C1-C2-C3
3	AAA	502	GOL	O1-C1-C2-O2
3	BBB	503	GOL	O1-C1-C2-O2
3	BBB	504	GOL	O1-C1-C2-O2
3	CCC	502	GOL	O1-C1-C2-O2
3	HHH	504	GOL	O1-C1-C2-O2
3	III	505	GOL	O1-C1-C2-O2
3	III	506	GOL	O2-C2-C3-O3
6	CCC	505	PEG	O2-C3-C4-O4
3	BBB	502	GOL	O1-C1-C2-O2
6	CCC	506	PEG	O2-C3-C4-O4
6	CCC	505	PEG	C1-C2-O2-C3
3	AAA	502	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	DDD	504	GOL	O1-C1-C2-O2
6	CCC	505	PEG	C4-C3-O2-C2
6	CCC	506	PEG	C1-C2-O2-C3
3	BBB	504	GOL	O2-C2-C3-O3
3	DDD	503	GOL	O2-C2-C3-O3
3	AAA	502	GOL	C1-C2-C3-O3
3	DDD	503	GOL	C1-C2-C3-O3
3	III	506	GOL	O1-C1-C2-O2
2	BBB	501	NAD	O4B-C4B-C5B-O5B
2	GGG	505	NAD	O4B-C4B-C5B-O5B
3	DDD	502	GOL	O1-C1-C2-O2
2	FFF	504	NAD	O4B-C4B-C5B-O5B
2	AAA	501	NAD	O4B-C4B-C5B-O5B
2	DDD	501	NAD	O4B-C4B-C5B-O5B
2	CCC	501	NAD	O4B-C4B-C5B-O5B
2	HHH	503	NAD	O4B-C4B-C5B-O5B
2	III	504	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


15 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	BBB	505	PO4	1	0
4	DDD	506	PO4	1	0
6	CCC	505	PEG	4	0
3	III	505	GOL	2	0
2	GGG	505	NAD	1	0
4	BBB	506	PO4	1	0
3	BBB	504	GOL	1	0
6	CCC	506	PEG	1	0
2	III	504	NAD	2	0
4	DDD	505	PO4	1	0
3	GGG	506	GOL	1	0
3	DDD	502	GOL	3	0
4	III	502	PO4	1	0
3	DDD	504	GOL	1	0
3	AAA	502	GOL	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	461/472 (97%)	-0.32	1 (0%) 95 95	27, 34, 47, 65	23 (4%)
1	BBB	461/472 (97%)	-0.13	3 (0%) 87 88	25, 38, 60, 86	39 (8%)
1	CCC	461/472 (97%)	-0.35	0 100 100	26, 33, 45, 61	17 (3%)
1	DDD	461/472 (97%)	-0.15	2 (0%) 92 93	25, 38, 58, 88	21 (4%)
1	FFF	461/472 (97%)	-0.26	0 100 100	26, 36, 52, 76	13 (2%)
1	GGG	461/472 (97%)	0.03	7 (1%) 73 76	28, 44, 67, 98	29 (6%)
1	HHH	461/472 (97%)	-0.20	0 100 100	28, 37, 50, 67	17 (3%)
1	III	461/472 (97%)	-0.12	2 (0%) 92 93	26, 38, 60, 78	19 (4%)
All	All	3688/3776 (97%)	-0.19	15 (0%) 92 93	25, 37, 58, 98	178 (4%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	GGG	10	PHE	4.4
1	DDD	9	GLY	4.1
1	GGG	9	GLY	3.8
1	BBB	420	VAL	3.7
1	BBB	9	GLY	3.4
1	GGG	151	TYR	3.4
1	GGG	413	GLU	3.3
1	III	151	TYR	3.1
1	III	45	TYR	3.1
1	AAA	355	ASP	2.8
1	GGG	120	ILE	2.5
1	GGG	57	LEU	2.4
1	DDD	409	LEU	2.3
1	GGG	155	LEU	2.3
1	BBB	409	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	GGG	506	6/6	0.70	0.21	36,40,45,45	6
3	GOL	DDD	503	6/6	0.76	0.25	41,46,47,53	0
3	GOL	III	505	6/6	0.76	0.29	34,48,51,58	0
3	GOL	CCC	502	6/6	0.79	0.19	42,49,51,52	0
3	GOL	DDD	504	6/6	0.84	0.23	41,48,51,51	0
3	GOL	BBB	504	6/6	0.85	0.25	35,39,46,52	0
3	GOL	AAA	502	6/6	0.86	0.21	36,38,42,47	0
3	GOL	BBB	502	6/6	0.89	0.21	34,39,43,43	0
3	GOL	III	506	6/6	0.89	0.18	37,41,43,47	0
6	PEG	CCC	506	7/7	0.89	0.12	45,47,49,58	0
6	PEG	CCC	505	7/7	0.90	0.22	31,34,42,46	3
4	PO4	AAA	505	5/5	0.91	0.12	29,33,35,35	5
3	GOL	DDD	502	6/6	0.91	0.24	34,41,45,46	0
3	GOL	BBB	503	6/6	0.91	0.25	37,38,42,45	1
4	PO4	III	501	5/5	0.93	0.10	30,38,39,40	5
4	PO4	III	503	5/5	0.94	0.11	32,33,34,40	5
4	PO4	BBB	507	5/5	0.94	0.16	36,38,41,45	1
3	GOL	HHH	504	6/6	0.94	0.13	27,36,38,40	6
4	PO4	GGG	504	5/5	0.95	0.11	33,34,38,38	5
4	PO4	FFF	503	5/5	0.96	0.11	30,31,34,35	5
4	PO4	GGG	501	5/5	0.96	0.09	40,40,43,43	5
4	PO4	GGG	502	5/5	0.96	0.08	30,33,34,34	5
4	PO4	DDD	507	5/5	0.96	0.11	32,32,35,36	5
2	NAD	HHH	503	44/44	0.97	0.09	29,35,41,50	0
2	NAD	DDD	501	44/44	0.97	0.09	24,30,34,38	0
4	PO4	BBB	505	5/5	0.97	0.10	37,37,41,43	1
2	NAD	FFF	504	44/44	0.97	0.09	27,31,38,43	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PO4	HHH	501	5/5	0.97	0.13	35,36,42,45	0
4	PO4	HHH	502	5/5	0.97	0.08	34,35,36,41	0
4	PO4	BBB	508	5/5	0.97	0.10	35,36,37,37	5
4	PO4	CCC	503	5/5	0.97	0.06	30,32,35,37	5
4	PO4	DDD	505	5/5	0.97	0.14	36,40,41,41	0
2	NAD	GGG	505	44/44	0.97	0.08	26,32,36,40	0
2	NAD	AAA	501	44/44	0.98	0.09	25,32,36,39	0
2	NAD	III	504	44/44	0.98	0.09	23,30,34,38	0
4	PO4	GGG	503	5/5	0.98	0.07	36,36,37,42	5
4	PO4	AAA	504	5/5	0.98	0.10	30,35,36,39	0
2	NAD	BBB	501	44/44	0.98	0.08	25,29,33,34	0
4	PO4	DDD	506	5/5	0.98	0.10	36,38,39,40	0
2	NAD	CCC	501	44/44	0.98	0.09	26,30,32,33	0
4	PO4	FFF	501	5/5	0.98	0.06	33,35,39,42	0
5	K	BBB	509	1/1	0.98	0.05	36,36,36,36	0
4	PO4	FFF	502	5/5	0.98	0.08	31,32,36,37	0
4	PO4	BBB	506	5/5	0.98	0.09	31,31,33,35	5
4	PO4	AAA	503	5/5	0.99	0.09	31,33,38,42	0
4	PO4	III	502	5/5	0.99	0.08	32,34,36,36	0
4	PO4	CCC	504	5/5	0.99	0.06	33,34,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAD HHH 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD DDD 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD FFF 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD GGG 505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD AAA 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD III 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAD BBB 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD CCC 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.