



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 7, 2020 – 02:14 PM BST

PDB ID : 7AL6
Title : Crystal structure of the hypothetical protein PA1622 from *Pseudomonas aeruginosa* PAO1
Authors : Feiler, C.G.; Blankenfeldt, W.
Deposited on : 2020-10-05
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.6
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.6

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PEG	A	401	-	-	X	-
4	EDO	A	404	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 18602 atoms, of which 9050 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	285	Total 4471	C 1419	H 2252	N 404	O 388	S 8	0	3	0
1	B	285	Total 4432	C 1406	H 2232	N 401	O 386	S 7	0	0	0
1	C	285	Total 4451	C 1411	H 2243	N 404	O 386	S 7	0	1	0
1	D	282	Total 4410	C 1402	H 2221	N 399	O 381	S 7	0	2	0

- Molecule 2 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	A	1	Total 17	C 4	H 10	O 3	0	0
2	A	1	Total 17	C 4	H 10	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	H	O	0	0
			17	4	10	3		
2	C	1	Total	C	H	O	0	0
			17	4	10	3		
2	D	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 3 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			24	6	14	4		
3	C	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	186	Total	O	0	0
			186	186		
5	B	131	Total	O	0	0
			131	131		
5	C	209	Total	O	0	0
			209	209		
5	D	139	Total	O	0	0
			139	139		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Probable hydrolase




- Molecule 1: Probable hydrolase




- Molecule 1: Probable hydrolase



- Molecule 1: Probable hydrolase





4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	136.76Å 136.76Å 148.13Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.76 – 2.10 44.76 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.76-2.10) 100.0 (44.76-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 2.10Å)	Xtrriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, R_{free}	0.163 , 0.206 0.166 , 0.205	Depositor DCC
R_{free} test set	4540 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtrriage
Anisotropy	0.146	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 57.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.042 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	18602	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, PGE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	4/2280 (0.2%)	0.75	0/3091
1	B	0.56	0/2252	0.71	1/3055 (0.0%)
1	C	0.66	0/2263	0.72	2/3069 (0.1%)
1	D	0.58	0/2248	0.71	1/3050 (0.0%)
All	All	0.65	4/9043 (0.0%)	0.72	4/12265 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	235[A]	GLU	N-CA	8.42	1.63	1.46
1	A	235[B]	GLU	N-CA	8.42	1.63	1.46
1	A	226	GLU	CD-OE1	-6.63	1.18	1.25
1	A	226	GLU	CD-OE2	-5.82	1.19	1.25

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	286	ARG	NE-CZ-NH1	-5.84	117.38	120.30
1	D	83	ASP	CB-CG-OD2	-5.63	113.23	118.30
1	B	197	TYR	CB-CG-CD1	5.59	124.35	121.00
1	C	286	ARG	CG-CD-NE	-5.56	100.13	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2219	2252	2259	25	0
1	B	2200	2232	2231	27	1
1	C	2208	2243	2244	27	0
1	D	2189	2221	2225	24	1
2	A	14	20	20	5	0
2	C	14	20	20	4	0
2	D	7	10	10	0	0
3	A	10	14	14	1	0
3	C	10	14	14	2	0
4	A	4	6	6	5	0
4	D	12	18	18	0	0
5	A	186	0	0	5	0
5	B	131	0	0	3	0
5	C	209	0	0	6	0
5	D	139	0	0	2	0
All	All	9552	9050	9061	99	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:ARG:NH1	1:B:270:GLU:OE1	1.90	1.02
1:A:235[A]:GLU:OE2	5:A:501:HOH:O	1.79	1.00
1:A:235[A]:GLU:OE1	5:A:502:HOH:O	1.96	0.82
1:C:3:LEU:HD11	3:C:303:PGE:C1	2.15	0.76
1:A:212:ARG:HD2	2:A:401:PEG:H21	1.67	0.74
1:D:219[A]:LEU:HD11	1:D:223:ARG:CZ	2.17	0.74
1:C:94:GLU:OE2	5:C:401:HOH:O	2.06	0.73
1:C:174:VAL:HG12	1:C:175:GLY:H	1.54	0.72
1:C:255:GLU:OE1	1:C:286:ARG:NH1	2.21	0.71
1:A:95:ARG:HD2	2:A:402:PEG:H41	1.72	0.70
1:C:3:LEU:HD11	3:C:303:PGE:H12	1.73	0.69
1:A:257:HIS:ND1	5:A:503:HOH:O	2.27	0.68
1:A:228:PRO:HB3	4:A:404:EDO:H11	1.77	0.65
1:B:242:GLU:OE1	1:B:245:MET:N	2.23	0.65
1:A:174:VAL:HG12	1:A:175:GLY:H	1.64	0.62
1:A:255:GLU:HG3	4:A:404:EDO:H21	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:ARG:HD2	2:A:401:PEG:C2	2.30	0.60
1:D:237:GLY:O	1:D:241:VAL:HG23	2.01	0.60
1:B:152:LEU:HD12	1:B:155:LYS:HD2	1.85	0.58
1:B:28:LYS:HE2	1:B:28:LYS:HA	1.84	0.58
1:A:242:GLU:OE2	1:A:244:ARG:HB2	2.05	0.57
1:B:239:LEU:O	1:B:245:MET:HG2	2.06	0.55
1:C:95:ARG:NH1	1:C:120:GLU:OE2	2.39	0.55
1:B:239:LEU:HD12	1:B:245:MET:HG2	1.89	0.54
1:A:212:ARG:HH21	2:A:401:PEG:H22	1.71	0.54
1:B:28:LYS:HB2	1:B:53:LEU:HD12	1.89	0.54
1:D:219[A]:LEU:HD11	1:D:223:ARG:NH2	2.24	0.53
1:D:159:VAL:HG22	1:D:198:THR:CG2	2.38	0.52
1:D:238:MET:HA	1:D:241:VAL:HB	1.91	0.52
1:A:28:LYS:NZ	5:A:510:HOH:O	2.41	0.52
1:B:140:GLN:HG2	5:B:424:HOH:O	2.10	0.52
1:C:177:ILE:HG12	1:C:181:ALA:HB3	1.92	0.51
1:D:85:LEU:HD11	1:D:115:LEU:CD1	2.41	0.51
1:D:152:LEU:O	1:D:155:LYS:HB2	2.11	0.51
1:B:177:ILE:HG12	1:B:181:ALA:HB3	1.91	0.51
1:B:246:ARG:O	1:B:250:GLU:OE1	2.29	0.51
1:C:249:LEU:HB3	1:C:256:ARG:HD3	1.92	0.51
1:A:54:ARG:HE	2:C:301:PEG:H32	1.76	0.51
1:C:173:GLY:HA3	5:C:583:HOH:O	2.11	0.50
1:C:174:VAL:HG12	1:C:175:GLY:N	2.24	0.50
1:C:50:LEU:HB3	1:C:53:LEU:HD12	1.93	0.50
1:B:30:VAL:HG22	1:B:97:SER:HB2	1.93	0.49
1:B:178:SER:HB3	1:B:268:ASP:OD1	2.12	0.49
1:A:228:PRO:CB	4:A:404:EDO:H11	2.42	0.49
1:A:255:GLU:OE2	4:A:404:EDO:H12	2.12	0.48
1:B:163:LEU:HD23	1:B:167:VAL:HG23	1.96	0.48
1:C:71:GLU:OE2	1:D:14:HIS:HA	2.14	0.48
1:D:85:LEU:HD11	1:D:115:LEU:HD12	1.96	0.48
1:A:54:ARG:HH11	2:C:301:PEG:H22	1.78	0.48
1:A:278:ARG:HG2	1:A:278:ARG:HH11	1.78	0.48
1:C:121:ARG:HD2	1:C:284:PHE:CD1	2.49	0.48
1:B:236:GLN:HB3	1:B:261:GLY:O	2.14	0.47
1:D:95:ARG:HD2	1:D:117:GLU:O	2.15	0.47
1:C:215:GLN:NE2	5:C:410:HOH:O	2.48	0.47
1:A:174:VAL:HG12	1:A:175:GLY:N	2.30	0.46
1:B:176:GLU:HG2	5:B:403:HOH:O	2.15	0.46
1:B:87:VAL:O	1:B:91:LEU:HG	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:141:LYS:HD2	5:D:431:HOH:O	2.15	0.46
1:D:14:HIS:HD2	5:D:479:HOH:O	1.99	0.46
1:A:54:ARG:HH11	2:C:301:PEG:C2	2.29	0.46
1:B:64:GLY:O	1:B:200:ARG:HD3	2.15	0.46
1:C:154:HIS:O	1:C:154:HIS:CG	2.68	0.46
1:A:223[A]:ARG:HD3	5:A:641:HOH:O	2.16	0.46
1:B:234:ALA:HB1	1:B:261:GLY:O	2.16	0.45
1:C:255:GLU:CD	1:C:286:ARG:HH12	2.14	0.45
1:C:147:LYS:HE3	1:D:115:LEU:CD2	2.46	0.45
1:B:164:GLU:CG	1:B:179:ARG:HH22	2.30	0.44
1:C:176:GLU:HB3	2:C:302:PEG:H32	2.00	0.44
1:D:41:MET:CE	1:D:41:MET:HA	2.47	0.44
1:C:141:LYS:HD3	1:C:141:LYS:HA	1.81	0.44
1:A:228:PRO:CA	4:A:404:EDO:H11	2.48	0.44
1:D:171:MET:CE	1:D:179:ARG:HB2	2.48	0.43
1:C:135:ALA:HB2	1:D:217[B]:HIS:ND1	2.33	0.43
1:D:32:ALA:HA	1:D:99:LEU:O	2.18	0.43
1:C:14:HIS:HD2	5:C:521:HOH:O	2.02	0.43
1:A:98:LEU:HD11	1:A:111:LEU:HD23	2.00	0.43
1:B:46:LEU:O	1:B:50:LEU:HD22	2.19	0.43
1:D:171:MET:HE1	1:D:179:ARG:HB2	2.01	0.43
1:B:242:GLU:OE1	1:B:244:ARG:N	2.52	0.43
1:C:135:ALA:CB	1:D:217[B]:HIS:ND1	2.82	0.43
1:D:177:ILE:HG22	1:D:264:HIS:HB2	2.01	0.42
1:B:153:ARG:HG2	1:B:154:HIS:ND1	2.34	0.42
1:B:32:ALA:HA	1:B:99:LEU:O	2.19	0.42
1:C:223[A]:ARG:NH1	5:C:411:HOH:O	2.49	0.42
1:D:47:ALA:N	1:D:48:PRO:CD	2.83	0.42
1:D:159:VAL:HG22	1:D:198:THR:HG22	2.02	0.41
1:A:230:SER:HB2	1:A:283:PHE:CD1	2.56	0.41
1:C:47:ALA:N	1:C:48:PRO:CD	2.84	0.41
1:B:218:ALA:O	1:B:222:VAL:HG22	2.21	0.41
1:B:156:ARG:HA	1:B:156:ARG:HD3	1.87	0.41
1:A:28:LYS:HE2	3:A:403:PGE:H22	2.02	0.41
1:C:32:ALA:HA	1:C:99:LEU:O	2.20	0.41
1:A:209:SER:H	2:A:401:PEG:H12	1.85	0.41
1:B:141:LYS:HB3	5:B:399:HOH:O	2.20	0.41
1:D:242:GLU:HA	1:D:243:PRO:HD3	1.92	0.41
1:B:141:LYS:HD3	1:B:141:LYS:HA	1.86	0.40
1:D:215:GLN:O	1:D:219[B]:LEU:HG	2.22	0.40
1:C:219:LEU:HD12	1:C:223[A]:ARG:CZ	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:194:PRO:O	5:C:402:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:MET:HE1	1:D:154:HIS:HB3[5_554]	1.25	0.35

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/286 (100%)	279 (98%)	6 (2%)	1 (0%)	41	41
1	B	283/286 (99%)	274 (97%)	9 (3%)	0	100	100
1	C	284/286 (99%)	277 (98%)	6 (2%)	1 (0%)	34	32
1	D	282/286 (99%)	273 (97%)	8 (3%)	1 (0%)	34	32
All	All	1135/1144 (99%)	1103 (97%)	29 (3%)	3 (0%)	41	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	174	VAL
1	C	174	VAL
1	D	173	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/222 (101%)	222 (99%)	2 (1%)	78	84
1	B	221/222 (100%)	215 (97%)	6 (3%)	44	48
1	C	222/222 (100%)	219 (99%)	3 (1%)	67	73
1	D	220/222 (99%)	215 (98%)	5 (2%)	50	55
All	All	887/888 (100%)	871 (98%)	16 (2%)	59	65

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	157	LYS
1	A	246	ARG
1	B	171	MET
1	B	178	SER
1	B	179	ARG
1	B	200	ARG
1	B	238	MET
1	B	246	ARG
1	C	155	LYS
1	C	222	VAL
1	C	286	ARG
1	D	9	ARG
1	D	156	ARG
1	D	157	LYS
1	D	172	ARG
1	D	246	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	65	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PGE	A	403	-	9,9,9	0.13	0	8,8,8	0.14	0
2	PEG	A	401	-	6,6,6	0.48	0	5,5,5	0.35	0
4	EDO	D	302	-	3,3,3	0.42	0	2,2,2	0.08	0
2	PEG	A	402	-	6,6,6	0.22	0	5,5,5	0.09	0
2	PEG	C	302	-	6,6,6	0.45	0	5,5,5	0.35	0
2	PEG	C	301	-	6,6,6	0.62	0	5,5,5	0.55	0
4	EDO	D	303	-	3,3,3	0.31	0	2,2,2	0.16	0
3	PGE	C	303	-	9,9,9	0.25	0	8,8,8	0.13	0
2	PEG	D	301	-	6,6,6	0.53	0	5,5,5	0.58	0
4	EDO	A	404	-	3,3,3	0.43	0	2,2,2	0.52	0
4	EDO	D	304	-	3,3,3	0.38	0	2,2,2	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PGE	A	403	-	-	5/7/7/7	-
2	PEG	A	401	-	-	1/4/4/4	-
4	EDO	D	302	-	-	1/1/1/1	-
2	PEG	A	402	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	C	302	-	-	2/4/4/4	-
2	PEG	C	301	-	-	3/4/4/4	-
4	EDO	D	303	-	-	1/1/1/1	-
3	PGE	C	303	-	-	3/7/7/7	-
2	PEG	D	301	-	-	1/4/4/4	-
4	EDO	A	404	-	-	1/1/1/1	-
4	EDO	D	304	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	403	PGE	O3-C5-C6-O4
3	C	303	PGE	O2-C3-C4-O3
2	C	301	PEG	O1-C1-C2-O2
4	D	302	EDO	O1-C1-C2-O2
3	A	403	PGE	O2-C3-C4-O3
4	A	404	EDO	O1-C1-C2-O2
3	C	303	PGE	O3-C5-C6-O4
3	A	403	PGE	O1-C1-C2-O2
2	A	402	PEG	O1-C1-C2-O2
2	C	302	PEG	O1-C1-C2-O2
2	C	302	PEG	O2-C3-C4-O4
4	D	304	EDO	O1-C1-C2-O2
2	A	402	PEG	C1-C2-O2-C3
3	A	403	PGE	C3-C4-O3-C5
3	C	303	PGE	C1-C2-O2-C3
3	A	403	PGE	C4-C3-O2-C2
2	D	301	PEG	O2-C3-C4-O4
2	C	301	PEG	C4-C3-O2-C2
2	A	402	PEG	C4-C3-O2-C2
2	C	301	PEG	C1-C2-O2-C3
2	A	401	PEG	C4-C3-O2-C2
4	D	303	EDO	O1-C1-C2-O2

There are no ring outliers.

7 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	403	PGE	1	0
2	A	401	PEG	4	0
2	A	402	PEG	1	0
2	C	302	PEG	1	0
2	C	301	PEG	3	0
3	C	303	PGE	2	0
4	A	404	EDO	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/286 (99%)	0.13	12 (4%) 36 42	22, 33, 73, 107	0
1	B	285/286 (99%)	0.52	34 (11%) 4 5	27, 49, 91, 121	0
1	C	285/286 (99%)	0.07	14 (4%) 29 35	22, 33, 69, 118	0
1	D	282/286 (98%)	0.14	16 (5%) 23 29	26, 42, 83, 110	0
All	All	1137/1144 (99%)	0.22	76 (6%) 17 22	22, 39, 83, 121	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	174	VAL	11.1
1	B	174	VAL	10.4
1	A	173	GLY	9.5
1	A	174	VAL	8.3
1	C	154	HIS	6.7
1	B	172	ARG	5.4
1	B	3	LEU	5.3
1	B	154	HIS	5.1
1	B	2	SER	4.9
1	C	156	ARG	4.8
1	B	175	GLY	4.6
1	D	241	VAL	4.5
1	B	241	VAL	4.5
1	D	278	ARG	4.4
1	C	173	GLY	4.3
1	D	174	VAL	4.3
1	B	243	PRO	4.1
1	B	236	GLN	4.0
1	B	237	GLY	3.9
1	B	173	GLY	3.8
1	D	173	GLY	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	168	GLU	3.7
1	B	153	ARG	3.5
1	A	172	ARG	3.5
1	D	153	ARG	3.4
1	B	156	ARG	3.3
1	C	172	ARG	3.3
1	A	175	GLY	3.2
1	A	240	ALA	3.2
1	D	156	ARG	3.1
1	B	197	TYR	3.1
1	D	154	HIS	3.1
1	B	155	LYS	3.1
1	D	5	VAL	3.0
1	D	195	GLY	3.0
1	B	246	ARG	2.9
1	A	241	VAL	2.9
1	B	164	GLU	2.9
1	C	3	LEU	2.8
1	D	175	GLY	2.8
1	C	164	GLU	2.8
1	C	175	GLY	2.8
1	B	53	LEU	2.7
1	B	244	ARG	2.6
1	B	247	ALA	2.6
1	B	51	ALA	2.5
1	A	166	ALA	2.5
1	B	250	GLU	2.5
1	C	162	GLU	2.5
1	D	236	GLN	2.4
1	A	162	GLU	2.4
1	C	241	VAL	2.4
1	A	154	HIS	2.3
1	B	50	LEU	2.3
1	B	165	LYS	2.3
1	D	237	GLY	2.3
1	C	2	SER	2.3
1	C	165	LYS	2.2
1	B	163	LEU	2.2
1	A	243	PRO	2.2
1	B	285	ALA	2.2
1	B	252	LEU	2.1
1	B	28	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	24	PRO	2.1
1	B	256	ARG	2.1
1	C	153	ARG	2.1
1	B	245	MET	2.1
1	C	243	PRO	2.1
1	B	278	ARG	2.1
1	B	238	MET	2.1
1	D	240	ALA	2.1
1	A	244	ARG	2.0
1	D	177	ILE	2.0
1	A	165	LYS	2.0
1	D	163	LEU	2.0
1	D	285	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PEG	A	402	7/7	0.77	0.20	60,72,86,86	0
2	PEG	C	302	7/7	0.77	0.25	62,80,95,96	0
4	EDO	D	304	4/4	0.85	0.14	52,62,69,78	0
4	EDO	A	404	4/4	0.86	0.19	39,49,56,59	0
2	PEG	C	301	7/7	0.87	0.20	35,57,75,75	0
2	PEG	A	401	7/7	0.88	0.12	45,69,85,85	0
3	PGE	A	403	10/10	0.88	0.18	57,69,83,87	0
2	PEG	D	301	7/7	0.90	0.14	43,56,71,71	0
3	PGE	C	303	10/10	0.91	0.19	52,63,73,75	0
4	EDO	D	302	4/4	0.92	0.09	58,70,74,80	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	EDO	D	303	4/4	0.94	0.09	59,71,75,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.