



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 27, 2024 – 01:45 PM EST

PDB ID : 1AMJ
Title : STERIC AND CONFORMATIONAL FEATURES OF THE ACONITASE MECHANISM
Authors : Stout, C.D.
Deposited on : 1994-11-11
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	754	81% 16% . .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6182 atoms, of which 1 is hydrogen and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACONITASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	753	5812	3663	1031	1096	22	0	0	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	HIS	ASN	conflict	UNP P20004
A	26	ASP	ASN	conflict	UNP P20004
A	72	GLN	ARG	conflict	UNP P20004
A	190	MET	THR	conflict	UNP P20004
A	382	LYS	GLN	conflict	UNP P20004
A	408	VAL	ILE	conflict	UNP P20004
A	528	ARG	GLN	conflict	UNP P20004
A	550	LYS	ARG	conflict	UNP P20004
A	597	SER	VAL	conflict	UNP P20004
A	600	ARG	GLY	conflict	UNP P20004
A	625	GLN	LYS	conflict	UNP P20004
A	647	SER	ALA	conflict	UNP P20004
A	653	PHE	HIS	conflict	UNP P20004
A	700	GLN	LYS	conflict	UNP P20004
A	752	GLN	-	insertion	UNP P20004

- Molecule 2 is HYDROXIDE ION (three-letter code: OH) (formula: HO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	H	O		
2	A	1	2	1	1	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
3	A	1	5	4	1	0	0

- Molecule 4 is IRON/SULFUR CLUSTER (three-letter code: SF₄) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Fe S 8 4 4	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	355	Total O 355 355	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: ACONITASE

Chain A:  81% 16% ..



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	B 1 1 2	Depositor
Cell constants a, b, c, α , β , γ	185.50Å 72.00Å 73.00Å 90.00° 90.00° 77.70°	Depositor
Resolution (Å)	8.00 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.168 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6182	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OH, SO4, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.84	1/5938 (0.0%)	1.60	83/8044 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	325	PRO	C-N	-5.50	1.21	1.34

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	447	ARG	NE-CZ-NH2	-26.32	107.14	120.30
1	A	580	ARG	NE-CZ-NH2	-22.60	109.00	120.30
1	A	447	ARG	NE-CZ-NH1	19.23	129.91	120.30
1	A	666	ARG	NE-CZ-NH2	-18.68	110.96	120.30
1	A	580	ARG	NE-CZ-NH1	18.43	129.51	120.30
1	A	410	ARG	NE-CZ-NH2	-15.91	112.35	120.30
1	A	402	ARG	NE-CZ-NH2	-15.79	112.40	120.30
1	A	666	ARG	NE-CZ-NH1	14.31	127.46	120.30
1	A	410	ARG	NE-CZ-NH1	13.70	127.15	120.30
1	A	430	ARG	NE-CZ-NH1	12.67	126.63	120.30
1	A	430	ARG	NE-CZ-NH2	-12.34	114.13	120.30
1	A	115	ARG	NE-CZ-NH2	-11.92	114.34	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	402	ARG	NE-CZ-NH1	11.27	125.94	120.30
1	A	65	ARG	NE-CZ-NH1	10.40	125.50	120.30
1	A	65	ARG	NE-CZ-NH2	-9.30	115.65	120.30
1	A	139	TRP	CD1-CG-CD2	9.23	113.68	106.30
1	A	195	TRP	CD1-CG-CD2	8.97	113.48	106.30
1	A	346	TRP	CD1-CG-CD2	8.96	113.47	106.30
1	A	325	PRO	CA-C-N	8.94	136.86	117.20
1	A	326	PHE	N-CA-C	8.63	134.29	111.00
1	A	630	TRP	CD1-CG-CD2	8.14	112.81	106.30
1	A	738	TRP	CD1-CG-CD2	7.81	112.55	106.30
1	A	576	TRP	CD1-CG-CD2	7.50	112.30	106.30
1	A	630	TRP	CE2-CD2-CG	-7.44	101.35	107.30
1	A	139	TRP	CE2-CD2-CG	-7.38	101.39	107.30
1	A	325	PRO	CA-C-O	-7.23	102.84	120.20
1	A	346	TRP	CE2-CD2-CG	-7.18	101.55	107.30
1	A	428	TRP	CD1-CG-CD2	7.14	112.01	106.30
1	A	34	ARG	NE-CZ-NH2	-7.02	116.79	120.30
1	A	195	TRP	CE2-CD2-CG	-6.97	101.72	107.30
1	A	547	TRP	CD1-CG-CD2	6.96	111.87	106.30
1	A	214	TRP	CD1-CG-CD2	6.91	111.83	106.30
1	A	428	TRP	CE2-CD2-CG	-6.88	101.79	107.30
1	A	666	ARG	CG-CD-NE	-6.88	97.34	111.80
1	A	747	ARG	NE-CZ-NH2	-6.80	116.90	120.30
1	A	346	TRP	CG-CD1-NE1	-6.78	103.32	110.10
1	A	57	ARG	NE-CZ-NH1	6.73	123.67	120.30
1	A	195	TRP	CG-CD1-NE1	-6.71	103.39	110.10
1	A	240	TYR	CB-CG-CD2	-6.71	116.98	121.00
1	A	63	ARG	NE-CZ-NH2	-6.63	116.98	120.30
1	A	56	GLU	CA-CB-CG	6.63	127.98	113.40
1	A	445	TYR	CB-CG-CD2	-6.60	117.04	121.00
1	A	576	TRP	CE2-CD2-CG	-6.60	102.02	107.30
1	A	44	TYR	CB-CG-CD2	-6.59	117.04	121.00
1	A	487	LEU	CA-CB-CG	6.57	130.41	115.30
1	A	738	TRP	CE2-CD2-CG	-6.49	102.11	107.30
1	A	214	TRP	CE2-CD2-CG	-6.48	102.11	107.30
1	A	275	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	A	428	TRP	CG-CD2-CE3	6.46	139.71	133.90
1	A	208	THR	N-CA-CB	-6.42	98.09	110.30
1	A	396	ILE	CG1-CB-CG2	-6.36	97.41	111.40
1	A	447	ARG	CG-CD-NE	-6.31	98.55	111.80
1	A	139	TRP	CB-CG-CD1	-6.23	118.90	127.00
1	A	547	TRP	CE2-CD2-CG	-6.15	102.38	107.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	412	VAL	CB-CA-C	-6.14	99.73	111.40
1	A	580	ARG	CD-NE-CZ	6.12	132.16	123.60
1	A	18	TYR	CB-CG-CD2	-5.95	117.43	121.00
1	A	403	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	139	TRP	CG-CD1-NE1	-5.77	104.33	110.10
1	A	522	LYS	CA-C-N	-5.77	104.51	117.20
1	A	115	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	A	374	LYS	CA-CB-CG	5.73	126.00	113.40
1	A	638	TYR	CB-CG-CD1	-5.62	117.63	121.00
1	A	351	ARG	NE-CZ-NH1	5.60	123.10	120.30
1	A	738	TRP	CG-CD1-NE1	-5.57	104.53	110.10
1	A	630	TRP	CG-CD1-NE1	-5.57	104.53	110.10
1	A	63	ARG	NE-CZ-NH1	5.53	123.07	120.30
1	A	545	ASP	CB-CG-OD1	5.49	123.24	118.30
1	A	156	TYR	CB-CG-CD2	-5.47	117.72	121.00
1	A	68	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	A	551	ASP	CB-CG-OD1	5.40	123.16	118.30
1	A	528	ARG	CA-CB-CG	5.34	125.16	113.40
1	A	428	TRP	CG-CD1-NE1	-5.31	104.79	110.10
1	A	31	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	A	139	TRP	CG-CD2-CE3	5.25	138.63	133.90
1	A	49	ASP	CB-CG-OD1	5.18	122.96	118.30
1	A	2	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	A	363	TYR	CB-CG-CD2	-5.17	117.90	121.00
1	A	630	TRP	CB-CG-CD1	-5.16	120.29	127.00
1	A	537	ARG	CA-CB-CG	-5.12	102.15	113.40
1	A	547	TRP	CG-CD1-NE1	-5.10	105.00	110.10
1	A	580	ARG	CG-CD-NE	-5.10	101.09	111.80
1	A	31	ARG	NE-CZ-NH2	-5.03	117.78	120.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	326	PHE	CA

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5812	0	5793	47	0
2	A	1	1	0	0	0
3	A	5	0	0	0	0
4	A	8	0	0	0	0
5	A	355	0	0	1	0
All	All	6181	1	5793	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:LYS:HD3	1:A:476:GLY:HA3	1.61	0.83
1:A:430:ARG:HH22	1:A:439:ASN:HD21	1.35	0.75
1:A:430:ARG:HD2	1:A:432:ASP:OD1	1.94	0.66
1:A:143:SER:HB3	1:A:516:THR:HB	1.79	0.65
1:A:517:TYR:OH	1:A:519:HIS:HD2	1.81	0.63
1:A:504:GLU:HG2	1:A:505:LEU:HG	1.84	0.58
1:A:552:LEU:HD23	1:A:629:ARG:HH21	1.69	0.57
1:A:622:TYR:O	1:A:626:HIS:HD2	1.92	0.53
1:A:56:GLU:HB2	1:A:60:THR:HG23	1.91	0.52
1:A:319:LYS:O	1:A:321:HIS:HD2	1.94	0.51
1:A:182:GLY:HA3	1:A:671:ASN:HD21	1.74	0.51
1:A:13:HIS:H	1:A:13:HIS:CD2	2.29	0.51
1:A:442:VAL:HG23	1:A:469:VAL:HG22	1.93	0.51
1:A:430:ARG:HH22	1:A:439:ASN:ND2	2.05	0.50
1:A:427:GLN:HE21	1:A:427:GLN:HA	1.77	0.50
1:A:221:ILE:HG12	1:A:259:MET:HB3	1.93	0.50
1:A:2:ARG:HG2	1:A:2:ARG:NH1	2.28	0.49
1:A:449:PHE:HE1	1:A:564:LYS:HZ3	1.61	0.48
1:A:517:TYR:OH	1:A:519:HIS:CD2	2.65	0.48
1:A:230:VAL:HA	1:A:263:ILE:HA	1.96	0.48
1:A:519:HIS:CD2	1:A:520:PRO:HD2	2.49	0.48
1:A:2:ARG:HG2	1:A:2:ARG:HH11	1.80	0.47
1:A:402:ARG:HD2	1:A:403:ASP:OD1	2.14	0.47
1:A:106:GLN:HG2	1:A:107:LEU:HD13	1.97	0.46
1:A:277:LYS:HG3	1:A:289:ALA:HB1	1.96	0.46
1:A:485:ASP:O	1:A:496:LYS:HG2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:LEU:HD13	1:A:443:THR:HG22	1.99	0.45
1:A:380:GLY:O	1:A:490:LYS:HD3	2.16	0.45
1:A:208:THR:HG22	1:A:314:ASN:HA	1.98	0.44
1:A:343:LYS:HE3	1:A:343:LYS:HB2	1.88	0.43
1:A:383:CYS:HA	1:A:474:ILE:HA	2.00	0.43
1:A:433:ILE:HD13	1:A:456:ASN:HD22	1.83	0.43
1:A:208:THR:O	1:A:315:LEU:HB2	2.19	0.43
1:A:336:GLU:O	1:A:340:VAL:HG23	2.19	0.43
1:A:430:ARG:NH2	1:A:439:ASN:HD21	2.11	0.42
1:A:174:LEU:HD13	1:A:250:CYS:SG	2.60	0.42
1:A:589:ASN:ND2	1:A:650:GLU:OE1	2.53	0.42
1:A:496:LYS:HE2	1:A:496:LYS:HB3	1.81	0.42
1:A:546:LYS:HD3	1:A:741:ALA:O	2.20	0.42
1:A:63:ARG:HD3	5:A:1267:HOH:O	2.19	0.41
1:A:522:LYS:CE	1:A:522:LYS:HA	2.50	0.41
1:A:521:PRO:HB2	1:A:524:SER:HB2	2.02	0.41
1:A:621:ARG:HG2	1:A:654:LEU:HD22	2.02	0.41
1:A:348:LEU:HD12	1:A:479:LYS:HG3	2.02	0.41
1:A:69:VAL:O	1:A:95:SER:HA	2.20	0.41
1:A:517:TYR:CZ	1:A:519:HIS:HD2	2.39	0.40
1:A:319:LYS:NZ	1:A:483:GLU:OE2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	751/754 (100%)	722 (96%)	23 (3%)	6 (1%)	19 13

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	525	SER
1	A	109	GLY
1	A	753	GLN
1	A	326	PHE
1	A	524	SER
1	A	523	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	622/623 (100%)	577 (93%)	45 (7%)	14 9

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	30	LYS
1	A	72	GLN
1	A	107	LEU
1	A	110	GLU
1	A	125	ASN
1	A	148	GLN
1	A	169	PRO
1	A	174	LEU
1	A	198	LYS
1	A	208	THR
1	A	228	LEU
1	A	303	SER
1	A	310	LEU
1	A	315	LEU
1	A	317	GLU
1	A	326	PHE
1	A	327	THR
1	A	330	LEU
1	A	343	LYS
1	A	374	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	396	ILE
1	A	412	VAL
1	A	425	ILE
1	A	427	GLN
1	A	430	ARG
1	A	434	LYS
1	A	442	VAL
1	A	496	LYS
1	A	497	LEU
1	A	514	GLN
1	A	522	LYS
1	A	528	ARG
1	A	578	LYS
1	A	589	ASN
1	A	631	VAL
1	A	637	ASN
1	A	657	ARG
1	A	666	ARG
1	A	702	LEU
1	A	703	LYS
1	A	705	PHE
1	A	733	GLU
1	A	747	ARG
1	A	754	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	HIS
1	A	321	HIS
1	A	427	GLN
1	A	439	ASN
1	A	514	GLN
1	A	519	HIS
1	A	536	GLN
1	A	539	GLN
1	A	585	ASN
1	A	589	ASN
1	A	626	HIS
1	A	637	ASN
1	A	671	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is modelled with single atom - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SF4	A	999	1,2	0,12,12	-	-	-		
3	SO4	A	997	-	4,4,4	0.98	0	6,6,6	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SF4	A	999	1,2	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.