

Full wwPDB X-ray Structure Validation Report (i)

Oct 12, 2024 – 04:55 PM EDT

PDB ID	:	1AOC
Title	:	JAPANESE HORSESHOE CRAB COAGULOGEN
Authors	:	Bergner, A.; Oganessyan, V.; Muta, T.; Iwanaga, S.; Typke, D.; Huber, R.;
		Bode, W.
Deposited on	:	1996-11-28
Resolution	:	2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
Clashscore	180529	10737 (2.00-2.00)
Ramachandran outliers	177936	10628 (2.00-2.00)
Sidechain outliers	177891	10627 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain		
1	А	175	72%	26%	•
1	В	175	68%	29%	•



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 2943 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


• Molecule 1 is a protein called COAGULOGEN.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	175	Total 1377	C 857	N 253	0 251	S 16	161	0	0
1	В	175	Total 1366	C 850		O 250	S 16	146	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	86	SER	LEU	variant	UNP P02681
В	86	SER	LEU	variant	UNP P02681

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	В	1	Total 5	0 4	S 1	0	0



• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	83	Total O 83 83	0	0
3	В	112	Total O 112 112	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Chain A:
 72%
 26%

 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
- Molecule 1: COAGULOGEN



4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 32 2 1	Depositor	
Cell constants	52.20Å 52.20Å 232.20Å	Depositor	
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor	
Resolution (Å)	6.00 - 2.00	Depositor	
% Data completeness	92.0 (6.00-2.00)	Depositor	
(in resolution range)	52.0 (0.00 2.00)	Depositor	
R_{merge}	0.05	Depositor	
R _{sym}	0.05	Depositor	
Refinement program	X-PLOR 3.851	Depositor	
R, R_{free}	0.191 , 0.282	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	2943	wwPDB-VP	
Average B, all atoms $(Å^2)$	38.0	wwPDB-VP	



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: $\mathrm{SO4}$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.57	0/1411	0.78	1/1905~(0.1%)	
1	В	0.56	0/1400	0.76	0/1891	
All	All	0.56	0/2811	0.77	1/3796~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	148	ARG	NE-CZ-NH2	-7.26	116.67	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	101	TYR	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1377	0	1310	31	0
1	В	1366	0	1285	47	1
2	В	5	0	0	1	0
3	А	83	0	0	3	0
3	В	112	0	0	4	1
All	All	2943	0	2595	76	1

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:CYS:HB3	1:B:124:GLN:HE21	1.45	$\frac{0.80}{0.80}$
1:A:120:GLN:HE22	1:A:150:VAL:H	1.30	0.79
1:B:52:SER:HB3	1:B:58:ARG:HE	1.47	0.78
1:A:69:ARG:H	1:A:72:HIS:CD2	2.04	0.74
1:A:71:GLU:HB3	1:B:115:ARG:NH2	$\frac{2.04}{2.07}$	0.69
1:A:71:GLU:HB3	1:B:115:ARG:HH22	1.59	0.66
1:B:124:GLN:HE22	1:B:167:CYS:H	1.43	0.66
1:A:128:ARG:HG2	1:A:129:PHE:CE2	2.31	0.65
1:B:152:TYR:OH	1:B:157:ASP:HB2	1.96	0.65
1:A:23:THR:OG1	1:A:26:ILE:HG13	1.90	0.63
1:A:157:ASP:HB3	3:A:203:HOH:O	1.99	0.63
1:B:153:ASN:ND2	1:B:156:LYS:H	1.95	0.61
1:B:103:VAL:HG13	1:B:165:ARG:NH1	2.15	0.61
1:A:29:LYS:HE2	3:A:198:HOH:O	2.13	0.59
1:B:9:LEU:O	1:B:10:CYS:HB2	$\frac{2.02}{2.04}$	0.59
1:B:8:CYS:HB3	1:B:124:GLN:NE2	2.04	0.58
1:B:124:GLN:NE2	1:B:167:CYS:H	2.13	0.57
1:A:69:ARG:H	1:A:72:HIS:HD2	1.48	0.57
1:B:69:ARG:HD2	1:B:71:GLU:OE2		
1:A:153:ASN:ND2	1:A:156:LYS:HB3	$\frac{2.06}{2.22}$	0.55
			0.54
1:B:59:GLU:OE2	1:B:148:ARG:NH1	2.40	0.53
1:B:52:SER:HB3	1:B:58:ARG:NE	2.22	0.53
1:B:41:SER:HG	1:B:53:HIS:HB3	1.72	0.53
1:B:41:SER:OG	1:B:53:HIS:HB3	2.09	0.53
1:B:95:CYS:HB3	1:B:122:VAL:O	2.09	0.53
1:B:29:LYS:HE2	3:B:708:HOH:O	2.09	0.53
1:A:36:ALA:O	1:A:39:GLN:HG2	2.08	0.53



Atom 1	Atom D	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:66:ARG:HG2	3:B:617:HOH:O	2.08	0.53
1:A:101:TYR:HA	1:A:106:GLU:O	2.09	0.52
1:B:75:CYS:SG	1:B:143:GLN:HG2	2.50	0.52
1:A:36:ALA:O	1:A:40:GLU:HG3	2.10	0.51
1:B:48:PHE:CE2	1:B:52:SER:HB2	2.46	0.51
1:B:101:TYR:HA	1:B:106:GLU:O	2.11	0.51
1:A:95:CYS:SG	1:A:97:PRO:HD3	2.52	0.50
1:B:48:PHE:CZ	1:B:58:ARG:NH2	2.80	0.50
1:A:124:GLN:NE2	1:A:167:CYS:H	2.10	0.49
1:A:141:THR:O	1:A:171:PRO:HD2	2.13	0.49
1:B:75:CYS:N	1:B:168:CYS:HB2	2.28	0.49
1:A:99:PHE:HE1	1:A:101:TYR:CE2	2.31	0.49
1:B:71:GLU:HA	1:B:74:ARG:HG2	1.95	0.49
1:B:52:SER:HB3	1:B:58:ARG:HH21	1.78	0.48
1:A:124:GLN:HE22	1:A:167:CYS:H	1.60	0.47
1:A:95:CYS:HB3	1:A:122:VAL:O	2.15	0.47
1:A:151:THR:HG21	1:A:162:GLU:HG3	1.96	0.47
1:B:74:ARG:HD3	1:B:125:HIS:CD2	2.50	0.47
1:A:139:ARG:NH2	1:A:175:PHE:HD2	2.13	0.46
1:B:134:CYS:HB2	3:B:675:HOH:O	2.16	0.46
1:B:69:ARG:H	1:B:72:HIS:CD2	2.34	0.46
1:B:145:SER:O	1:B:165:ARG:HA	2.16	0.46
1:A:73:SER:OG	1:A:125:HIS:HE1	1.96	0.46
1:B:85:LYS:HE3	1:B:86:SER:OG	2.16	0.46
1:A:137:ASN:OD1	1:A:137:ASN:N	2.49	0.45
1:B:137:ASN:OD1	1:B:174:SER:HB3	2.16	0.45
1:B:35:GLU:O	1:B:39:GLN:HG3	2.16	0.45
1:B:141:THR:O	1:B:171:PRO:HD2	2.17	0.45
1:B:103:VAL:HG13	1:B:165:ARG:HH12	1.79	0.45
1:B:48:PHE:HE2	1:B:52:SER:HB2	1.81	0.44
1:B:138:GLY:HA2	1:B:174:SER:HA	1.98	0.44
1:A:32:LYS:HD3	1:A:32:LYS:HA	1.74	0.44
1:B:155:GLU:CD	1:B:156:LYS:HZ3	2.21	0.44
1:B:139:ARG:HE	1:B:141:THR:HG23	1.83	0.43
1:B:48:PHE:CE2	1:B:58:ARG:NH2	2.87	0.43
1:A:103:VAL:O	1:A:165:ARG:NH2	2.51	0.43
1:A:27:LYS:HG2	3:A:248:HOH:O	2.20	0.42
1:A:91:SER:OG	1:A:93:ARG:NH2	2.52	0.42
1:B:66:ARG:NH1	2:B:600:SO4:O4	2.53	0.41
1:A:39:GLN:C	1:A:41:SER:H	2.23	0.41
1:B:115:ARG:HG2	1:B:115:ARG:HH11	1.86	0.41

Continued from previous page...



1AOC	,

Atom-1	Atom-2	Interatomic	Clash
		distance (Å)	overlap (Å)
1:B:129:PHE:HE2	3:B:642:HOH:O	2.04	0.41
1:B:148:ARG:HA	1:B:162:GLU:O	2.20	0.41
1:B:137:ASN:HD21	1:B:175:PHE:HB2	1.86	0.41
1:B:139:ARG:NE	1:B:141:THR:HG23	2.36	0.41
1:B:153:ASN:HD22	1:B:156:LYS:HB2	1.86	0.40
1:A:39:GLN:C	1:A:41:SER:N	2.73	0.40
1:A:106:GLU:OE2	1:A:108:ARG:NH2	2.54	0.40
1:A:70:PRO:O	1:A:125:HIS:CE1	2.75	0.40

Continued from previous page...

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
1:B:135:GLY:N	3:B:671:HOH:O[5_445]	2.18	0.02

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	173/175~(99%)	152 (88%)	17 (10%)	4 (2%)	5 2
1	В	173/175~(99%)	159 (92%)	9~(5%)	5(3%)	3 1
All	All	346/350~(99%)	311 (90%)	26~(8%)	9~(3%)	4 1

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	21	ILE
1	В	131	SER
1	А	7	ILE
1	А	137	ASN
1	В	157	ASP



Continued from previous page...

Mol	Chain	Res	Type
1	А	2	ASP
1	В	12	GLU
1	В	13	PRO
1	А	15	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	153/153~(100%)	148~(97%)	5(3%)	33 33
1	В	150/153~(98%)	145~(97%)	5 (3%)	33 33
All	All	303/306~(99%)	293~(97%)	10 (3%)	33 33

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	85	LYS
1	А	98	VAL
1	А	99	PHE
1	А	128	ARG
1	А	154	LEU
1	В	28	ASP
1	В	48	PHE
1	В	77	ASN
1	В	139	ARG
1	В	141	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	39	GLN
1	А	54	HIS
1	А	72	HIS
1	А	77	ASN



Mol	Chain Res		Type	
1	А	120	GLN	
1	А	124	GLN	
1	А	125	HIS	
1	В	72	HIS	
1	В	77	ASN	
1	В	124	GLN	
1	В	125	HIS	
1	В	153	ASN	

Continued from previous page...

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
2	SO4	В	600	-	4,4,4	0.81	0	$6,\!6,\!6$	0.83	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	600	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

