

Full wwPDB X-ray Structure Validation Report (i)

Oct 26, 2024 - 01:06 PM EDT

PDB ID	:	6APJ
Title	:	Crystal Structure of human ST6GALNAC2
Authors	:	Forouhar, F.; Moremen, K.W.; Northeast Structural Genomics Consortium
		(NESG); Tong, L.
Deposited on	:	2017-08-17
Resolution	:	3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	164625	1351 (3.10-3.10)
Clashscore	180529	1454 (3.10-3.10)
Ramachandran outliers	177936	1391 (3.10-3.10)
Sidechain outliers	177891	1391 (3.10-3.10)
RSRZ outliers	164620	1351 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	А	374	63%	13% • 22%				
1	В	374	63%	11% • 24%				
1	С	374	2% 6 5%	11% • 23%				
1	D	374	% • 63%	11% • 23%				
1	Е	374	% 65%	11% • 23%				



Mol	Chain	Length	Quality of chain					
			%					
1	F	374	66%	11%	•	21%		



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 13939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		A	Atoms	5			ZeroOcc	AltConf	Trace
1	Δ	201	Total	С	Ν	0	\mathbf{S}	Se	0	0	0
1	Л	291	2325	1507	404	406	4	4	0	0	0
1	В	285	Total	С	Ν	0	S	Se	0	0	0
1	D	285	2273	1472	395	398	4	4	0	0	0
1	С	200	Total	С	Ν	0	S	Se	0	0	0
1		289	2309	1497	400	404	4	4		0	0
1	Л	288	Total	С	Ν	0	S	Se	0	0	0
1	D	200	2297	1488	399	402	4	4	0	0	0
1	F	288	Total	С	Ν	0	S	Se	0	0	0
1	1 12	200	2307	1497	401	400	5	4	0	0	0
1	1 F	206	Total	С	Ν	Ο	S	Se	0	0	0
	Г	290	2372	1540	412	411	5	4		U	0

• Molecule 1 is a protein called Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2.

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	MSE	-	initiating methionine	UNP Q9UJ37
В	1	MSE	-	initiating methionine	UNP Q9UJ37
С	1	MSE	-	initiating methionine	UNP Q9UJ37
D	1	MSE	-	initiating methionine	UNP Q9UJ37
Е	1	MSE	-	initiating methionine	UNP Q9UJ37
F	1	MSE	-	initiating methionine	UNP Q9UJ37

• Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total C N O 14 8 1 5	0	0
2	А	1	Total C N O 14 8 1 5	0	0
2	Е	1	Total C N O 14 8 1 5	0	0
2	F	1	Total C N O 14 8 1 5	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2



L359 L363 L363 T368 R374

 \bullet Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2







P248 CLY V249 CLN V249 CLN V249 CLN V249 CLN V249 CLN C251 CLN C253 CLN C254 CLN C255 CLN C255 CLN C262 CLN C283 CLN C1283 R81 C1283 R81 C1283 R110 K109 M10 K109 K109 K100 M114 M124 M12 M203 M10 M303 PR0 M304 M177 M305 M177 M306 M177 M307 M172 M308 V180 M309 V182 M309 V182 M309 V182 M309 V182 M309 V180 M309 V



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	71.35Å 71.80Å 134.25Å	Deperitor
a, b, c, α , β , γ	98.78° 101.92° 103.48°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	44.28 - 3.10	Depositor
Resolution (A)	44.28 - 3.10	EDS
% Data completeness	93.2 (44.28-3.10)	Depositor
(in resolution range)	93.2 (44.28-3.10)	EDS
R _{merge}	0.06	Depositor
R_{sym}	0.08	Depositor
$< I/\sigma(I) > 1$	2.72 (at 3.12Å)	Xtriage
Refinement program	PHENIX, REFMAC, CNS	Depositor
D D	0.201 , 0.252	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.208 , 0.257	DCC
R_{free} test set	4186 reflections $(9.99%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	91.0	Xtriage
Anisotropy	0.307	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 70.6	EDS
L-test for twinning ²	$< L > = 0.48, < L^2 > = 0.31$	Xtriage
Estimated twinning fraction	0.021 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	13939	wwPDB-VP
Average B, all atoms $(Å^2)$	100.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.24	0/2388	0.42	0/3232
1	В	0.25	0/2334	0.42	0/3158
1	С	0.24	0/2371	0.42	0/3209
1	D	0.24	0/2358	0.42	0/3191
1	Ε	0.24	0/2370	0.41	0/3206
1	F	0.24	0/2437	0.42	0/3297
All	All	0.24	0/14258	0.42	0/19293

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2325	0	2281	27	0
1	В	2273	0	2232	23	0
1	С	2309	0	2269	22	0
1	D	2297	0	2260	29	0
1	Е	2307	0	2270	23	0
1	F	2372	0	2344	22	0
2	А	28	0	26	0	0



• • • • • •	j	- <u>r</u>	$F = J = \cdots$			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Е	14	0	13	1	0
2	F	14	0	13	1	0
All	All	13939	0	13708	140	0

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:182:VAL:HG22	1:A:216:PHE:HB2	1.65	0.78	
1:B:182:VAL:HG22	1:B:216:PHE:HB2	1.67	0.75	
1:C:182:VAL:HG22	1:C:216:PHE:HB2	1.67	0.74	
1:D:182:VAL:HG22	1:D:216:PHE:HB2	1.73	0.70	
1:E:228:ILE:HD12	1:E:309:MSE:HE1	1.72	0.70	
1:B:228:ILE:HD12	1:B:309:MSE:HE1	1.75	0.68	
1:A:228:ILE:HD12	1:A:309:MSE:HE1	1.77	0.66	
1:A:223:GLN:OE1	1:C:188:ARG:NH2	2.33	0.62	
1:D:104:ARG:NH2	1:D:278:ASP:OD2	2.32	0.61	
1:F:228:ILE:HD12	1:F:309:MSE:HE1	1.81	0.61	
1:B:187:GLU:HG3	1:C:331:TRP:CE2	2.36	0.61	
1:E:117:LEU:HG	1:E:234:ILE:HG23	1.82	0.61	
1:D:185:GLY:N	1:D:187:GLU:OE1	2.32	0.61	
2:E:401:NAG:H3	2:E:401:NAG:H83	1.83	0.60	
1:D:117:LEU:HG	1:D:234:ILE:HG23	1.84	0.59	
1:F:200:THR:HG22	1:F:230:ILE:HB	1.83	0.59	
2:F:401:NAG:H3	2:F:401:NAG:H83	1.83	0.59	
1:D:110:ALA:HB1	1:D:111:PRO:HD2	1.85	0.59	
1:C:110:ALA:HB1	1:C:111:PRO:HD2	1.85	0.59	
1:A:200:THR:HG22	1:A:230:ILE:HB	1.85	0.58	
1:B:200:THR:HG22	1:B:230:ILE:HB	1.85	0.58	
1:E:176:PHE:HD2	1:E:309:MSE:HE3	1.69	0.58	
1:D:200:THR:HG22	1:D:230:ILE:HB	1.87	0.57	
1:E:110:ALA:HB1	1:E:111:PRO:HD2	1.88	0.56	
1:E:182:VAL:HG22	1:E:216:PHE:HB2	1.87	0.56	
1:B:110:ALA:HB1	1:B:111:PRO:HD2	1.88	0.56	
1:F:343:LYS:HD3	1:F:344:PRO:HD2	1.88	0.56	
1:A:187:GLU:HG3	1:D:331:TRP:CZ2	2.42	0.55	
1:A:110:ALA:HB1	1:A:111:PRO:HD2	1.88	0.55	
1:B:283:LEU:HD22	1:B:311:LEU:HD13	1.89	0.55	
1:F:182:VAL:HG22	1:F:216:PHE:HB2	1.89	0.55	



	lo ao pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:283:LEU:HD22	1:A:311:LEU:HD13	1.89	0.55	
1:E:363:LEU:HD12	1:E:368:ILE:HB	1.89	0.55	
1:F:110:ALA:HB1	1:F:111:PRO:HD2	1.88	0.54	
1:C:200:THR:HG22	1:C:230:ILE:HB	1.90	0.54	
1:A:187:GLU:HG3	1:D:331:TRP:CE2	2.43	0.53	
1:D:287:PHE:HB3	1:D:359:LEU:HD11	1.90	0.53	
1:D:67:ARG:HD3	1:D:67:ARG:H	1.74	0.53	
1:B:265:PRO:HB2	1:D:167:PRO:HG2	1.91	0.53	
1:C:283:LEU:HD22	1:C:311:LEU:HD13	1.91	0.53	
1:B:97:PHE:HB2	1:B:126:LEU:HD23	1.90	0.53	
1:F:248:PRO:HA	1:F:259:PRO:HD3	1.90	0.53	
1:A:331:TRP:CZ2	1:F:187:GLU:HG3	2.44	0.52	
1:D:359:LEU:HD22	1:D:363:LEU:HD22	1.91	0.52	
1:E:314:LEU:HD22	1:E:320:VAL:HG11	1.91	0.52	
1:A:97:PHE:HB2	1:A:126:LEU:HD23	1.90	0.52	
1:E:109:LYS:HG2	1:E:110:ALA:H	1.75	0.52	
1:A:248:PRO:HA	1:A:259:PRO:HD3	1.92	0.52	
1:F:117:LEU:HG	1:F:234:ILE:HG23	1.91	0.52	
1:F:363:LEU:HD12	1:F:368:ILE:HB	1.90	0.52	
1:A:67:ARG:H	1:A:67:ARG:HD3	1.74	0.52	
1:B:176:PHE:HD2	1:B:309:MSE:HE3	1.75	0.52	
1:A:176:PHE:HD2	1:A:309:MSE:HE3	1.75	0.51	
1:C:128:LEU:HD23	1:C:244:ILE:HB	1.92	0.51	
1:E:200:THR:HG22	1:E:230:ILE:HB	1.92	0.51	
1:A:104:ARG:NH2	1:A:278:ASP:OD2	2.42	0.51	
1:C:137:LEU:HD12	1:C:316:THR:HG21	1.92	0.51	
1:F:160:LEU:HD13	1:F:190:VAL:HG12	1.93	0.51	
1:F:303:PRO:HB2	1:F:308:LEU:HD13	1.92	0.50	
1:F:283:LEU:HD22	1:F:311:LEU:HD13	1.94	0.50	
1:A:160:LEU:HD13	1:A:190:VAL:HG12	1.92	0.50	
1:D:248:PRO:HA	1:D:259:PRO:HD3	1.92	0.50	
1:B:155:GLY:N	1:B:323:TYR:O	2.44	0.50	
1:C:109:LYS:HD2	1:C:115:ARG:HH11	1.77	0.50	
1:E:97:PHE:HB2	1:E:126:LEU:HD23	1.94	0.50	
1:F:67:ARG:HD3	1:F:67:ARG:H	1.76	0.49	
1:A:231:PRO:HB3	1:A:274:LEU:HD11	1.94	0.49	
1:E:67:ARG:HD3	1:E:67:ARG:H	1.77	0.49	
1:B:363:LEU:HD12	1:B:368:ILE:HB	1.93	0.49	
1:B:160:LEU:HD13	1:B:190:VAL:HG12	1.95	0.49	
1:C:67:ARG:HD3	1:C:67:ARG:H	1.78	0.49	
1:C:185:GLY:N	1:C:187:GLU:OE1	2.44	0.49	



	lo uo pugom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:303:PRO:HB2	1:C:308:LEU:HD13	1.95	0.49	
1:D:303:PRO:HB2	1:D:308:LEU:HD13	1.94	0.48	
1:B:314:LEU:HD22	1:B:320:VAL:HG11	1.96	0.48	
1:C:314:LEU:HD22	1:C:320:VAL:HG11	1.95	0.48	
1:E:153:VAL:HA	1:E:176:PHE:HB2	1.96	0.48	
1:D:153:VAL:HA	1:D:176:PHE:HB2	1.96	0.48	
1:F:109:LYS:HG2	1:F:110:ALA:H	1.79	0.47	
1:C:176:PHE:HD2	1:C:309:MSE:HE3	1.79	0.47	
1:A:153:VAL:HA	1:A:176:PHE:HB2	1.96	0.47	
1:D:111:PRO:HG3	1:D:302:MSE:SE	2.64	0.47	
1:E:234:ILE:H	1:E:234:ILE:HG13	1.49	0.47	
1:F:287:PHE:HB3	1:F:359:LEU:HD11	1.97	0.47	
1:D:283:LEU:HD22	1:D:311:LEU:HD13	1.97	0.46	
1:A:110:ALA:HB2	1:A:300:LEU:HG	1.97	0.46	
1:B:117:LEU:HG	1:B:234:ILE:HG23	1.96	0.46	
1:C:363:LEU:HD12	1:C:368:ILE:HB	1.98	0.46	
1:D:363:LEU:HD12	1:D:368:ILE:HB	1.97	0.46	
1:E:74:ILE:HG12	1:E:368:ILE:HD13	1.97	0.46	
1:E:248:PRO:HA	1:E:259:PRO:HD3	1.98	0.46	
1:B:102:TRP:HZ3	1:B:122:ILE:HD12	1.80	0.46	
1:E:231:PRO:HB3	1:E:274:LEU:HD11	1.97	0.46	
1:E:198:GLY:HA3	1:E:309:MSE:SE	2.65	0.46	
1:E:283:LEU:HD22	1:E:311:LEU:HD13	1.98	0.46	
1:B:187:GLU:HG3	1:C:331:TRP:CZ2	2.51	0.46	
1:E:287:PHE:HB3	1:E:359:LEU:HD11	1.97	0.46	
1:F:111:PRO:HG3	1:F:302:MSE:SE	2.66	0.46	
1:B:248:PRO:HA	1:B:259:PRO:HD3	1.99	0.45	
1:D:128:LEU:HD23	1:D:244:ILE:HB	1.98	0.45	
1:B:265:PRO:HG3	1:D:164:ARG:HG2	1.99	0.45	
1:F:172:HIS:O	1:F:193:LYS:NZ	2.40	0.45	
1:F:176:PHE:HD2	1:F:309:MSE:HE3	1.81	0.45	
1:B:198:GLY:HA3	1:B:309:MSE:SE	2.67	0.45	
1:D:198:GLY:HA3	1:D:309:MSE:SE	2.67	0.45	
1:D:243:ALA:HA	1:D:259:PRO:HB3	1.98	0.44	
1:E:185:GLY:N	1:E:187:GLU:OE1	2.38	0.44	
1:A:137:LEU:HD12	1:A:316:THR:HG21	2.00	0.44	
1:D:110:ALA:HB2	1:D:300:LEU:HG	1.98	0.44	
1:A:117:LEU:HG	1:A:234:ILE:HG23	2.00	0.44	
1:B:234:ILE:H	1:B:234:ILE:HG13	1.50	0.43	
1:D:109:LYS:HG2	1:D:110:ALA:H	1.83	0.43	
1:A:109:LYS:HG2	1:A:110:ALA:H	1.83	0.43	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:D:234:ILE:H	1:D:234:ILE:HG13	1.49	0.43	
1:C:198:GLY:HA3	1:C:309:MSE:SE	2.68	0.43	
1:B:363:LEU:HD13	1:B:363:LEU:HA	1.87	0.43	
1:A:150:ARG:NE	1:A:319:GLN:HG2	2.34	0.42	
1:F:314:LEU:HD13	1:F:314:LEU:HA	1.84	0.42	
1:F:314:LEU:HD22	1:F:320:VAL:HG11	2.00	0.42	
1:D:199:PHE:HE1	1:D:227:TYR:HB3	1.84	0.42	
1:F:78:PRO:HB3	1:F:81:ARG:HH12	1.84	0.42	
1:C:187:GLU:HB3	1:C:192:THR:HG23	2.02	0.42	
1:C:363:LEU:HD13	1:C:363:LEU:HA	1.91	0.42	
1:A:155:GLY:N	1:A:323:TYR:O	2.47	0.42	
1:D:228:ILE:HD12	1:D:309:MSE:HE1	2.01	0.42	
1:E:93:TRP:CE2	1:E:135:ALA:HB2	2.55	0.42	
1:A:198:GLY:HA3	1:A:309:MSE:SE	2.70	0.41	
1:B:137:LEU:HD12	1:B:316:THR:HG21	2.02	0.41	
1:C:239:MSE:HE2	1:C:263:PHE:HE2	1.85	0.41	
1:C:104:ARG:O	1:C:107:GLN:HG2	2.20	0.41	
1:A:314:LEU:HD22	1:A:320:VAL:HG11	2.03	0.41	
1:D:314:LEU:HD13	1:D:314:LEU:HA	1.85	0.41	
1:C:363:LEU:HB3	1:C:369:LEU:HB3	2.03	0.41	
1:D:184:LYS:HA	1:D:184:LYS:HD2	1.88	0.41	
1:E:359:LEU:HD23	1:E:359:LEU:HA	1.84	0.41	
1:F:74:ILE:HG12	1:F:368:ILE:HD13	2.02	0.41	
1:B:129:LEU:HD11	1:B:240:LEU:HD21	2.02	0.40	
1:E:122:ILE:HA	1:E:125:THR:HG22	2.03	0.40	
1:A:363:LEU:HD12	1:A:363:LEU:HA	1.90	0.40	
1:A:93:TRP:CE2	1:A:135:ALA:HB2	2.57	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	283/374~(76%)	264~(93%)	18 (6%)	1 (0%)	30	63
1	В	277/374~(74%)	255~(92%)	20~(7%)	2(1%)	19	51
1	С	281/374~(75%)	261 (93%)	19 (7%)	1 (0%)	30	63
1	D	280/374~(75%)	258~(92%)	21 (8%)	1 (0%)	30	63
1	Е	280/374~(75%)	265~(95%)	14~(5%)	1 (0%)	30	63
1	F	290/374~(78%)	266~(92%)	23~(8%)	1 (0%)	37	68
All	All	1691/2244~(75%)	1569 (93%)	115 (7%)	7(0%)	30	63

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	110	ALA
1	В	110	ALA
1	С	110	ALA
1	D	110	ALA
1	Е	110	ALA
1	F	110	ALA
1	В	139	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	248/308~(80%)	230~(93%)	18 (7%)	11	37
1	В	242/308~(79%)	225~(93%)	17 (7%)	12	39
1	С	246/308~(80%)	227~(92%)	19 (8%)	10	35
1	D	245/308~(80%)	226~(92%)	19 (8%)	10	35
1	Ε	246/308~(80%)	231 (94%)	15~(6%)	15	43
1	F	253/308~(82%)	234~(92%)	19 (8%)	11	36
All	All	1480/1848 (80%)	1373 (93%)	107 (7%)	12	38

All (107) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res Type	
1	А	67	ARG
1	А	114	TRP
1	А	173	ASP
1	А	178	LEU
1	А	187	GLU
1	А	249	VAL
1	А	251	GLU
1	А	253	LEU
1	А	282	TYR
1	А	289	LYS
1	А	300	LEU
1	А	308	LEU
1	А	310	LEU
1	А	314	LEU
1	А	319	GLN
1	A	355	LEU
1	А	359	LEU
1	А	363	LEU
1	В	72	LEU
1	В	75	GLN
1	В	107	GLN
1	В	114	TRP
1	В	148	CYS
1	В	178	LEU
1	В	187	GLU
1	В	234	ILE
1	В	249	VAL
1	В	253	LEU
1	В	300	LEU
1	В	310	LEU
1	В	314	LEU
1	В	319	GLN
1	В	355	LEU
1	В	359	LEU
1	В	363	LEU
1	С	67	ARG
1	С	104	ARG
1	С	114	TRP
1	C	173	ASP
1	C	178	LEU
1	C	187	GLU
1	С	234	ILE
1	С	249	VAL



Mol	Chain	Res	Type	
1	С	251	GLU	
1	С	282	TYR	
1	С	289	LYS	
1	С	300	LEU	
1	С	308	LEU	
1	С	310	LEU	
1	С	314	LEU	
1	С	339	GLU	
1	С	355	LEU	
1	С	359	LEU	
1	С	363	LEU	
1	D	67	ARG	
1	D	114	TRP	
1	D	173	ASP	
1	D	178	LEU	
1	D	187	GLU	
1	D	225	LEU	
1	D	234	ILE	
1	D	249	VAL	
1	D	251	GLU	
1	D	253	LEU	
1	D	282	TYR	
1	D	289	LYS	
1	D	300	LEU	
1	D	308	LEU	
1	D	310	LEU	
1	D	314	LEU	
1	D	355	LEU	
1	D	359	LEU	
1	D	363	LEU	
1	E	67	ARG	
1	E	114	TRP	
1	Е	173	ASP	
1	E	178	LEU	
1	Е	187	GLU	
1	E	225	LEU	
1	Е	249	VAL	
1	Е	251	GLU	
1	Е	253	LEU	
1	Е	310	LEU	
1	E	314	LEU	
1	Ε	319	GLN	



Mol	Chain	Res	Type
1	Е	355	LEU
1	Е	359	LEU
1	Е	363	LEU
1	F	67	ARG
1	F	114	TRP
1	F	173	ASP
1	F	178	LEU
1	F	187	GLU
1	F	225	LEU
1	F	234	ILE
1	F	249	VAL
1	F	251	GLU
1	F	253	LEU
1	F	282	TYR
1	F	289	LYS
1	F	308	LEU
1	F	310	LEU
1	F	314	LEU
1	F	350	ASN
1	F	355	LEU
1	F	359	LEU
1	F	363	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type
1	С	319	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain Deg Li		Bond lengths			Bond angles			
IVIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	А	501	1	14,14,15	0.26	0	$17,\!19,\!21$	0.40	0
2	NAG	F	401	1	14,14,15	0.61	1 (7%)	17,19,21	1.38	2 (11%)
2	NAG	Е	401	1	14,14,15	0.67	1 (7%)	17,19,21	1.37	2 (11%)
2	NAG	А	502	1	14,14,15	0.36	0	17,19,21	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	А	501	1	-	2/6/23/26	0/1/1/1
2	NAG	F	401	1	-	6/6/23/26	0/1/1/1
2	NAG	Е	401	1	-	4/6/23/26	0/1/1/1
2	NAG	А	502	1	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
2	Е	401	NAG	C1-C2	2.25	1.55	1.52
2	F	401	NAG	C1-C2	2.01	1.55	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	F	401	NAG	C2-N2-C7	4.57	129.02	122.90
2	Ε	401	NAG	C2-N2-C7	4.50	128.93	122.90
2	F	401	NAG	C1-C2-N2	2.30	114.06	110.43
2	Е	401	NAG	C1-C2-N2	2.10	113.75	110.43



There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
2	F	401	NAG	O5-C5-C6-O6
2	F	401	NAG	C4-C5-C6-O6
2	Е	401	NAG	C8-C7-N2-C2
2	Е	401	NAG	O7-C7-N2-C2
2	F	401	NAG	C8-C7-N2-C2
2	F	401	NAG	O7-C7-N2-C2
2	А	501	NAG	C4-C5-C6-O6
2	А	501	NAG	O5-C5-C6-O6
2	А	502	NAG	C3-C2-N2-C7
2	F	401	NAG	C3-C2-N2-C7
2	А	502	NAG	C1-C2-N2-C7
2	Е	401	NAG	C1-C2-N2-C7
2	F	401	NAG	C1-C2-N2-C7
2	Е	401	NAG	C3-C2-N2-C7

All (14) torsion outliers are listed below:

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	401	NAG	1	0
2	Е	401	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.





6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	287/374~(76%)	-0.52	0 100 100	46, 73, 130, 228	0
1	В	281/374~(75%)	-0.58	1 (0%) 89 77	45, 74, 123, 229	0
1	С	285/374~(76%)	-0.02	6 (2%) 63 44	56, 102, 160, 237	0
1	D	284/374~(75%)	-0.11	4 (1%) 73 56	50, 102, 172, 231	0
1	Е	284/374~(75%)	-0.14	3 (1%) 77 61	59, 111, 174, 268	0
1	F	292/374~(78%)	-0.18	3 (1%) 79 64	56, 106, 168, 226	0
All	All	1713/2244 (76%)	-0.26	17 (0%) 79 64	45, 93, 167, 268	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Е	360	TRP	5.1
1	D	265	PRO	4.0
1	F	228	ILE	3.7
1	F	371	LEU	3.5
1	Е	303	PRO	3.1
1	F	360	TRP	2.9
1	D	369	LEU	2.9
1	С	367	GLY	2.7
1	С	369	LEU	2.6
1	D	251	GLU	2.6
1	С	307	ALA	2.4
1	С	152	ALA	2.4
1	С	312	THR	2.4
1	С	365	LYS	2.3
1	Е	356	GLU	2.3
1	В	110	ALA	2.0
1	D	300	LEU	2.0



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors(${f A}^2$)	Q<0.9
2	NAG	Е	401	14/15	0.53	0.12	135,157,168,182	0
2	NAG	F	401	14/15	0.57	0.13	133,171,182,193	0
2	NAG	А	501	14/15	0.74	0.10	123,136,160,171	0
2	NAG	А	502	14/15	0.79	0.09	150,163,173,177	0

6.5 Other polymers (i)

There are no such residues in this entry.

