



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 02:36 PM EDT

PDB ID : 1AQD
Title : HLA-DR1 (DRA, DRB1 0101) HUMAN CLASS II HISTOCOMPATIBILITY PROTEIN (EXTRACELLULAR DOMAIN) COMPLEXED WITH ENDOGENOUS PEPTIDE
Authors : Murthy, V.L.; Stern, L.J.
Deposited on : 1997-07-28
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	192	
1	D	192	
1	G	192	
1	J	192	
2	B	198	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	198	
2	H	198	
2	K	198	
3	C	15	
3	F	15	
3	I	15	
3	L	15	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12638 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	179	Total 1473	C 954	N 239	O 275	S 5	61	0	0
1	D	177	Total 1454	C 941	N 237	O 271	S 5	56	0	0
1	G	177	Total 1454	C 941	N 237	O 271	S 5	45	0	0
1	J	177	Total 1454	C 941	N 237	O 271	S 5	41	0	0

- Molecule 2 is a protein called HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	187	Total 1537	C 969	N 276	O 286	S 6	85	0	0
2	E	187	Total 1537	C 969	N 276	O 286	S 6	82	0	0
2	H	187	Total 1537	C 969	N 276	O 286	S 6	69	0	0
2	K	188	Total 1548	C 975	N 280	O 287	S 6	136	0	0

- Molecule 3 is a protein called HLA-A2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	14	Total 124	C 81	N 24	O 19	8	0	0
3	F	13	Total 120	C 79	N 23	O 18	16	0	0
3	I	14	Total 124	C 81	N 24	O 19	8	0	0
3	L	14	Total 124	C 81	N 24	O 19	16	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	17	Total O 17 17	0	0
4	B	13	Total O 13 13	0	0
4	D	18	Total O 18 18	0	0
4	E	25	Total O 25 25	0	0
4	F	1	Total O 1 1	0	0
4	G	21	Total O 21 21	0	0
4	H	18	Total O 18 18	0	0
4	I	3	Total O 3 3	0	0
4	J	14	Total O 14 14	0	0
4	K	21	Total O 21 21	0	0
4	L	1	Total O 1 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN



- Molecule 1: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN



- Molecule 1: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN



- Molecule 1: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN





ASN



• Molecule 2: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN



• Molecule 2: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN



• Molecule 2: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN



• Molecule 2: HLA-DR1 CLASS II HISTOCOMPATIBILITY PROTEIN






- Molecule 3: HLA-A2




- Molecule 3: HLA-A2



- Molecule 3: HLA-A2



- Molecule 3: HLA-A2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	134.51Å 134.32Å 131.23Å 90.00° 104.82° 90.00°	Depositor
Resolution (Å)	6.00 – 2.45 19.75 – 2.45	Depositor EDS
% Data completeness (in resolution range)	89.0 (6.00-2.45) 89.1 (19.75-2.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.44Å)	Xtrriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.216 , 0.279 0.206 , 0.264	Depositor DCC
R_{free} test set	7434 reflections (10.11%)	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtrriage
Anisotropy	0.265	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 87.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12638	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.86	0/1518	0.97	2/2070 (0.1%)
1	D	0.86	0/1498	0.93	1/2043 (0.0%)
1	G	0.82	0/1498	0.94	1/2043 (0.0%)
1	J	0.87	0/1498	0.95	2/2043 (0.1%)
2	B	0.82	0/1577	0.99	2/2142 (0.1%)
2	E	0.88	1/1577 (0.1%)	1.01	5/2142 (0.2%)
2	H	0.82	0/1577	0.96	5/2142 (0.2%)
2	K	0.85	0/1588	0.97	4/2156 (0.2%)
3	C	0.85	0/129	1.25	1/173 (0.6%)
3	F	0.77	0/125	0.96	1/168 (0.6%)
3	I	0.66	0/129	0.88	1/173 (0.6%)
3	L	0.71	0/129	1.17	2/173 (1.2%)
All	All	0.85	1/12843 (0.0%)	0.97	27/17468 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	69	GLU	CG-CD	5.15	1.59	1.51

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	146	ARG	NE-CZ-NH2	-8.08	116.26	120.30
1	A	123	ARG	NE-CZ-NH1	-7.55	116.53	120.30
2	E	23	ARG	NE-CZ-NH1	7.24	123.92	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	6	ARG	NE-CZ-NH2	-7.15	116.72	120.30
2	E	39	ARG	NE-CZ-NH2	-7.08	116.76	120.30
3	L	6	ARG	NE-CZ-NH1	7.00	123.80	120.30
2	K	133	ARG	NE-CZ-NH1	6.72	123.66	120.30
2	E	94	ARG	NE-CZ-NH1	6.43	123.52	120.30
2	B	147	LEU	CB-CG-CD2	-6.37	100.17	111.00
2	H	71	ARG	NE-CZ-NH2	-6.19	117.21	120.30
2	H	6	ARG	NE-CZ-NH1	6.08	123.34	120.30
2	K	164	VAL	N-CA-C	-5.89	95.09	111.00
3	F	6	ARG	NE-CZ-NH2	-5.80	117.40	120.30
2	H	164	VAL	N-CA-C	-5.63	95.79	111.00
1	A	123	ARG	NE-CZ-NH2	5.62	123.11	120.30
1	J	92	LEU	CA-CB-CG	5.59	128.16	115.30
1	G	164	ARG	NE-CZ-NH2	-5.55	117.52	120.30
2	K	65	LYS	N-CA-C	5.55	125.98	111.00
2	E	55	ARG	NE-CZ-NH2	-5.52	117.54	120.30
2	K	133	ARG	NE-CZ-NH2	-5.46	117.57	120.30
2	H	71	ARG	NE-CZ-NH1	5.38	122.99	120.30
3	C	3	SER	N-CA-C	5.27	125.23	111.00
2	B	164	VAL	N-CA-C	-5.25	96.82	111.00
2	H	147	LEU	CB-CG-CD2	-5.17	102.21	111.00
1	D	146	ARG	NE-CZ-NH2	-5.14	117.73	120.30
2	E	164	VAL	N-CA-C	-5.07	97.31	111.00
3	I	6	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	123	TYR	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1473	0	1407	54	0
1	D	1454	0	1394	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1454	0	1394	53	0
1	J	1454	0	1394	47	0
2	B	1537	0	1471	46	0
2	E	1537	0	1471	46	0
2	H	1537	0	1471	38	0
2	K	1548	0	1484	49	0
3	C	124	0	108	7	0
3	F	120	0	105	11	0
3	I	124	0	108	6	0
3	L	124	0	108	10	0
4	A	17	0	0	1	0
4	B	13	0	0	0	0
4	D	18	0	0	0	0
4	E	25	0	0	1	0
4	F	1	0	0	0	0
4	G	21	0	0	0	0
4	H	18	0	0	4	0
4	I	3	0	0	1	0
4	J	14	0	0	2	0
4	K	21	0	0	1	0
4	L	1	0	0	0	0
All	All	12638	0	11915	328	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (328) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:160:VAL:HG12	1:G:179:GLU:HG3	1.16	1.09
1:G:16:PRO:HD2	2:H:6:ARG:HD3	1.44	0.98
2:B:94:ARG:HG3	2:B:94:ARG:HH11	1.26	0.96
1:A:16:PRO:HD2	2:B:6:ARG:HD3	1.47	0.94
1:D:16:PRO:HD2	2:E:6:ARG:HD3	1.49	0.94
1:G:61:ALA:HB3	3:I:9:ARG:HH21	1.37	0.90
1:J:16:PRO:HD2	2:K:6:ARG:HD3	1.51	0.88
2:K:133:ARG:HD3	2:K:171:TYR:CE1	2.09	0.86
1:A:124:ASN:HD21	1:A:159:ASP:HB3	1.44	0.81
2:K:18:PHE:HB2	2:K:23:ARG:HB3	1.63	0.80
1:J:61:ALA:HB3	3:L:9:ARG:HH21	1.47	0.80
1:A:61:ALA:HB3	3:C:9:ARG:HH21	1.47	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:143:HIS:HD2	2:K:12:LYS:NZ	1.86	0.74
1:G:160:VAL:HG12	1:G:179:GLU:CG	2.10	0.73
1:A:124:ASN:ND2	1:A:159:ASP:HB3	2.04	0.72
1:D:3:GLU:HB2	2:E:18:PHE:CE2	2.24	0.72
1:D:61:ALA:HB3	3:F:9:ARG:HH21	1.53	0.71
1:J:3:GLU:HB2	2:K:18:PHE:CE2	2.25	0.71
2:K:133:ARG:HD3	2:K:171:TYR:CZ	2.25	0.71
1:G:81:PRO:HB3	2:H:5:PRO:HB2	1.74	0.70
2:K:81:HIS:CD2	3:L:6:ARG:HD2	2.27	0.69
2:B:94:ARG:HG3	2:B:94:ARG:NH1	1.96	0.69
1:A:99:LEU:HG	1:A:180:PHE:CE2	2.27	0.68
2:E:23:ARG:HH11	2:E:23:ARG:HG2	1.57	0.68
2:H:116:VAL:HG22	2:H:160:MET:HG2	1.75	0.68
2:E:18:PHE:HB2	2:E:23:ARG:HB3	1.75	0.68
1:A:61:ALA:CB	3:C:9:ARG:HH21	2.07	0.68
1:A:147:LYS:NZ	1:A:149:HIS:CE1	2.62	0.67
1:J:89:VAL:O	1:J:176:LYS:HE2	1.94	0.67
1:J:5:HIS:HE1	4:J:202:HOH:O	1.76	0.66
1:D:61:ALA:CB	3:F:9:ARG:HH21	2.08	0.66
1:G:47:GLU:O	1:G:50:ARG:HG2	1.94	0.66
1:A:147:LYS:NZ	1:A:149:HIS:HE1	1.93	0.66
1:A:73:MET:HG3	2:B:9:TRP:CZ3	2.30	0.66
2:B:106:THR:HG22	2:B:106:THR:O	1.96	0.66
2:E:117:CYS:HB2	2:E:131:TRP:CZ2	2.31	0.66
1:A:160:VAL:HB	1:A:177:HIS:CE1	2.30	0.66
1:J:61:ALA:CB	3:L:9:ARG:HH21	2.08	0.66
2:H:177:HIS:CD2	2:H:178:PRO:HD2	2.32	0.65
2:B:68:LEU:O	2:B:72:ARG:HG3	1.96	0.65
1:D:95:SER:HB2	1:D:96:PRO:CD	2.26	0.65
2:K:68:LEU:O	2:K:72:ARG:HG3	1.97	0.65
1:G:61:ALA:CB	3:I:9:ARG:HH21	2.08	0.65
1:G:143:HIS:HD2	2:H:12:LYS:NZ	1.97	0.62
1:G:118:ASN:HB2	1:G:166:GLU:HB2	1.81	0.62
1:D:118:ASN:HB2	1:D:166:GLU:HB2	1.80	0.62
2:H:34:GLN:HG3	4:H:215:HOH:O	2.01	0.61
1:D:95:SER:HB2	1:D:96:PRO:HD2	1.83	0.61
1:G:11:GLU:HA	1:G:21:GLU:O	2.01	0.61
1:J:143:HIS:HD2	2:K:12:LYS:HZ1	1.49	0.60
2:K:9:TRP:CH2	2:K:30:CYS:HB3	2.36	0.60
1:A:160:VAL:HG12	1:A:179:GLU:OE1	2.01	0.60
2:E:127:ILE:HD11	2:E:175:VAL:CG1	2.31	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:164:VAL:HB	2:H:166:ARG:HH21	1.67	0.60
2:H:74:ALA:O	2:H:78:TYR:HB3	2.02	0.60
2:E:81:HIS:CD2	3:F:6:ARG:HD2	2.36	0.60
1:G:101:GLU:OE1	1:G:101:GLU:HA	2.02	0.59
2:K:39:ARG:HD2	4:K:211:HOH:O	2.00	0.59
1:G:147:LYS:NZ	1:G:149:HIS:CE1	2.70	0.59
1:J:118:ASN:HB2	1:J:166:GLU:HB2	1.84	0.58
2:K:177:HIS:CD2	2:K:178:PRO:HD2	2.38	0.58
2:H:9:TRP:CH2	2:H:30:CYS:HB3	2.39	0.58
1:A:98:GLU:O	1:A:101:GLU:HB2	2.02	0.58
1:D:162:ASP:HA	1:D:176:LYS:O	2.03	0.58
1:G:147:LYS:NZ	1:G:149:HIS:HE1	2.01	0.58
1:D:17:ASP:OD2	2:E:6:ARG:HD2	2.04	0.57
1:A:147:LYS:HZ2	1:A:149:HIS:CE1	2.23	0.57
2:E:68:LEU:HB3	2:E:72:ARG:NH1	2.19	0.57
2:E:100:THR:HG22	2:E:102:TYR:HD1	1.70	0.57
1:G:115:PRO:HD3	1:G:145:PHE:CE1	2.40	0.57
1:A:147:LYS:HZ3	1:A:149:HIS:CE1	2.23	0.56
2:B:112:HIS:HA	2:B:164:VAL:HG22	1.87	0.56
1:A:98:GLU:HB2	1:A:101:GLU:HG3	1.86	0.56
2:B:93:ARG:O	2:B:94:ARG:HG3	2.05	0.56
2:E:23:ARG:HG2	2:E:23:ARG:NH1	2.16	0.56
2:K:116:VAL:HG22	2:K:160:MET:HG2	1.86	0.56
1:J:95:SER:HB2	1:J:96:PRO:CD	2.36	0.55
1:G:75:LYS:HD2	1:G:79:TYR:OH	2.06	0.55
1:G:82:ILE:HG22	2:H:6:ARG:HB2	1.88	0.55
2:K:133:ARG:CD	2:K:171:TYR:CE1	2.86	0.55
1:A:115:PRO:HD3	1:A:145:PHE:CE1	2.41	0.55
2:E:93:ARG:HG2	2:E:123:TYR:CD1	2.42	0.55
1:J:143:HIS:CD2	2:K:12:LYS:NZ	2.73	0.55
1:A:147:LYS:HZ2	1:A:149:HIS:HE1	1.54	0.55
2:B:13:PHE:CE1	2:B:28:GLU:HG3	2.42	0.55
1:D:143:HIS:HD2	2:E:12:LYS:NZ	2.05	0.55
2:E:9:TRP:CH2	2:E:30:CYS:HB3	2.42	0.55
1:A:11:GLU:HA	1:A:21:GLU:O	2.07	0.54
2:H:177:HIS:CG	2:H:178:PRO:HD2	2.42	0.54
1:J:26:PHE:HB2	1:J:31:ILE:HD11	1.90	0.54
1:A:118:ASN:HB2	1:A:166:GLU:HB2	1.89	0.54
2:E:49:ALA:HB2	2:E:55:ARG:HA	1.89	0.54
1:G:147:LYS:HZ3	1:G:149:HIS:CE1	2.26	0.54
2:K:49:ALA:HB2	2:K:55:ARG:HA	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:12:HIS:HB3	4:I:110:HOH:O	2.06	0.54
1:D:97:VAL:CG1	1:D:155:PRO:HB3	2.38	0.54
1:G:6:VAL:HA	2:H:15:CYS:O	2.08	0.54
1:D:62:ASN:OD1	3:F:9:ARG:HG3	2.08	0.54
2:H:34:GLN:CG	4:H:215:HOH:O	2.55	0.54
2:K:52:GLU:CD	2:K:55:ARG:HH21	2.11	0.53
1:J:162:ASP:HA	1:J:176:LYS:O	2.07	0.53
2:E:87:GLU:O	2:E:92:GLN:HG2	2.08	0.53
1:D:69:ASN:HB3	3:F:13:GLN:HG3	1.89	0.53
1:J:79:TYR:CD1	1:J:79:TYR:N	2.77	0.53
1:A:162:ASP:HA	1:A:176:LYS:O	2.07	0.53
2:K:38:VAL:HG23	2:K:48:ARG:O	2.07	0.53
1:A:79:TYR:O	2:B:7:PHE:HE1	1.92	0.52
2:K:100:THR:HG22	2:K:102:TYR:HD1	1.74	0.52
1:A:81:PRO:HB3	2:B:5:PRO:HB2	1.89	0.52
2:B:177:HIS:CD2	2:B:178:PRO:HD2	2.44	0.52
1:G:89:VAL:O	1:G:176:LYS:HE2	2.09	0.52
2:B:106:THR:O	2:B:106:THR:CG2	2.57	0.52
2:H:107:GLN:OE1	2:H:111:HIS:HB3	2.09	0.52
1:A:82:ILE:HG22	2:B:6:ARG:HB2	1.92	0.52
2:B:109:LEU:O	2:B:110:GLN:HB2	2.09	0.52
1:D:73:MET:HG3	2:E:9:TRP:CZ3	2.44	0.52
2:B:49:ALA:HB2	2:B:55:ARG:HA	1.90	0.52
2:H:49:ALA:HB2	2:H:55:ARG:HA	1.92	0.52
1:G:26:PHE:HB2	1:G:31:ILE:HD11	1.92	0.52
1:J:113:THR:OG1	1:J:114:PRO:HA	2.10	0.52
1:D:99:LEU:O	1:D:100:ARG:HB2	2.10	0.51
1:J:93:THR:HA	1:J:104:VAL:O	2.10	0.51
2:B:68:LEU:HB3	2:B:72:ARG:NH1	2.25	0.51
1:G:16:PRO:HD2	2:H:6:ARG:CD	2.29	0.51
1:J:11:GLU:HA	1:J:21:GLU:O	2.10	0.51
1:A:95:SER:HB2	1:A:96:PRO:CD	2.41	0.51
2:H:46:GLU:HB2	2:H:62:ASN:OD1	2.10	0.51
1:G:143:HIS:HD2	2:H:12:LYS:HZ1	1.59	0.51
1:A:89:VAL:HG12	1:A:176:LYS:HG3	1.92	0.51
2:H:152:ASP:O	2:H:153:TRP:HB2	2.09	0.51
1:A:26:PHE:HB2	1:A:31:ILE:HD11	1.93	0.50
2:E:142:VAL:HG11	4:E:219:HOH:O	2.10	0.50
1:G:144:LEU:HD23	4:H:215:HOH:O	2.11	0.50
1:J:111:LYS:HG2	1:J:140:ARG:CZ	2.41	0.50
2:K:134:ASN:OD1	2:K:170:VAL:HG12	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:GLU:HA	1:D:21:GLU:O	2.11	0.50
2:H:100:THR:HG22	2:H:102:TYR:HD1	1.76	0.50
1:A:143:HIS:HD2	2:B:12:LYS:NZ	2.10	0.50
2:B:100:THR:HG22	2:B:102:TYR:HD1	1.77	0.50
2:E:127:ILE:HD11	2:E:175:VAL:HG11	1.93	0.50
1:D:45:LEU:O	1:D:48:PHE:HB2	2.12	0.49
1:J:6:VAL:HG12	1:J:8:ILE:HG13	1.93	0.49
1:J:95:SER:HB2	1:J:96:PRO:HD2	1.93	0.49
1:D:121:TRP:O	1:D:127:PRO:HA	2.12	0.49
2:K:78:TYR:HE1	3:L:7:PHE:HA	1.77	0.49
1:J:132:VAL:HG12	1:J:151:LEU:HD13	1.95	0.49
1:A:62:ASN:OD1	3:C:7:PHE:HE2	1.96	0.49
2:E:23:ARG:HH11	2:E:23:ARG:CG	2.25	0.49
1:G:113:THR:HG21	4:H:215:HOH:O	2.12	0.49
1:D:12:PHE:CD1	1:D:12:PHE:C	2.86	0.48
2:B:93:ARG:O	2:B:94:ARG:NH1	2.46	0.48
2:B:55:ARG:O	2:B:59:GLU:HG3	2.13	0.48
1:A:89:VAL:O	1:A:176:LYS:HE2	2.14	0.48
2:B:29:ARG:HG2	2:B:36:GLU:OE2	2.13	0.48
1:A:98:GLU:CB	1:A:101:GLU:HG3	2.44	0.48
2:H:93:ARG:HG2	2:H:123:TYR:CD1	2.49	0.48
1:D:77:SER:O	1:D:78:ASN:HB3	2.14	0.47
1:J:45:LEU:HD11	2:K:153:TRP:HB2	1.94	0.47
2:K:117:CYS:HB2	2:K:131:TRP:CZ2	2.50	0.47
2:K:188:TRP:CH2	2:K:190:ALA:HB2	2.49	0.47
1:G:103:ASN:HB3	1:G:153:PHE:CE1	2.49	0.47
1:G:121:TRP:O	1:G:127:PRO:HA	2.15	0.47
1:A:155:PRO:HA	4:A:197:HOH:O	2.14	0.47
2:K:170:VAL:O	2:K:170:VAL:HG13	2.15	0.47
2:E:68:LEU:HB3	2:E:72:ARG:HH12	1.80	0.47
1:A:13:TYR:CE2	1:A:67:LYS:HG3	2.50	0.47
2:K:177:HIS:CG	2:K:178:PRO:HD2	2.49	0.46
1:A:16:PRO:HD2	2:B:6:ARG:CD	2.34	0.46
2:B:78:TYR:HE1	3:C:7:PHE:HA	1.80	0.46
1:G:93:THR:HA	1:G:104:VAL:O	2.15	0.46
1:D:6:VAL:HA	2:E:15:CYS:O	2.15	0.46
1:J:160:VAL:HG12	1:J:179:GLU:CB	2.46	0.46
1:J:121:TRP:O	1:J:127:PRO:HA	2.16	0.46
1:D:70:LEU:HD13	2:E:9:TRP:HB2	1.98	0.46
1:G:134:GLU:HB3	1:G:149:HIS:CD2	2.51	0.46
1:D:16:PRO:HG3	2:E:4:ARG:HG2	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:162:ASP:HA	1:G:176:LYS:O	2.16	0.46
1:J:5:HIS:CE1	4:J:202:HOH:O	2.59	0.46
1:J:86:PRO:HB3	1:J:169:GLY:C	2.36	0.46
1:J:86:PRO:HB3	1:J:169:GLY:O	2.16	0.46
2:K:52:GLU:OE1	2:K:55:ARG:NH2	2.48	0.46
1:G:6:VAL:HG12	1:G:8:ILE:HG13	1.97	0.46
1:G:54:PHE:CE1	1:G:55:GLU:O	2.69	0.46
1:J:62:ASN:OD1	3:L:7:PHE:HE2	1.99	0.46
1:J:63:ILE:O	1:J:66:ASP:HB2	2.16	0.46
1:D:3:GLU:HA	2:E:18:PHE:CD2	2.51	0.45
2:E:116:VAL:HG22	2:E:160:MET:HG2	1.97	0.45
2:H:166:ARG:O	2:H:169:GLU:HB2	2.16	0.45
1:A:95:SER:HB2	1:A:96:PRO:HD2	1.97	0.45
2:E:81:HIS:CD2	3:F:6:ARG:CD	2.99	0.45
2:H:34:GLN:O	2:H:34:GLN:HG2	2.16	0.45
2:B:9:TRP:CH2	2:B:30:CYS:HB3	2.51	0.45
2:B:73:ALA:O	2:B:77:THR:HG23	2.16	0.45
2:B:81:HIS:CD2	3:C:6:ARG:HD2	2.51	0.45
2:H:68:LEU:HB3	2:H:72:ARG:NH1	2.32	0.45
1:J:12:PHE:C	1:J:12:PHE:CD1	2.89	0.45
1:J:143:HIS:CD2	2:K:12:LYS:HZ1	2.32	0.45
1:J:143:HIS:CD2	2:K:12:LYS:HZ2	2.35	0.45
1:A:121:TRP:O	1:A:127:PRO:HA	2.17	0.45
2:E:115:LEU:HD23	2:E:115:LEU:HA	1.88	0.45
1:G:100:ARG:HA	1:G:154:LEU:HD11	1.98	0.45
1:A:160:VAL:HB	1:A:177:HIS:HE1	1.77	0.45
2:K:74:ALA:O	2:K:78:TYR:HB3	2.17	0.45
1:A:123:ARG:HB3	1:A:128:VAL:HG22	1.98	0.45
2:E:74:ALA:O	2:E:78:TYR:HB3	2.17	0.45
1:G:62:ASN:OD1	3:I:7:PHE:HE2	2.00	0.45
1:A:93:THR:HA	1:A:104:VAL:O	2.16	0.45
1:A:97:VAL:CG1	1:A:155:PRO:HB3	2.47	0.45
2:K:97:PRO:HB3	2:K:122:PHE:HB3	1.99	0.45
2:K:105:LYS:HE2	2:K:113:ASN:HA	1.99	0.45
1:D:26:PHE:HB2	1:D:31:ILE:HD11	2.00	0.45
2:H:55:ARG:N	2:H:56:PRO:CD	2.80	0.45
2:B:97:PRO:HA	2:B:120:SER:O	2.17	0.44
1:D:16:PRO:HD2	2:E:6:ARG:CD	2.34	0.44
1:G:44:ARG:NH2	2:H:151:GLY:O	2.50	0.44
1:D:97:VAL:HG13	1:D:155:PRO:HG3	1.99	0.44
2:E:76:ASP:OD1	2:E:80:ARG:HD2	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:9:TRP:CZ2	2:K:30:CYS:HB3	2.52	0.44
2:B:93:ARG:HG2	2:B:123:TYR:CD1	2.52	0.44
2:E:46:GLU:OE2	2:E:48:ARG:NH1	2.49	0.44
2:E:68:LEU:O	2:E:72:ARG:HG3	2.16	0.44
1:G:3:GLU:HB2	2:H:18:PHE:CE2	2.53	0.44
1:G:12:PHE:CD1	1:G:12:PHE:C	2.91	0.44
1:A:3:GLU:HB2	2:B:18:PHE:CE2	2.52	0.44
1:J:97:VAL:HG13	1:J:155:PRO:CG	2.48	0.44
2:K:55:ARG:HH11	2:K:55:ARG:HG2	1.81	0.44
1:D:113:THR:OG1	1:D:114:PRO:HA	2.18	0.44
2:E:87:GLU:HG3	2:E:91:VAL:HB	1.99	0.44
2:K:94:ARG:HA	2:K:123:TYR:O	2.18	0.44
1:A:6:VAL:HA	2:B:15:CYS:O	2.18	0.44
2:B:75:VAL:HG12	2:B:80:ARG:NH1	2.32	0.44
1:D:93:THR:HA	1:D:104:VAL:O	2.17	0.44
2:B:132:PHE:CE2	2:B:137:GLU:HB2	2.53	0.43
2:E:28:GLU:HB3	2:E:40:PHE:HB3	2.00	0.43
1:G:9:GLN:HB2	1:G:24:PHE:CE2	2.53	0.43
1:J:109:ILE:HD11	1:J:119:VAL:HG21	2.00	0.43
2:K:81:HIS:CD2	3:L:6:ARG:CD	2.98	0.43
1:A:14:LEU:O	1:A:18:GLN:N	2.49	0.43
1:G:35:ASP:O	1:G:39:LYS:N	2.52	0.43
1:G:95:SER:HB2	1:G:96:PRO:HD2	2.01	0.43
1:A:15:ASN:O	2:B:6:ARG:HA	2.18	0.43
2:B:107:GLN:HA	2:B:108:PRO:HD2	1.65	0.43
1:G:97:VAL:CG1	1:G:155:PRO:HB3	2.49	0.43
1:A:123:ARG:HH11	1:A:123:ARG:HD2	1.64	0.43
2:E:147:LEU:HD11	2:E:155:PHE:CD2	2.54	0.43
2:K:55:ARG:N	2:K:56:PRO:CD	2.82	0.43
1:D:69:ASN:CB	3:F:13:GLN:HG3	2.49	0.43
2:E:105:LYS:HE2	2:E:105:LYS:HB2	1.44	0.43
1:G:95:SER:HB2	1:G:96:PRO:CD	2.49	0.43
1:G:97:VAL:HG13	1:G:155:PRO:CG	2.49	0.43
2:E:37:SER:O	2:E:50:VAL:N	2.42	0.43
2:K:128:GLU:HB2	2:K:176:GLU:HB2	2.00	0.43
1:D:97:VAL:HG13	1:D:155:PRO:CG	2.49	0.43
2:E:26:LEU:HD22	2:E:74:ALA:HB3	2.01	0.43
1:G:17:ASP:O	1:G:18:GLN:HB2	2.18	0.43
2:H:68:LEU:O	2:H:72:ARG:HG3	2.18	0.43
1:J:138:LEU:HB2	1:J:146:ARG:HB2	2.00	0.43
2:E:4:ARG:HG3	2:E:5:PRO:HD2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:115:LEU:O	2:B:160:MET:HA	2.18	0.42
1:D:69:ASN:HB3	3:F:13:GLN:CG	2.49	0.42
2:K:18:PHE:CD1	2:K:18:PHE:N	2.86	0.42
1:G:3:GLU:HA	2:H:18:PHE:CD2	2.54	0.42
1:J:69:ASN:HB3	3:L:13:GLN:HG3	2.00	0.42
2:H:173:CYS:O	2:H:185:THR:HA	2.19	0.42
2:E:78:TYR:HE1	3:F:7:PHE:HA	1.85	0.42
1:G:72:ILE:HD12	3:I:13:GLN:HB2	2.02	0.42
1:J:16:PRO:HD2	2:K:6:ARG:CD	2.34	0.42
1:A:72:ILE:CD1	3:C:13:GLN:HB2	2.49	0.42
1:A:124:ASN:HD21	1:A:159:ASP:CB	2.24	0.42
2:B:55:ARG:HG2	2:B:55:ARG:HH11	1.83	0.42
1:D:3:GLU:O	1:D:3:GLU:HG2	2.18	0.42
2:H:162:GLU:OE2	1:J:177:HIS:ND1	2.53	0.42
2:K:104:SER:OG	2:K:114:LEU:HB3	2.19	0.42
2:B:55:ARG:N	2:B:56:PRO:CD	2.82	0.42
1:D:101:GLU:HA	1:D:102:PRO:HD3	1.79	0.42
2:H:73:ALA:O	2:H:77:THR:HG23	2.19	0.42
2:K:46:GLU:HB2	2:K:62:ASN:OD1	2.19	0.42
2:B:129:VAL:HG13	2:B:173:CYS:SG	2.60	0.42
1:D:4:GLU:N	2:E:17:PHE:O	2.53	0.42
1:J:69:ASN:HB3	3:L:13:GLN:CG	2.50	0.42
2:B:108:PRO:O	2:B:111:HIS:ND1	2.46	0.42
2:H:97:PRO:HG2	2:H:184:LEU:HD12	2.02	0.42
2:K:96:GLU:HG3	2:K:180:VAL:CG1	2.50	0.42
1:A:38:LYS:HB2	1:A:40:GLU:HG2	2.02	0.42
2:E:87:GLU:HG2	2:E:92:GLN:HG2	2.02	0.42
2:E:147:LEU:HG	2:E:155:PHE:HD2	1.84	0.42
2:B:26:LEU:HD22	2:B:74:ALA:HB3	2.02	0.41
1:D:76:ARG:NH2	3:F:14:TYR:O	2.53	0.41
1:G:12:PHE:HA	2:H:9:TRP:O	2.20	0.41
1:J:6:VAL:HA	2:K:15:CYS:O	2.20	0.41
1:J:147:LYS:NZ	1:J:149:HIS:CE1	2.88	0.41
1:A:3:GLU:HA	2:B:18:PHE:CD2	2.55	0.41
1:G:147:LYS:HZ2	1:G:149:HIS:CE1	2.36	0.41
1:G:160:VAL:HB	1:G:177:HIS:CE1	2.55	0.41
1:A:94:ASN:HD22	1:A:104:VAL:HB	1.86	0.41
1:G:14:LEU:HD11	2:H:6:ARG:HB3	2.02	0.41
2:K:58:ALA:O	2:K:62:ASN:HB2	2.20	0.41
2:K:87:GLU:HG2	2:K:92:GLN:HG2	2.03	0.41
1:A:124:ASN:CG	1:A:159:ASP:HB3	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:97:VAL:CG1	1:J:155:PRO:HB3	2.51	0.41
2:E:55:ARG:N	2:E:56:PRO:CD	2.83	0.41
1:G:13:TYR:OH	1:G:18:GLN:HG3	2.21	0.41
2:H:100:THR:HG22	2:H:102:TYR:CD1	2.55	0.41
1:A:6:VAL:HG12	1:A:8:ILE:HG13	2.03	0.41
1:A:74:THR:HG23	2:B:7:PHE:CD1	2.56	0.41
1:A:160:VAL:CG1	1:A:179:GLU:OE1	2.68	0.41
2:B:90:THR:OG1	2:B:91:VAL:N	2.53	0.41
2:B:117:CYS:HB2	2:B:131:TRP:CZ2	2.56	0.41
1:D:100:ARG:HA	1:D:100:ARG:HD3	1.93	0.41
1:G:122:LEU:HD23	1:G:127:PRO:HA	2.03	0.41
2:K:27:LEU:CD2	2:K:39:ARG:HD3	2.51	0.41
1:G:111:LYS:HG2	1:G:140:ARG:CZ	2.50	0.41
2:H:40:PHE:HB2	2:H:47:TYR:CE1	2.56	0.41
1:J:72:ILE:HD12	3:L:13:GLN:HB2	2.03	0.41
2:K:19:ASN:O	2:K:22:GLU:HB2	2.20	0.41
1:D:105:LEU:HG	1:D:153:PHE:CE1	2.56	0.40
1:J:69:ASN:CG	3:L:13:GLN:HG2	2.41	0.40
1:J:143:HIS:HD2	2:K:12:LYS:HZ2	1.62	0.40
1:D:115:PRO:HD3	1:D:145:PHE:CE1	2.56	0.40
3:C:8:LEU:HD23	3:C:8:LEU:HA	1.82	0.40
1:G:69:ASN:CG	3:I:13:GLN:HG2	2.42	0.40
2:H:105:LYS:HB2	2:H:105:LYS:HE3	1.47	0.40
1:J:160:VAL:HG12	1:J:179:GLU:HB2	2.03	0.40
1:D:73:MET:HG2	3:F:13:GLN:OE1	2.21	0.40
1:A:134:GLU:HB3	1:A:149:HIS:CD2	2.57	0.40
2:B:89:PHE:CD1	2:B:90:THR:HG23	2.56	0.40
2:E:127:ILE:HD11	2:E:175:VAL:HG13	2.03	0.40
1:J:101:GLU:O	1:J:155:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/192 (92%)	170 (96%)	7 (4%)	0	100	100
1	D	175/192 (91%)	170 (97%)	5 (3%)	0	100	100
1	G	175/192 (91%)	172 (98%)	3 (2%)	0	100	100
1	J	175/192 (91%)	166 (95%)	9 (5%)	0	100	100
2	B	185/198 (93%)	172 (93%)	13 (7%)	0	100	100
2	E	185/198 (93%)	177 (96%)	8 (4%)	0	100	100
2	H	185/198 (93%)	172 (93%)	10 (5%)	3 (2%)	9	8
2	K	186/198 (94%)	178 (96%)	6 (3%)	2 (1%)	14	14
3	C	12/15 (80%)	10 (83%)	2 (17%)	0	100	100
3	F	11/15 (73%)	10 (91%)	1 (9%)	0	100	100
3	I	12/15 (80%)	12 (100%)	0	0	100	100
3	L	12/15 (80%)	12 (100%)	0	0	100	100
All	All	1490/1620 (92%)	1421 (95%)	64 (4%)	5 (0%)	41	49

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	K	65	LYS
2	H	108	PRO
2	K	167	SER
2	H	60	TYR
2	H	107	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	164/176 (93%)	155 (94%)	9 (6%)	21	27
1	D	162/176 (92%)	153 (94%)	9 (6%)	21	27
1	G	162/176 (92%)	154 (95%)	8 (5%)	25	32
1	J	162/176 (92%)	153 (94%)	9 (6%)	21	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	169/178 (95%)	165 (98%)	4 (2%)	49	61
2	E	169/178 (95%)	158 (94%)	11 (6%)	17	21
2	H	169/178 (95%)	163 (96%)	6 (4%)	35	46
2	K	170/178 (96%)	162 (95%)	8 (5%)	26	34
3	C	11/12 (92%)	10 (91%)	1 (9%)	9	10
3	F	11/12 (92%)	11 (100%)	0	100	100
3	I	11/12 (92%)	11 (100%)	0	100	100
3	L	11/12 (92%)	11 (100%)	0	100	100
All	All	1371/1464 (94%)	1306 (95%)	65 (5%)	26	34

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	GLU
1	A	47	GLU
1	A	71	GLU
1	A	94	ASN
1	A	128	VAL
1	A	129	THR
1	A	159	ASP
1	A	164	ARG
1	A	181	ASP
2	B	19	ASN
2	B	67	LEU
2	B	94	ARG
2	B	189	ARG
3	C	3	SER
1	D	11	GLU
1	D	12	PHE
1	D	18	GLN
1	D	47	GLU
1	D	71	GLU
1	D	81	PRO
1	D	94	ASN
1	D	128	VAL
1	D	129	THR
2	E	19	ASN
2	E	23	ARG
2	E	63	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	67	LEU
2	E	69	GLU
2	E	94	ARG
2	E	105	LYS
2	E	111	HIS
2	E	115	LEU
2	E	169	GLU
2	E	189	ARG
1	G	11	GLU
1	G	18	GLN
1	G	71	GLU
1	G	94	ASN
1	G	100	ARG
1	G	128	VAL
1	G	129	THR
1	G	158	GLU
2	H	4	ARG
2	H	19	ASN
2	H	105	LYS
2	H	107	GLN
2	H	166	ARG
2	H	189	ARG
1	J	11	GLU
1	J	47	GLU
1	J	63	ILE
1	J	71	GLU
1	J	73	MET
1	J	81	PRO
1	J	94	ASN
1	J	129	THR
1	J	164	ARG
2	K	4	ARG
2	K	19	ASN
2	K	27	LEU
2	K	105	LYS
2	K	106	THR
2	K	109	LEU
2	K	124	PRO
2	K	169	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	143	HIS
1	A	149	HIS
2	B	150	ASN
1	D	94	ASN
1	D	143	HIS
1	D	149	HIS
2	E	10	GLN
2	E	156	GLN
1	G	18	GLN
1	G	143	HIS
1	G	149	HIS
2	H	19	ASN
2	H	156	GLN
1	J	143	HIS
1	J	149	HIS
2	K	156	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	179/192 (93%)	-0.02	7 (3%) 39 36	21, 34, 60, 80	18 (10%)
1	D	177/192 (92%)	-0.19	3 (1%) 70 67	17, 31, 56, 70	16 (9%)
1	G	177/192 (92%)	-0.08	3 (1%) 70 67	18, 33, 62, 70	13 (7%)
1	J	177/192 (92%)	-0.21	4 (2%) 60 56	16, 31, 57, 69	12 (6%)
2	B	186/198 (93%)	-0.08	3 (1%) 72 69	19, 36, 58, 76	20 (10%)
2	E	187/198 (94%)	-0.20	0 100 100	19, 31, 55, 68	20 (10%)
2	H	187/198 (94%)	-0.09	4 (2%) 63 60	19, 34, 58, 81	18 (9%)
2	K	178/198 (89%)	-0.09	4 (2%) 62 58	19, 32, 60, 79	15 (8%)
3	C	14/15 (93%)	0.71	3 (21%) 0 0	27, 57, 74, 78	1 (7%)
3	F	13/15 (86%)	0.44	1 (7%) 13 10	25, 44, 69, 75	2 (15%)
3	I	14/15 (93%)	0.30	0 100 100	27, 42, 61, 70	1 (7%)
3	L	14/15 (93%)	0.89	3 (21%) 0 0	27, 45, 73, 79	2 (14%)
All	All	1503/1620 (92%)	-0.09	35 (2%) 60 56	16, 33, 61, 81	138 (9%)

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	L	2	GLY	5.0
2	H	4	ARG	3.9
1	A	181	ASP	3.5
2	K	191	ARG	3.3
3	L	3	SER	3.2
2	K	8	LEU	3.1
2	K	105	LYS	3.0
1	A	37	ALA	2.9
1	G	130	THR	2.7
3	F	15	ALA	2.7
2	H	136	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	L	15	ALA	2.7
3	C	2	GLY	2.6
1	A	39	LYS	2.6
1	J	79	TYR	2.6
3	C	3	SER	2.6
1	D	105	LEU	2.5
2	B	67	LEU	2.4
1	A	78	ASN	2.4
1	D	46	GLU	2.4
1	D	57	GLN	2.3
2	K	164	VAL	2.3
1	A	57	GLN	2.3
2	H	168	GLY	2.3
2	B	69	GLU	2.3
1	J	172	GLU	2.3
1	J	51	PHE	2.2
1	G	131	GLY	2.1
1	A	79	TYR	2.1
2	B	182	SER	2.1
1	A	3	GLU	2.1
2	H	166	ARG	2.1
1	J	57	GLN	2.1
1	G	37	ALA	2.1
3	C	14	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.