



# Full wwPDB NMR Structure Validation Report ⓘ

May 29, 2020 – 04:23 am BST

PDB ID : 4AQZ  
Title : B2 domain of Neisseria meningitidis Pilus assembly protein PilQ  
Authors : Phelan, M.M.; Berry, J.L.; Derrick, J.P.; Lian, L.Y.  
Deposited on : 2012-04-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 89%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	138	

## 2 Ensemble composition and analysis i

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:225-A:327 (103)	0.26	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 7, 14, 18, 20
2	8, 9, 15, 17, 19
3	5, 6, 11
4	12, 13
Single-model clusters	10; 16

### 3 Entry composition i

There is only 1 type of molecule in this entry. The entry contains 2073 atoms, of which 1005 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	138	2073	666	1005	202	196	4	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	192	MET	-	expression tag	UNP Q70M91
A	193	GLY	-	expression tag	UNP Q70M91
A	194	SER	-	expression tag	UNP Q70M91
A	195	SER	-	expression tag	UNP Q70M91
A	196	HIS	-	expression tag	UNP Q70M91
A	197	HIS	-	expression tag	UNP Q70M91
A	198	HIS	-	expression tag	UNP Q70M91
A	199	HIS	-	expression tag	UNP Q70M91
A	200	HIS	-	expression tag	UNP Q70M91
A	201	HIS	-	expression tag	UNP Q70M91
A	202	GLY	-	expression tag	UNP Q70M91
A	203	LEU	-	expression tag	UNP Q70M91
A	204	VAL	-	expression tag	UNP Q70M91
A	205	PRO	-	expression tag	UNP Q70M91
A	206	ARG	-	expression tag	UNP Q70M91
A	207	GLY	-	expression tag	UNP Q70M91
A	208	SER	-	expression tag	UNP Q70M91
A	209	HIS	-	expression tag	UNP Q70M91
A	210	MET	-	expression tag	UNP Q70M91
A	211	ALA	-	expression tag	UNP Q70M91
A	212	SER	-	expression tag	UNP Q70M91
A	213	MET	-	expression tag	UNP Q70M91
A	214	THR	-	expression tag	UNP Q70M91
A	215	GLY	-	expression tag	UNP Q70M91
A	216	GLY	-	expression tag	UNP Q70M91
A	217	GLN	-	expression tag	UNP Q70M91
A	218	GLN	-	expression tag	UNP Q70M91
A	219	MET	-	expression tag	UNP Q70M91
A	220	GLY	-	expression tag	UNP Q70M91
A	221	ARG	-	expression tag	UNP Q70M91

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	222	GLY	-	expression tag	UNP Q70M91
A	223	SER	-	expression tag	UNP Q70M91

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1


- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ



#### 4.2.2 Score per residue for model 2


- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ






#### 4.2.3 Score per residue for model 3

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ





#### 4.2.4 Score per residue for model 4

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ



#### 4.2.5 Score per residue for model 5

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ



#### 4.2.6 Score per residue for model 6

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ






#### 4.2.7 Score per residue for model 7

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ

Chain A: 59% 12% 25%



#### 4.2.8 Score per residue for model 8

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ


Chain A: 62% 13% 25%



#### 4.2.9 Score per residue for model 9

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ


Chain A: 61% 12% 25%



#### 4.2.10 Score per residue for model 10


- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ






#### 4.2.11 Score per residue for model 11

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




#### 4.2.12 Score per residue for model 12

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




#### 4.2.13 Score per residue for model 13

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




#### 4.2.14 Score per residue for model 14

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




#### 4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




#### 4.2.16 Score per residue for model 16

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




#### 4.2.17 Score per residue for model 17

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




### 4.2.18 Score per residue for model 18

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ




### 4.2.19 Score per residue for model 19

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ



### 4.2.20 Score per residue for model 20

- Molecule 1: TYPE IV PILUS BIOGENESIS AND COMPETENCE PROTEIN PILQ



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *CYANA2.1 AND CNS1.2 WATER REFINEMENT*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *LOWEST ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA2.1	refinement	
TOPSPIN2.1	structure solution	
CCPN ANALYSIS	structure solution	ANALYSIS
CYANA2.1	structure solution	
CNS1.2	structure solution	
TALOSPLUS	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 6 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1484
Number of shifts mapped to atoms	1484
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	89%

No validations of the models with respect to experimental NMR restraints is performed at this time.

COVALENT-GEOMETRY INFOmissingINFO

### 5.1 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	806	755	822	10±2
All	All	16120	15100	16440	197

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:251:PRO:HB3	1:A:264:LEU:HD13	0.65	1.68	3	12
1:A:308:TRP:CZ3	1:A:310:LEU:HB2	0.64	2.28	15	11
1:A:279:VAL:HA	1:A:282:PHE:CD2	0.61	2.30	14	3
1:A:225:GLN:O	1:A:245:LEU:HD23	0.60	1.96	10	1
1:A:226:THR:HA	1:A:243:ALA:O	0.60	1.97	18	17
1:A:256:GLN:HB3	1:A:259:HIS:O	0.59	1.96	14	1
1:A:251:PRO:HB3	1:A:264:LEU:HD23	0.58	1.74	8	8
1:A:279:VAL:HA	1:A:282:PHE:CD1	0.55	2.37	3	4
1:A:269:LEU:HD22	1:A:291:LEU:HD22	0.54	1.79	1	3
1:A:255:GLN:HE22	1:A:260:ILE:HG23	0.54	1.62	19	1
1:A:228:ILE:HG21	1:A:300:LEU:HD21	0.53	1.79	10	3
1:A:236:ASN:O	1:A:285:PRO:HD3	0.53	2.02	8	6
1:A:252:ASP:O	1:A:262:VAL:HA	0.53	2.03	13	7
1:A:311:VAL:HG13	1:A:323:GLN:HB3	0.52	1.80	10	9
1:A:311:VAL:CG1	1:A:323:GLN:HB3	0.52	2.35	16	7
1:A:279:VAL:HA	1:A:282:PHE:CE1	0.52	2.39	3	3
1:A:256:GLN:HB2	1:A:259:HIS:O	0.52	2.04	13	4
1:A:308:TRP:CE3	1:A:324:VAL:HG13	0.51	2.40	4	5
1:A:262:VAL:O	1:A:299:GLN:HA	0.51	2.05	13	9
1:A:254:SER:HB2	1:A:261:ILE:HB	0.51	1.81	20	6
1:A:294:LEU:HD13	1:A:295:ASN:N	0.51	2.21	14	4
1:A:265:LYS:HA	1:A:297:ASP:OD1	0.50	2.06	6	8
1:A:263:THR:HA	1:A:298:THR:O	0.50	2.06	3	9
1:A:271:THR:O	1:A:274:GLN:HG2	0.49	2.07	2	1
1:A:231:ARG:HD3	1:A:241:GLU:OE2	0.49	2.08	9	1
1:A:312:ASN:HA	1:A:321:THR:O	0.48	2.09	19	1
1:A:255:GLN:NE2	1:A:260:ILE:HG23	0.47	2.23	19	1
1:A:265:LYS:HD3	1:A:297:ASP:OD1	0.47	2.09	4	1
1:A:276:SER:HA	1:A:289:VAL:O	0.46	2.09	9	1
1:A:251:PRO:HD3	1:A:320:PHE:CZ	0.46	2.45	11	2
1:A:279:VAL:HA	1:A:282:PHE:CE2	0.46	2.46	6	2
1:A:307:ASN:HB2	1:A:327:LYS:O	0.46	2.09	6	1
1:A:226:THR:O	1:A:273:LEU:HD13	0.45	2.11	18	4
1:A:230:PHE:CD2	1:A:279:VAL:HG11	0.45	2.47	20	2
1:A:309:GLU:O	1:A:324:VAL:HA	0.45	2.12	7	1
1:A:238:GLY:HA3	1:A:286:VAL:CG1	0.45	2.41	9	2
1:A:228:ILE:HG12	1:A:291:LEU:HB2	0.44	1.88	3	3
1:A:263:THR:HG22	1:A:297:ASP:OD2	0.44	2.13	14	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:230:PHE:CD1	1:A:279:VAL:HG11	0.44	2.47	13	1
1:A:233:ASP:O	1:A:237:ALA:HB3	0.43	2.13	7	4
1:A:228:ILE:O	1:A:275:ARG:HD2	0.43	2.12	13	1
1:A:228:ILE:HG21	1:A:300:LEU:HD13	0.43	1.91	12	1
1:A:277:LEU:O	1:A:288:LYS:HG3	0.43	2.13	20	1
1:A:228:ILE:HD13	1:A:277:LEU:HD21	0.43	1.91	6	4
1:A:261:ILE:HA	1:A:300:LEU:O	0.42	2.14	2	1
1:A:259:HIS:CB	1:A:303:THR:HA	0.42	2.44	15	1
1:A:262:VAL:HG13	1:A:300:LEU:HB2	0.42	1.91	19	1
1:A:271:THR:HB	1:A:293:ARG:HD3	0.42	1.89	17	1
1:A:274:GLN:HB2	1:A:291:LEU:O	0.42	2.15	16	2
1:A:263:THR:HG22	1:A:297:ASP:OD1	0.42	2.14	14	1
1:A:308:TRP:CH2	1:A:310:LEU:HB2	0.42	2.49	4	2
1:A:263:THR:HG22	1:A:297:ASP:CG	0.42	2.35	14	1
1:A:294:LEU:HB3	1:A:297:ASP:HB3	0.42	1.91	14	1
1:A:274:GLN:NE2	1:A:292:LYS:HA	0.42	2.29	16	1
1:A:260:ILE:HB	1:A:302:ILE:HB	0.42	1.91	19	1
1:A:308:TRP:CE3	1:A:324:VAL:HG23	0.41	2.50	19	1
1:A:255:GLN:OE1	1:A:260:ILE:HG23	0.41	2.16	19	1
1:A:228:ILE:O	1:A:228:ILE:HD12	0.41	2.15	6	1
1:A:323:GLN:HE21	1:A:325:LEU:HD21	0.41	1.76	5	1
1:A:269:LEU:HD12	1:A:270:PRO:HD2	0.40	1.93	19	1
1:A:274:GLN:HE21	1:A:292:LYS:HA	0.40	1.77	13	1
1:A:229:ASP:O	1:A:240:ILE:HA	0.40	2.15	10	1

## 5.2 Torsion angles [i](#)

### 5.2.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	103/138 (75%)	99±2 (96±2%)	4±2 (4±2%)	1±1 (1±1%)	29	74
All	All	2060/2760 (75%)	1971 (96%)	77 (4%)	12 (1%)	29	74

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	295	ASN	6
1	A	279	VAL	5
1	A	225	GLN	1

### 5.2.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	89/116 (77%)	86±2 (96±2%)	3±2 (4±2%)	36	84
All	All	1780/2320 (77%)	1712 (96%)	68 (4%)	36	84

All 24 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	291	LEU	7
1	A	262	VAL	6
1	A	283	LYS	6
1	A	324	VAL	5
1	A	296	ASN	5
1	A	325	LEU	4
1	A	268	THR	4
1	A	300	LEU	4
1	A	284	THR	4
1	A	286	VAL	3
1	A	231	ARG	3
1	A	229	ASP	2
1	A	282	PHE	2
1	A	275	ARG	2
1	A	310	LEU	2
1	A	227	ASN	1
1	A	225	GLN	1
1	A	265	LYS	1
1	A	281	ASP	1
1	A	274	GLN	1
1	A	307	ASN	1
1	A	278	ASP	1
1	A	250	GLN	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	295	ASN	1

### 5.2.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.3 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.4 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.5 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.6 Other polymers [i](#)

There are no such molecules in this entry.

### 5.7 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 89% for the well-defined parts and 77% for the entire structure.

### 6.1 Chemical shift list 1

File name: input\_cs.cif

Chemical shift list name: *assigned\_chem\_shift\_list*

#### 6.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1484
Number of shifts mapped to atoms	1484
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	6

#### 6.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	123	$-0.05 \pm 0.16$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	113	$0.08 \pm 0.07$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	123	$-1.79 \pm 0.29$	Should be applied
$^{15}\text{N}$	116	$-0.83 \pm 0.52$	None needed (imprecise)

#### 6.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 89%, i.e. 1131 atoms were assigned a chemical shift out of a possible 1274. 0 out of 17 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	505/505 (100%)	201/201 (100%)	206/206 (100%)	98/98 (100%)
Sidechain	563/680 (83%)	344/394 (87%)	214/254 (84%)	5/32 (16%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	63/89 (71%)	32/47 (68%)	30/35 (86%)	1/7 (14%)
Overall	1131/1274 (89%)	577/642 (90%)	450/495 (91%)	104/137 (76%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 77%, i.e. 1309 atoms were assigned a chemical shift out of a possible 1693. 0 out of 19 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	601/678 (89%)	239/270 (89%)	246/276 (89%)	116/132 (88%)
Sidechain	645/870 (74%)	398/511 (78%)	240/316 (76%)	7/43 (16%)
Aromatic	63/145 (43%)	32/75 (43%)	30/49 (61%)	1/21 (5%)
Overall	1309/1693 (77%)	669/856 (78%)	516/641 (80%)	124/196 (63%)

#### 6.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	304	THR	HG23	-0.22	2.29 – -0.01	-5.9
1	A	304	THR	HG22	-0.22	2.29 – -0.01	-5.9
1	A	304	THR	HG21	-0.22	2.29 – -0.01	-5.9
1	A	279	VAL	HG11	-0.58	2.13 – -0.47	-5.4
1	A	279	VAL	HG12	-0.58	2.13 – -0.47	-5.4
1	A	279	VAL	HG13	-0.58	2.13 – -0.47	-5.4

#### 6.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

