



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 3, 2023 – 10:30 pm BST

PDB ID : 8AQ2  
Title : In meso structure of the membrane integral lipoprotein N-acyltransferase Lnt from *P. aeruginosa* covalently linked with TITC  
Authors : Huang, C.-Y.; Weichert, D.; Boland, C.; Smithers, L.; Olieric, V.; Wang, M.; Caffrey, M.  
Deposited on : 2022-08-11  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.33  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.33


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	531	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OLC	A	601	-	-	-	X
2	OLC	A	605	-	-	-	X
5	GOL	A	617	-	-	-	X

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4333 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Apolipoprotein N-acyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	520	4009	2642	678	678	11	0	0	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q9ZI86
A	-18	GLY	-	expression tag	UNP Q9ZI86
A	-17	SER	-	expression tag	UNP Q9ZI86
A	-16	SER	-	expression tag	UNP Q9ZI86
A	-15	HIS	-	expression tag	UNP Q9ZI86
A	-14	HIS	-	expression tag	UNP Q9ZI86
A	-13	HIS	-	expression tag	UNP Q9ZI86
A	-12	HIS	-	expression tag	UNP Q9ZI86
A	-11	HIS	-	expression tag	UNP Q9ZI86
A	-10	HIS	-	expression tag	UNP Q9ZI86
A	-9	SER	-	expression tag	UNP Q9ZI86
A	-8	SER	-	expression tag	UNP Q9ZI86
A	-7	GLY	-	expression tag	UNP Q9ZI86
A	-6	LEU	-	expression tag	UNP Q9ZI86
A	-5	VAL	-	expression tag	UNP Q9ZI86
A	-4	PRO	-	expression tag	UNP Q9ZI86
A	-3	ARG	-	expression tag	UNP Q9ZI86
A	-2	GLY	-	expression tag	UNP Q9ZI86
A	-1	SER	-	expression tag	UNP Q9ZI86
A	0	HIS	-	expression tag	UNP Q9ZI86

- Molecule 2 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			25	21	4		
2	A	1	Total	C	O	0	0
			22	18	4		
2	A	1	Total	C	O	0	0
			14	10	4		
2	A	1	Total	C	O	0	0
			22	18	4		
2	A	1	Total	C	O	0	0
			25	21	4		
2	A	1	Total	C	O	0	0
			22	18	4		
2	A	1	Total	C	O	0	0
			25	21	4		
2	A	1	Total	C	O	0	0
			21	17	4		
2	A	1	Total	C	O	0	0
			14	10	4		

- Molecule 3 is {N}-tridecylmethanethioamide (three-letter code: QGT) (formula: C<sub>14</sub>H<sub>29</sub>NS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
3	A	1	Total	C	N	S	0	0
			16	14	1	1		
3	A	1	Total	C	N	S	0	0
			8	6	1	1		

- Molecule 4 is CITRATE ANION (three-letter code: FLC) (formula:  $C_6H_5O_7$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O		
			13	6	7	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	30	Total O 30 30	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Apolipoprotein N-acyltransferase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.06Å 116.23Å 73.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.53 – 2.60 48.53 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.53-2.60) 99.7 (48.53-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.29 (at 2.61Å)	Xtrriage
Refinement program	PHENIX dev_3494	Depositor
R, $R_{free}$	0.228 , 0.257 0.228 , 0.256	Depositor DCC
$R_{free}$ test set	1054 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	60.4	Xtrriage
Anisotropy	0.476	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 53.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4333	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FLC, GOL, QGT, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/4134	0.56	0/5660

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4009	0	4024	133	0
2	A	215	0	316	14	0
3	A	24	0	0	0	0
4	A	13	0	5	0	0
5	A	42	0	56	5	0
6	A	30	0	0	3	0
All	All	4333	0	4401	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:442:VAL:HG12	1:A:442:VAL:O	1.56	1.02
1:A:108:TRP:HE1	5:A:618:GOL:H2	1.24	0.99
1:A:437:ALA:HA	1:A:443:THR:HG23	1.43	0.98
1:A:420:LEU:HD22	1:A:442:VAL:HG11	1.43	0.96
1:A:87:LEU:HD22	1:A:91:LEU:HD23	1.51	0.91
1:A:87:LEU:HD22	1:A:91:LEU:CD2	2.05	0.86
1:A:306:ARG:HH21	1:A:306:ARG:HG2	1.42	0.83
1:A:245:VAL:O	1:A:249:LEU:HD13	1.82	0.80
1:A:234:ILE:HG12	1:A:248:GLN:HG3	1.67	0.77
1:A:270:THR:HG23	1:A:302:PRO:HD3	1.65	0.76
1:A:108:TRP:HE3	1:A:109:LEU:HD22	1.49	0.76
1:A:478:LEU:O	1:A:481:ARG:NH1	2.20	0.75
1:A:87:LEU:CD2	1:A:91:LEU:CD2	2.66	0.74
1:A:46:LEU:O	1:A:115:ARG:NH2	2.20	0.73
1:A:99:VAL:HG23	2:A:604:OLC:H9	1.70	0.73
1:A:279:ALA:O	1:A:283:LEU:HD23	1.88	0.72
1:A:83:ALA:HB1	1:A:87:LEU:CD1	2.21	0.70
1:A:334:VAL:HG12	1:A:338:GLU:HG3	1.73	0.70
1:A:268:PRO:HB2	1:A:439:ASN:OD1	1.92	0.70
1:A:96:THR:HG21	2:A:608:OLC:H10	1.73	0.70
1:A:87:LEU:HD22	1:A:87:LEU:O	1.90	0.69
1:A:249:LEU:HD12	1:A:249:LEU:N	2.08	0.67
1:A:238:LEU:HD11	1:A:409:TRP:HZ3	1.60	0.67
1:A:482:VAL:HG12	1:A:486:ALA:HB2	1.74	0.67
1:A:-9:SER:HB3	1:A:187:ARG:HH21	1.60	0.67
1:A:108:TRP:CE3	1:A:109:LEU:HD22	2.31	0.66
1:A:0:HIS:HA	5:A:620:GOL:H2	1.77	0.66
1:A:249:LEU:H	1:A:249:LEU:CD1	2.08	0.66
1:A:420:LEU:CD2	1:A:442:VAL:HG11	2.24	0.65
1:A:83:ALA:HB1	1:A:87:LEU:HD12	1.78	0.65
1:A:346:LEU:O	1:A:350:ILE:HG12	1.98	0.64
1:A:249:LEU:N	1:A:249:LEU:CD1	2.58	0.64
1:A:304:ARG:HE	1:A:312:SER:HB3	1.61	0.64
1:A:279:ALA:CB	1:A:283:LEU:HD23	2.29	0.62
1:A:257:LEU:HB2	1:A:258:PRO:HD3	1.81	0.62
1:A:343:GLN:O	1:A:347:ARG:HB2	1.98	0.62
1:A:87:LEU:HD21	1:A:91:LEU:HD21	1.82	0.61
1:A:386:VAL:HG13	1:A:422:MET:HE1	1.82	0.61
1:A:87:LEU:HD22	1:A:87:LEU:C	2.21	0.61
1:A:269:GLU:OE2	1:A:406:ASN:N	2.32	0.61
1:A:306:ARG:HG2	1:A:306:ARG:NH2	2.10	0.61
1:A:74:TYR:HB2	1:A:92:MET:HG3	1.84	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:PRO:HB3	1:A:210:LEU:HD11	1.84	0.60
1:A:87:LEU:CD2	1:A:91:LEU:HD21	2.31	0.59
1:A:3:TRP:HD1	5:A:620:GOL:O3	1.86	0.58
1:A:305:GLU:OE1	1:A:313:ARG:NH2	2.28	0.58
1:A:498:LEU:O	1:A:502:LEU:HD23	2.04	0.58
1:A:424:GLN:NE2	1:A:450:GLY:O	2.32	0.58
1:A:87:LEU:O	1:A:91:LEU:HD23	2.04	0.57
1:A:139:SER:HA	1:A:146:PRO:HG3	1.87	0.57
1:A:241:ASP:N	1:A:241:ASP:OD1	2.38	0.56
1:A:234:ILE:HD11	1:A:251:LEU:HD23	1.88	0.56
1:A:370:LEU:HD13	1:A:379:PRO:HG3	1.88	0.56
1:A:319:THR:HG1	1:A:327:THR:HG1	1.49	0.56
1:A:298:ILE:HG12	1:A:320:VAL:HG22	1.88	0.55
1:A:241:ASP:O	1:A:245:VAL:HG23	2.06	0.55
1:A:83:ALA:HB1	1:A:87:LEU:HD13	1.88	0.55
1:A:396:ALA:O	1:A:397:GLN:HG2	2.07	0.54
1:A:152:TYR:OH	1:A:426:ARG:NH2	2.40	0.54
1:A:230:ILE:HD12	1:A:267:TRP:HE1	1.72	0.54
1:A:99:VAL:CG2	2:A:604:OLC:H9	2.35	0.53
1:A:143:THR:HG21	1:A:335:PRO:CG	2.39	0.53
1:A:285:ALA:O	1:A:289:VAL:HG23	2.09	0.53
1:A:495:TRP:HA	2:A:610:OLC:H5	1.90	0.53
1:A:96:THR:CG2	2:A:608:OLC:H10	2.37	0.52
1:A:430:SER:HA	1:A:478:LEU:HD11	1.93	0.51
1:A:259:GLN:OE1	1:A:465:ARG:NH1	2.45	0.50
1:A:108:TRP:NE1	5:A:618:GOL:H2	2.09	0.50
1:A:146:PRO:HB2	6:A:704:HOH:O	2.10	0.50
1:A:279:ALA:HB1	1:A:283:LEU:CD2	2.42	0.50
1:A:227:VAL:HG22	1:A:264:LEU:HB2	1.93	0.49
2:A:601:OLC:H13	2:A:601:OLC:H18A	1.93	0.49
1:A:56:TRP:CZ3	2:A:609:OLC:H4	2.47	0.49
1:A:92:MET:O	1:A:96:THR:HG22	2.12	0.48
1:A:228:VAL:HG22	1:A:465:ARG:NE	2.28	0.48
1:A:388:PRO:HG3	1:A:426:ARG:NH2	2.28	0.48
1:A:143:THR:HG21	1:A:335:PRO:HG2	1.96	0.48
1:A:221:ALA:HB2	1:A:472:GLN:HB3	1.95	0.48
1:A:31:TYR:HB3	2:A:605:OLC:H3A	1.95	0.48
1:A:60:TRP:NE1	2:A:609:OLC:O19	2.44	0.48
1:A:66:PHE:CD2	1:A:99:VAL:HG12	2.48	0.48
1:A:85:VAL:CG2	1:A:86:PRO:HD3	2.44	0.48
1:A:257:LEU:CD1	1:A:257:LEU:N	2.76	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:TRP:CD2	1:A:33:PRO:HD3	2.49	0.47
1:A:195:LEU:O	1:A:199:LEU:HG	2.14	0.47
1:A:382:CYS:HA	1:A:405:SER:HB3	1.96	0.47
1:A:380:TYR:O	1:A:403:THR:HA	2.14	0.47
1:A:249:LEU:HD11	1:A:273:PRO:HD2	1.95	0.47
1:A:275:LEU:HD12	1:A:304:ARG:HB2	1.96	0.47
1:A:52:LYS:HD3	2:A:607:OLC:H24A	1.97	0.47
1:A:382:CYS:HA	1:A:405:SER:CB	2.44	0.47
1:A:223:GLU:H	1:A:223:GLU:CD	2.19	0.47
1:A:36:ILE:HG13	1:A:175:ILE:HG23	1.97	0.46
1:A:-2:GLY:N	5:A:620:GOL:O1	2.36	0.46
1:A:55:LEU:HB2	1:A:108:TRP:HB2	1.97	0.46
1:A:249:LEU:HD13	1:A:249:LEU:H	1.79	0.46
1:A:279:ALA:CB	1:A:283:LEU:CD2	2.94	0.46
1:A:12:HIS:CE1	1:A:57:ARG:HB2	2.51	0.45
1:A:279:ALA:O	1:A:283:LEU:CD2	2.61	0.45
1:A:87:LEU:CD2	1:A:87:LEU:C	2.85	0.45
1:A:304:ARG:HG3	1:A:312:SER:HB2	1.98	0.45
1:A:74:TYR:OH	1:A:85:VAL:HG12	2.17	0.45
1:A:23:PRO:HG3	1:A:69:GLY:CA	2.47	0.45
1:A:228:VAL:HG23	1:A:262:VAL:HG21	1.98	0.45
1:A:253:ARG:O	1:A:257:LEU:HD13	2.17	0.45
1:A:279:ALA:HB3	1:A:283:LEU:HD23	1.98	0.45
1:A:257:LEU:HA	1:A:293:LYS:HE3	1.99	0.44
1:A:304:ARG:HE	1:A:312:SER:CB	2.28	0.44
1:A:77:ILE:HD11	2:A:602:OLC:H7	1.98	0.44
1:A:6:ARG:HD2	6:A:725:HOH:O	2.18	0.44
1:A:142:LEU:HD23	1:A:142:LEU:HA	1.76	0.44
1:A:159:LEU:HD22	1:A:162:LEU:HD12	1.99	0.44
1:A:378:ALA:HB3	1:A:401:LEU:HD23	2.00	0.43
2:A:602:OLC:H11	2:A:602:OLC:H8	1.70	0.43
1:A:271:ALA:HB3	1:A:299:THR:OG1	2.19	0.43
1:A:380:TYR:HE2	1:A:401:LEU:HD22	1.84	0.43
1:A:32:TRP:N	1:A:33:PRO:HD2	2.34	0.42
1:A:171:SER:O	1:A:175:ILE:HG13	2.19	0.42
1:A:85:VAL:HG23	1:A:86:PRO:HD3	2.01	0.42
1:A:383:TYR:O	1:A:386:VAL:HB	2.20	0.42
1:A:288:GLN:NE2	6:A:703:HOH:O	2.30	0.42
1:A:132:LEU:HD11	1:A:169:TRP:HB3	2.00	0.42
1:A:181:LEU:HD23	1:A:181:LEU:HA	1.90	0.41
1:A:228:VAL:CG2	1:A:262:VAL:HG21	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:ALA:HB1	1:A:283:LEU:HD23	1.98	0.41
1:A:228:VAL:HG22	1:A:465:ARG:HE	1.85	0.41
1:A:136:LEU:HD12	1:A:169:TRP:CE3	2.56	0.41
1:A:136:LEU:HD12	1:A:169:TRP:CZ3	2.56	0.41
1:A:105:LEU:O	1:A:109:LEU:HD23	2.21	0.41
1:A:191:HIS:HB2	1:A:194:SER:OG	2.21	0.41
2:A:607:OLC:H16A	2:A:607:OLC:H13A	1.79	0.41
1:A:169:TRP:CD1	1:A:482:VAL:HG22	2.56	0.41
1:A:240:TRP:CH2	1:A:248:GLN:OE1	2.73	0.41
1:A:257:LEU:CB	1:A:258:PRO:HD3	2.50	0.41
2:A:607:OLC:O23	2:A:609:OLC:O23	2.35	0.41
1:A:243:ASN:OD1	1:A:243:ASN:N	2.55	0.40
1:A:377:ILE:HG23	1:A:400:VAL:HG13	2.03	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	518/531 (98%)	503 (97%)	15 (3%)	0	<b>100</b> <b>100</b>

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	397/412 (96%)	389 (98%)	8 (2%)	55 78

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	87	LEU
1	A	109	LEU
1	A	249	LEU
1	A	329	LEU
1	A	383	TYR
1	A	440	ASN
1	A	502	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	236	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	OLC	A	605	-	24,24,24	0.71	1 (4%)	25,25,25	0.93	1 (4%)
2	OLC	A	606	-	21,21,24	0.74	1 (4%)	22,22,25	0.97	1 (4%)
5	GOL	A	615	-	5,5,5	0.34	0	5,5,5	0.36	0
5	GOL	A	618	-	5,5,5	0.35	0	5,5,5	0.37	0
2	OLC	A	603	-	13,13,24	0.90	1 (7%)	14,14,25	1.08	1 (7%)
2	OLC	A	601	-	24,24,24	0.68	1 (4%)	25,25,25	0.94	1 (4%)
3	QGT	A	612	1	7,7,15	2.09	2 (28%)	4,6,14	0.39	0
2	OLC	A	607	-	24,24,24	0.70	1 (4%)	25,25,25	0.84	0
2	OLC	A	602	-	21,21,24	0.72	1 (4%)	22,22,25	0.94	1 (4%)
2	OLC	A	604	-	21,21,24	0.73	1 (4%)	22,22,25	0.97	1 (4%)
5	GOL	A	614	-	5,5,5	0.33	0	5,5,5	0.32	0
5	GOL	A	619	-	5,5,5	0.33	0	5,5,5	0.26	0
5	GOL	A	616	-	5,5,5	0.34	0	5,5,5	0.29	0
2	OLC	A	609	-	20,20,24	0.76	1 (5%)	21,21,25	0.90	1 (4%)
5	GOL	A	617	-	5,5,5	0.36	0	5,5,5	0.18	0
2	OLC	A	610	-	13,13,24	0.91	1 (7%)	14,14,25	1.22	1 (7%)
5	GOL	A	620	-	5,5,5	0.44	0	5,5,5	0.57	0
2	OLC	A	608	-	24,24,24	0.67	1 (4%)	25,25,25	0.97	1 (4%)
4	FLC	A	613	-	12,12,12	1.06	0	17,17,17	1.42	2 (11%)
3	QGT	A	611	1	15,15,15	1.04	2 (13%)	12,14,14	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OLC	A	605	-	-	16/24/24/24	-
2	OLC	A	606	-	-	6/21/21/24	-
5	GOL	A	615	-	-	1/4/4/4	-
5	GOL	A	618	-	-	0/4/4/4	-
2	OLC	A	603	-	-	5/13/13/24	-
2	OLC	A	601	-	-	11/24/24/24	-
3	QGT	A	612	1	-	2/4/5/13	-
2	OLC	A	607	-	-	7/24/24/24	-

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OLC	A	602	-	-	7/21/21/24	-
2	OLC	A	604	-	-	10/21/21/24	-
5	GOL	A	614	-	-	2/4/4/4	-
5	GOL	A	619	-	-	0/4/4/4	-
5	GOL	A	616	-	-	0/4/4/4	-
2	OLC	A	609	-	-	7/20/20/24	-
5	GOL	A	617	-	-	0/4/4/4	-
2	OLC	A	610	-	-	5/13/13/24	-
5	GOL	A	620	-	-	0/4/4/4	-
2	OLC	A	608	-	-	9/24/24/24	-
4	FLC	A	613	-	-	7/16/16/16	-
3	QGT	A	611	1	-	3/12/13/13	-

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	612	QGT	C01-N03	4.17	1.45	1.31
3	A	612	QGT	C01-S02	-3.54	1.59	1.64
3	A	611	QGT	C01-N03	3.15	1.42	1.31
2	A	605	OLC	O20-C1	2.86	1.41	1.33
2	A	603	OLC	O20-C1	2.82	1.41	1.33
2	A	604	OLC	O20-C1	2.78	1.41	1.33
2	A	610	OLC	O20-C1	2.75	1.41	1.33
2	A	601	OLC	O20-C1	2.74	1.41	1.33
2	A	607	OLC	O20-C1	2.73	1.41	1.33
2	A	609	OLC	O20-C1	2.70	1.41	1.33
2	A	606	OLC	O20-C1	2.68	1.41	1.33
2	A	602	OLC	O20-C1	2.61	1.41	1.33
2	A	608	OLC	O20-C1	2.59	1.40	1.33
3	A	611	QGT	C01-S02	-2.18	1.61	1.64

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	613	FLC	OB2-CBC-CB	3.96	119.93	113.05
2	A	610	OLC	O20-C1-C2	3.12	121.70	111.91
2	A	603	OLC	O20-C1-C2	2.94	121.14	111.91
2	A	606	OLC	O20-C1-C2	2.88	120.94	111.91
2	A	604	OLC	O20-C1-C2	2.87	120.91	111.91
2	A	601	OLC	O20-C1-C2	2.76	120.57	111.91

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	605	OLC	O20-C1-C2	2.67	120.28	111.91
2	A	608	OLC	O20-C1-C2	2.54	119.88	111.91
2	A	602	OLC	O20-C1-C2	2.53	119.86	111.91
2	A	609	OLC	O20-C1-C2	2.48	119.68	111.91
4	A	613	FLC	OG2-CGC-CG	2.03	120.88	114.35

There are no chirality outliers.

All (98) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	602	OLC	C21-C22-C24-O25
2	A	604	OLC	O20-C21-C22-C24
2	A	607	OLC	C21-C22-C24-O25
4	A	613	FLC	CA-CB-CBC-OB1
4	A	613	FLC	CA-CB-CBC-OB2
4	A	613	FLC	OHB-CB-CBC-OB1
4	A	613	FLC	OHB-CB-CBC-OB2
5	A	614	GOL	O1-C1-C2-C3
3	A	612	QGT	N03-C04-C05-C06
2	A	609	OLC	C2-C1-O20-C21
2	A	605	OLC	O20-C21-C22-O23
2	A	609	OLC	O19-C1-O20-C21
2	A	605	OLC	C11-C12-C13-C14
2	A	606	OLC	O20-C21-C22-O23
2	A	602	OLC	O23-C22-C24-O25
2	A	603	OLC	C1-C2-C3-C4
2	A	605	OLC	C1-C2-C3-C4
2	A	607	OLC	C11-C12-C13-C14
2	A	604	OLC	O20-C21-C22-O23
2	A	606	OLC	O20-C21-C22-C24
2	A	605	OLC	C5-C6-C7-C8
2	A	601	OLC	C1-C2-C3-C4
3	A	611	QGT	C06-C07-C08-C09
2	A	601	OLC	C14-C15-C16-C17
2	A	605	OLC	C14-C15-C16-C17
2	A	604	OLC	C1-C2-C3-C4
2	A	606	OLC	C1-C2-C3-C4
2	A	605	OLC	C13-C14-C15-C16
2	A	610	OLC	C3-C4-C5-C6
2	A	607	OLC	O23-C22-C24-O25
2	A	602	OLC	C4-C5-C6-C7
2	A	609	OLC	C4-C5-C6-C7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	606	OLC	C11-C12-C13-C14
2	A	603	OLC	O20-C21-C22-C24
2	A	604	OLC	C2-C3-C4-C5
2	A	604	OLC	C4-C5-C6-C7
2	A	603	OLC	C2-C3-C4-C5
2	A	602	OLC	C5-C6-C7-C8
2	A	608	OLC	C10-C11-C12-C13
3	A	612	QGT	C05-C06-C07-C08
2	A	601	OLC	C15-C16-C17-C18
2	A	608	OLC	C2-C3-C4-C5
2	A	604	OLC	C12-C13-C14-C15
2	A	601	OLC	C4-C5-C6-C7
2	A	603	OLC	O20-C21-C22-O23
2	A	601	OLC	O20-C21-C22-C24
2	A	605	OLC	O20-C21-C22-C24
2	A	601	OLC	C6-C7-C8-C9
2	A	609	OLC	C3-C4-C5-C6
2	A	605	OLC	C3-C4-C5-C6
2	A	608	OLC	C12-C13-C14-C15
2	A	601	OLC	C2-C1-O20-C21
2	A	610	OLC	C2-C1-O20-C21
2	A	601	OLC	C5-C6-C7-C8
5	A	614	GOL	O1-C1-C2-O2
2	A	608	OLC	C6-C7-C8-C9
2	A	610	OLC	O19-C1-O20-C21
2	A	601	OLC	O19-C1-O20-C21
2	A	601	OLC	O20-C21-C22-O23
2	A	610	OLC	C1-C2-C3-C4
2	A	604	OLC	C6-C7-C8-C9
2	A	605	OLC	C10-C11-C12-C13
2	A	605	OLC	C6-C7-C8-C9
2	A	605	OLC	C12-C13-C14-C15
2	A	608	OLC	C14-C15-C16-C17
2	A	609	OLC	C11-C12-C13-C14
2	A	601	OLC	C2-C3-C4-C5
2	A	610	OLC	C4-C5-C6-C7
2	A	602	OLC	C1-C2-C3-C4
4	A	613	FLC	CAC-CA-CB-OHB
2	A	604	OLC	C7-C8-C9-C10
2	A	607	OLC	C5-C6-C7-C8
2	A	605	OLC	C7-C8-C9-C10
2	A	602	OLC	C2-C1-O20-C21

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	602	OLC	O19-C1-O20-C21
2	A	608	OLC	C5-C6-C7-C8
2	A	604	OLC	C5-C6-C7-C8
2	A	605	OLC	C15-C16-C17-C18
3	A	611	QGT	C11-C12-C13-C14
2	A	603	OLC	C3-C4-C5-C6
3	A	611	QGT	C12-C13-C14-C15
2	A	606	OLC	C4-C5-C6-C7
2	A	607	OLC	C7-C8-C9-C10
2	A	608	OLC	C7-C8-C9-C10
4	A	613	FLC	CA-CB-CG-CGC
2	A	608	OLC	C2-C1-O20-C21
2	A	605	OLC	C9-C10-C11-C12
2	A	608	OLC	O19-C1-O20-C21
2	A	606	OLC	C7-C8-C9-C10
2	A	609	OLC	C9-C10-C11-C12
2	A	604	OLC	O23-C22-C24-O25
2	A	609	OLC	O20-C21-C22-O23
2	A	607	OLC	C9-C10-C11-C12
4	A	613	FLC	OHB-CB-CG-CGC
2	A	605	OLC	O20-C1-C2-C3
5	A	615	GOL	O1-C1-C2-O2
2	A	605	OLC	O19-C1-C2-C3
2	A	607	OLC	C3-C4-C5-C6


There are no ring outliers.


10 monomers are involved in 19 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	605	OLC	1	0
5	A	618	GOL	2	0
2	A	601	OLC	1	0
2	A	607	OLC	3	0
2	A	602	OLC	2	0
2	A	604	OLC	2	0
2	A	609	OLC	3	0
2	A	610	OLC	1	0
5	A	620	GOL	3	0
2	A	608	OLC	2	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight  $> 250$  and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	520/531 (97%)	0.03	23 (4%) 34 27	40, 68, 115, 173	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	240	TRP	5.9
1	A	238	LEU	5.2
1	A	227	VAL	5.1
1	A	468	VAL	4.4
1	A	464	LEU	4.3
1	A	222	GLY	4.1
1	A	244	GLN	3.4
1	A	465	ARG	3.3
1	A	309	ASP	3.1
1	A	312	SER	3.0
1	A	265	ILE	2.8
1	A	345	LEU	2.7
1	A	228	VAL	2.7
1	A	237	GLU	2.6
1	A	454	ARG	2.6
1	A	262	VAL	2.6
1	A	377	ILE	2.6
1	A	221	ALA	2.5
1	A	370	LEU	2.5
1	A	264	LEU	2.4
1	A	226	ARG	2.4
1	A	243	ASN	2.4
1	A	305	GLU	2.4

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	GOL	A	614	6/6	0.42	0.21	104,111,112,113	0
2	OLC	A	605	25/25	0.64	0.46	78,97,108,111	0
5	GOL	A	618	6/6	0.64	0.21	110,113,114,119	0
2	OLC	A	607	25/25	0.70	0.34	73,103,112,115	0
5	GOL	A	617	6/6	0.71	0.56	75,89,89,99	0
2	OLC	A	601	25/25	0.74	0.46	76,88,102,110	0
5	GOL	A	615	6/6	0.74	0.28	95,98,101,104	0
4	FLC	A	613	13/13	0.76	0.29	126,132,135,137	0
5	GOL	A	620	6/6	0.76	0.18	105,107,109,110	0
5	GOL	A	619	6/6	0.78	0.14	104,106,106,107	0
5	GOL	A	616	6/6	0.81	0.24	108,110,113,113	0
2	OLC	A	608	25/25	0.82	0.27	73,80,102,105	0
2	OLC	A	606	22/25	0.84	0.42	63,81,92,95	0
2	OLC	A	610	14/25	0.84	0.29	81,95,110,114	0
2	OLC	A	609	21/25	0.85	0.36	75,86,93,96	0
3	QGT	A	612	8/16	0.86	0.24	84,95,107,111	0
2	OLC	A	603	14/25	0.88	0.21	64,92,103,111	0
2	OLC	A	602	22/25	0.90	0.23	67,84,99,106	0
2	OLC	A	604	22/25	0.91	0.19	48,76,86,89	0
3	QGT	A	611	16/16	0.92	0.18	56,66,91,97	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around OLC A 605:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLC A 607:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLC A 606:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 610:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 609:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around QGT A 612:**



$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLC A 603:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around OLC A 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers [i](#)

There are no such residues in this entry.