



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 27, 2024 – 05:11 PM EDT

PDB ID : 2AS0  
Title : Crystal Structure of PH1915 (APC 5817): A Hypothetical RNA Methyltransferase  
Authors : Sun, W.; Xu, X.; Pavlova, M.; Edwards, A.M.; Joachimiak, A.; Savchenko, A.; Christendat, D.; Midwest Center for Structural Genomics (MCSG)  
Deposited on : 2005-08-22  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7108 (1.80-1.80)
Clashscore	180529	8162 (1.80-1.80)
Ramachandran outliers	177936	8077 (1.80-1.80)
Sidechain outliers	177891	8076 (1.80-1.80)
RSRZ outliers	164620	7108 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	
1	B	396	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 6782 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hypothetical protein PH1915.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	396	3135	1999	550	569	3	14	0	0	0
1	B	396	3135	1999	550	569	3	14	0	0	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP O59578
A	19	MSE	MET	modified residue	UNP O59578
A	61	MSE	MET	modified residue	UNP O59578
A	101	MSE	MET	modified residue	UNP O59578
A	130	MSE	MET	modified residue	UNP O59578
A	142	MSE	MET	modified residue	UNP O59578
A	193	MSE	MET	modified residue	UNP O59578
A	269	MSE	MET	modified residue	UNP O59578
A	280	MSE	MET	modified residue	UNP O59578
A	344	MSE	MET	modified residue	UNP O59578
A	348	MSE	MET	modified residue	UNP O59578
A	362	MSE	MET	modified residue	UNP O59578
A	377	MSE	MET	modified residue	UNP O59578
A	395	MSE	MET	modified residue	UNP O59578
B	1	MSE	MET	modified residue	UNP O59578
B	19	MSE	MET	modified residue	UNP O59578
B	61	MSE	MET	modified residue	UNP O59578
B	101	MSE	MET	modified residue	UNP O59578
B	130	MSE	MET	modified residue	UNP O59578
B	142	MSE	MET	modified residue	UNP O59578
B	193	MSE	MET	modified residue	UNP O59578
B	269	MSE	MET	modified residue	UNP O59578
B	280	MSE	MET	modified residue	UNP O59578
B	344	MSE	MET	modified residue	UNP O59578
B	348	MSE	MET	modified residue	UNP O59578

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	362	MSE	MET	modified residue	UNP O59578
B	377	MSE	MET	modified residue	UNP O59578
B	395	MSE	MET	modified residue	UNP O59578

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	255	Total 255	O 255	0	0
2	B	257	Total 257	O 257	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.51Å 86.16Å 76.69Å 90.00° 114.16° 90.00°	Depositor
Resolution (Å)	28.98 – 1.80 28.98 – 1.80	Depositor EDS
% Data completeness (in resolution range)	93.2 (28.98-1.80) 94.5 (28.98-1.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.19 (at 1.70Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.207 , 0.239 0.209 , 0.238	Depositor DCC
$R_{free}$ test set	3717 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.9	Xtrriage
Anisotropy	0.124	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 45.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6782	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/3172	0.58	0/4230
1	B	0.31	0/3172	0.58	0/4230
All	All	0.31	0/6344	0.58	0/8460

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3135	0	3228	58	0
1	B	3135	0	3228	81	0
2	A	255	0	0	6	0
2	B	257	0	0	8	0
All	All	6782	0	6456	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:LEU:HD22	1:B:344:MSE:HE1	1.38	1.01

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:396:ARG:HD2	1:B:396:ARG:H	1.34	0.91
1:B:120:ILE:HG21	1:B:193:MSE:HE3	1.54	0.89
1:B:311:LEU:HD11	1:B:344:MSE:HE3	1.62	0.81
1:B:396:ARG:HH11	1:B:396:ARG:N	1.80	0.78
1:A:362:MSE:HG3	1:B:375:ILE:HB	1.65	0.78
1:B:19:MSE:SE	1:B:67:LYS:HE3	2.34	0.76
1:A:368:THR:HB	2:A:636:HOH:O	1.86	0.75
1:A:226:THR:HG22	1:A:229:GLY:HA2	1.70	0.72
1:A:275:SER:HB3	1:A:278:GLU:HG2	1.71	0.71
1:A:116:ARG:HG3	1:A:148:ILE:HD11	1.73	0.70
1:B:9:GLN:HA	1:B:12:ARG:NH1	2.07	0.69
1:B:250:PRO:HD2	1:B:251:ARG:NH1	2.08	0.68
1:B:369:GLN:HE22	1:B:384:TYR:H	1.40	0.67
1:A:396:ARG:HA	1:A:396:ARG:HE	1.60	0.66
1:A:40:GLU:OE2	1:A:69:LYS:HE3	1.96	0.66
1:A:19:MSE:HG3	2:A:612:HOH:O	1.97	0.65
1:A:362:MSE:HE1	1:A:388:LEU:HD22	1.79	0.65
1:A:346:LYS:HD3	1:B:380:LYS:NZ	2.12	0.65
1:B:9:GLN:HA	1:B:12:ARG:HH12	1.64	0.63
1:B:362:MSE:HE1	1:B:366:TYR:CZ	2.33	0.63
1:A:135:LEU:O	1:A:139:GLU:HG3	1.98	0.63
1:B:232:ALA:HB1	1:B:269:MSE:CE	2.29	0.62
1:B:396:ARG:HB3	1:B:396:ARG:NH1	2.14	0.62
1:B:83:LYS:O	1:B:87:GLU:HG3	2.01	0.60
1:A:34:LYS:HE3	1:A:132:ARG:NH2	2.16	0.60
1:A:220:ARG:NH2	1:A:288:GLU:OE1	2.35	0.59
1:A:253:ILE:HG13	1:A:273:VAL:HG22	1.84	0.59
1:A:1:MSE:HE3	1:A:40:GLU:CD	2.24	0.58
1:B:232:ALA:HB1	1:B:269:MSE:HE1	1.84	0.58
1:B:368:THR:HB	2:B:409:HOH:O	2.04	0.57
1:B:20:ILE:HD13	1:B:20:ILE:H	1.69	0.56
1:A:341:ASP:OD2	1:A:344:MSE:HE3	2.05	0.56
1:A:346:LYS:HD3	1:B:380:LYS:HZ3	1.71	0.56
1:B:372:ASP:C	1:B:374:PRO:HD3	2.26	0.56
1:B:158:ARG:HH11	1:B:158:ARG:HG3	1.72	0.55
1:B:133:PHE:O	1:B:137:VAL:HG12	2.06	0.55
1:B:358:LYS:N	1:B:395:MSE:HE3	2.21	0.55
1:B:250:PRO:HD2	1:B:251:ARG:CZ	2.37	0.55
1:B:362:MSE:HG2	1:B:390:LEU:HD23	1.89	0.54
1:B:134:LYS:O	1:B:137:VAL:HG13	2.08	0.54
1:A:377:MSE:HA	1:A:377:MSE:HE2	1.89	0.54

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:VAL:HG22	1:B:114:VAL:HB	1.90	0.53
1:A:251:ARG:HG3	1:A:251:ARG:HH11	1.72	0.53
1:A:395:MSE:HE1	1:B:17:GLY:HA3	1.90	0.53
1:A:261:LYS:HG2	1:A:266:GLU:HG2	1.90	0.53
1:B:20:ILE:HD13	1:B:20:ILE:N	2.24	0.53
1:A:314:TYR:HB3	1:A:348:MSE:HE2	1.92	0.52
1:B:396:ARG:H	1:B:396:ARG:CD	2.17	0.52
1:B:5:VAL:O	1:B:27:VAL:HG22	2.09	0.52
1:B:94:LYS:HE2	2:B:600:HOH:O	2.10	0.52
1:A:194:ARG:HA	2:A:648:HOH:O	2.10	0.51
1:A:254:GLU:O	1:A:258:GLU:HG3	2.10	0.51
1:A:395:MSE:O	1:A:396:ARG:HB2	2.09	0.51
1:B:22:PHE:HB3	1:B:24:LYS:HG2	1.92	0.51
1:A:372:ASP:OD1	1:A:373:HIS:HD2	1.93	0.51
1:B:372:ASP:OD1	1:B:373:HIS:HD2	1.94	0.50
1:A:223:ASP:OD2	1:A:226:THR:HG23	2.11	0.50
1:B:369:GLN:NE2	1:B:384:TYR:H	2.10	0.49
1:A:224:VAL:HG11	1:A:280:MSE:HE2	1.93	0.49
1:A:326:LYS:HD3	2:A:504:HOH:O	2.11	0.49
1:A:299:ALA:HB3	1:A:302:GLN:HE22	1.78	0.49
1:B:102:VAL:HG22	1:B:114:VAL:N	2.27	0.49
1:A:106:ALA:HB1	1:A:374:PRO:HG2	1.93	0.49
1:A:220:ARG:HG2	1:A:290:PHE:CD1	2.48	0.48
1:A:120:ILE:HD11	1:A:177:LYS:HG2	1.95	0.48
1:B:27:VAL:HG11	1:B:44:ARG:NH1	2.28	0.48
1:B:307:LEU:CD2	1:B:344:MSE:HE1	2.27	0.48
1:A:204:GLN:NE2	1:A:296:ASP:OD2	2.47	0.48
1:B:102:VAL:HG22	1:B:114:VAL:CB	2.44	0.48
1:B:134:LYS:O	1:B:137:VAL:CG1	2.62	0.48
1:B:314:TYR:HB3	1:B:348:MSE:HE2	1.96	0.47
1:B:354:ALA:HA	1:B:395:MSE:HE1	1.95	0.47
1:A:106:ALA:CB	1:A:374:PRO:HG2	2.44	0.47
1:B:362:MSE:HG2	1:B:390:LEU:CD2	2.45	0.47
1:A:357:GLY:C	1:A:395:MSE:HG3	2.35	0.47
1:B:94:LYS:HE3	2:B:496:HOH:O	2.15	0.47
1:A:275:SER:HB3	1:A:278:GLU:CG	2.41	0.47
1:A:98:VAL:HG21	1:A:182:ILE:HB	1.97	0.46
1:B:61:MSE:HG3	1:B:62:VAL:HG23	1.96	0.46
1:A:251:ARG:HG3	1:A:251:ARG:NH1	2.31	0.46
1:B:116:ARG:HG3	1:B:148:ILE:HD11	1.98	0.46
1:B:138:ALA:HB2	1:B:172:LEU:HD13	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:THR:HG22	1:A:198:THR:O	2.15	0.46
1:B:282:LYS:HZ1	1:B:286:LYS:HG3	1.81	0.46
1:A:250:PRO:HD2	2:A:506:HOH:O	2.16	0.45
1:A:187:ALA:HB2	1:A:237:ILE:HD13	1.97	0.45
1:A:300:PHE:HB2	1:A:314:TYR:CE1	2.52	0.45
1:B:251:ARG:N	1:B:251:ARG:HD3	2.31	0.45
1:B:94:LYS:HE2	2:B:451:HOH:O	2.17	0.45
1:B:196:GLN:C	1:B:197:LYS:HD2	2.37	0.45
1:B:44:ARG:HD2	2:B:620:HOH:O	2.17	0.44
1:B:396:ARG:H	1:B:396:ARG:HH11	1.62	0.44
1:A:123:LEU:C	1:A:123:LEU:HD23	2.38	0.44
1:A:167:GLU:HG3	2:A:464:HOH:O	2.17	0.44
1:B:311:LEU:HD11	1:B:344:MSE:CE	2.41	0.44
1:A:34:LYS:HE3	1:A:132:ARG:HH22	1.80	0.44
1:A:216:GLN:O	1:A:219:ASP:HB2	2.17	0.44
1:B:212:GLU:OE1	1:B:238:ALA:HB2	2.18	0.44
1:A:366:TYR:HB2	1:B:366:TYR:HB2	2.00	0.43
1:B:158:ARG:HG3	1:B:158:ARG:NH1	2.33	0.43
1:A:142:MSE:HE2	1:A:173:LEU:CD2	2.48	0.43
1:B:396:ARG:HD2	1:B:396:ARG:N	2.17	0.43
1:B:212:GLU:HG3	2:B:508:HOH:O	2.18	0.43
1:B:301:VAL:HG11	1:B:307:LEU:HD23	2.00	0.43
1:A:261:LYS:HA	1:A:266:GLU:CG	2.49	0.43
1:B:396:ARG:OXT	1:B:396:ARG:HG2	2.19	0.43
1:A:162:ARG:HH11	1:A:162:ARG:HG3	1.83	0.42
1:B:120:ILE:HD11	1:B:177:LYS:HG2	2.01	0.42
1:B:282:LYS:NZ	1:B:286:LYS:HG3	2.34	0.42
1:B:334:CYS:HB2	1:B:386:LYS:O	2.20	0.42
1:A:142:MSE:HE2	1:A:173:LEU:HD23	2.01	0.42
1:B:43:THR:HG22	1:B:49:LEU:HD11	2.01	0.42
1:B:267:ASP:OD2	1:B:268:ARG:HG2	2.19	0.42
1:B:102:VAL:HG21	1:B:112:LEU:HG	2.02	0.41
1:B:203:ASP:HB3	1:B:373:HIS:CE1	2.55	0.41
1:B:304:GLU:O	1:B:307:LEU:HG	2.19	0.41
1:B:396:ARG:HH11	1:B:396:ARG:CB	2.33	0.41
1:A:359:PHE:CE1	1:A:395:MSE:HE2	2.55	0.41
1:B:134:LYS:HG2	1:B:172:LEU:HD11	2.02	0.41
1:B:380:LYS:HD3	2:B:479:HOH:O	2.20	0.41
1:B:196:GLN:O	1:B:197:LYS:HD2	2.20	0.41
1:B:304:GLU:H	1:B:304:GLU:CD	2.22	0.41
1:B:346:LYS:HE2	1:B:346:LYS:HB3	1.92	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:232:ALA:CB	1:B:269:MSE:HE1	2.50	0.41
1:A:182:ILE:HD11	1:A:200:PHE:CD2	2.56	0.41
1:B:19:MSE:HG3	2:B:566:HOH:O	2.19	0.41
1:B:102:VAL:CG2	1:B:114:VAL:HG23	2.51	0.41
1:B:303:HIS:HB2	1:B:306:ASP:OD2	2.21	0.41
1:A:227:TYR:CG	1:A:228:THR:N	2.88	0.41
1:B:197:LYS:HG2	1:B:249:SER:OG	2.20	0.40
1:A:178:TYR:HB3	1:A:193:MSE:HB2	2.03	0.40
1:A:286:LYS:HG3	1:A:286:LYS:O	2.21	0.40
1:A:281:GLU:HA	1:A:281:GLU:OE1	2.22	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/396 (100%)	380 (96%)	14 (4%)	0	100	100
1	B	394/396 (100%)	382 (97%)	12 (3%)	0	100	100
All	All	788/792 (100%)	762 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/315 (104%)	324 (98%)	5 (2%)	60	53
1	B	329/315 (104%)	321 (98%)	8 (2%)	44	32
All	All	658/630 (104%)	645 (98%)	13 (2%)	50	40

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	MSE
1	A	135	LEU
1	A	178	TYR
1	A	386	LYS
1	A	396	ARG
1	B	20	ILE
1	B	130	MSE
1	B	172	LEU
1	B	197	LYS
1	B	251	ARG
1	B	268	ARG
1	B	369	GLN
1	B	396	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	59	ASN
1	A	196	GLN
1	A	284	GLN
1	A	302	GLN
1	A	316	ASN
1	A	373	HIS
1	B	316	ASN
1	B	369	GLN
1	B	373	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	382/396 (96%)	0.29	21 (5%) 32 29	11, 22, 39, 65	0
1	B	382/396 (96%)	0.29	22 (5%) 30 27	10, 21, 39, 55	0
All	All	764/792 (96%)	0.29	43 (5%) 31 29	10, 21, 39, 65	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	195	GLY	5.4
1	A	288	GLU	5.2
1	A	198	THR	4.9
1	B	196	GLN	4.5
1	A	196	GLN	4.5
1	A	396	ARG	3.7
1	B	198	THR	3.6
1	B	304	GLU	3.6
1	A	178	TYR	3.6
1	B	303	HIS	3.4
1	B	306	ASP	3.4
1	B	336	CYS	3.3
1	A	197	LYS	3.2
1	A	194	ARG	3.1
1	B	281	GLU	3.0
1	A	394	ASP	3.0
1	A	267	ASP	3.0
1	B	396	ARG	2.9
1	B	277	PHE	2.7
1	B	195	GLY	2.7
1	A	306	ASP	2.6
1	A	199	GLY	2.6
1	A	278	GLU	2.5
1	B	58	SER	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	305	LYS	2.4
1	B	380	LYS	2.4
1	B	288	GLU	2.4
1	B	59	ASN	2.3
1	B	13	ALA	2.3
1	B	57	ASN	2.2
1	A	296	ASP	2.2
1	A	285	LYS	2.2
1	B	381	ASP	2.2
1	A	380	LYS	2.2
1	A	281	GLU	2.2
1	B	7	ASP	2.1
1	B	394	ASP	2.1
1	B	334	CYS	2.1
1	A	226	THR	2.1
1	A	70	ASP	2.1
1	A	393	GLU	2.1
1	B	34	LYS	2.0
1	A	336	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.