



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 5, 2023 – 10:51 pm GMT

PDB ID : 8ASA
Title : Crystal structure of AO75L
Authors : Laugeri, M.E.; Speciale, I.; Gimeno, A.; Lin, S.; Poveda, A.; Lowary, T.; Van Etten, J.L.; Barbero, J.J.; De Castro, C.; Tonetti, M.; Rojas, A.L.
Deposited on : 2022-08-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	285	 89% 8% ..
1	B	285	 91% 7% ..
1	C	285	 2% 91% 7% ..
1	D	285	 89% 8% ..
1	E	285	 2% 91% 8% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	285	 <p>% 87% 10% ..</p>
1	G	285	 <p>% 92% 6% ..</p>
1	H	285	 <p>% 89% 8% .</p>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 20366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exostosin.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	281	Total 2366	C 1524	N 393	O 439	S 5	Se 5	0	3	0
1	B	282	Total 2368	C 1525	N 395	O 439	S 4	Se 5	0	1	0
1	C	281	Total 2354	C 1516	N 391	O 438	S 4	Se 5	0	1	0
1	D	281	Total 2363	C 1521	N 394	O 439	S 4	Se 5	0	1	0
1	E	281	Total 2357	C 1517	N 391	O 440	S 4	Se 5	0	1	0
1	F	280	Total 2359	C 1520	N 390	O 440	S 4	Se 5	0	2	0
1	G	281	Total 2361	C 1520	N 391	O 441	S 4	Se 5	0	2	0
1	H	278	Total 2341	C 1506	N 389	O 437	S 4	Se 5	0	2	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP Q89410
A	-3	PRO	-	expression tag	UNP Q89410
A	-2	LEU	-	expression tag	UNP Q89410
A	-1	GLY	-	expression tag	UNP Q89410
A	0	SER	-	expression tag	UNP Q89410
B	-4	GLY	-	expression tag	UNP Q89410
B	-3	PRO	-	expression tag	UNP Q89410
B	-2	LEU	-	expression tag	UNP Q89410
B	-1	GLY	-	expression tag	UNP Q89410
B	0	SER	-	expression tag	UNP Q89410
C	-4	GLY	-	expression tag	UNP Q89410
C	-3	PRO	-	expression tag	UNP Q89410
C	-2	LEU	-	expression tag	UNP Q89410

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	expression tag	UNP Q89410
C	0	SER	-	expression tag	UNP Q89410
D	-4	GLY	-	expression tag	UNP Q89410
D	-3	PRO	-	expression tag	UNP Q89410
D	-2	LEU	-	expression tag	UNP Q89410
D	-1	GLY	-	expression tag	UNP Q89410
D	0	SER	-	expression tag	UNP Q89410
E	-4	GLY	-	expression tag	UNP Q89410
E	-3	PRO	-	expression tag	UNP Q89410
E	-2	LEU	-	expression tag	UNP Q89410
E	-1	GLY	-	expression tag	UNP Q89410
E	0	SER	-	expression tag	UNP Q89410
F	-4	GLY	-	expression tag	UNP Q89410
F	-3	PRO	-	expression tag	UNP Q89410
F	-2	LEU	-	expression tag	UNP Q89410
F	-1	GLY	-	expression tag	UNP Q89410
F	0	SER	-	expression tag	UNP Q89410
G	-4	GLY	-	expression tag	UNP Q89410
G	-3	PRO	-	expression tag	UNP Q89410
G	-2	LEU	-	expression tag	UNP Q89410
G	-1	GLY	-	expression tag	UNP Q89410
G	0	SER	-	expression tag	UNP Q89410
H	-4	GLY	-	expression tag	UNP Q89410
H	-3	PRO	-	expression tag	UNP Q89410
H	-2	LEU	-	expression tag	UNP Q89410
H	-1	GLY	-	expression tag	UNP Q89410
H	0	SER	-	expression tag	UNP Q89410

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0
2	G	1	Total C O 6 3 3	0	0
2	H	1	Total C O 6 3 3	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	6	Total Mg 6 6	0	0
4	B	3	Total Mg 3 3	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	5	Total 5	Mg 5	0	0
4	E	3	Total 3	Mg 3	0	0
4	F	3	Total 3	Mg 3	0	0
4	G	5	Total 5	Mg 5	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total 2	Ca 2	0	0
5	B	3	Total 3	Ca 3	0	0
5	C	3	Total 3	Ca 3	0	0
5	D	7	Total 7	Ca 7	0	0
5	E	4	Total 4	Ca 4	0	0
5	F	2	Total 2	Ca 2	0	0
5	G	1	Total 1	Ca 1	0	0
5	H	4	Total 4	Ca 4	0	0

- Molecule 6 is BICINE (three-letter code: BCN) (formula: C₆H₁₃NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	A	1	11	6	1	4	0	0
6	B	1	11	6	1	4	0	0
6	C	1	11	6	1	4	0	0
6	D	1	11	6	1	4	0	0
6	D	1	11	6	1	4	0	0
6	E	1	11	6	1	4	0	0
6	F	1	11	6	1	4	0	0
6	G	1	11	6	1	4	0	0
6	H	1	11	6	1	4	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	151	Total	O	0	0
			151	151		
7	B	148	Total	O	0	0
			148	148		
7	C	134	Total	O	0	0
			134	134		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	165	Total 165	O 165	0	0
7	E	123	Total 123	O 123	0	0
7	F	168	Total 168	O 168	0	0
7	G	148	Total 148	O 148	0	0
7	H	106	Total 106	O 106	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Exostosin




- Molecule 1: Exostosin




- Molecule 1: Exostosin




- Molecule 1: Exostosin




- Molecule 1: Exostosin



- Molecule 1: Exostosin





- Molecule 1: Exostosin

Chain G: 92% 6% ..



- Molecule 1: Exostosin

Chain H: 89% 8% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	86.71Å 90.77Å 91.68Å 90.46° 108.60° 109.71°	Depositor
Resolution (Å)	76.84 – 2.20 76.71 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.2 (76.84-2.20) 91.8 (76.71-2.20)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.32 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.194 , 0.241 0.200 , 0.242	Depositor DCC
R_{free} test set	6319 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	38.0	Xtrriage
Anisotropy	0.028	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 29.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.188 for -h,-l,-k	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20366	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, EDO, BCN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/2426	0.73	0/3276
1	B	0.62	0/2422	0.72	0/3271
1	C	0.62	0/2411	0.71	0/3257
1	D	0.62	0/2420	0.71	0/3267
1	E	0.63	0/2411	0.72	0/3257
1	F	0.62	0/2416	0.70	0/3264
1	G	0.62	0/2418	0.71	0/3267
1	H	0.62	0/2396	0.71	0/3234
All	All	0.62	0/19320	0.71	0/26093

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2366	0	2335	13	0
1	B	2368	0	2335	15	0
1	C	2354	0	2318	14	0
1	D	2363	0	2330	20	0
1	E	2357	0	2315	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2359	0	2317	22	0
1	G	2361	0	2322	12	0
1	H	2341	0	2306	19	0
2	A	24	0	32	0	0
2	B	18	0	24	1	0
2	C	18	0	24	0	0
2	D	6	0	8	0	0
2	F	6	0	8	0	0
2	G	6	0	8	0	0
2	H	6	0	8	0	0
3	A	16	0	24	0	0
3	B	12	0	18	0	0
3	C	16	0	24	0	0
3	D	24	0	36	1	0
3	E	12	0	18	0	0
3	F	16	0	24	0	0
3	G	16	0	24	0	0
3	H	8	0	12	0	0
4	A	6	0	0	0	0
4	B	3	0	0	0	0
4	D	5	0	0	0	0
4	E	3	0	0	0	0
4	F	3	0	0	0	0
4	G	5	0	0	0	0
5	A	2	0	0	0	0
5	B	3	0	0	0	0
5	C	3	0	0	0	0
5	D	7	0	0	0	0
5	E	4	0	0	0	0
5	F	2	0	0	0	0
5	G	1	0	0	0	0
5	H	4	0	0	0	0
6	A	11	0	11	1	0
6	B	11	0	10	0	0
6	C	11	0	11	2	0
6	D	22	0	21	1	0
6	E	11	0	10	0	0
6	F	11	0	10	0	0
6	G	11	0	11	0	0
6	H	11	0	10	0	0
7	A	151	0	0	0	0
7	B	148	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	134	0	0	0	0
7	D	165	0	0	0	0
7	E	123	0	0	0	0
7	F	168	0	0	1	0
7	G	148	0	0	1	0
7	H	106	0	0	1	0
All	All	20366	0	18964	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:13:PHE:CE1	1:C:131:ILE:HD11	2.20	0.76
1:A:190:MSE:HE1	1:A:208:ARG:HD2	1.70	0.73
1:E:3:LEU:HD23	1:E:257:MSE:HE1	1.73	0.70
1:C:128:THR:HA	1:C:131:ILE:HD13	1.74	0.69
1:C:223:LYS:HE2	1:C:239:ASN:OD1	1.94	0.68
1:H:270:TYR:O	1:H:273:GLN:HG2	1.92	0.68
1:G:152:LYS:NZ	7:G:401:HOH:O	2.27	0.67
1:C:28:PHE:HB3	1:C:279:SER:HB3	1.78	0.66
1:D:146:TYR:CD2	1:D:190:MSE:CE	2.80	0.64
1:B:42:GLN:HE22	1:F:42:GLN:HE21	1.43	0.64
1:H:190:MSE:HE1	1:H:208:ARG:HD2	1.79	0.64
1:H:1:MSE:HB3	1:H:263:LEU:HD12	1.80	0.63
1:F:146:TYR:CE2	1:F:190:MSE:HE2	2.32	0.63
1:C:22:PHE:O	1:C:26:THR:HG23	2.01	0.61
1:H:3:LEU:HD23	1:H:257:MSE:HE1	1.83	0.60
1:D:120:GLU:H	1:D:120:GLU:CD	2.05	0.60
1:A:143:ASN:HD22	1:A:172:THR:HG22	1.68	0.59
1:F:22:PHE:O	1:F:26:THR:HB	2.04	0.57
1:H:146:TYR:CD2	1:H:190:MSE:HE2	2.39	0.57
1:H:257:MSE:HA	1:H:257:MSE:HE2	1.87	0.57
1:E:218:ILE:HD11	1:E:257:MSE:HE3	1.87	0.56
1:G:148:ASN:O	1:G:208:ARG:NH1	2.20	0.56
1:B:139:LYS:NZ	1:B:191:TYR:O	2.36	0.56
1:A:146:TYR:CD2	1:A:190:MSE:HE2	2.41	0.56
1:C:139:LYS:NZ	1:C:191:TYR:O	2.38	0.55
1:G:61:LEU:HA	1:G:64:THR:HG23	1.88	0.55
1:B:42:GLN:HE22	1:F:42:GLN:NE2	2.04	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:C:311:BCN:C2	6:C:311:BCN:H41	2.36	0.55
1:C:68:VAL:HA	1:C:93:PHE:O	2.07	0.54
1:A:190:MSE:HE1	1:A:208:ARG:CD	2.37	0.54
1:H:146:TYR:HD2	1:H:190:MSE:HE2	1.71	0.54
1:C:13:PHE:CD2	1:C:128:THR:HB	2.43	0.54
1:D:2:LYS:NZ	1:D:260:ASP:OD1	2.33	0.54
1:D:146:TYR:CD2	1:D:190:MSE:HE2	2.42	0.54
1:E:19:LEU:HD11	1:E:275:ILE:HD11	1.89	0.53
1:H:3:LEU:HD13	1:H:234:PRO:HG3	1.91	0.53
1:B:204:ILE:HG21	1:B:226:ALA:HB3	1.90	0.53
1:F:118:ASN:ND2	7:F:406:HOH:O	2.42	0.52
6:C:311:BCN:H11	6:C:311:BCN:O6	2.08	0.52
1:B:3:LEU:HD11	1:B:216:ARG:HA	1.89	0.52
1:A:68:VAL:HA	1:A:93:PHE:O	2.09	0.52
1:D:100:PRO:HB3	1:D:225:ILE:HD11	1.91	0.51
1:A:1:MSE:HG3	1:A:263:LEU:HD12	1.93	0.51
1:B:172:THR:CG2	1:B:193:HIS:NE2	2.72	0.51
1:B:172:THR:HG23	1:B:193:HIS:NE2	2.26	0.51
1:D:145:VAL:HG13	1:D:171:VAL:HG22	1.93	0.51
1:H:146:TYR:CD2	1:H:190:MSE:CE	2.93	0.50
1:D:148:ASN:O	1:D:208:ARG:NH1	2.42	0.50
1:E:13:PHE:CD2	1:E:128:THR:HB	2.47	0.50
1:C:184:ARG:NH1	1:C:188:GLU:OE2	2.45	0.49
1:F:186:PHE:CE1	1:F:190:MSE:HE1	2.47	0.49
1:D:13:PHE:CD2	1:D:128:THR:HB	2.48	0.49
1:A:146:TYR:HD2	1:A:190:MSE:HE2	1.76	0.49
1:B:143:ASN:HD22	1:B:172:THR:HG22	1.77	0.49
1:G:68:VAL:HA	1:G:93:PHE:O	2.13	0.49
1:B:170:TRP:CD1	1:B:246:GLU:HG3	2.48	0.48
1:H:68:VAL:HA	1:H:93:PHE:O	2.13	0.48
1:G:100:PRO:HA	1:G:225:ILE:HD11	1.95	0.48
1:H:3:LEU:HB3	1:H:257:MSE:HE1	1.95	0.48
1:D:68:VAL:HA	1:D:93:PHE:O	2.14	0.48
1:D:90:ARG:NH2	1:D:280:GLN:O	2.47	0.47
1:H:3:LEU:CD2	1:H:257:MSE:HE1	2.44	0.47
2:B:303:GOL:H2	1:F:62[B]:GLU:HG2	1.96	0.47
1:E:204:ILE:HG21	1:E:226:ALA:HB3	1.96	0.47
1:D:39:LYS:O	1:D:79[B]:ARG:NH2	2.48	0.47
1:F:186:PHE:CE1	1:F:190:MSE:CE	2.98	0.46
1:G:100:PRO:CA	1:G:225:ILE:HD11	2.45	0.46
1:H:172:THR:HG1	1:H:193:HIS:CE1	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:ASN:O	1:C:208:ARG:NH1	2.40	0.46
1:H:233:LEU:HD21	1:H:265:LYS:HB2	1.97	0.46
1:D:146:TYR:CE2	1:D:190:MSE:HE3	2.51	0.46
1:F:27:ILE:HD11	1:F:276:LEU:HD21	1.97	0.46
1:A:10:SER:HA	1:A:132:LEU:HD22	1.97	0.46
6:D:320:BCN:C2	6:D:320:BCN:H41	2.46	0.46
1:E:190:MSE:CE	1:E:211:GLU:HB3	2.45	0.45
1:F:7:THR:O	1:F:267:LYS:NZ	2.45	0.45
1:B:0:SER:HB3	1:B:260:ASP:HB3	1.99	0.45
1:A:204:ILE:HD13	1:A:224:HIS:CE1	2.52	0.45
1:F:146:TYR:CD2	1:F:190:MSE:HE2	2.52	0.45
1:D:146:TYR:CE2	1:D:190:MSE:CE	2.99	0.45
1:F:204:ILE:HG21	1:F:226:ALA:HB3	1.99	0.45
1:G:1:MSE:HB3	1:G:263:LEU:HD12	1.97	0.45
1:H:146:TYR:CE1	1:H:189:ASP:HB3	2.51	0.45
1:C:13:PHE:CZ	1:C:131:ILE:HD11	2.52	0.45
1:B:33:VAL:O	1:B:69:THR:HA	2.16	0.45
1:F:32:TYR:HA	1:F:68:VAL:O	2.17	0.44
1:F:172:THR:HG1	1:F:193:HIS:CE1	2.33	0.44
1:D:146:TYR:CE1	1:D:189:ASP:HB3	2.53	0.44
1:E:21:ASN:O	1:E:24:LYS:HG2	2.18	0.44
1:E:68:VAL:HA	1:E:93:PHE:O	2.18	0.44
1:G:108:PRO:HB3	1:G:210:TRP:CZ2	2.52	0.44
1:G:143:ASN:HD22	1:G:172:THR:HG22	1.81	0.44
1:G:172:THR:CG2	1:G:193:HIS:NE2	2.80	0.44
1:A:139:LYS:HE3	1:A:216:ARG:HB2	1.99	0.44
1:D:147:MSE:HE2	1:D:161:ILE:HG22	1.99	0.44
1:G:108:PRO:HB3	1:G:210:TRP:CH2	2.53	0.44
1:F:68:VAL:HA	1:F:93:PHE:O	2.18	0.43
1:F:178:VAL:O	1:F:178:VAL:HG13	2.19	0.43
1:H:79:ARG:NH2	7:H:401:HOH:O	2.50	0.43
1:C:1:MSE:HB2	1:C:5:GLU:OE2	2.19	0.43
1:A:172:THR:CG2	1:A:193:HIS:NE2	2.81	0.43
1:A:148:ASN:O	1:A:208:ARG:NH1	2.46	0.43
1:H:227:MSE:HB3	1:H:237:PHE:CE1	2.53	0.43
1:D:190:MSE:HG2	1:D:215:LEU:HD12	2.00	0.42
1:B:248:TYR:HA	7:B:492:HOH:O	2.19	0.42
1:F:20:PHE:CZ	1:F:24:LYS:HG3	2.55	0.42
1:C:223:LYS:CE	1:C:239:ASN:OD1	2.67	0.42
1:F:146:TYR:CE1	1:F:189:ASP:HB3	2.55	0.42
1:D:204:ILE:HG21	1:D:226:ALA:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:96:ASN:ND2	1:E:205:ASP:H	2.18	0.42
1:A:13:PHE:CD2	1:A:128:THR:HB	2.55	0.42
1:B:68:VAL:HA	1:B:93:PHE:O	2.19	0.42
6:A:317:BCN:C2	6:A:317:BCN:H41	2.50	0.41
1:F:89:ILE:O	1:F:103:LYS:HD3	2.20	0.41
1:E:114:LYS:HE2	1:E:126:GLY:O	2.20	0.41
1:G:1:MSE:HE3	1:G:263:LEU:HB2	2.02	0.41
1:D:0:SER:O	3:D:307:EDO:C2	2.68	0.41
1:F:13:PHE:CD2	1:F:128:THR:HB	2.56	0.41
1:H:32:TYR:HA	1:H:68:VAL:O	2.21	0.41
1:B:78:GLU:O	1:B:81:ILE:HG22	2.21	0.41
1:B:52:TRP:HB2	1:F:60:PHE:CZ	2.55	0.40
1:D:190:MSE:HE1	1:D:208:ARG:HD2	2.02	0.40
1:D:145:VAL:CG1	1:D:171:VAL:HG22	2.51	0.40
1:H:147:MSE:HE2	1:H:161:ILE:HG22	2.03	0.40
1:C:209:LEU:HD23	1:C:209:LEU:C	2.40	0.40
1:F:62[A]:GLU:H	1:F:62[A]:GLU:HG3	1.72	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/285 (99%)	276 (98%)	6 (2%)	0	100	100
1	B	281/285 (99%)	275 (98%)	6 (2%)	0	100	100
1	C	280/285 (98%)	268 (96%)	12 (4%)	0	100	100
1	D	280/285 (98%)	273 (98%)	7 (2%)	0	100	100
1	E	280/285 (98%)	269 (96%)	11 (4%)	0	100	100
1	F	280/285 (98%)	273 (98%)	7 (2%)	0	100	100
1	G	281/285 (99%)	275 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	276/285 (97%)	267 (97%)	9 (3%)	0	100	100
All	All	2240/2280 (98%)	2176 (97%)	64 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/261 (102%)	256 (96%)	10 (4%)	33	42
1	B	265/261 (102%)	262 (99%)	3 (1%)	73	85
1	C	264/261 (101%)	259 (98%)	5 (2%)	57	71
1	D	265/261 (102%)	263 (99%)	2 (1%)	81	90
1	E	264/261 (101%)	260 (98%)	4 (2%)	65	78
1	F	264/261 (101%)	255 (97%)	9 (3%)	37	47
1	G	265/261 (102%)	259 (98%)	6 (2%)	50	63
1	H	263/261 (101%)	261 (99%)	2 (1%)	81	90
All	All	2116/2088 (101%)	2075 (98%)	41 (2%)	57	71

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	THR
1	A	79	ARG
1	A	152	LYS
1	A	156	GLU
1	A	172	THR
1	A	175	LYS
1	A	180	GLU
1	A	190	MSE
1	A	196[A]	CYS
1	A	196[B]	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	0	SER
1	B	142	LYS
1	B	172	THR
1	C	28	PHE
1	C	62	GLU
1	C	131	ILE
1	C	185	LYS
1	C	189	ASP
1	D	120	GLU
1	D	190	MSE
1	E	27	ILE
1	E	54	ASP
1	E	119	SER
1	E	208	ARG
1	F	24	LYS
1	F	25	SER
1	F	28	PHE
1	F	36	ASP
1	F	62[A]	GLU
1	F	62[B]	GLU
1	F	142	LYS
1	F	189	ASP
1	F	190	MSE
1	G	36	ASP
1	G	64	THR
1	G	90	ARG
1	G	152	LYS
1	G	172	THR
1	G	175	LYS
1	H	185	LYS
1	H	189	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	243	ASN
1	E	95	GLN
1	E	96	ASN
1	F	42	GLN
1	G	42	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 104 ligands modelled in this entry, 51 are monoatomic - leaving 53 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	G	305	-	3,3,3	0.05	0	2,2,2	0.25	0
2	GOL	C	303	-	5,5,5	0.09	0	5,5,5	0.25	0
6	BCN	F	311	5	10,10,10	0.61	0	11,11,11	0.68	0
3	EDO	D	302	-	3,3,3	0.06	0	2,2,2	0.24	0
3	EDO	F	302	-	3,3,3	0.15	0	2,2,2	0.32	0
3	EDO	H	302	-	3,3,3	0.08	0	2,2,2	0.18	0
3	EDO	E	302	-	3,3,3	0.04	0	2,2,2	0.12	0
6	BCN	C	311	5	10,10,10	0.70	0	11,11,11	1.62	2 (18%)
2	GOL	A	304	-	5,5,5	0.09	0	5,5,5	0.27	0
3	EDO	F	305	-	3,3,3	0.07	0	2,2,2	0.14	0
3	EDO	C	304	-	3,3,3	0.07	0	2,2,2	0.24	0
3	EDO	F	303	-	3,3,3	0.06	0	2,2,2	0.17	0
2	GOL	B	302	-	5,5,5	0.09	0	5,5,5	0.26	0
3	EDO	B	306	-	3,3,3	0.08	0	2,2,2	0.24	0
3	EDO	C	307	-	3,3,3	0.08	0	2,2,2	0.16	0
3	EDO	D	304	-	3,3,3	0.09	0	2,2,2	0.15	0
3	EDO	A	306	-	3,3,3	0.05	0	2,2,2	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	F	301	-	5,5,5	0.06	0	5,5,5	0.23	0
3	EDO	G	304	-	3,3,3	0.05	0	2,2,2	0.14	0
3	EDO	C	305	-	3,3,3	0.10	0	2,2,2	0.26	0
6	BCN	H	308	5	10,10,10	0.68	0	11,11,11	0.59	0
3	EDO	D	303	-	3,3,3	0.07	0	2,2,2	0.13	0
3	EDO	D	306	-	3,3,3	0.04	0	2,2,2	0.15	0
6	BCN	D	321	5	10,10,10	0.68	0	11,11,11	0.71	0
3	EDO	E	303	-	3,3,3	0.07	0	2,2,2	0.18	0
6	BCN	E	311	5	10,10,10	0.57	0	11,11,11	0.69	0
3	EDO	D	307	-	3,3,3	0.12	0	2,2,2	0.40	0
2	GOL	A	303	-	5,5,5	0.08	0	5,5,5	0.25	0
6	BCN	G	312	5	10,10,10	0.65	0	11,11,11	0.63	0
3	EDO	E	301	-	3,3,3	0.07	0	2,2,2	0.17	0
2	GOL	B	303	-	5,5,5	0.10	0	5,5,5	0.29	0
3	EDO	D	305	-	3,3,3	0.08	0	2,2,2	0.16	0
3	EDO	H	303	-	3,3,3	0.10	0	2,2,2	0.06	0
6	BCN	D	320	5	10,10,10	0.66	0	11,11,11	0.68	0
2	GOL	C	301	-	5,5,5	0.07	0	5,5,5	0.22	0
3	EDO	F	304	-	3,3,3	0.07	0	2,2,2	0.10	0
2	GOL	A	301	-	5,5,5	0.10	0	5,5,5	0.30	0
2	GOL	D	301	-	5,5,5	0.10	0	5,5,5	0.26	0
2	GOL	B	301	-	5,5,5	0.09	0	5,5,5	0.24	0
3	EDO	C	306	-	3,3,3	0.10	0	2,2,2	0.20	0
2	GOL	A	302	4	5,5,5	0.09	0	5,5,5	0.29	0
2	GOL	C	302	-	5,5,5	0.08	0	5,5,5	0.27	0
2	GOL	G	301	-	5,5,5	0.10	0	5,5,5	0.32	0
3	EDO	G	303	-	3,3,3	0.11	0	2,2,2	0.23	0
6	BCN	B	313	5	10,10,10	0.71	0	11,11,11	0.55	0
3	EDO	A	305	-	3,3,3	0.08	0	2,2,2	0.22	0
3	EDO	G	302	-	3,3,3	0.07	0	2,2,2	0.15	0
6	BCN	A	317	5	10,10,10	0.60	0	11,11,11	0.61	0
2	GOL	H	301	-	5,5,5	0.07	0	5,5,5	0.25	0
3	EDO	A	308	-	3,3,3	0.06	0	2,2,2	0.14	0
3	EDO	B	305	-	3,3,3	0.10	0	2,2,2	0.33	0
3	EDO	A	307	-	3,3,3	0.11	0	2,2,2	0.29	0
3	EDO	B	304	-	3,3,3	0.08	0	2,2,2	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	G	305	-	-	1/1/1/1	-
2	GOL	C	303	-	-	0/4/4/4	-
6	BCN	F	311	5	-	0/10/10/10	-
3	EDO	D	302	-	-	1/1/1/1	-
3	EDO	F	302	-	-	1/1/1/1	-
3	EDO	H	302	-	-	1/1/1/1	-
3	EDO	E	302	-	-	0/1/1/1	-
6	BCN	C	311	5	-	4/10/10/10	-
2	GOL	A	304	-	-	2/4/4/4	-
3	EDO	F	305	-	-	0/1/1/1	-
3	EDO	C	304	-	-	1/1/1/1	-
3	EDO	F	303	-	-	1/1/1/1	-
2	GOL	B	302	-	-	2/4/4/4	-
3	EDO	B	306	-	-	1/1/1/1	-
3	EDO	C	307	-	-	1/1/1/1	-
3	EDO	D	304	-	-	1/1/1/1	-
3	EDO	A	306	-	-	1/1/1/1	-
2	GOL	F	301	-	-	4/4/4/4	-
3	EDO	G	304	-	-	1/1/1/1	-
3	EDO	C	305	-	-	1/1/1/1	-
6	BCN	H	308	5	-	0/10/10/10	-
3	EDO	D	303	-	-	0/1/1/1	-
3	EDO	D	306	-	-	1/1/1/1	-
6	BCN	D	321	5	-	5/10/10/10	-
3	EDO	E	303	-	-	1/1/1/1	-
6	BCN	E	311	5	-	0/10/10/10	-
3	EDO	D	307	-	-	1/1/1/1	-
2	GOL	A	303	-	-	0/4/4/4	-
6	BCN	G	312	5	-	0/10/10/10	-
3	EDO	E	301	-	-	1/1/1/1	-
2	GOL	B	303	-	-	0/4/4/4	-
3	EDO	D	305	-	-	0/1/1/1	-
3	EDO	H	303	-	-	0/1/1/1	-
6	BCN	D	320	5	-	0/10/10/10	-
2	GOL	C	301	-	-	1/4/4/4	-
3	EDO	F	304	-	-	1/1/1/1	-
2	GOL	A	301	-	-	2/4/4/4	-
2	GOL	D	301	-	-	2/4/4/4	-
2	GOL	B	301	-	-	2/4/4/4	-
3	EDO	C	306	-	-	1/1/1/1	-
2	GOL	A	302	4	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	302	-	-	1/4/4/4	-
2	GOL	G	301	-	-	2/4/4/4	-
3	EDO	G	303	-	-	0/1/1/1	-
6	BCN	B	313	5	-	1/10/10/10	-
3	EDO	A	305	-	-	1/1/1/1	-
3	EDO	G	302	-	-	0/1/1/1	-
6	BCN	A	317	5	-	0/10/10/10	-
2	GOL	H	301	-	-	2/4/4/4	-
3	EDO	A	308	-	-	1/1/1/1	-
3	EDO	B	305	-	-	1/1/1/1	-
3	EDO	A	307	-	-	1/1/1/1	-
3	EDO	B	304	-	-	1/1/1/1	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	311	BCN	C1-N1-C3	3.74	121.03	111.94
6	C	311	BCN	C2-C1-N1	2.70	122.45	113.63

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	302	GOL	O1-C1-C2-C3
2	A	304	GOL	O1-C1-C2-O2
2	A	304	GOL	O1-C1-C2-C3
2	B	301	GOL	O1-C1-C2-O2
2	B	301	GOL	O1-C1-C2-C3
2	B	302	GOL	O1-C1-C2-C3
2	F	301	GOL	O1-C1-C2-O2
2	F	301	GOL	O1-C1-C2-C3
2	G	301	GOL	C1-C2-C3-O3
6	C	311	BCN	C2-C1-N1-C3
6	C	311	BCN	N1-C1-C2-O21
6	C	311	BCN	N1-C1-C2-O22
6	C	311	BCN	N1-C3-C4-O4
2	A	302	GOL	O1-C1-C2-O2
3	B	304	EDO	O1-C1-C2-O2
2	A	301	GOL	O1-C1-C2-C3
2	A	302	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	301	GOL	O1-C1-C2-C3
2	D	301	GOL	O1-C1-C2-C3
2	F	301	GOL	C1-C2-C3-O3
2	H	301	GOL	O1-C1-C2-C3
6	D	321	BCN	N1-C1-C2-O21
2	A	302	GOL	O2-C2-C3-O3
2	D	301	GOL	O1-C1-C2-O2
3	A	306	EDO	O1-C1-C2-O2
3	B	305	EDO	O1-C1-C2-O2
3	B	306	EDO	O1-C1-C2-O2
3	C	305	EDO	O1-C1-C2-O2
2	B	302	GOL	O1-C1-C2-O2
2	G	301	GOL	O2-C2-C3-O3
2	H	301	GOL	O1-C1-C2-O2
3	D	302	EDO	O1-C1-C2-O2
3	G	304	EDO	O1-C1-C2-O2
6	D	321	BCN	N1-C1-C2-O22
2	F	301	GOL	O2-C2-C3-O3
3	A	307	EDO	O1-C1-C2-O2
3	F	302	EDO	O1-C1-C2-O2
2	A	301	GOL	O1-C1-C2-O2
6	D	321	BCN	N1-C5-C6-O6
3	H	302	EDO	O1-C1-C2-O2
6	D	321	BCN	N1-C3-C4-O4
3	C	304	EDO	O1-C1-C2-O2
3	C	307	EDO	O1-C1-C2-O2
3	D	304	EDO	O1-C1-C2-O2
3	E	301	EDO	O1-C1-C2-O2
3	E	303	EDO	O1-C1-C2-O2
3	F	304	EDO	O1-C1-C2-O2
3	G	305	EDO	O1-C1-C2-O2
6	D	321	BCN	C4-C3-N1-C1
3	A	305	EDO	O1-C1-C2-O2
2	C	302	GOL	C1-C2-C3-O3
3	A	308	EDO	O1-C1-C2-O2
3	C	306	EDO	O1-C1-C2-O2
3	D	307	EDO	O1-C1-C2-O2
6	B	313	BCN	C2-C1-N1-C5
3	D	306	EDO	O1-C1-C2-O2
3	F	303	EDO	O1-C1-C2-O2

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	311	BCN	2	0
3	D	307	EDO	1	0
2	B	303	GOL	1	0
6	D	320	BCN	1	0
6	A	317	BCN	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/285 (96%)	-0.47	1 (0%) 92 91	26, 38, 59, 75	0
1	B	277/285 (97%)	-0.49	0 100 100	26, 38, 60, 71	0
1	C	276/285 (96%)	-0.37	6 (2%) 62 59	28, 41, 67, 79	1 (0%)
1	D	276/285 (96%)	-0.52	0 100 100	25, 35, 52, 70	0
1	E	276/285 (96%)	-0.23	5 (1%) 68 66	26, 44, 71, 90	1 (0%)
1	F	275/285 (96%)	-0.45	3 (1%) 80 79	28, 39, 56, 80	1 (0%)
1	G	276/285 (96%)	-0.48	1 (0%) 92 91	25, 38, 56, 75	0
1	H	273/285 (95%)	-0.23	2 (0%) 87 86	29, 48, 74, 87	0
All	All	2205/2280 (96%)	-0.41	18 (0%) 86 85	25, 40, 65, 90	3 (0%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	25	SER	4.2
1	H	29	GLY	3.3
1	C	-1	GLY	3.2
1	A	-1	GLY	3.0
1	E	279	SER	3.0
1	E	176	GLY	2.8
1	F	175	LYS	2.8
1	E	-1	GLY	2.6
1	C	28	PHE	2.5
1	E	120	GLU	2.5
1	G	276	LEU	2.4
1	H	273	GLN	2.4
1	C	176	GLY	2.4
1	C	181	GLU	2.2
1	E	140	GLU	2.1
1	C	27	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	276	LEU	2.1
1	F	28	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	D	307	4/4	0.44	0.36	71,73,74,75	0
5	CA	D	317	1/1	0.47	0.21	94,94,94,94	0
4	MG	A	310	1/1	0.49	0.15	68,68,68,68	0
2	GOL	D	301	6/6	0.52	0.22	69,73,76,78	0
3	EDO	C	306	4/4	0.59	0.18	55,57,57,58	0
2	GOL	C	302	6/6	0.62	0.14	79,79,81,81	0
4	MG	A	312	1/1	0.66	0.12	80,80,80,80	0
3	EDO	E	303	4/4	0.68	0.18	71,71,71,72	0
4	MG	G	310	1/1	0.70	0.21	48,48,48,48	0
4	MG	G	309	1/1	0.70	0.12	56,56,56,56	0
4	MG	E	306	1/1	0.71	0.09	67,67,67,67	0
3	EDO	C	305	4/4	0.72	0.27	52,55,55,55	0
3	EDO	E	302	4/4	0.78	0.17	57,58,59,59	0
2	GOL	B	303	6/6	0.78	0.18	52,60,62,66	0
2	GOL	A	303	6/6	0.78	0.13	74,76,77,77	0
2	GOL	B	302	6/6	0.78	0.23	63,69,70,71	0
3	EDO	F	302	4/4	0.79	0.14	55,56,57,58	0
4	MG	D	312	1/1	0.79	0.10	62,62,62,62	0
4	MG	A	311	1/1	0.79	0.09	58,58,58,58	0
3	EDO	B	305	4/4	0.80	0.16	49,51,53,54	0
5	CA	D	319	1/1	0.80	0.13	94,94,94,94	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EDO	G	302	4/4	0.81	0.15	57,57,57,59	0
2	GOL	C	303	6/6	0.81	0.11	77,79,79,79	0
3	EDO	G	304	4/4	0.82	0.21	70,71,72,75	0
5	CA	D	318	1/1	0.82	0.11	75,75,75,75	0
3	EDO	D	302	4/4	0.82	0.19	54,55,57,57	0
2	GOL	G	301	6/6	0.83	0.15	59,60,60,61	0
3	EDO	H	302	4/4	0.83	0.13	53,56,56,56	0
2	GOL	B	301	6/6	0.83	0.15	47,50,51,53	0
4	MG	F	307	1/1	0.84	0.14	56,56,56,56	0
2	GOL	A	301	6/6	0.84	0.17	49,56,59,59	0
4	MG	D	308	1/1	0.84	0.21	54,54,54,54	0
4	MG	D	311	1/1	0.84	0.11	51,51,51,51	0
3	EDO	G	303	4/4	0.84	0.19	60,61,62,62	0
2	GOL	C	301	6/6	0.84	0.17	43,46,48,51	0
6	BCN	D	321	11/11	0.84	0.18	50,60,67,69	0
2	GOL	A	304	6/6	0.85	0.20	44,46,47,47	0
3	EDO	F	303	4/4	0.86	0.20	59,59,59,60	0
3	EDO	F	304	4/4	0.86	0.11	58,58,59,60	0
3	EDO	A	308	4/4	0.86	0.14	57,58,58,59	0
2	GOL	F	301	6/6	0.86	0.16	57,58,59,60	0
5	CA	F	310	1/1	0.86	0.11	97,97,97,97	0
2	GOL	A	302	6/6	0.86	0.14	42,47,50,55	0
5	CA	B	310	1/1	0.87	0.09	76,76,76,76	0
3	EDO	A	306	4/4	0.87	0.12	57,57,59,59	0
3	EDO	B	306	4/4	0.88	0.11	63,65,65,66	0
3	EDO	D	304	4/4	0.88	0.12	59,59,60,60	0
3	EDO	G	305	4/4	0.89	0.13	62,64,65,68	0
6	BCN	C	311	11/11	0.89	0.14	33,34,36,36	0
3	EDO	A	307	4/4	0.89	0.13	51,55,57,60	0
4	MG	F	306	1/1	0.90	0.10	61,61,61,61	0
4	MG	E	304	1/1	0.90	0.10	60,60,60,60	0
4	MG	G	308	1/1	0.90	0.08	63,63,63,63	0
3	EDO	D	305	4/4	0.91	0.13	63,65,65,66	0
4	MG	A	313	1/1	0.91	0.11	69,69,69,69	0
3	EDO	C	307	4/4	0.91	0.18	62,63,63,63	0
4	MG	G	307	1/1	0.91	0.10	56,56,56,56	0
3	EDO	E	301	4/4	0.91	0.11	53,54,54,54	0
3	EDO	A	305	4/4	0.91	0.12	59,60,60,62	0
3	EDO	C	304	4/4	0.91	0.16	63,63,64,64	0
5	CA	C	310	1/1	0.92	0.13	75,75,75,75	0
3	EDO	D	306	4/4	0.92	0.09	54,56,57,59	0
4	MG	E	305	1/1	0.92	0.18	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MG	D	309	1/1	0.92	0.14	57,57,57,57	0
5	CA	E	310	1/1	0.92	0.18	90,90,90,90	0
3	EDO	H	303	4/4	0.92	0.13	38,39,41,41	0
5	CA	H	307	1/1	0.92	0.05	76,76,76,76	0
3	EDO	F	305	4/4	0.92	0.10	72,73,73,73	0
5	CA	C	309	1/1	0.92	0.10	80,80,80,80	0
3	EDO	B	304	4/4	0.93	0.13	55,58,59,59	0
4	MG	B	307	1/1	0.93	0.06	63,63,63,63	0
3	EDO	D	303	4/4	0.93	0.11	39,42,42,42	0
5	CA	D	315	1/1	0.93	0.07	67,67,67,67	0
5	CA	D	313	1/1	0.94	0.13	74,74,74,74	0
2	GOL	H	301	6/6	0.94	0.14	56,59,61,61	0
6	BCN	A	317	11/11	0.94	0.08	31,33,33,34	0
5	CA	E	309	1/1	0.94	0.02	82,82,82,82	0
4	MG	D	310	1/1	0.94	0.12	57,57,57,57	0
5	CA	D	314	1/1	0.95	0.10	73,73,73,73	0
5	CA	B	312	1/1	0.95	0.12	87,87,87,87	0
5	CA	A	316	1/1	0.95	0.08	61,61,61,61	0
6	BCN	G	312	11/11	0.95	0.09	26,28,29,31	0
6	BCN	H	308	11/11	0.95	0.10	32,34,35,36	0
6	BCN	F	311	11/11	0.96	0.09	30,33,37,37	0
5	CA	H	306	1/1	0.96	0.04	64,64,64,64	0
6	BCN	B	313	11/11	0.96	0.09	31,32,33,34	0
6	BCN	E	311	11/11	0.97	0.11	30,30,33,34	0
5	CA	C	308	1/1	0.97	0.07	33,33,33,33	0
6	BCN	D	320	11/11	0.97	0.10	25,28,30,32	0
4	MG	B	308	1/1	0.97	0.10	31,31,31,31	0
4	MG	A	309	1/1	0.98	0.08	56,56,56,56	0
4	MG	B	309	1/1	0.98	0.10	47,47,47,47	0
4	MG	F	308	1/1	0.98	0.09	30,30,30,30	0
5	CA	G	311	1/1	0.98	0.06	27,27,27,27	0
4	MG	G	306	1/1	0.98	0.10	29,29,29,29	0
5	CA	F	309	1/1	0.99	0.07	32,32,32,32	0
5	CA	B	311	1/1	0.99	0.07	35,35,35,35	0
4	MG	A	314	1/1	0.99	0.09	31,31,31,31	0
5	CA	H	304	1/1	0.99	0.09	47,47,47,47	0
5	CA	H	305	1/1	0.99	0.08	34,34,34,34	0
5	CA	E	307	1/1	0.99	0.02	44,44,44,44	0
5	CA	D	316	1/1	0.99	0.05	28,28,28,28	0
5	CA	A	315	1/1	0.99	0.06	32,32,32,32	0
5	CA	E	308	1/1	1.00	0.04	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.