



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 05:33 PM EDT

PDB ID : 1AX9  
Title : ACETYLCHOLINESTERASE COMPLEXED WITH EDROPHONIUM,  
LAUE DATA  
Authors : Raves, M.L.; Ravelli, R.B.G.; Sussman, J.L.; Harel, M.; Silman, I.  
Deposited on : 1997-11-03  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	537	

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4308 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACETYLCHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	527	4152	2678	698	754	22	0	0	0

- Molecule 2 is EDROPHONIUM ION (three-letter code: EDR) (formula: C<sub>10</sub>H<sub>16</sub>NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	12	10	1	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	144	144	144	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.00Å 113.00Å 136.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.14 – 2.80	Depositor EDS
% Data completeness (in resolution range)	84.5 (20.00-2.80) 83.2 (20.14-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.15	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.49 (at 2.79Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.207 , 0.268 0.196 , 0.248	Depositor DCC
$R_{free}$ test set	1032 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.3	Xtrriage
Anisotropy	0.732	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 41.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.050 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	4308	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/4271	0.85	4/5801 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	103	SER	CA-C-O	-7.08	105.24	120.10
1	A	243	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	A	426	ARG	NE-CZ-NH2	-5.45	117.57	120.30
1	A	103	SER	O-C-N	5.33	131.23	121.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4152	0	3987	164	0
2	A	12	0	16	2	0
3	A	144	0	0	4	0
All	All	4308	0	4003	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:VAL:HG13	1:A:133:LYS:HD2	1.42	1.02
1:A:131:ASN:HD21	1:A:133:LYS:HG2	1.38	0.87
1:A:453:VAL:HG22	1:A:456:LEU:HG	1.57	0.86
1:A:158:LEU:HD11	1:A:262:LEU:HD23	1.59	0.83
1:A:515:ARG:HB3	1:A:518:VAL:HG22	1.59	0.83
1:A:27:ILE:HD11	1:A:133:LYS:HB2	1.62	0.81
1:A:221:ARG:HD3	1:A:480:GLY:HA2	1.61	0.81
1:A:111:VAL:HB	1:A:194:VAL:HG22	1.63	0.80
1:A:131:ASN:ND2	1:A:133:LYS:HG2	1.97	0.79
1:A:132:GLY:HA3	1:A:143:LEU:HD22	1.63	0.79
1:A:110:THR:HG23	1:A:193:THR:HG22	1.66	0.77
1:A:110:THR:OG1	1:A:478:LYS:HG2	1.85	0.77
1:A:270:LYS:HB2	1:A:273:GLU:HG3	1.67	0.76
1:A:366:LEU:HD23	1:A:535:THR:HG21	1.68	0.73
1:A:528:LEU:HB3	1:A:529:PRO:HD3	1.72	0.72
1:A:84:TRP:CE3	2:A:999:EDR:H81	2.27	0.70
1:A:74:GLN:HE21	1:A:74:GLN:HA	1.57	0.69
1:A:515:ARG:HB3	1:A:518:VAL:CG2	2.22	0.69
1:A:73:GLU:O	1:A:76:PRO:HD3	1.93	0.69
1:A:321:LEU:HD11	1:A:408:VAL:HG12	1.75	0.69
1:A:349:ARG:HD3	1:A:381:ASP:O	1.93	0.67
1:A:216:ARG:HB3	1:A:315:LYS:HB2	1.77	0.66
1:A:499:GLU:O	1:A:514:GLN:HG2	1.96	0.66
1:A:248:LEU:HD21	1:A:274:LEU:HD23	1.78	0.66
1:A:252:LEU:HB3	1:A:269:LYS:HD2	1.79	0.65
1:A:453:VAL:CG2	1:A:456:LEU:HG	2.26	0.65
1:A:383:ASN:HB3	1:A:386:LYS:HB2	1.79	0.65
1:A:193:THR:HG22	1:A:193:THR:O	1.97	0.64
1:A:288:PHE:O	1:A:289:ARG:HD3	1.97	0.64
1:A:22:VAL:CG2	1:A:27:ILE:HG12	2.29	0.62
1:A:197:PHE:HB3	1:A:223:ILE:HB	1.81	0.62
1:A:450:LEU:N	1:A:451:PRO:CD	2.64	0.60
1:A:345:SER:O	1:A:388:ARG:HG3	2.01	0.60
1:A:211:LEU:HD13	1:A:305:LEU:HD22	1.82	0.60
1:A:341:LYS:HE3	1:A:342:ASP:OD1	2.02	0.60
1:A:293:VAL:HB	1:A:294:PRO:HD2	1.84	0.59
1:A:20:VAL:HG22	1:A:27:ILE:HG13	1.84	0.59
1:A:163:GLU:HB3	1:A:267:ARG:HH22	1.66	0.59
1:A:453:VAL:HG13	1:A:456:LEU:HD12	1.85	0.59
1:A:380:ASP:OD1	1:A:383:ASN:HB2	2.03	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:449:GLY:HA2	1:A:466:SER:OG	2.04	0.58
1:A:22:VAL:HG13	1:A:133:LYS:CD	2.26	0.58
1:A:180:VAL:O	1:A:184:ILE:HB	2.04	0.57
1:A:491:LYS:O	1:A:493:PRO:HD3	2.05	0.57
1:A:383:ASN:ND2	1:A:385:ILE:H	2.02	0.57
1:A:22:VAL:CG1	1:A:133:LYS:HD2	2.28	0.57
1:A:321:LEU:O	1:A:420:LEU:HD12	2.05	0.56
1:A:74:GLN:HE21	1:A:74:GLN:CA	2.18	0.56
1:A:196:ILE:HD12	1:A:206:VAL:HG22	1.88	0.55
1:A:258:SER:HB2	1:A:260:GLU:OE1	2.07	0.55
1:A:167:ASN:OD1	1:A:294:PRO:HA	2.06	0.55
1:A:197:PHE:CB	1:A:223:ILE:HB	2.36	0.55
1:A:471:HIS:NE2	1:A:484:GLU:OE2	2.38	0.55
1:A:360:VAL:CG1	1:A:363:ALA:HB2	2.36	0.55
1:A:240:GLU:O	1:A:244:ARG:HG3	2.07	0.54
1:A:451:PRO:HA	1:A:458:TYR:CD1	2.42	0.54
1:A:291:SER:HB2	3:A:642:HOH:O	2.07	0.54
1:A:16:MET:HB2	1:A:57:VAL:HG11	1.90	0.54
1:A:427:ALA:HA	1:A:462:GLU:OE2	2.08	0.53
1:A:19:ARG:NH2	1:A:26:HIS:HB2	2.23	0.53
1:A:390:GLY:O	1:A:394:ILE:HG13	2.08	0.53
1:A:341:LYS:O	1:A:433:PRO:HG3	2.09	0.53
1:A:397:ASP:O	1:A:402:CYS:HB2	2.09	0.53
1:A:111:VAL:HG21	1:A:184:ILE:HG12	1.91	0.53
1:A:417:GLY:HA2	1:A:494:LEU:HD11	1.91	0.53
1:A:408:VAL:HG23	1:A:409:ASN:N	2.24	0.52
1:A:80:GLY:HA2	1:A:83:MET:HE3	1.91	0.52
1:A:59:ASN:ND2	3:A:726:HOH:O	2.43	0.51
1:A:319:ILE:HD12	1:A:321:LEU:HD22	1.90	0.51
1:A:264:HIS:O	1:A:268:GLU:HG2	2.10	0.51
1:A:383:ASN:ND2	1:A:386:LYS:H	2.07	0.51
1:A:163:GLU:HB3	1:A:267:ARG:NH2	2.24	0.51
1:A:289:ARG:NH1	1:A:399:ASN:OD1	2.43	0.51
1:A:127:LEU:HD12	1:A:130:TYR:CE2	2.45	0.51
1:A:35:PHE:HB3	1:A:97:LEU:HD23	1.92	0.51
1:A:503:ILE:HG22	1:A:512:VAL:HG22	1.92	0.51
1:A:255:ASN:HB3	1:A:261:GLU:HB3	1.94	0.50
1:A:383:ASN:HD22	1:A:385:ILE:N	2.09	0.50
1:A:16:MET:HB2	1:A:57:VAL:CG1	2.42	0.50
1:A:221:ARG:NH1	1:A:318:GLN:OE1	2.40	0.50
1:A:379:MET:O	1:A:379:MET:HG3	2.12	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:PHE:O	1:A:356:VAL:HG13	2.12	0.49
1:A:408:VAL:CG2	1:A:409:ASN:N	2.75	0.49
1:A:402:CYS:N	1:A:403:PRO:CD	2.75	0.49
1:A:158:LEU:HD11	1:A:262:LEU:CD2	2.38	0.49
1:A:502:PHE:CZ	1:A:513:HIS:HB2	2.47	0.49
1:A:88:ARG:NH1	3:A:723:HOH:O	2.45	0.49
1:A:225:GLN:HG2	1:A:421:TYR:OH	2.12	0.49
1:A:47:ARG:HD3	1:A:171:LEU:CD1	2.43	0.48
1:A:481:ASN:OD1	1:A:483:ASN:N	2.39	0.48
1:A:360:VAL:HG11	1:A:363:ALA:HB2	1.95	0.47
1:A:383:ASN:ND2	1:A:385:ILE:N	2.62	0.47
1:A:176:ALA:O	1:A:180:VAL:HG23	2.15	0.47
1:A:433:PRO:HB2	1:A:435:TRP:CD1	2.50	0.47
1:A:436:MET:HB2	1:A:439:ILE:HD11	1.96	0.47
1:A:383:ASN:HD22	1:A:383:ASN:C	2.18	0.47
1:A:439:ILE:HG22	1:A:440:HIS:O	2.14	0.47
1:A:211:LEU:O	1:A:216:ARG:NH1	2.48	0.47
1:A:419:TYR:CZ	1:A:494:LEU:HD13	2.50	0.47
1:A:158:LEU:HD12	1:A:263:ILE:HD11	1.96	0.46
1:A:383:ASN:HD21	1:A:385:ILE:HB	1.79	0.46
1:A:452:LEU:CD2	1:A:463:GLU:HG3	2.45	0.46
1:A:158:LEU:O	1:A:161:SER:HB3	2.15	0.46
1:A:221:ARG:HD3	1:A:480:GLY:CA	2.38	0.46
1:A:252:LEU:HB3	1:A:269:LYS:CD	2.45	0.46
1:A:20:VAL:CG2	1:A:27:ILE:HG13	2.44	0.46
1:A:43:MET:O	1:A:46:ARG:HB2	2.15	0.46
1:A:84:TRP:CD2	2:A:999:EDR:H81	2.51	0.46
1:A:170:LEU:HD23	1:A:170:LEU:HA	1.79	0.45
1:A:63:TYR:CD1	1:A:126:THR:HG22	2.51	0.45
1:A:196:ILE:HG13	1:A:196:ILE:O	2.17	0.45
1:A:30:PHE:HB3	1:A:33:ILE:HD11	1.97	0.45
1:A:130:TYR:HE1	1:A:444:ILE:HD13	1.80	0.45
1:A:326:ASP:OD2	1:A:437:GLY:HA3	2.17	0.45
1:A:5:GLU:OE2	1:A:104:PRO:HA	2.17	0.44
1:A:364:ASN:H	1:A:532:LEU:HD21	1.82	0.44
1:A:395:VAL:O	1:A:399:ASN:HB2	2.18	0.44
1:A:450:LEU:N	1:A:451:PRO:HD2	2.32	0.44
1:A:418:THR:O	1:A:494:LEU:HD12	2.17	0.44
1:A:40:VAL:HG12	1:A:92:GLU:HB2	1.99	0.44
1:A:213:PRO:HG2	3:A:631:HOH:O	2.16	0.44
1:A:255:ASN:OD1	1:A:257:ASN:HB2	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:ARG:NE	1:A:163:GLU:OE2	2.51	0.44
1:A:260:GLU:H	1:A:260:GLU:CD	2.21	0.44
1:A:363:ALA:HA	1:A:532:LEU:HD21	1.99	0.44
1:A:216:ARG:HD2	1:A:315:LYS:CB	2.49	0.43
1:A:223:ILE:HG12	1:A:320:LEU:HB3	2.00	0.43
1:A:293:VAL:HB	1:A:294:PRO:CD	2.48	0.43
1:A:528:LEU:HB3	1:A:529:PRO:CD	2.46	0.43
1:A:14:LYS:HE3	1:A:14:LYS:HB2	1.89	0.43
1:A:222:ALA:HB3	1:A:319:ILE:HG22	2.00	0.43
1:A:454:LYS:C	1:A:456:LEU:H	2.21	0.43
1:A:383:ASN:HD22	1:A:385:ILE:H	1.64	0.43
1:A:72:ASP:OD1	1:A:74:GLN:HB2	2.19	0.43
1:A:27:ILE:CD1	1:A:133:LYS:HB2	2.40	0.42
1:A:333:LEU:HD21	1:A:432:TRP:HZ3	1.84	0.42
1:A:405:MET:O	1:A:409:ASN:ND2	2.52	0.42
1:A:324:ASN:O	1:A:327:GLU:HG2	2.18	0.42
1:A:167:ASN:O	1:A:170:LEU:HB2	2.19	0.42
1:A:270:LYS:CB	1:A:273:GLU:HG3	2.44	0.42
1:A:15:VAL:HG12	1:A:30:PHE:HD2	1.85	0.42
1:A:329:SER:HB2	1:A:436:MET:HB3	2.02	0.42
1:A:364:ASN:ND2	1:A:535:THR:OG1	2.50	0.42
1:A:451:PRO:HG2	1:A:466:SER:HB2	2.00	0.42
1:A:310:ASN:OD1	1:A:410:LYS:NZ	2.41	0.42
1:A:166:GLY:O	1:A:167:ASN:HB2	2.19	0.41
1:A:223:ILE:HA	1:A:320:LEU:O	2.21	0.41
1:A:158:LEU:HD23	1:A:158:LEU:HA	1.92	0.41
1:A:231:CYS:HB3	1:A:233:TRP:NE1	2.36	0.41
1:A:302:PRO:HD2	1:A:308:MET:HE1	2.03	0.41
1:A:509:PRO:O	1:A:510:MET:C	2.59	0.41
1:A:25:SER:OG	1:A:26:HIS:N	2.54	0.41
1:A:112:MET:HE1	1:A:473:TRP:HB3	2.03	0.41
1:A:184:ILE:HD12	1:A:184:ILE:HA	1.89	0.41
1:A:504:ASP:OD2	1:A:513:HIS:NE2	2.49	0.41
1:A:80:GLY:HA2	1:A:83:MET:CE	2.51	0.40
1:A:312:GLY:HA2	1:A:314:PHE:CE2	2.56	0.40
1:A:10:THR:HB	1:A:183:ASN:OD1	2.21	0.40
1:A:44:ARG:O	1:A:45:PHE:HB2	2.20	0.40
1:A:517:ARG:NH2	1:A:520:MET:HG3	2.35	0.40
1:A:74:GLN:CA	1:A:74:GLN:NE2	2.82	0.40
1:A:135:LEU:HD13	1:A:470:MET:HG2	2.03	0.40
1:A:44:ARG:NH1	1:A:266:LEU:O	2.53	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:VAL:HG22	1:A:453:VAL:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	523/537 (97%)	482 (92%)	36 (7%)	5 (1%)	15 44

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	380	ASP
1	A	510	MET
1	A	200	SER
1	A	515	ARG
1	A	80	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	441/469 (94%)	400 (91%)	41 (9%)	9 26

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	12	SER
1	A	14	LYS
1	A	31	LEU
1	A	55	SER
1	A	68	GLN
1	A	74	GLN
1	A	82	GLU
1	A	103	SER
1	A	108	SER
1	A	125	SER
1	A	129	VAL
1	A	133	LYS
1	A	143	LEU
1	A	161	SER
1	A	197	PHE
1	A	216	ARG
1	A	243	ARG
1	A	269	LYS
1	A	274	LEU
1	A	288	PHE
1	A	289	ARG
1	A	299	GLU
1	A	307	SER
1	A	315	LYS
1	A	316	LYS
1	A	319	ILE
1	A	321	LEU
1	A	340	SER
1	A	345	SER
1	A	353	MET
1	A	356	VAL
1	A	357	LYS
1	A	379	MET
1	A	383	ASN
1	A	385	ILE
1	A	450	LEU
1	A	453	VAL
1	A	473	TRP
1	A	510	MET
1	A	518	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	74	GLN
1	A	131	ASN
1	A	374	GLN
1	A	383	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	EDR	A	999	-	12,12,12	0.58	0	16,17,17	1.06	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDR	A	999	-	-	0/9/9/9	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	A	999	EDR	C1-C2-N2	2.45	124.87	119.74

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	999	EDR	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	527/537 (98%)	-0.89	0 <a href="#">100</a> <a href="#">100</a>	10, 26, 41, 53	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	EDR	A	999	12/12	0.97	0.15	31,31,31,32	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.