



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 09:53 PM EDT

PDB ID : 3AXK
Title : Structure of rice Rubisco in complex with NADP(H)
Authors : Matsumura, H.; Mizohata, E.; Ishida, H.; Kogami, A.; Ueno, T.; Makino, A.;
Inoue, T.; Yokota, A.; Mae, T.; Kai, Y.
Deposited on : 2011-04-11
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	477	 8% 66% 23% 9%
1	B	477	 6% 68% 20% 10%
2	S	129	 6% 74% 16% 6%
2	T	129	 2% 75% 18% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NDP	A	480	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribulose biphosphate carboxylase large chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	434	Total 3384	C 2141	N 600	O 623	S 20	0	0	0
1	B	430	Total 3360	C 2125	N 597	O 618	S 20	0	0	0

- Molecule 2 is a protein called Ribulose biphosphate carboxylase small chain, chloroplastic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	S	121	Total 1004	C 664	N 161	O 173	S 6	0	0	1
2	T	120	Total 997	C 659	N 160	O 172	S 6	0	0	1

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	0	NME	-	AMIDATION	UNP Q0INY7
S	112	CYS	LEU	CONFLICT	UNP Q0INY7
T	0	NME	-	AMIDATION	UNP Q0INY7
T	112	CYS	LEU	CONFLICT	UNP Q0INY7

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0

- Molecule 5 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	A	1	48	21	7	17	3	0	0
5	A	1	48	21	7	17	3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	427	Total	O	0	0
			427	427		
6	S	162	Total	O	0	0
			162	162		
6	B	389	Total	O	0	0
			389	389		
6	T	147	Total	O	0	0
			147	147		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribulose biphosphate carboxylase large chain




- Molecule 1: Ribulose biphosphate carboxylase large chain



- Molecule 2: Ribulose biphosphate carboxylase small chain, chloroplastic



- Molecule 2: Ribulose biphosphate carboxylase small chain, chloroplastic



4 Data and refinement statistics i

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	110.25Å 110.25Å 199.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.63 – 1.90 39.62 – 1.90	Depositor EDS
% Data completeness (in resolution range)	94.8 (39.63-1.90) 94.9 (39.62-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 1.89Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.169 , 0.189 0.165 , 0.187	Depositor DCC
R_{free} test set	3866 reflections (4.33%)	wwPDB-VP
Wilson B-factor (Å ²)	16.2	Xtrriage
Anisotropy	0.049	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 68.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9992	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, KCX, NDP, MG, NME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/3453	0.64	2/4680 (0.0%)
1	B	0.33	0/3429	0.62	2/4644 (0.0%)
2	S	0.33	0/1036	0.57	0/1405
2	T	0.31	0/1028	0.58	0/1393
All	All	0.32	0/8946	0.62	4/12122 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	22	LEU	CA-CB-CG	-9.99	92.32	115.30
1	A	23	THR	N-CA-C	-5.38	96.47	111.00
1	B	22	LEU	CA-CB-CG	5.30	127.49	115.30
1	B	82	GLY	N-CA-C	-5.16	100.20	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3384	0	3283	120	0
1	B	3360	0	3260	96	0
2	S	1004	0	1003	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	T	997	0	996	17	0
3	A	12	0	16	1	0
3	B	12	0	16	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	96	0	52	12	0
6	A	427	0	0	8	0
6	B	389	0	0	19	0
6	S	162	0	0	7	0
6	T	147	0	0	2	0
All	All	9992	0	8626	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (247) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:CYS:HB2	6:B:705:HOH:O	1.46	1.12
1:A:331:VAL:HG11	1:A:393:ILE:HD13	1.32	1.10
1:B:382:ILE:HG12	6:B:1125:HOH:O	1.55	1.04
2:S:85:LYS:HA	2:S:85:LYS:HE3	1.40	1.00
1:A:404:GLY:H	5:A:479:NDP:H4D	1.28	0.95
1:A:178:LEU:HD12	1:B:107:LEU:HD22	1.52	0.91
1:A:90:VAL:HG11	1:A:98:ILE:HG12	1.53	0.90
1:A:156:GLN:CD	2:S:110:VAL:HG21	1.92	0.90
1:A:156:GLN:NE2	2:S:110:VAL:HG11	1.85	0.90
1:A:90:VAL:CG1	1:A:98:ILE:HG12	2.02	0.89
1:A:330:THR:HG23	1:A:379:SER:O	1.78	0.82
1:B:389:ALA:O	1:B:393:ILE:HD13	1.80	0.80
6:A:1096:HOH:O	1:B:383:HIS:HB3	1.81	0.79
1:A:201:KCX:HB3	1:A:239:TYR:CD2	2.21	0.76
1:A:331:VAL:CG1	1:A:393:ILE:HD13	2.14	0.76
1:B:104:PRO:HG2	1:B:107:LEU:HG	1.69	0.75
1:A:404:GLY:N	5:A:479:NDP:H4D	2.00	0.74
2:T:109:GLN:O	2:T:110:VAL:HG13	1.87	0.74
1:B:171:GLY:HA3	1:B:401:GLN:OE1	1.86	0.74
1:A:205:ASN:ND2	1:B:118:THR:HG22	2.04	0.73
1:A:156:GLN:CG	2:S:110:VAL:HG21	2.18	0.73
1:A:432:ASN:HD22	2:S:29:GLN:HE22	1.37	0.73
1:B:203:ASP:OD1	6:B:1112:HOH:O	2.05	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:85:LYS:HA	2:S:85:LYS:CE	2.18	0.72
1:A:90:VAL:HG22	1:A:97:TYR:HA	1.71	0.72
1:A:442:ASN:HB3	1:A:446:ARG:NH1	2.04	0.72
1:A:104:PRO:HG2	1:A:107:LEU:HG	1.70	0.72
1:A:205:ASN:HD22	1:B:118:THR:HG22	1.55	0.71
1:B:21:LYS:CB	1:B:25:TYR:HB3	2.21	0.70
1:A:156:GLN:HB2	6:A:861:HOH:O	1.92	0.69
1:A:442:ASN:HB3	1:A:446:ARG:HH12	1.57	0.69
1:A:90:VAL:HG22	1:A:97:TYR:CA	2.23	0.69
1:A:21:LYS:O	1:A:25:TYR:HB3	1.92	0.68
1:B:205:ASN:CG	6:B:1112:HOH:O	2.34	0.66
1:B:241:ASN:HA	1:B:266:MET:HG2	1.77	0.66
1:A:156:GLN:HE22	2:S:110:VAL:HG11	1.59	0.66
1:A:247:CYS:HG	1:B:247:CYS:HG	0.84	0.66
1:B:177:LYS:HG2	1:B:178:LEU:HG	1.78	0.65
1:A:402:PHE:HB2	1:A:406:THR:CG2	2.27	0.65
1:A:330:THR:HG21	1:A:380:GLY:O	1.97	0.65
1:B:414:ALA:HB3	1:B:415:PRO:HD3	1.77	0.65
1:B:178:LEU:HD22	1:B:211:PHE:CZ	2.32	0.65
1:A:414:ALA:HB3	1:A:415:PRO:HD3	1.78	0.65
5:A:480:NDP:PN	1:B:381:GLY:H	2.20	0.65
1:B:432:ASN:HD22	2:T:29:GLN:HE22	1.45	0.64
2:T:81:THR:O	2:T:85:LYS:HG2	1.98	0.64
2:S:10:LYS:HB3	2:S:50:PHE:CZ	2.33	0.64
2:S:21:LEU:HA	6:S:1006:HOH:O	1.97	0.64
2:T:105:ASP:OD2	2:T:108:ARG:HG2	1.98	0.64
1:A:93:GLU:O	1:A:96:GLN:HB2	1.98	0.63
1:B:21:LYS:O	1:B:22:LEU:HD23	1.98	0.63
1:A:90:VAL:HG13	1:A:98:ILE:HG12	1.80	0.63
1:B:177:LYS:HD3	1:B:205:ASN:HD22	1.62	0.63
2:T:11:LYS:HG3	2:T:17:TYR:CE1	2.34	0.63
1:A:90:VAL:HG11	1:A:98:ILE:CG1	2.27	0.63
1:B:41:ARG:NH2	1:B:305:LYS:HZ2	1.98	0.62
1:A:45:GLN:OE1	1:A:131:ARG:HG2	1.99	0.62
1:A:45:GLN:CD	1:A:131:ARG:HG2	2.21	0.61
6:A:690:HOH:O	1:B:75:THR:HG21	1.99	0.61
2:S:92:LYS:HD2	6:S:939:HOH:O	2.00	0.61
2:S:35:ARG:HD3	6:S:751:HOH:O	1.99	0.61
1:B:429:GLN:O	1:B:433:GLU:HG3	2.01	0.60
2:S:27:LEU:HD21	2:S:84:LEU:HD12	1.82	0.59
1:B:77:LEU:HD12	6:B:783:HOH:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:ILE:HD12	1:A:108:PHE:CE2	2.37	0.59
2:T:46:LYS:HE2	6:T:613:HOH:O	2.03	0.59
1:B:41:ARG:NH2	1:B:305:LYS:NZ	2.52	0.58
1:A:45:GLN:HA	1:A:131:ARG:HG3	1.85	0.58
1:B:42:VAL:HG22	1:B:133:LEU:CD1	2.34	0.58
1:B:329:GLY:O	1:B:378:ALA:HA	2.03	0.58
2:S:110:VAL:HG13	2:S:111:GLN:O	2.04	0.58
1:A:21:LYS:O	1:A:25:TYR:N	2.36	0.58
1:A:95:ASN:HB2	6:A:1001:HOH:O	2.04	0.57
1:A:461:ILE:HD11	1:A:462:TRP:CZ3	2.39	0.57
1:A:379:SER:HB3	1:A:401:GLN:HB2	1.86	0.57
1:B:204:GLU:HG2	6:B:1112:HOH:O	2.03	0.57
1:A:178:LEU:HD11	6:B:1121:HOH:O	2.05	0.57
1:B:204:GLU:CD	6:B:1112:HOH:O	2.43	0.57
1:B:79:ARG:NE	6:B:784:HOH:O	2.37	0.56
1:A:343:LEU:HD21	1:A:393:ILE:HG23	1.87	0.56
2:T:27:LEU:O	2:T:31:GLU:HG2	2.06	0.56
1:A:450:LYS:HD2	1:A:450:LYS:N	2.19	0.56
1:A:392:GLU:HG2	1:A:437:LEU:HB2	1.88	0.56
2:S:10:LYS:HB3	2:S:50:PHE:CE1	2.39	0.56
3:B:504:GOL:H11	6:B:654:HOH:O	2.06	0.55
1:A:389:ALA:O	1:A:393:ILE:HD12	2.07	0.55
1:A:197:LEU:HG	1:A:417:ALA:HB1	1.87	0.55
1:A:69:VAL:HG11	1:B:407:LEU:HB2	1.88	0.55
1:B:178:LEU:HD13	1:B:211:PHE:CZ	2.42	0.55
2:S:14:THR:HG22	2:S:15:LEU:HG	1.89	0.55
5:A:480:NDP:H3D	1:B:381:GLY:HA2	1.89	0.54
1:B:53:ALA:O	1:B:57:VAL:HG23	2.07	0.54
1:A:29:TYR:CG	1:A:83:ARG:HD2	2.43	0.54
2:T:88:GLU:O	2:T:92:LYS:HD3	2.08	0.54
1:B:178:LEU:CD2	1:B:206:VAL:HG22	2.38	0.54
1:B:382:ILE:HA	1:B:386:HIS:ND1	2.24	0.53
1:A:381:GLY:H	5:A:479:NDP:PN	2.32	0.53
1:B:440:GLU:O	1:B:444:ILE:HG13	2.09	0.53
1:A:21:LYS:O	1:A:25:TYR:CB	2.55	0.53
1:A:123:ASN:HB2	6:A:671:HOH:O	2.09	0.53
2:S:92:LYS:HE2	6:S:1040:HOH:O	2.09	0.53
1:A:50:PRO:HG2	1:A:51:GLU:OE2	2.09	0.52
1:A:56:ALA:O	1:A:60:GLU:HG2	2.08	0.52
1:A:177:LYS:HG2	1:A:178:LEU:HG	1.91	0.52
2:S:85:LYS:HE2	6:S:1039:HOH:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:VAL:HG12	1:A:331:VAL:O	2.09	0.52
1:B:48:VAL:HG13	1:B:52:GLU:OE2	2.09	0.52
1:A:383:HIS:CE1	1:A:385:TRP:HB2	2.45	0.52
1:A:410:PRO:HD3	1:A:461:ILE:HD13	1.90	0.52
1:B:45:GLN:HA	1:B:131:ARG:HG3	1.91	0.51
1:B:197:LEU:HG	1:B:417:ALA:HB1	1.91	0.51
1:A:297:MET:O	1:A:297:MET:HG3	2.09	0.51
1:B:45:GLN:OE1	1:B:131:ARG:HG2	2.10	0.51
1:B:411:TRP:CD1	2:T:1:MET:HG3	2.46	0.51
1:B:36:ILE:HD12	1:B:108:PHE:CE2	2.45	0.51
1:B:327:HIS:HA	1:B:377:VAL:HB	1.93	0.51
5:A:480:NDP:H1D	6:B:1079:HOH:O	2.10	0.50
1:B:342:THR:HA	1:B:345:PHE:CE2	2.46	0.50
1:A:178:LEU:HB3	1:A:211:PHE:CZ	2.46	0.50
1:A:429:GLN:O	1:A:433:GLU:HG3	2.10	0.50
1:A:439:ARG:HH11	1:A:439:ARG:HG2	1.76	0.50
1:B:173:THR:HA	1:B:201:KCX:HG3	1.93	0.50
1:B:185:TYR:OH	1:B:202:ASP:HA	2.12	0.50
1:A:63:THR:HG22	6:B:889:HOH:O	2.11	0.50
1:A:239:TYR:HB3	1:A:266:MET:HB2	1.94	0.50
5:A:480:NDP:H4D	1:B:404:GLY:H	1.76	0.50
1:A:342:THR:HA	1:A:345:PHE:CE2	2.47	0.50
1:B:292:HIS:HA	1:B:325:HIS:HB2	1.94	0.50
1:A:461:ILE:HD11	1:A:462:TRP:CH2	2.46	0.49
1:B:178:LEU:HD13	1:B:211:PHE:HZ	1.76	0.49
1:B:461:ILE:HD11	1:B:462:TRP:CZ2	2.47	0.49
2:T:35:ARG:HD3	6:T:604:HOH:O	2.12	0.49
1:A:177:LYS:HE2	1:A:203:ASP:OD2	2.13	0.49
1:A:436:ASP:CG	1:A:439:ARG:HD3	2.33	0.49
1:B:178:LEU:HD22	1:B:211:PHE:CE1	2.48	0.49
1:A:421:ARG:O	1:A:425:GLU:HG3	2.12	0.48
1:B:86:HIS:HE1	6:B:652:HOH:O	1.95	0.48
1:B:42:VAL:HG21	1:B:57:VAL:HG21	1.94	0.48
1:A:156:GLN:HG2	2:S:110:VAL:HG21	1.94	0.48
1:B:204:GLU:CG	6:B:1112:HOH:O	2.61	0.48
1:A:377:VAL:CG1	1:A:401:GLN:HG3	2.44	0.48
2:S:27:LEU:CD2	2:S:84:LEU:HD12	2.42	0.48
1:A:118:THR:HG22	1:B:205:ASN:OD1	2.14	0.47
1:A:133:LEU:H	1:A:307:HIS:CD2	2.31	0.47
2:S:11:LYS:HG3	2:S:17:TYR:CE1	2.48	0.47
1:B:442:ASN:O	1:B:446:ARG:HG3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:442:ASN:O	1:A:446:ARG:HG3	2.14	0.47
1:B:158:GLU:CD	1:B:325:HIS:HE2	2.18	0.47
1:A:50:PRO:O	1:A:87:ILE:HD13	2.15	0.47
1:A:327:HIS:HA	1:A:377:VAL:HB	1.96	0.47
1:A:377:VAL:HG22	1:A:399:VAL:HB	1.97	0.47
1:A:24:TYR:CG	1:A:59:ALA:HB2	2.49	0.47
1:A:306:ASN:HD22	1:A:306:ASN:N	2.12	0.47
1:B:380:GLY:O	6:B:949:HOH:O	2.21	0.47
1:B:461:ILE:HD11	1:B:462:TRP:CE2	2.50	0.47
1:A:307:HIS:HE1	1:B:299:ALA:O	1.98	0.47
2:T:113:ILE:HG22	2:T:114:SER:N	2.30	0.46
1:A:306:ASN:HD22	1:A:306:ASN:H	1.63	0.46
2:S:85:LYS:HD3	6:S:1038:HOH:O	2.15	0.46
5:A:480:NDP:H4D	1:B:404:GLY:N	2.30	0.46
1:B:70:TRP:N	6:B:1118:HOH:O	2.48	0.46
1:B:178:LEU:HD23	1:B:206:VAL:HG22	1.98	0.46
1:A:211:PHE:HB3	6:B:699:HOH:O	2.14	0.46
1:A:178:LEU:HD22	1:A:211:PHE:HZ	1.81	0.46
6:A:897:HOH:O	2:S:110:VAL:HG22	2.16	0.46
1:A:21:LYS:C	1:A:22:LEU:HG	2.34	0.46
1:A:89:PRO:HA	1:A:97:TYR:CD2	2.51	0.45
1:A:422:VAL:HG13	1:A:451:TRP:CH2	2.52	0.45
1:B:410:PRO:HD3	1:B:461:ILE:HD13	1.97	0.45
1:A:404:GLY:CA	5:A:479:NDP:H4D	2.46	0.45
5:A:480:NDP:O2N	6:B:1125:HOH:O	2.20	0.45
2:S:24:GLU:OE1	2:S:24:GLU:N	2.49	0.45
1:A:86:HIS:NE2	3:A:502:GOL:H11	2.31	0.45
1:A:179:GLY:HA2	1:B:80:TYR:CE2	2.51	0.45
1:B:21:LYS:CB	1:B:25:TYR:CB	2.93	0.45
1:B:393:ILE:N	1:B:393:ILE:HD12	2.32	0.45
1:A:386:HIS:O	1:A:390:LEU:HG	2.17	0.45
2:S:14:THR:O	2:S:15:LEU:HB2	2.16	0.45
1:B:297:MET:O	1:B:297:MET:HG3	2.16	0.45
1:A:331:VAL:CG2	1:A:394:PHE:CE2	3.00	0.44
1:B:339:ARG:NH2	1:B:393:ILE:HG13	2.32	0.44
1:A:45:GLN:HA	1:A:131:ARG:CG	2.47	0.44
1:B:71:THR:HA	1:B:74:LEU:CD2	2.48	0.44
1:A:68:THR:HB	5:A:480:NDP:H72N	1.82	0.44
1:B:239:TYR:HB3	1:B:266:MET:HB3	1.99	0.44
1:B:22:LEU:CD1	1:B:24:TYR:HD2	2.31	0.44
2:T:109:GLN:O	2:T:110:VAL:CG1	2.62	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:S:91:LYS:HE3	2:S:118:TYR:CD1	2.52	0.43
1:B:225:ILE:HD11	1:B:238:HIS:HB3	1.99	0.43
1:B:431:ARG:HB2	1:B:437:LEU:HD11	1.99	0.43
2:S:30:ILE:HD13	2:S:83:VAL:HB	2.00	0.43
2:T:105:ASP:OD1	2:T:107:VAL:HG22	2.18	0.43
1:A:158:GLU:CD	1:A:325:HIS:HE2	2.18	0.43
1:A:402:PHE:CB	1:A:406:THR:CG2	2.95	0.43
1:B:42:VAL:CG1	1:B:130:LEU:HD22	2.48	0.43
2:T:46:LYS:NZ	2:T:96:ASP:OD2	2.41	0.43
1:B:175:LYS:HB2	1:B:407:LEU:HD13	2.01	0.43
1:A:36:ILE:HD12	1:A:108:PHE:CZ	2.53	0.43
1:A:388:PRO:O	1:A:392:GLU:HB2	2.19	0.43
1:A:345:PHE:HA	1:A:348:LEU:HD12	2.00	0.43
1:B:22:LEU:HD12	1:B:24:TYR:HD2	1.83	0.43
1:B:175:LYS:HA	1:B:176:PRO:C	2.39	0.43
1:B:432:ASN:HD22	2:T:29:GLN:NE2	2.15	0.43
2:T:61:TYR:CD1	2:T:61:TYR:C	2.91	0.43
1:A:439:ARG:HG2	1:A:439:ARG:NH1	2.34	0.43
1:B:186:GLY:O	1:B:189:CYS:HB3	2.19	0.43
1:A:201:KCX:OQ1	1:A:203:ASP:HA	2.19	0.43
1:A:354:ILE:CG2	1:A:362:ILE:HD13	2.49	0.43
1:A:139:ARG:C	1:A:139:ARG:HD2	2.39	0.42
1:B:407:LEU:HD23	1:B:413:ASN:OD1	2.19	0.42
1:A:178:LEU:HD22	1:A:211:PHE:CZ	2.55	0.42
6:A:1096:HOH:O	1:B:405:GLY:CA	2.67	0.42
1:A:354:ILE:N	1:A:354:ILE:HD12	2.34	0.42
1:B:70:TRP:N	6:B:1008:HOH:O	2.53	0.42
1:B:29:TYR:CG	1:B:83:ARG:HD2	2.55	0.42
1:A:204:GLU:HG2	1:A:205:ASN:N	2.34	0.41
1:A:292:HIS:HA	1:A:325:HIS:HB2	2.02	0.41
1:A:318:LEU:HD13	1:A:318:LEU:C	2.39	0.41
1:B:377:VAL:HG11	1:B:401:GLN:HE21	1.85	0.41
1:A:42:VAL:HG22	1:A:133:LEU:CD1	2.50	0.41
1:A:133:LEU:H	1:A:307:HIS:HD2	1.68	0.41
1:A:134:ARG:HA	1:A:308:GLY:O	2.20	0.41
1:A:171:GLY:HA2	1:A:199:PHE:O	2.19	0.41
1:A:273:GLY:HA3	1:B:273:GLY:HA3	2.01	0.41
1:B:339:ARG:HH22	1:B:393:ILE:CD1	2.33	0.41
2:S:74:MET:CE	2:S:82:GLN:NE2	2.84	0.41
1:A:63:THR:HG21	1:A:77:LEU:HD12	2.02	0.41
2:S:31:GLU:HG3	6:S:771:HOH:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:GLY:HA2	1:B:199:PHE:O	2.19	0.41
5:A:480:NDP:H4D	1:B:404:GLY:CA	2.51	0.41
1:B:177:LYS:HD3	1:B:205:ASN:ND2	2.30	0.41
1:A:36:ILE:HD12	1:A:108:PHE:CD2	2.55	0.41
1:A:85:TYR:CZ	1:A:100:TYR:HB3	2.56	0.41
1:A:185:TYR:OH	1:A:202:ASP:HA	2.21	0.41
2:T:27:LEU:HG	2:T:84:LEU:HD11	2.03	0.41
1:A:177:LYS:HE2	1:A:203:ASP:CG	2.41	0.41
2:S:6:ILE:HG13	2:S:7:GLU:HG3	2.02	0.41
1:B:354:ILE:CG2	1:B:362:ILE:HD13	2.51	0.41
1:A:436:ASP:OD2	1:A:439:ARG:HD3	2.21	0.40
1:B:457:ALA:O	1:B:461:ILE:HG23	2.22	0.40
1:A:53:ALA:O	1:A:57:VAL:HG23	2.22	0.40
1:A:72:ASP:HB3	1:A:77:LEU:HD23	2.02	0.40
1:A:341:MET:HE2	6:A:731:HOH:O	2.21	0.40
1:A:29:TYR:CD1	1:A:83:ARG:HD2	2.57	0.40
1:B:24:TYR:CD2	1:B:59:ALA:HB2	2.56	0.40
1:B:393:ILE:N	1:B:393:ILE:CD1	2.85	0.40
1:A:385:TRP:CD1	1:A:462:TRP:O	2.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	427/477 (90%)	408 (96%)	17 (4%)	2 (0%)	29	18
1	B	423/477 (89%)	408 (96%)	14 (3%)	1 (0%)	47	38
2	S	119/129 (92%)	112 (94%)	7 (6%)	0	100	100
2	T	118/129 (92%)	111 (94%)	7 (6%)	0	100	100
All	All	1087/1212 (90%)	1039 (96%)	45 (4%)	3 (0%)	41	31

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	94	ASP
1	B	22	LEU
1	A	62	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/385 (90%)	335 (96%)	12 (4%)	36	27
1	B	344/385 (89%)	335 (97%)	9 (3%)	46	39
2	S	109/114 (96%)	103 (94%)	6 (6%)	21	12
2	T	108/114 (95%)	107 (99%)	1 (1%)	78	79
All	All	908/998 (91%)	880 (97%)	28 (3%)	40	32

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	THR
1	A	77	LEU
1	A	90	VAL
1	A	128	LYS
1	A	138	LEU
1	A	180	LEU
1	A	297	MET
1	A	306	ASN
1	A	330	THR
1	A	406	THR
1	A	439	ARG
1	A	450	LYS
2	S	24	GLU
2	S	56	HIS
2	S	82	GLN
2	S	84	LEU
2	S	85	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	S	110	VAL
1	B	71	THR
1	B	77	LEU
1	B	78	ASP
1	B	96	GLN
1	B	138	LEU
1	B	266	MET
1	B	297	MET
1	B	401	GLN
1	B	443	GLU
2	T	56	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	156	GLN
1	A	205	ASN
1	A	207	ASN
1	A	306	ASN
1	A	307	HIS
2	S	29	GLN
2	S	82	GLN
2	S	109	GLN
1	B	86	HIS
1	B	95	ASN
1	B	156	GLN
1	B	207	ASN
1	B	304	GLN
1	B	442	ASN
2	T	29	GLN
2	T	109	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KCX	B	201	1,4	10,11,12	0.87	0	6,12,14	1.72	2 (33%)
1	KCX	A	201	1,4	10,11,12	0.98	0	6,12,14	1.63	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	B	201	1,4	-	0/9/10/12	-
1	KCX	A	201	1,4	-	6/9/10/12	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	201	KCX	OQ1-CX-NZ	-3.03	120.33	124.92
1	A	201	KCX	OQ1-CX-NZ	-3.01	120.36	124.92
1	B	201	KCX	CE-NZ-CX	2.71	126.57	121.98
1	A	201	KCX	CE-NZ-CX	2.40	126.05	121.98

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	201	KCX	N-CA-CB-CG
1	A	201	KCX	C-CA-CB-CG
1	A	201	KCX	O-C-CA-CB
1	A	201	KCX	OQ1-CX-NZ-CE
1	A	201	KCX	CE-CD-CG-CB
1	A	201	KCX	OQ2-CX-NZ-CE

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	201	KCX	1	0
1	A	201	KCX	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	503	-	5,5,5	0.95	0	5,5,5	0.39	0
3	GOL	B	504	-	5,5,5	1.01	0	5,5,5	0.34	0
3	GOL	A	502	-	5,5,5	0.93	0	5,5,5	0.41	0
5	NDP	A	480	-	47,52,52	1.28	6 (12%)	61,80,80	1.12	3 (4%)
3	GOL	A	501	-	5,5,5	0.88	0	5,5,5	0.46	0
5	NDP	A	479	-	47,52,52	1.23	6 (12%)	61,80,80	1.08	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	503	-	-	2/4/4/4	-
3	GOL	B	504	-	-	2/4/4/4	-
3	GOL	A	502	-	-	2/4/4/4	-
5	NDP	A	480	-	-	12/30/77/77	0/5/5/5
3	GOL	A	501	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NDP	A	479	-	-	11/30/77/77	0/5/5/5

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	480	NDP	C4N-C3N	-3.50	1.43	1.50
5	A	479	NDP	C4N-C3N	-3.33	1.43	1.50
5	A	480	NDP	C4N-C5N	-2.79	1.41	1.49
5	A	479	NDP	C4N-C5N	-2.76	1.41	1.49
5	A	479	NDP	C2A-N3A	2.59	1.36	1.32
5	A	480	NDP	C2A-N3A	2.58	1.36	1.32
5	A	479	NDP	PA-O3	2.40	1.62	1.59
5	A	480	NDP	C6N-C5N	2.36	1.40	1.33
5	A	479	NDP	C6N-C5N	2.36	1.40	1.33
5	A	480	NDP	PN-O3	-2.34	1.57	1.59
5	A	480	NDP	C2N-C3N	2.26	1.41	1.35
5	A	479	NDP	C2N-C3N	2.10	1.41	1.35

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	479	NDP	C1D-N1N-C2N	-3.50	115.37	121.14
5	A	480	NDP	C1D-N1N-C2N	-3.48	115.41	121.14
5	A	480	NDP	C3N-C2N-N1N	-2.74	119.18	123.20
5	A	479	NDP	C3N-C2N-N1N	-2.65	119.32	123.20
5	A	480	NDP	C6N-N1N-C2N	-2.31	116.84	119.32

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	GOL	C1-C2-C3-O3
3	B	503	GOL	O1-C1-C2-O2
3	B	503	GOL	O1-C1-C2-C3
5	A	479	NDP	PA-O3-PN-O5D
5	A	479	NDP	C5D-O5D-PN-O3
5	A	479	NDP	C5D-O5D-PN-O1N
5	A	479	NDP	C5D-O5D-PN-O2N
5	A	479	NDP	O4D-C1D-N1N-C6N
5	A	479	NDP	C2N-C3N-C7N-N7N
5	A	480	NDP	PA-O3-PN-O5D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	480	NDP	C5D-O5D-PN-O3
5	A	480	NDP	C5D-O5D-PN-O1N
5	A	480	NDP	C5D-O5D-PN-O2N
5	A	480	NDP	O4D-C1D-N1N-C6N
5	A	480	NDP	C2N-C3N-C7N-N7N
5	A	479	NDP	C2D-C1D-N1N-C2N
5	A	480	NDP	C2D-C1D-N1N-C2N
5	A	479	NDP	C2D-C1D-N1N-C6N
3	B	504	GOL	O1-C1-C2-C3
5	A	480	NDP	C2D-C1D-N1N-C6N
3	A	501	GOL	O2-C2-C3-O3
3	B	504	GOL	O1-C1-C2-O2
5	A	480	NDP	C4D-C5D-O5D-PN
3	A	502	GOL	O2-C2-C3-O3
5	A	480	NDP	C2N-C3N-C7N-O7N
5	A	479	NDP	C4D-C5D-O5D-PN
3	A	501	GOL	O1-C1-C2-C3
3	A	502	GOL	C1-C2-C3-O3
5	A	480	NDP	PN-O3-PA-O2A
3	A	501	GOL	O1-C1-C2-O2
5	A	479	NDP	C2N-C3N-C7N-O7N
5	A	479	NDP	PN-O3-PA-O2A
5	A	480	NDP	O4D-C4D-C5D-O5D


There are no ring outliers.


4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	504	GOL	1	0
3	A	502	GOL	1	0
5	A	480	NDP	8	0
5	A	479	NDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	433/477 (90%)	0.23	37 (8%) 10 12	8, 14, 38, 53	0
1	B	429/477 (89%)	0.16	31 (7%) 15 17	8, 14, 36, 56	0
2	S	120/129 (93%)	0.24	8 (6%) 17 20	9, 20, 34, 49	0
2	T	119/129 (92%)	0.07	3 (2%) 57 60	11, 18, 30, 43	0
All	All	1101/1212 (90%)	0.19	79 (7%) 15 17	8, 15, 36, 56	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	22	LEU	10.3
1	A	332	VAL	8.4
1	A	331	VAL	6.8
1	B	77	LEU	6.6
1	A	92	GLY	6.5
1	A	68	THR	6.1
1	A	91	VAL	6.0
1	A	20	TYR	5.4
1	B	94	ASP	5.2
1	B	74	LEU	5.1
1	B	21	LYS	5.0
2	S	121	PRO	4.9
1	B	22	LEU	4.9
2	S	107	VAL	4.6
1	A	462	TRP	4.6
1	B	463	LYS	4.4
1	B	72	ASP	4.1
1	A	79	ARG	4.1
1	B	73	GLY	4.1
2	T	107	VAL	4.0
1	B	23	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	69	VAL	3.7
1	B	70	TRP	3.7
1	A	21	LYS	3.7
1	B	47	GLY	3.6
1	A	77	LEU	3.5
2	S	108	ARG	3.3
1	B	461	ILE	3.3
1	B	91	VAL	3.3
1	A	74	LEU	3.3
1	B	75	THR	3.2
1	A	178	LEU	3.2
1	B	439	ARG	3.2
1	B	211	PHE	3.1
1	A	78	ASP	3.0
1	A	23	THR	3.0
1	B	76	SER	3.0
1	A	70	TRP	3.0
1	B	46	PRO	2.9
1	B	462	TRP	2.9
1	A	90	VAL	2.9
1	B	402	PHE	2.8
1	A	404	GLY	2.8
1	B	71	THR	2.8
1	A	47	GLY	2.7
1	A	405	GLY	2.7
2	S	106	ASN	2.7
1	B	92	GLY	2.7
1	A	406	THR	2.6
1	A	407	LEU	2.6
1	A	403	GLY	2.6
1	B	78	ASP	2.5
1	A	408	GLY	2.4
1	A	75	THR	2.4
1	A	439	ARG	2.4
2	T	37	LYS	2.4
1	A	339	ARG	2.4
2	S	109	GLN	2.4
1	A	94	ASP	2.4
1	A	176	PRO	2.4
1	A	128	LYS	2.3
1	B	48	VAL	2.3
1	B	178	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	330	THR	2.3
2	S	37	LYS	2.3
2	S	92	LYS	2.3
1	A	461	ILE	2.2
2	S	78	THR	2.2
1	A	76	SER	2.2
1	B	63	THR	2.2
1	B	407	LEU	2.2
1	A	95	ASN	2.1
1	A	330	THR	2.1
1	A	52	GLU	2.1
1	B	128	LYS	2.1
1	B	93	GLU	2.1
1	B	52	GLU	2.1
1	A	131	ARG	2.0
2	T	109	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	B	201	12/13	0.92	0.12	13,19,24,25	0
1	KCX	A	201	12/13	0.93	0.11	10,17,23,23	0

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GOL	B	504	6/6	0.61	0.34	51,54,55,56	0
5	NDP	A	480	48/48	0.61	0.45	46,55,58,59	0
3	GOL	A	501	6/6	0.68	0.37	30,32,34,36	0
3	GOL	A	502	6/6	0.68	0.24	42,47,48,49	0
5	NDP	A	479	48/48	0.74	0.34	41,50,55,56	0
3	GOL	B	503	6/6	0.77	0.31	32,37,39,42	0
4	MG	A	478	1/1	0.97	0.05	29,29,29,29	0
4	MG	B	478	1/1	0.98	0.09	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.