



# Full wwPDB EM Validation Report ⓘ

Oct 13, 2024 – 12:58 AM EDT

PDB ID : 9AX8  
EMDB ID : EMD-43930  
Title : 70S initiation complex (tRNA-fMet M1, initiation factor 2 + CUG start codon)  
Authors : Mattingly, J.M.; Nguyen, H.A.; Dunham, C.M.  
Deposited on : 2024-03-06  
Resolution : 2.60 Å (reported)  
Based on initial model : 6O9K

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	79	14% (red), 95% (green), 5% (yellow), 0% (orange), 0% (grey)
2	1	77	0% (red), 95% (green), 5% (yellow), 0% (orange), 0% (grey)
3	2	63	8% (red), 95% (green), 5% (yellow), 0% (orange), 0% (grey)
4	3	58	5% (red), 97% (green), 0% (yellow), 0% (orange), 0% (grey)
5	4	209	0% (red), 95% (green), 5% (yellow), 0% (orange), 0% (grey)
6	5	56	0% (red), 96% (green), 0% (yellow), 0% (orange), 0% (grey)
7	6	50	6% (red), 96% (green), 0% (yellow), 0% (orange), 0% (grey)
8	7	46	0% (red), 98% (green), 0% (yellow), 0% (orange), 0% (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	8	64	95% 5%
10	9	271	96%
11	E	201	98%
12	F	177	11% 92% 8%
13	H	176	88% 11%
14	J	142	97%
15	K	122	94% 6%
16	L	143	94% 6%
17	M	136	94% 6%
18	N	120	97%
19	O	116	94% 6%
20	P	114	93% 7%
21	Q	117	97%
22	R	103	6% 94% 6%
23	S	110	97%
24	T	93	9% 92% 8%
25	U	102	6% 94% 6%
26	V	94	94% 6%
27	X	118	92% 8%
28	Y	38	95% 5%
29	a	1539	87% 13%
30	b	218	31% 90% 10%
31	c	206	91% 9%
32	d	205	94% 6%
33	e	150	89% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	100	
35	g	151	
36	h	129	
37	i	127	
38	j	98	
39	k	117	
40	l	123	
41	m	114	
42	n	61	
43	o	88	
44	p	82	
45	q	80	
46	r	54	
47	s	79	
48	t	85	
49	u	51	
50	x	27	
51	y	77	
52	z	509	
53	A	2903	

## 2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 145067 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	79	596	367	120	108	1	0	0

- Molecule 2 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	77	625	388	129	106	2	0	0

- Molecule 3 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	63	509	313	99	95	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	58	449	281	87	79	2	0	0

- Molecule 5 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	209	1565	979	288	294	4	0	0

- Molecule 6 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	5	56	444	269	94	80	1	0	0

- Molecule 7 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	6	50	410	263	75	72	0	0

- Molecule 8 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	7	46	377	228	90	57	2	0	0

- Molecule 9 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	8	64	504	323	105	74	2	0	0

- Molecule 10 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	9	271	2083	1288	423	365	7	0	0

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	201	1552	974	283	290	5	0	0

- Molecule 12 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	F	177	1411	899	249	257	6	0	0

- Molecule 13 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	H	176	1323	832	243	246	2	0	0

- Molecule 14 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	J	142	1129	714	212	199	4	0	0

- Molecule 15 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	K	122	939	587	180	166	6	0	0

- Molecule 16 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	L	143	1045	649	206	189	1	0	0

- Molecule 17 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	M	136	1074	686	205	177	6	0	0

- Molecule 18 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	N	120	961	593	196	167	5	0	0

- Molecule 19 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
19	O	116	892	552	178	162	0	0

- Molecule 20 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	P	114	917	574	179	163	1	0	0

- Molecule 21 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 22 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 23 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 24 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	T	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 25 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	U	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 27 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	118	Total	C	N	O	P	0	0
			2526	1126	464	819	117		

- Molecule 28 is a protein called 50S ribosomal protein L36.



Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 29 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	a	1539	Total	C	N	O	P	0	0
			33012	14725	6052	10697	1538		

- Molecule 30 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	b	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 31 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	c	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 32 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 33 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	e	150	Total	C	N	O	S	0	0
			1106	687	211	202	6		

- Molecule 34 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	f	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 35 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	g	151	1182	735	227	216	4	0	0

- Molecule 36 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	h	129	979	616	173	184	6	0	0

- Molecule 37 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	i	127	1022	634	206	179	3	0	0

- Molecule 38 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	j	98	787	493	150	143	1	0	0

- Molecule 39 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	k	117	877	540	174	160	3	0	0

- Molecule 40 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	l	123	955	590	196	165	4	0	0

- Molecule 41 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	m	114	884	546	178	157	3	0	0

- Molecule 42 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms				AltConf	Trace	
42	n	61	Total	C	N	O	S	0	0
			500	310	108	80	2		

- Molecule 43 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms				AltConf	Trace	
43	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 44 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms				AltConf	Trace	
44	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 45 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms				AltConf	Trace	
45	q	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 46 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms			AltConf	Trace	
46	r	54	Total	C	N	O	0	0
			445	282	83	80		

- Molecule 47 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms				AltConf	Trace	
47	s	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 48 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace	
48	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 49 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	u	51	Total	C	N	O	S	0	0
			426	265	86	74	1		

- Molecule 50 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	x	9	Total	C	N	O	P	0	0
			194	87	37	61	9		

- Molecule 51 is a RNA chain called P-site tRNA-fMet M1.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	y	77	Total	C	N	O	P	0	0
			1639	732	297	534	76		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
y	30	C	G	conflict	GB 2260466602
y	40	G	C	conflict	GB 2260466602

- Molecule 52 is a protein called Translation initiation factor IF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	z	509	Total	C	N	O	S	0	0
			3847	2409	675	748	15		

- Molecule 53 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	A	2854	Total	C	N	O	P	0	0
			61262	27334	11279	19799	2850		

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
54	a	85	Total	Mg	0
			85	85	
54	z	1	Total	Mg	0
			1	1	
54	A	201	Total	Mg	0
			201	201	




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L27




- Molecule 2: 50S ribosomal protein L28




- Molecule 3: 50S ribosomal protein L29




- Molecule 4: 50S ribosomal protein L30




- Molecule 5: 50S ribosomal protein L3




- Molecule 6: 50S ribosomal protein L32




- Molecule 7: 50S ribosomal protein L33




- Molecule 8: 50S ribosomal protein L34




- Molecule 9: 50S ribosomal protein L35




- Molecule 10: 50S ribosomal protein L2




- Molecule 11: 50S ribosomal protein L4





- Molecule 12: 50S ribosomal protein L5






- Molecule 13: 50S ribosomal protein L6




- Molecule 14: 50S ribosomal protein L13




- Molecule 15: 50S ribosomal protein L14




- Molecule 16: 50S ribosomal protein L15



- Molecule 17: 50S ribosomal protein L16



- Molecule 18: 50S ribosomal protein L17



- Molecule 19: 50S ribosomal protein L18



Chain O:  94% 6%



- Molecule 20: 50S ribosomal protein L19

Chain P:  93% 7%




- Molecule 21: 50S ribosomal protein L20

Chain Q:  97%




- Molecule 22: 50S ribosomal protein L21

Chain R:  6% 94% 6%





- Molecule 23: 50S ribosomal protein L22

Chain S:  97%




- Molecule 24: 50S ribosomal protein L23

Chain T:  9% 92% 8%




- Molecule 25: 50S ribosomal protein L24


Chain U:  6% 94% 6%




- Molecule 26: 50S ribosomal protein L25




- Molecule 27: 5S ribosomal RNA




- Molecule 28: 50S ribosomal protein L36




- Molecule 29: 16S ribosomal RNA




- Molecule 30: 30S ribosomal protein S2




- Molecule 31: 30S ribosomal protein S3




- Molecule 32: 30S ribosomal protein S4




- Molecule 33: 30S ribosomal protein S5



- Molecule 34: 30S ribosomal protein S6




- Molecule 35: 30S ribosomal protein S7





- Molecule 36: 30S ribosomal protein S8








- Molecule 37: 30S ribosomal protein S9



- Molecule 38: 30S ribosomal protein S10




- Molecule 39: 30S ribosomal protein S11





- Molecule 40: 30S ribosomal protein S12




- Molecule 41: 30S ribosomal protein S13





- Molecule 42: 30S ribosomal protein S14



- Molecule 43: 30S ribosomal protein S15



- Molecule 44: 30S ribosomal protein S16





- Molecule 45: 30S ribosomal protein S17




- Molecule 46: 30S ribosomal protein S18




- Molecule 47: 30S ribosomal protein S19




- Molecule 48: 30S ribosomal protein S20




- Molecule 49: 30S ribosomal protein S21







• Molecule 50: mRNA





• Molecule 51: P-site tRNA-fMet M1



• Molecule 52: Translation initiation factor IF2



• Molecule 53: 23S ribosomal RNA





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	42825	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	28.167	Depositor
Minimum map value	-11.338	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.75	Depositor
Map size ( $\text{\AA}$ )	416.768, 416.768, 416.768	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.814, 0.814, 0.814	Depositor



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.26	0/603	0.59	0/797
2	1	0.24	0/635	0.62	0/848
3	2	0.26	0/510	0.55	0/677
4	3	0.23	0/453	0.54	0/605
5	4	0.35	0/1586	0.54	0/2134
6	5	0.31	0/450	0.60	0/599
7	6	0.25	0/417	0.51	0/554
8	7	0.24	0/380	0.67	0/498
9	8	0.23	0/513	0.54	0/676
10	9	0.26	0/2122	0.57	0/2852
11	E	0.29	0/1571	0.52	0/2113
12	F	0.27	0/1435	0.55	0/1926
13	H	0.33	0/1343	0.56	0/1816
14	J	0.26	0/1152	0.53	0/1551
15	K	0.26	0/948	0.57	0/1268
16	L	0.26	0/1054	0.60	0/1403
17	M	0.25	0/1093	0.56	0/1460
18	N	0.27	0/974	0.60	0/1301
19	O	0.26	0/902	0.56	0/1209
20	P	0.25	0/929	0.56	0/1242
21	Q	0.31	0/960	0.56	0/1278
22	R	0.25	0/829	0.53	0/1107
23	S	0.41	1/864 (0.1%)	0.57	0/1156
24	T	0.24	0/745	0.52	0/994
25	U	0.32	0/788	0.53	0/1051
26	V	0.26	0/766	0.53	0/1025
27	X	0.16	0/2825	0.71	0/4406
28	Y	0.27	0/303	0.60	0/397
29	a	0.19	0/36963	0.73	0/57662
30	b	0.28	0/1736	0.52	0/2338
31	c	0.35	0/1652	0.55	0/2225
32	d	0.33	0/1665	0.57	0/2227

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	e	0.39	0/1119	0.53	0/1504
34	f	0.27	0/836	0.57	0/1128
35	g	0.26	0/1196	0.56	0/1602
36	h	0.34	0/989	0.55	0/1326
37	i	0.29	0/1034	0.61	0/1375
38	j	0.23	0/797	0.58	0/1077
39	k	0.28	0/893	0.58	0/1205
40	l	0.30	0/969	0.64	0/1300
41	m	0.33	0/893	0.61	0/1193
42	n	0.29	0/510	0.60	0/679
43	o	0.41	0/722	0.54	0/964
44	p	0.26	0/659	0.57	0/884
45	q	0.23	0/658	0.54	0/881
46	r	0.26	0/451	0.62	0/606
47	s	0.39	0/653	0.64	0/877
48	t	0.30	0/671	0.52	0/888
49	u	0.32	0/431	0.69	0/570
50	x	0.29	0/217	0.64	0/336
51	y	0.22	0/1831	0.79	0/2853
52	z	0.32	0/3895	0.53	0/5264
53	A	0.21	0/68614	0.73	0/107040
All	All	0.24	1/157204 (0.0%)	0.69	0/234947

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	S	96	ILE	C-N	5.03	1.45	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	77/79 (98%)	59 (77%)	17 (22%)	1 (1%)	10	21
2	1	75/77 (97%)	70 (93%)	5 (7%)	0	100	100
3	2	61/63 (97%)	55 (90%)	6 (10%)	0	100	100
4	3	56/58 (97%)	53 (95%)	2 (4%)	1 (2%)	7	14
5	4	207/209 (99%)	187 (90%)	18 (9%)	2 (1%)	13	29
6	5	54/56 (96%)	50 (93%)	4 (7%)	0	100	100
7	6	48/50 (96%)	46 (96%)	2 (4%)	0	100	100
8	7	44/46 (96%)	42 (96%)	1 (2%)	1 (2%)	5	10
9	8	62/64 (97%)	60 (97%)	1 (2%)	1 (2%)	8	17
10	9	269/271 (99%)	249 (93%)	19 (7%)	1 (0%)	30	52
11	E	199/201 (99%)	183 (92%)	15 (8%)	1 (0%)	25	47
12	F	175/177 (99%)	157 (90%)	15 (9%)	3 (2%)	7	16
13	H	174/176 (99%)	148 (85%)	23 (13%)	3 (2%)	7	16
14	J	140/142 (99%)	126 (90%)	12 (9%)	2 (1%)	9	19
15	K	120/122 (98%)	110 (92%)	10 (8%)	0	100	100
16	L	141/143 (99%)	128 (91%)	12 (8%)	1 (1%)	19	38
17	M	134/136 (98%)	128 (96%)	5 (4%)	1 (1%)	19	38
18	N	118/120 (98%)	111 (94%)	6 (5%)	1 (1%)	16	34
19	O	114/116 (98%)	108 (95%)	6 (5%)	0	100	100
20	P	112/114 (98%)	105 (94%)	3 (3%)	4 (4%)	3	4
21	Q	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
22	R	101/103 (98%)	91 (90%)	8 (8%)	2 (2%)	6	12
23	S	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
24	T	91/93 (98%)	78 (86%)	12 (13%)	1 (1%)	12	26
25	U	100/102 (98%)	90 (90%)	9 (9%)	1 (1%)	13	29

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	V	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
28	Y	36/38 (95%)	30 (83%)	5 (14%)	1 (3%)	4	7
30	b	216/218 (99%)	192 (89%)	23 (11%)	1 (0%)	25	47
31	c	204/206 (99%)	190 (93%)	14 (7%)	0	100	100
32	d	203/205 (99%)	185 (91%)	14 (7%)	4 (2%)	6	12
33	e	148/150 (99%)	132 (89%)	15 (10%)	1 (1%)	19	38
34	f	98/100 (98%)	93 (95%)	5 (5%)	0	100	100
35	g	149/151 (99%)	139 (93%)	10 (7%)	0	100	100
36	h	127/129 (98%)	120 (94%)	7 (6%)	0	100	100
37	i	125/127 (98%)	110 (88%)	15 (12%)	0	100	100
38	j	96/98 (98%)	88 (92%)	7 (7%)	1 (1%)	13	29
39	k	115/117 (98%)	103 (90%)	12 (10%)	0	100	100
40	l	121/123 (98%)	110 (91%)	11 (9%)	0	100	100
41	m	112/114 (98%)	105 (94%)	7 (6%)	0	100	100
42	n	59/61 (97%)	48 (81%)	10 (17%)	1 (2%)	7	16
43	o	86/88 (98%)	79 (92%)	7 (8%)	0	100	100
44	p	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	10	21
45	q	78/80 (98%)	73 (94%)	5 (6%)	0	100	100
46	r	52/54 (96%)	50 (96%)	2 (4%)	0	100	100
47	s	77/79 (98%)	67 (87%)	8 (10%)	2 (3%)	4	7
48	t	83/85 (98%)	79 (95%)	3 (4%)	1 (1%)	11	24
49	u	49/51 (96%)	35 (71%)	12 (24%)	2 (4%)	2	3
52	z	507/509 (100%)	465 (92%)	40 (8%)	2 (0%)	30	52
All	All	5808/5904 (98%)	5302 (91%)	462 (8%)	44 (1%)	19	34

All (44) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	7	4	THR
12	F	139	GLU
16	L	111	ILE
18	N	88	ALA
20	P	103	THR
25	U	92	VAL

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
28	Y	16	ILE
32	d	45	PRO
32	d	191	SER
10	9	119	VAL
13	H	46	ASP
14	J	14	ASP
20	P	69	VAL
22	R	66	HIS
24	T	55	VAL
32	d	192	ALA
38	j	57	VAL
42	n	81	ARG
44	p	79	ASN
47	s	42	ASN
49	u	46	ARG
5	4	119	ALA
12	F	176	PHE
14	J	65	THR
20	P	63	ILE
30	b	33	ALA
33	e	89	THR
52	z	848	PHE
4	3	9	THR
11	E	96	VAL
12	F	138	PRO
13	H	16	VAL
47	s	41	PRO
48	t	5	SER
49	u	24	LYS
5	4	109	VAL
20	P	81	ASP
1	0	40	ARG
17	M	134	THR
22	R	101	ILE
52	z	523	GLU
13	H	3	VAL
32	d	36	ALA
9	8	31	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	59/59 (100%)	55 (93%)	4 (7%)	13	28
2	1	67/67 (100%)	63 (94%)	4 (6%)	16	35
3	2	55/55 (100%)	52 (94%)	3 (6%)	18	38
4	3	48/48 (100%)	47 (98%)	1 (2%)	48	73
5	4	164/164 (100%)	156 (95%)	8 (5%)	21	43
6	5	47/47 (100%)	45 (96%)	2 (4%)	25	49
7	6	45/45 (100%)	43 (96%)	2 (4%)	24	48
8	7	38/38 (100%)	38 (100%)	0	100	100
9	8	51/51 (100%)	49 (96%)	2 (4%)	27	53
10	9	216/216 (100%)	205 (95%)	11 (5%)	20	42
11	E	165/165 (100%)	161 (98%)	4 (2%)	44	70
12	F	148/148 (100%)	136 (92%)	12 (8%)	9	20
13	H	137/137 (100%)	118 (86%)	19 (14%)	3	5
14	J	116/116 (100%)	114 (98%)	2 (2%)	56	78
15	K	103/103 (100%)	96 (93%)	7 (7%)	13	28
16	L	102/102 (100%)	94 (92%)	8 (8%)	10	22
17	M	109/109 (100%)	102 (94%)	7 (6%)	14	32
18	N	100/100 (100%)	97 (97%)	3 (3%)	36	63
19	O	86/86 (100%)	79 (92%)	7 (8%)	9	20
20	P	99/99 (100%)	95 (96%)	4 (4%)	27	52
21	Q	89/89 (100%)	86 (97%)	3 (3%)	32	58
22	R	84/84 (100%)	80 (95%)	4 (5%)	21	44
23	S	93/93 (100%)	91 (98%)	2 (2%)	47	72
24	T	80/80 (100%)	74 (92%)	6 (8%)	11	24
25	U	83/83 (100%)	78 (94%)	5 (6%)	16	35
26	V	78/78 (100%)	72 (92%)	6 (8%)	10	22

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	Y	34/34 (100%)	33 (97%)	1 (3%)	37	64
30	b	180/180 (100%)	160 (89%)	20 (11%)	5	10
31	c	170/170 (100%)	152 (89%)	18 (11%)	5	11
32	d	172/172 (100%)	164 (95%)	8 (5%)	22	45
33	e	113/113 (100%)	97 (86%)	16 (14%)	2	5
34	f	87/87 (100%)	80 (92%)	7 (8%)	10	21
35	g	124/124 (100%)	113 (91%)	11 (9%)	8	17
36	h	104/104 (100%)	95 (91%)	9 (9%)	8	17
37	i	105/105 (100%)	92 (88%)	13 (12%)	4	7
38	j	86/86 (100%)	79 (92%)	7 (8%)	9	20
39	k	90/90 (100%)	85 (94%)	5 (6%)	17	38
40	l	103/103 (100%)	95 (92%)	8 (8%)	10	22
41	m	92/92 (100%)	83 (90%)	9 (10%)	6	13
42	n	52/52 (100%)	46 (88%)	6 (12%)	4	9
43	o	76/76 (100%)	64 (84%)	12 (16%)	2	3
44	p	65/65 (100%)	61 (94%)	4 (6%)	15	33
45	q	74/74 (100%)	72 (97%)	2 (3%)	40	66
46	r	47/47 (100%)	45 (96%)	2 (4%)	25	49
47	s	70/70 (100%)	58 (83%)	12 (17%)	1	2
48	t	65/65 (100%)	64 (98%)	1 (2%)	60	81
49	u	44/44 (100%)	34 (77%)	10 (23%)	0	1
52	z	409/409 (100%)	371 (91%)	38 (9%)	7	15
All	All	4824/4824 (100%)	4469 (93%)	355 (7%)	14	24

All (355) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	38	ARG
1	0	40	ARG
1	0	71	LYS
1	0	80	SER
2	1	34	SER
2	1	43	LYS
2	1	44	ARG

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	1	64	ASP
3	2	8	GLU
3	2	21	LEU
3	2	57	LEU
4	3	10	ARG
5	4	1	MET
5	4	17	GLU
5	4	33	ARG
5	4	40	LEU
5	4	105	LYS
5	4	137	SER
5	4	157	LYS
5	4	174	SER
6	5	4	GLN
6	5	31	LYS
7	6	6	GLU
7	6	27	ARG
9	8	12	ARG
9	8	30	HIS
10	9	35	LYS
10	9	113	ASP
10	9	124	LYS
10	9	132	ARG
10	9	141	HIS
10	9	190	THR
10	9	200	MET
10	9	222	THR
10	9	238	ASN
10	9	254	LYS
10	9	258	SER
11	E	144	GLU
11	E	176	ASP
11	E	199	MET
11	E	200	LEU
12	F	29	ARG
12	F	77	LYS
12	F	82	TYR
12	F	90	LEU
12	F	119	LYS
12	F	126	ASN
12	F	129	MET
12	F	132	ARG

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
12	F	137	PHE
12	F	144	LYS
12	F	149	ARG
12	F	174	PHE
13	H	3	VAL
13	H	5	LYS
13	H	9	VAL
13	H	10	VAL
13	H	15	ASP
13	H	17	LYS
13	H	19	ASN
13	H	24	THR
13	H	25	ILE
13	H	26	LYS
13	H	28	LYS
13	H	29	ASN
13	H	32	LEU
13	H	33	THR
13	H	34	ARG
13	H	44	HIS
13	H	54	ARG
13	H	68	ARG
13	H	157	LYS
14	J	3	THR
14	J	44	TYR
15	K	1	MET
15	K	8	LEU
15	K	32	TYR
15	K	53	LYS
15	K	90	ASN
15	K	105	ARG
15	K	109	SER
16	L	7	SER
16	L	10	GLU
16	L	51	GLU
16	L	100	ILE
16	L	101	ILE
16	L	104	GLN
16	L	106	GLU
16	L	115	GLU
17	M	40	ARG
17	M	55	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
17	M	76	LYS
17	M	81	ARG
17	M	88	ASN
17	M	127	LYS
17	M	136	MET
18	N	1	MET
18	N	56	LYS
18	N	99	LYS
19	O	25	ARG
19	O	33	ARG
19	O	62	LEU
19	O	69	ASP
19	O	100	HIS
19	O	116	GLN
19	O	117	PHE
20	P	18	SER
20	P	102	ARG
20	P	110	LYS
20	P	111	GLU
21	Q	50	ARG
21	Q	63	ARG
21	Q	94	LEU
22	R	1	MET
22	R	10	LYS
22	R	26	ASP
22	R	45	GLU
23	S	12	SER
23	S	95	ARG
24	T	3	ARG
24	T	6	ARG
24	T	18	GLU
24	T	48	GLN
24	T	72	GLN
24	T	76	ARG
25	U	8	ASP
25	U	14	THR
25	U	17	ASP
25	U	93	ARG
25	U	98	ASN
26	V	10	LYS
26	V	43	ASP
26	V	66	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
26	V	71	LYS
26	V	76	ASP
26	V	87	GLN
28	Y	12	ARG
30	b	9	LEU
30	b	31	PHE
30	b	36	LYS
30	b	49	PHE
30	b	55	GLU
30	b	62	ARG
30	b	92	ASN
30	b	114	LYS
30	b	121	GLN
30	b	124	THR
30	b	130	LYS
30	b	131	LYS
30	b	143	LEU
30	b	144	GLU
30	b	151	LYS
30	b	153	MET
30	b	173	LYS
30	b	191	ASP
30	b	193	ASP
30	b	224	ARG
31	c	2	GLN
31	c	34	SER
31	c	36	PHE
31	c	58	ARG
31	c	78	LYS
31	c	106	ARG
31	c	107	LYS
31	c	113	LYS
31	c	118	SER
31	c	120	THR
31	c	131	ARG
31	c	134	LYS
31	c	135	ARG
31	c	138	GLN
31	c	141	MET
31	c	153	SER
31	c	187	GLU
31	c	205	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
32	d	35	GLN
32	d	44	LYS
32	d	46	ARG
32	d	110	ARG
32	d	182	LYS
32	d	188	SER
32	d	189	ASP
32	d	193	ASP
33	e	13	LYS
33	e	19	ARG
33	e	25	LYS
33	e	54	GLU
33	e	60	GLN
33	e	61	LYS
33	e	64	GLU
33	e	65	LYS
33	e	68	ARG
33	e	80	LEU
33	e	92	ARG
33	e	102	THR
33	e	129	SER
33	e	145	ASN
33	e	150	GLU
33	e	156	ARG
34	f	1	MET
34	f	5	GLU
34	f	16	GLU
34	f	33	GLU
34	f	65	GLU
34	f	82	ASP
34	f	91	ARG
35	g	9	ARG
35	g	14	ASP
35	g	39	GLU
35	g	51	GLN
35	g	59	GLU
35	g	61	PHE
35	g	67	ASN
35	g	78	ARG
35	g	108	ARG
35	g	135	LYS
35	g	150	PHE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
36	h	28	SER
36	h	30	LYS
36	h	40	LYS
36	h	41	GLU
36	h	42	GLU
36	h	51	GLU
36	h	65	PHE
36	h	110	MET
36	h	124	ILE
37	i	11	ARG
37	i	34	LEU
37	i	37	TYR
37	i	44	ARG
37	i	48	ARG
37	i	51	LEU
37	i	63	TYR
37	i	65	THR
37	i	87	MET
37	i	94	ARG
37	i	109	GLN
37	i	122	ARG
37	i	123	ARG
38	j	30	LYS
38	j	35	GLN
38	j	48	ARG
38	j	81	GLU
38	j	82	LYS
38	j	88	MET
38	j	89	ARG
39	k	36	ARG
39	k	79	LYS
39	k	104	PHE
39	k	105	ARG
39	k	112	VAL
40	l	30	ARG
40	l	33	CYS
40	l	35	ARG
40	l	55	ARG
40	l	60	PHE
40	l	87	LYS
40	l	93	ARG
40	l	119	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
41	m	11	HIS
41	m	45	SER
41	m	46	GLU
41	m	74	MET
41	m	78	ARG
41	m	80	MET
41	m	92	ARG
41	m	100	ARG
41	m	113	LYS
42	n	42	TRP
42	n	43	ASN
42	n	76	LYS
42	n	80	SER
42	n	81	ARG
42	n	89	MET
43	o	13	GLU
43	o	34	GLN
43	o	46	LYS
43	o	60	SER
43	o	61	GLN
43	o	63	ARG
43	o	65	LEU
43	o	72	LYS
43	o	73	ASP
43	o	79	GLN
43	o	83	ARG
43	o	86	LEU
44	p	1	MET
44	p	3	THR
44	p	52	LEU
44	p	68	SER
45	q	38	LYS
45	q	56	ASP
46	r	22	TYR
46	r	65	SER
47	s	5	LYS
47	s	6	LYS
47	s	16	LYS
47	s	28	LYS
47	s	31	ARG
47	s	40	PHE
47	s	43	MET

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
47	s	54	ARG
47	s	60	PHE
47	s	68	HIS
47	s	77	ARG
47	s	79	TYR
48	t	7	LYS
49	u	4	LYS
49	u	11	PHE
49	u	18	PHE
49	u	32	ARG
49	u	33	ARG
49	u	44	ARG
49	u	45	LYS
49	u	46	ARG
49	u	48	LYS
49	u	53	LYS
52	z	405	THR
52	z	407	LEU
52	z	409	ASP
52	z	413	SER
52	z	418	SER
52	z	420	GLU
52	z	425	THR
52	z	428	ILE
52	z	435	THR
52	z	436	GLU
52	z	437	ASN
52	z	439	MET
52	z	443	LEU
52	z	499	LYS
52	z	501	ASP
52	z	508	ASP
52	z	532	HIS
52	z	536	LYS
52	z	539	THR
52	z	571	GLU
52	z	613	LEU
52	z	655	LEU
52	z	661	PHE
52	z	663	GLU
52	z	672	SER
52	z	710	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
52	z	715	GLU
52	z	723	SER
52	z	749	ARG
52	z	769	SER
52	z	792	GLN
52	z	805	LYS
52	z	819	GLU
52	z	851	ASP
52	z	853	ASN
52	z	859	MET
52	z	866	LYS
52	z	886	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
5	4	94	GLN
11	E	92	HIS
11	E	195	GLN
12	F	134	GLN
13	H	29	ASN
23	S	60	HIS
23	S	102	HIS
24	T	28	ASN
24	T	59	ASN
24	T	91	GLN
30	b	50	ASN
32	d	35	GLN
33	e	60	GLN
33	e	76	ASN
40	l	45	ASN
45	q	49	ASN
48	t	47	GLN
48	t	51	ASN
52	z	498	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
27	X	117/118 (99%)	10 (8%)	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
29	a	1538/1539 (99%)	199 (12%)	0
50	x	8/27 (29%)	3 (37%)	0
51	y	76/77 (98%)	25 (32%)	0
53	A	2850/2903 (98%)	352 (12%)	33 (1%)
All	All	4589/4664 (98%)	589 (12%)	33 (0%)

All (589) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
27	X	15	A
27	X	35	C
27	X	44	G
27	X	87	U
27	X	88	C
27	X	89	U
27	X	90	C
27	X	99	A
27	X	109	A
27	X	119	A
29	a	4	U
29	a	9	G
29	a	22	G
29	a	32	A
29	a	39	G
29	a	47	C
29	a	48	C
29	a	49	U
29	a	51	A
29	a	60	A
29	a	70	U
29	a	72	A
29	a	74	A
29	a	83	C
29	a	85	U
29	a	86	G
29	a	87	C
29	a	95	C
29	a	97	G
29	a	116	A
29	a	120	A
29	a	121	U
29	a	131	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	a	144	G
29	a	159	G
29	a	164	G
29	a	182	A
29	a	183	C
29	a	197	A
29	a	209	U
29	a	211	G
29	a	212	G
29	a	226	G
29	a	240	G
29	a	245	U
29	a	247	G
29	a	251	G
29	a	266	G
29	a	267	C
29	a	280	C
29	a	289	G
29	a	326	G
29	a	328	C
29	a	329	A
29	a	330	C
29	a	332	G
29	a	345	C
29	a	351	G
29	a	352	C
29	a	354	G
29	a	367	U
29	a	372	C
29	a	406	G
29	a	411	A
29	a	412	A
29	a	413	G
29	a	421	U
29	a	422	C
29	a	423	G
29	a	424	G
29	a	429	U
29	a	465	A
29	a	467	U
29	a	468	A
29	a	469	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	a	484	G
29	a	485	U
29	a	486	U
29	a	497	G
29	a	511	C
29	a	518	C
29	a	524	G
29	a	527	G
29	a	531	U
29	a	547	A
29	a	564	C
29	a	572	A
29	a	573	A
29	a	574	A
29	a	576	C
29	a	577	G
29	a	590	U
29	a	620	C
29	a	632	U
29	a	653	U
29	a	665	A
29	a	686	U
29	a	687	A
29	a	693	G
29	a	702	A
29	a	703	G
29	a	720	C
29	a	723	U
29	a	724	G
29	a	731	G
29	a	747	A
29	a	755	G
29	a	778	G
29	a	815	A
29	a	817	C
29	a	821	G
29	a	828	U
29	a	842	U
29	a	843	U
29	a	844	G
29	a	846	G
29	a	858	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	a	914	A
29	a	926	G
29	a	927	G
29	a	934	C
29	a	935	A
29	a	942	G
29	a	945	G
29	a	957	U
29	a	958	A
29	a	960	U
29	a	963	G
29	a	964	A
29	a	966	G
29	a	969	A
29	a	975	A
29	a	976	G
29	a	977	A
29	a	983	A
29	a	993	G
29	a	994	A
29	a	1004	A
29	a	1008	U
29	a	1018	G
29	a	1022	A
29	a	1026	G
29	a	1030	U
29	a	1031	C
29	a	1033	G
29	a	1065	U
29	a	1073	U
29	a	1085	U
29	a	1094	G
29	a	1095	U
29	a	1101	A
29	a	1102	A
29	a	1111	A
29	a	1132	C
29	a	1134	G
29	a	1135	U
29	a	1136	C
29	a	1139	G
29	a	1140	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	a	1141	C
29	a	1142	G
29	a	1146	A
29	a	1152	A
29	a	1159	U
29	a	1160	G
29	a	1161	C
29	a	1167	A
29	a	1184	G
29	a	1196	A
29	a	1197	A
29	a	1202	U
29	a	1212	U
29	a	1213	A
29	a	1227	A
29	a	1249	C
29	a	1250	A
29	a	1258	G
29	a	1260	G
29	a	1275	A
29	a	1280	A
29	a	1287	A
29	a	1300	G
29	a	1305	G
29	a	1317	C
29	a	1319	A
29	a	1336	C
29	a	1362	A
29	a	1363	A
29	a	1381	U
29	a	1397	C
29	a	1441	A
29	a	1442	G
29	a	1446	A
29	a	1492	A
29	a	1493	A
29	a	1494	G
29	a	1495	U
29	a	1497	G
29	a	1503	A
29	a	1505	G
29	a	1506	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	a	1517	G
29	a	1529	G
29	a	1530	G
29	a	1531	A
29	a	1532	U
29	a	1534	A
29	a	1536	C
29	a	1537	U
50	x	14	A
50	x	15	A
50	x	19	G
51	y	1	G
51	y	3	G
51	y	5	G
51	y	6	G
51	y	7	U
51	y	8	G
51	y	15	C
51	y	17	U
51	y	19	G
51	y	20	U
51	y	21	A
51	y	22	G
51	y	23	C
51	y	24	U
51	y	42	G
51	y	49	G
51	y	55	U
51	y	57	A
51	y	58	A
51	y	59	A
51	y	60	U
51	y	61	C
51	y	71	C
51	y	73	A
51	y	76	A
53	A	10	A
53	A	12	U
53	A	34	U
53	A	46	G
53	A	63	A
53	A	71	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	74	A
53	A	75	G
53	A	82	U
53	A	100	U
53	A	102	U
53	A	118	A
53	A	120	U
53	A	127	A
53	A	135	U
53	A	138	U
53	A	139	U
53	A	140	C
53	A	142	A
53	A	162	U
53	A	163	C
53	A	164	C
53	A	181	A
53	A	196	A
53	A	199	A
53	A	215	G
53	A	216	A
53	A	219	A
53	A	222	A
53	A	228	C
53	A	248	G
53	A	255	A
53	A	265	A
53	A	266	G
53	A	272	A
53	A	273	G
53	A	276	U
53	A	277	G
53	A	278	A
53	A	280	U
53	A	311	A
53	A	323	C
53	A	329	G
53	A	330	A
53	A	361	G
53	A	362	A
53	A	367	G
53	A	369	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	370	G
53	A	371	A
53	A	372	G
53	A	386	G
53	A	396	G
53	A	404	A
53	A	405	U
53	A	411	G
53	A	424	G
53	A	451	U
53	A	452	G
53	A	453	A
53	A	456	C
53	A	481	G
53	A	491	G
53	A	504	A
53	A	505	A
53	A	508	A
53	A	509	C
53	A	527	C
53	A	529	A
53	A	530	G
53	A	532	A
53	A	543	G
53	A	546	U
53	A	548	G
53	A	550	C
53	A	563	A
53	A	573	U
53	A	575	A
53	A	586	A
53	A	603	A
53	A	604	G
53	A	614	A
53	A	615	U
53	A	622	G
53	A	623	C
53	A	637	A
53	A	647	G
53	A	655	A
53	A	686	U
53	A	730	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	740	C
53	A	747	U
53	A	764	A
53	A	775	G
53	A	776	G
53	A	782	A
53	A	783	A
53	A	784	G
53	A	785	G
53	A	789	A
53	A	802	A
53	A	805	G
53	A	812	C
53	A	819	A
53	A	827	U
53	A	845	A
53	A	846	U
53	A	847	U
53	A	859	G
53	A	883	G
53	A	896	A
53	A	910	A
53	A	931	U
53	A	941	A
53	A	946	C
53	A	953	G
53	A	958	U
53	A	959	A
53	A	961	C
53	A	962	G
53	A	974	G
53	A	983	A
53	A	985	C
53	A	996	A
53	A	997	G
53	A	1012	U
53	A	1013	C
53	A	1021	A
53	A	1022	G
53	A	1026	G
53	A	1033	U
53	A	1034	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	1047	G
53	A	1059	G
53	A	1061	U
53	A	1066	U
53	A	1069	A
53	A	1070	A
53	A	1077	A
53	A	1079	C
53	A	1085	A
53	A	1088	A
53	A	1096	A
53	A	1112	G
53	A	1132	U
53	A	1133	A
53	A	1135	C
53	A	1142	A
53	A	1174	U
53	A	1175	A
53	A	1176	U
53	A	1210	G
53	A	1211	C
53	A	1236	G
53	A	1238	G
53	A	1250	G
53	A	1253	A
53	A	1256	G
53	A	1266	G
53	A	1270	C
53	A	1271	G
53	A	1272	A
53	A	1300	G
53	A	1301	A
53	A	1302	A
53	A	1352	U
53	A	1365	A
53	A	1368	G
53	A	1378	A
53	A	1379	U
53	A	1383	A
53	A	1384	A
53	A	1416	G
53	A	1419	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	1428	C
53	A	1434	A
53	A	1453	A
53	A	1459	G
53	A	1482	G
53	A	1493	C
53	A	1504	A
53	A	1510	G
53	A	1515	A
53	A	1524	G
53	A	1533	C
53	A	1534	U
53	A	1566	A
53	A	1569	A
53	A	1583	A
53	A	1587	G
53	A	1588	G
53	A	1608	A
53	A	1610	A
53	A	1614	A
53	A	1647	U
53	A	1648	U
53	A	1649	G
53	A	1655	A
53	A	1674	G
53	A	1715	G
53	A	1729	U
53	A	1730	C
53	A	1732	C
53	A	1737	G
53	A	1738	G
53	A	1756	G
53	A	1762	A
53	A	1764	C
53	A	1773	A
53	A	1776	G
53	A	1786	A
53	A	1791	A
53	A	1800	C
53	A	1801	A
53	A	1808	A
53	A	1816	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	1829	A
53	A	1847	A
53	A	1870	C
53	A	1871	A
53	A	1872	A
53	A	1906	G
53	A	1913	A
53	A	1929	G
53	A	1930	G
53	A	1937	A
53	A	1938	A
53	A	1955	U
53	A	1965	C
53	A	1967	C
53	A	1970	A
53	A	1971	U
53	A	1972	G
53	A	1991	U
53	A	1993	U
53	A	1997	C
53	A	2021	C
53	A	2022	U
53	A	2023	C
53	A	2031	A
53	A	2033	A
53	A	2043	C
53	A	2052	A
53	A	2055	C
53	A	2056	G
53	A	2060	A
53	A	2061	G
53	A	2062	A
53	A	2063	C
53	A	2069	G
53	A	2093	G
53	A	2104	C
53	A	2105	U
53	A	2106	U
53	A	2109	U
53	A	2110	G
53	A	2134	A
53	A	2138	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	2144	G
53	A	2145	C
53	A	2148	G
53	A	2151	U
53	A	2152	G
53	A	2155	U
53	A	2156	G
53	A	2182	U
53	A	2198	A
53	A	2204	G
53	A	2211	A
53	A	2225	A
53	A	2226	C
53	A	2238	G
53	A	2239	G
53	A	2250	G
53	A	2252	G
53	A	2283	C
53	A	2286	G
53	A	2287	A
53	A	2305	U
53	A	2322	A
53	A	2325	G
53	A	2327	A
53	A	2333	A
53	A	2334	U
53	A	2335	A
53	A	2345	G
53	A	2347	C
53	A	2361	G
53	A	2383	G
53	A	2385	C
53	A	2402	U
53	A	2406	A
53	A	2423	U
53	A	2424	C
53	A	2425	A
53	A	2428	G
53	A	2429	G
53	A	2430	A
53	A	2432	A
53	A	2433	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	2441	U
53	A	2447	G
53	A	2448	A
53	A	2474	U
53	A	2476	A
53	A	2478	A
53	A	2491	U
53	A	2502	G
53	A	2503	A
53	A	2505	G
53	A	2518	A
53	A	2520	C
53	A	2529	G
53	A	2555	U
53	A	2561	U
53	A	2566	A
53	A	2567	G
53	A	2573	C
53	A	2574	G
53	A	2579	C
53	A	2585	U
53	A	2586	U
53	A	2609	U
53	A	2613	U
53	A	2629	U
53	A	2630	G
53	A	2646	C
53	A	2682	A
53	A	2689	U
53	A	2690	U
53	A	2714	G
53	A	2726	A
53	A	2732	G
53	A	2733	A
53	A	2744	G
53	A	2748	A
53	A	2765	A
53	A	2778	A
53	A	2780	G
53	A	2791	G
53	A	2800	A
53	A	2818	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	2820	A
53	A	2849	U
53	A	2867	G
53	A	2873	A
53	A	2880	C
53	A	2883	A
53	A	2884	U
53	A	2885	G
53	A	2886	A
53	A	2903	U

All (33) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
53	A	99	U
53	A	162	U
53	A	218	A
53	A	369	U
53	A	370	G
53	A	404	A
53	A	451	U
53	A	452	G
53	A	503	A
53	A	547	A
53	A	719	C
53	A	746	U
53	A	748	G
53	A	783	A
53	A	784	G
53	A	846	U
53	A	882	G
53	A	1020	A
53	A	1076	C
53	A	1095	A
53	A	1210	G
53	A	1270	C
53	A	1452	G
53	A	1761	C
53	A	2109	U
53	A	2326	C
53	A	2401	U
53	A	2423	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
53	A	2428	G
53	A	2432	A
53	A	2473	U
53	A	2560	A
53	A	2902	C

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 288 ligands modelled in this entry, 287 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
55	GCP	z	2001	54	27,34,34	1.35	4 (14%)	35,54,54	2.06	8 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	GCP	z	2001	54	-	4/15/38/38	0/3/3/3

All (4) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	z	2001	GCP	O4'-C1'	2.63	1.44	1.40
55	z	2001	GCP	C8-N7	-2.51	1.30	1.34
55	z	2001	GCP	PG-O3G	2.39	1.60	1.55
55	z	2001	GCP	PG-O2G	2.25	1.60	1.55

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	z	2001	GCP	PB-O3A-PA	-6.60	110.82	132.37
55	z	2001	GCP	C2-N3-C4	4.89	120.76	115.48
55	z	2001	GCP	N3-C2-N1	-3.98	122.14	127.21
55	z	2001	GCP	C5-C6-N1	-3.80	118.34	123.42
55	z	2001	GCP	C2-N1-C6	3.10	120.27	115.96
55	z	2001	GCP	PA-O5'-C5'	-2.32	108.05	121.35
55	z	2001	GCP	O3G-PG-C3B	2.20	111.73	106.40
55	z	2001	GCP	C4'-O4'-C1'	-2.14	107.97	109.92

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	z	2001	GCP	PB-C3B-PG-O1G
55	z	2001	GCP	PB-C3B-PG-O2G
55	z	2001	GCP	PB-C3B-PG-O3G
55	z	2001	GCP	PG-C3B-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-43930. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 296




Y Index: 233




Z Index: 238


### 6.3.2 Raw map



X Index: 296



Y Index: 233




Z Index: 237


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 2.75. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_43930\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1031 nm<sup>3</sup>; this corresponds to an approximate mass of 931 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.58	3.03	2.66
Unmasked-calculated*	3.04	4.22	3.08

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.04 differs from the reported value 2.6 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-43930 and PDB model 9AX8. Per-residue inclusion information can be found in section 3 on page 14.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.75 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.75).

## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 93% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary







































The table lists the average atom inclusion at the recommended contour level (2.75) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9000	 0.5520
0	 0.7170	 0.4190
1	 0.8980	 0.5950
2	 0.8130	 0.4840
3	 0.8900	 0.5910
4	 0.9020	 0.5810
5	 0.8950	 0.5980
6	 0.8310	 0.5740
7	 0.9180	 0.6190
8	 0.9410	 0.6360
9	 0.9050	 0.6070
A	 0.9550	 0.5860
E	 0.8880	 0.5740
F	 0.6810	 0.4260
H	 0.8260	 0.5310
J	 0.8970	 0.5770
K	 0.8760	 0.5940
L	 0.8930	 0.5660
M	 0.8920	 0.6050
N	 0.9430	 0.6110
O	 0.8920	 0.5500
P	 0.8660	 0.5810
Q	 0.9340	 0.6070
R	 0.8820	 0.5600
S	 0.8850	 0.6000
T	 0.8240	 0.5310
U	 0.8460	 0.5310
V	 0.8730	 0.5820
X	 0.9740	 0.5700
Y	 0.8630	 0.5840
a	 0.9380	 0.5360
b	 0.5040	 0.3920
c	 0.7540	 0.5150
d	 0.7970	 0.5090
e	 0.8580	 0.5530



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
f	 0.7490	 0.4590
g	 0.6090	 0.3920
h	 0.8480	 0.5640
i	 0.7090	 0.4130
j	 0.7030	 0.4380
k	 0.7610	 0.4880
l	 0.8000	 0.5440
m	 0.6410	 0.3880
n	 0.7840	 0.4740
o	 0.8620	 0.5590
p	 0.8360	 0.5400
q	 0.8180	 0.5280
r	 0.8380	 0.5470
s	 0.6080	 0.3740
t	 0.8540	 0.5450
u	 0.4860	 0.2240
x	 0.6860	 0.5520
y	 0.5690	 0.3010
z	 0.7430	 0.5270