



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2024 – 04:14 PM EDT

PDB ID : 9AXN
Title : Crystal Structure of Anti-Fentanyl Antibody HY11-6B2_Mu Fab in Complex with Fentanyl
Authors : Rodarte, J.V.; Pancera, M.
Deposited on : 2024-03-06
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	
1	C	228	
1	E	228	
1	H	228	
1	I	228	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	228	<p>% 86% 6% 7%</p>
1	O	228	<p>4% 86% 6% 7%</p>
1	Q	228	<p>3% 87% 5% 7%</p>
2	B	214	<p>11% 90% 9% 7%</p>
2	D	214	<p>% 95% 4% 7%</p>
2	F	214	<p>4% 88% 11% 7%</p>
2	J	214	<p>% 94% 3% 6% 7%</p>
2	L	214	<p>3% 88% 11% 7%</p>
2	N	214	<p>3% 92% 7% 7%</p>
2	P	214	<p>7% 91% 8% 7%</p>
2	R	214	<p>6% 92% 8% 7%</p>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 27064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HY11-6B2_Mu Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	211	Total 1589	C 1015	N 262	O 308	S 4	0	0	0
1	A	211	Total 1588	C 1015	N 262	O 307	S 4	0	0	0
1	C	210	Total 1583	C 1012	N 261	O 306	S 4	0	0	0
1	E	211	Total 1589	C 1015	N 262	O 308	S 4	0	0	0
1	I	211	Total 1589	C 1015	N 262	O 308	S 4	0	0	0
1	M	211	Total 1589	C 1015	N 262	O 308	S 4	0	0	0
1	O	211	Total 1589	C 1015	N 262	O 308	S 4	0	0	0
1	Q	211	Total 1589	C 1015	N 262	O 308	S 4	0	0	0

- Molecule 2 is a protein called HY11-6B2_Mu Fab Light Chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	213	Total 1644	C 1027	N 275	O 336	S 6	0	0	0
2	D	213	Total 1644	C 1027	N 275	O 336	S 6	0	0	0
2	B	211	Total 1620	C 1013	N 269	O 332	S 6	0	0	0
2	F	213	Total 1643	C 1027	N 275	O 335	S 6	0	0	0
2	J	213	Total 1644	C 1027	N 275	O 336	S 6	0	0	0
2	N	212	Total 1635	C 1022	N 274	O 333	S 6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			
2	R	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			

- Molecule 3 is N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide (three-letter code: 7V7) (formula: C₂₂H₂₈N₂O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	H	1	Total	C	N	O	0	0
			25	22	2	1		
3	A	1	Total	C	N	O	0	0
			25	22	2	1		
3	C	1	Total	C	N	O	0	0
			25	22	2	1		
3	E	1	Total	C	N	O	0	0
			25	22	2	1		
3	I	1	Total	C	N	O	0	0
			25	22	2	1		
3	M	1	Total	C	N	O	0	0
			25	22	2	1		
3	O	1	Total	C	N	O	0	0
			25	22	2	1		
3	R	1	Total	C	N	O	0	0
			25	22	2	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	H	1	Total O S 5 4 1	0	0
4	L	1	Total O S 5 4 1	0	0
4	L	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0
4	F	1	Total O S 5 4 1	0	0
4	F	1	Total O S 5 4 1	0	0
4	J	1	Total O S 5 4 1	0	0
4	J	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	I	1	Total O S 5 4 1	0	0
4	M	1	Total O S 5 4 1	0	0
4	M	1	Total O S 5 4 1	0	0
4	N	1	Total O S 5 4 1	0	0
4	N	1	Total O S 5 4 1	0	0
4	N	1	Total O S 5 4 1	0	0
4	O	1	Total O S 5 4 1	0	0
4	P	1	Total O S 5 4 1	0	0
4	Q	1	Total O S 5 4 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	J	1	Total C O 4 2 2	0	0
5	J	1	Total C O 4 2 2	0	0
5	J	1	Total C O 4 2 2	0	0
5	N	1	Total C O 4 2 2	0	0
5	N	1	Total C O 4 2 2	0	0
5	N	1	Total C O 4 2 2	0	0
5	Q	1	Total C O 4 2 2	0	0

- Molecule 6 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total Ni 1 1	0	0
6	B	1	Total Ni 1 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	H	25	Total O 25 25	0	0
7	L	58	Total O 58 58	0	0
7	A	37	Total O 37 37	0	0
7	C	73	Total O 73 73	0	0
7	D	93	Total O 93 93	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	46	Total O 46 46	0	0
7	E	46	Total O 46 46	0	0
7	F	63	Total O 63 63	0	0
7	J	80	Total O 80 80	0	0
7	I	65	Total O 65 65	0	0
7	M	52	Total O 52 52	0	0
7	N	53	Total O 53 53	0	0
7	O	42	Total O 42 42	0	0
7	P	44	Total O 44 44	0	0
7	Q	37	Total O 37 37	0	0
7	R	62	Total O 62 62	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HY11-6B2_Mu Fab Heavy Chain




- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





• Molecule 1: HY11-6B2_Mu Fab Heavy Chain




• Molecule 1: HY11-6B2_Mu Fab Heavy Chain




• Molecule 1: HY11-6B2_Mu Fab Heavy Chain




• Molecule 2: HY11-6B2_Mu Fab Light Chain




• Molecule 2: HY11-6B2_Mu Fab Light Chain





• Molecule 2: HY11-6B2_Mu Fab Light Chain







- Molecule 2: HY11-6B2_Mu Fab Light Chain





- Molecule 2: HY11-6B2_Mu Fab Light Chain





- Molecule 2: HY11-6B2_Mu Fab Light Chain



- Molecule 2: HY11-6B2_Mu Fab Light Chain



- Molecule 2: HY11-6B2_Mu Fab Light Chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	69.78Å 98.24Å 159.72Å 77.73° 85.32° 77.95°	Depositor
Resolution (Å)	49.37 – 2.40 49.37 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.6 (49.37-2.40) 97.6 (49.37-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.224 , 0.263 0.224 , 0.262	Depositor DCC
R_{free} test set	7972 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	35.0	Xtrriage
Anisotropy	0.326	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	27064	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.01 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.8719e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PCA, EDO, NI, 7V7, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/1623	0.57	0/2215
1	C	0.28	0/1618	0.55	0/2208
1	E	0.27	0/1624	0.55	0/2216
1	H	0.27	0/1624	0.54	0/2216
1	I	0.27	0/1624	0.53	0/2216
1	M	0.27	0/1624	0.54	0/2216
1	O	0.27	0/1624	0.55	0/2216
1	Q	0.27	0/1624	0.53	0/2216
2	B	0.28	0/1653	0.52	0/2243
2	D	0.27	0/1678	0.52	0/2276
2	F	0.28	0/1677	0.54	0/2275
2	J	0.26	0/1678	0.53	0/2276
2	L	0.30	0/1678	0.54	0/2276
2	N	0.27	0/1669	0.54	0/2264
2	P	0.28	0/1678	0.53	0/2276
2	R	0.28	0/1678	0.54	0/2276
All	All	0.28	0/26374	0.54	0/35881

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	M	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	1	PCA	Mainchain
1	M	1	PCA	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1588	0	1554	23	0
1	C	1583	0	1552	4	0
1	E	1589	0	1557	10	0
1	H	1589	0	1557	4	0
1	I	1589	0	1557	4	0
1	M	1589	0	1557	6	0
1	O	1589	0	1557	8	0
1	Q	1589	0	1557	5	0
2	B	1620	0	1553	9	0
2	D	1644	0	1587	6	0
2	F	1643	0	1584	13	0
2	J	1644	0	1587	6	0
2	L	1644	0	1587	13	0
2	N	1635	0	1581	9	0
2	P	1644	0	1587	9	0
2	R	1644	0	1587	10	0
3	A	25	0	0	0	0
3	C	25	0	0	0	0
3	E	25	0	0	0	0
3	H	25	0	0	0	0
3	I	25	0	0	0	0
3	M	25	0	0	0	0
3	O	25	0	0	0	0
3	R	25	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
4	D	15	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	5	0	0	0	0
4	F	10	0	0	0	0
4	H	5	0	0	0	0
4	I	5	0	0	0	0
4	J	10	0	0	0	0
4	L	10	0	0	1	0
4	M	10	0	0	0	0
4	N	15	0	0	0	0
4	O	5	0	0	0	0
4	P	5	0	0	0	0
4	Q	5	0	0	0	0
5	E	12	0	18	0	0
5	J	12	0	18	0	0
5	L	8	0	12	0	0
5	N	12	0	18	0	0
5	Q	4	0	6	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
7	A	37	0	0	1	0
7	B	46	0	0	0	0
7	C	73	0	0	0	0
7	D	93	0	0	0	0
7	E	46	0	0	0	0
7	F	63	0	0	1	0
7	H	25	0	0	0	0
7	I	65	0	0	0	0
7	J	80	0	0	1	0
7	L	58	0	0	0	0
7	M	52	0	0	0	0
7	N	53	0	0	0	0
7	O	42	0	0	0	0
7	P	44	0	0	0	0
7	Q	37	0	0	0	0
7	R	62	0	0	1	0
All	All	27064	0	25173	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:210:ARG:NE	1:Q:212:GLU:OE1	2.29	0.65
2:J:182:SER:OG	2:J:185:ASP:OD1	2.15	0.63
2:L:149:LYS:O	2:L:149:LYS:HG3	2.00	0.61
1:H:20:ILE:HG12	1:H:107:THR:HG21	1.83	0.60
2:N:189:HIS:O	2:N:211:ARG:NH2	2.33	0.60
1:A:209:LYS:HE3	1:A:210:ARG:O	2.03	0.58
2:R:211:ARG:HH11	2:R:211:ARG:HG2	1.69	0.57
1:M:54:ASN:O	1:M:55:ILE:HB	2.03	0.56
2:N:142:ARG:HH21	2:N:163:VAL:HG11	1.70	0.56
2:N:142:ARG:NH2	2:N:163:VAL:HG11	2.21	0.56
2:R:6:GLN:HA	7:R:401:HOH:O	2.06	0.55
1:A:60:ASN:HD22	1:A:61:GLU:N	2.04	0.55
2:R:195:GLU:HG3	2:R:206:THR:OG1	2.06	0.55
2:R:197:THR:HG22	2:R:204:PRO:HG3	1.88	0.55
2:L:195:GLU:OE2	2:L:206:THR:OG1	2.25	0.54
1:A:19:ARG:NH1	7:A:402:HOH:O	2.39	0.53
1:A:139:GLY:HA2	1:A:154:TRP:CZ2	2.43	0.53
2:D:128:GLY:HA2	2:D:183:LYS:HE2	1.91	0.53
1:E:55:ILE:O	1:E:55:ILE:HG22	2.09	0.52
1:H:163:VAL:HG22	1:H:182:VAL:HG22	1.91	0.52
2:L:24:LYS:HE2	2:L:70:ASP:OD1	2.09	0.52
1:A:43:GLN:N	1:A:43:GLN:OE1	2.43	0.52
1:Q:199:ASN:OD1	1:Q:201:LYS:HE2	2.10	0.52
2:F:187:GLU:O	2:F:211:ARG:NH2	2.43	0.52
1:A:13:LYS:N	1:A:13:LYS:HD3	2.25	0.51
2:J:145:LYS:NZ	2:N:9:LYS:HD3	2.26	0.51
2:L:123:GLU:HA	2:L:126:LYS:HE3	1.93	0.51
2:F:165:GLU:HA	7:F:403:HOH:O	2.09	0.51
1:A:60:ASN:HD22	1:A:60:ASN:C	2.15	0.51
2:F:185:ASP:O	2:F:189:HIS:HD2	1.93	0.50
1:A:51:ILE:HD13	1:A:57:LEU:HB3	1.92	0.50
2:P:120:PRO:HD3	2:P:132:VAL:HG22	1.94	0.50
1:O:143:LYS:HE2	1:O:171:GLN:NE2	2.26	0.50
1:I:47:TRP:CZ2	1:I:49:GLY:HA2	2.47	0.49
1:C:66:LYS:NZ	1:C:86:ASP:OD2	2.44	0.49
2:F:12:SER:OG	2:F:107:LYS:HE3	2.11	0.49
1:O:55:ILE:HG22	1:O:55:ILE:O	2.13	0.49
2:R:211:ARG:HG2	2:R:211:ARG:NH1	2.27	0.49
1:A:30:THR:HG21	1:A:73:LYS:HE3	1.94	0.49
1:E:3:ARG:HH22	1:E:5:GLN:HG2	1.78	0.49
1:A:195:ILE:HA	1:A:210:ARG:HA	1.95	0.49
1:A:201:LYS:HD2	1:A:201:LYS:HA	1.64	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:85:GLU:HG2	2:D:87:PHE:CZ	2.47	0.48
1:A:139:GLY:HA2	1:A:154:TRP:CH2	2.48	0.48
2:B:186:TYR:HA	2:B:192:TYR:OH	2.13	0.48
2:P:145:LYS:HB3	2:P:197:THR:OG1	2.13	0.48
1:Q:70:THR:HG22	1:Q:79:TYR:HB2	1.96	0.48
1:O:51:ILE:HD12	1:O:57:LEU:HD21	1.94	0.48
2:B:13:THR:HA	2:B:107:LYS:HE2	1.95	0.48
2:D:184:ALA:O	2:D:188:LYS:HG3	2.13	0.48
1:A:58:LYS:HG3	1:A:59:TYR:N	2.28	0.47
1:A:85:GLU:H	1:A:85:GLU:CD	2.18	0.47
1:E:72:ASP:OD1	1:E:74:SER:N	2.47	0.47
1:M:17:SER:OG	1:M:82(A):SER:HA	2.14	0.47
2:L:39:LYS:NZ	4:L:302:SO4:O3	2.47	0.47
1:A:12:VAL:C	1:A:13:LYS:HD3	2.35	0.47
2:R:123:GLU:HA	2:R:126:LYS:HD3	1.96	0.47
2:P:185:ASP:HA	2:P:188:LYS:HE3	1.96	0.47
2:D:83:LEU:HD11	2:D:166:GLN:HB3	1.97	0.47
1:O:209:LYS:HA	1:O:209:LYS:HD2	1.71	0.47
1:M:38:LYS:HB2	1:M:48:ILE:HD11	1.97	0.46
2:B:145:LYS:HB3	2:B:197:THR:OG1	2.15	0.46
2:F:145:LYS:HB3	2:F:197:THR:HG23	1.96	0.46
2:J:184:ALA:O	2:J:188:LYS:HE3	2.15	0.46
1:A:124:LEU:HB3	2:B:118:PHE:CD1	2.51	0.46
2:D:83:LEU:CD1	2:D:166:GLN:HB3	2.46	0.46
1:I:12:VAL:O	1:I:111:VAL:HA	2.15	0.46
1:E:9:PRO:HD2	1:E:201:LYS:HD2	1.98	0.46
2:J:125:LEU:O	2:J:183:LYS:HD2	2.15	0.45
1:E:38:LYS:HB2	1:E:48:ILE:HD11	1.98	0.45
1:I:38:LYS:HB2	1:I:48:ILE:HD11	1.97	0.45
2:P:158:ASN:ND2	2:P:179:LEU:HD21	2.31	0.45
2:L:149:LYS:HD3	2:L:152:ASN:HA	1.98	0.45
1:C:145:TYR:CE1	1:C:150:VAL:HG23	2.52	0.45
1:C:47:TRP:CZ2	1:C:49:GLY:HA2	2.51	0.45
1:A:19:ARG:NH1	1:A:81:GLN:HB2	2.32	0.45
2:F:122:ASP:O	2:F:126:LYS:HG3	2.16	0.45
1:A:51:ILE:HD12	1:A:56:ASN:O	2.16	0.45
1:A:124:LEU:HB3	2:B:118:PHE:CG	2.52	0.45
1:E:40:ARG:HD2	1:E:43:GLN:HE22	1.82	0.45
2:R:186:TYR:HA	2:R:192:TYR:OH	2.17	0.45
1:O:34:ILE:HG13	1:O:52(A):PHE:CE1	2.52	0.44
2:L:91:TYR:HA	2:L:96:LEU:HD22	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:35:TRP:CH2	2:B:88:CYS:HB3	2.53	0.44
1:E:17:SER:HA	1:E:82(C):LEU:CD1	2.47	0.44
2:F:80:SER:HA	2:F:106:LEU:HD22	1.98	0.44
2:F:183:LYS:HB3	2:F:183:LYS:HE2	1.65	0.44
1:O:143:LYS:HE2	1:O:171:GLN:HE22	1.81	0.44
1:I:12:VAL:HG11	1:I:18:VAL:HB	2.00	0.44
1:A:69:LEU:HD23	1:A:80:ILE:HG13	1.99	0.44
1:Q:47:TRP:CZ2	1:Q:49:GLY:HA2	2.53	0.44
2:R:18:ARG:HA	2:R:76:SER:HA	1.98	0.44
2:L:119:PRO:HB3	2:L:209:PHE:CE1	2.53	0.43
2:D:7:SER:HA	2:F:204:PRO:HD3	2.00	0.43
2:B:45:LYS:HE2	2:B:47:LEU:HD21	2.00	0.43
1:E:47:TRP:CZ2	1:E:49:GLY:HA2	2.53	0.43
2:P:148:TRP:CD2	2:P:179:LEU:HD12	2.53	0.43
1:O:12:VAL:O	1:O:111:VAL:HA	2.18	0.43
2:N:186:TYR:CE2	2:N:211:ARG:HD3	2.53	0.43
1:H:51:ILE:HD12	1:H:57:LEU:HD21	2.01	0.43
1:C:38:LYS:HB2	1:C:48:ILE:HD11	2.00	0.42
2:P:61:ARG:HB2	2:P:76:SER:O	2.20	0.42
1:A:84:SER:OG	1:A:85:GLU:OE2	2.30	0.42
2:P:193:ALA:HB1	2:P:206:THR:HG23	2.01	0.42
2:R:91:TYR:HA	2:R:96:LEU:HD22	2.01	0.42
2:B:188:LYS:HB3	2:B:188:LYS:HE2	1.66	0.42
2:F:37:GLN:HB2	2:F:47:LEU:HD11	2.00	0.42
2:R:61:ARG:HB2	2:R:76:SER:O	2.20	0.42
1:M:47:TRP:CZ2	1:M:49:GLY:HA2	2.55	0.42
2:L:39:LYS:HB2	2:L:42:GLN:HG3	2.01	0.42
2:F:91:TYR:HA	2:F:96:LEU:HD22	2.01	0.42
2:P:187:GLU:O	2:P:211:ARG:NH2	2.53	0.42
1:H:210:ARG:N	1:H:210:ARG:HD3	2.35	0.41
1:E:3:ARG:NH2	1:E:5:GLN:HG2	2.35	0.41
1:E:159:LEU:HD21	1:E:182:VAL:HG11	2.02	0.41
2:N:61:ARG:HB2	2:N:76:SER:O	2.20	0.41
2:J:83:LEU:HD23	7:J:404:HOH:O	2.20	0.41
1:M:40:ARG:HH11	1:M:40:ARG:HG3	1.86	0.41
2:L:28:ASN:OD1	2:L:68:GLY:HA2	2.21	0.41
1:A:47:TRP:CZ2	1:A:49:GLY:HA2	2.56	0.41
1:M:12:VAL:HG11	1:M:82(C):LEU:HD13	2.02	0.41
2:N:13:THR:O	2:N:106:LEU:HA	2.21	0.41
2:L:107:LYS:HA	2:L:140:TYR:OH	2.21	0.41
1:A:117:LYS:NZ	1:A:144:ASP:O	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:85:GLU:HG2	2:F:87:PHE:CE2	2.56	0.41
2:N:61:ARG:HD2	2:N:76:SER:O	2.21	0.41
1:Q:62:LYS:HA	1:Q:62:LYS:HD2	1.67	0.41
2:L:13:THR:HB	2:L:19:VAL:HG11	2.03	0.40
2:F:211:ARG:NH1	2:F:211:ARG:HG2	2.36	0.40
2:N:37:GLN:HB2	2:N:47:LEU:HD11	2.03	0.40
2:L:193:ALA:HB1	2:L:206:THR:CG2	2.51	0.40
2:J:81:GLU:OE1	2:J:81:GLU:N	2.45	0.40
1:O:38:LYS:HB2	1:O:48:ILE:HD11	2.04	0.40
2:B:37:GLN:HB2	2:B:47:LEU:HD11	2.03	0.40
2:P:1:ASP:OD2	2:P:1:ASP:N	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/228 (91%)	199 (96%)	8 (4%)	0	100	100
1	C	206/228 (90%)	200 (97%)	5 (2%)	1 (0%)	25	38
1	E	207/228 (91%)	202 (98%)	4 (2%)	1 (0%)	25	38
1	H	207/228 (91%)	200 (97%)	7 (3%)	0	100	100
1	I	207/228 (91%)	200 (97%)	7 (3%)	0	100	100
1	M	207/228 (91%)	199 (96%)	7 (3%)	1 (0%)	25	38
1	O	207/228 (91%)	201 (97%)	5 (2%)	1 (0%)	25	38
1	Q	207/228 (91%)	202 (98%)	5 (2%)	0	100	100
2	B	207/214 (97%)	201 (97%)	6 (3%)	0	100	100
2	D	211/214 (99%)	205 (97%)	6 (3%)	0	100	100
2	F	211/214 (99%)	204 (97%)	7 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	J	211/214 (99%)	208 (99%)	3 (1%)	0	100	100
2	L	211/214 (99%)	207 (98%)	4 (2%)	0	100	100
2	N	210/214 (98%)	204 (97%)	6 (3%)	0	100	100
2	P	211/214 (99%)	205 (97%)	6 (3%)	0	100	100
2	R	211/214 (99%)	206 (98%)	5 (2%)	0	100	100
All	All	3338/3536 (94%)	3243 (97%)	91 (3%)	4 (0%)	48	65

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	55	ILE
1	M	55	ILE
1	E	55	ILE
1	O	55	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	174/192 (91%)	168 (97%)	6 (3%)	32	52
1	C	174/192 (91%)	170 (98%)	4 (2%)	45	66
1	E	175/192 (91%)	172 (98%)	3 (2%)	56	75
1	H	175/192 (91%)	169 (97%)	6 (3%)	32	52
1	I	175/192 (91%)	172 (98%)	3 (2%)	56	75
1	M	175/192 (91%)	171 (98%)	4 (2%)	45	66
1	O	175/192 (91%)	172 (98%)	3 (2%)	56	75
1	Q	175/192 (91%)	173 (99%)	2 (1%)	70	84
2	B	184/188 (98%)	178 (97%)	6 (3%)	33	53
2	D	187/188 (100%)	185 (99%)	2 (1%)	70	84
2	F	186/188 (99%)	180 (97%)	6 (3%)	34	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	187/188 (100%)	184 (98%)	3 (2%)	58	76
2	L	187/188 (100%)	184 (98%)	3 (2%)	58	76
2	N	186/188 (99%)	182 (98%)	4 (2%)	47	67
2	P	187/188 (100%)	185 (99%)	2 (1%)	70	84
2	R	187/188 (100%)	185 (99%)	2 (1%)	70	84
All	All	2889/3040 (95%)	2830 (98%)	59 (2%)	50	70

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	3	ARG
1	H	13	LYS
1	H	74	SER
1	H	150	VAL
1	H	197	ASN
1	H	210	ARG
2	L	44	PRO
2	L	185	ASP
2	L	190	LYS
1	A	3	ARG
1	A	13	LYS
1	A	58	LYS
1	A	60	ASN
1	A	74	SER
1	A	206	LYS
1	C	3	ARG
1	C	45	LEU
1	C	57	LEU
1	C	161	SER
2	D	83	LEU
2	D	129	THR
2	B	9	LYS
2	B	103	LYS
2	B	105	GLU
2	B	106	LEU
2	B	180	THR
2	B	190	LYS
1	E	45	LEU
1	E	57	LEU
1	E	153	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	9	LYS
2	F	142	ARG
2	F	147	GLN
2	F	165	GLU
2	F	197	THR
2	F	213	GLU
2	J	12	SER
2	J	14	SER
2	J	127	SER
1	I	3	ARG
1	I	10	GLU
1	I	111	VAL
1	M	45	LEU
1	M	56	ASN
1	M	153	SER
1	M	201	LYS
2	N	83	LEU
2	N	190	LYS
2	N	197	THR
2	N	207	LYS
1	O	111	VAL
1	O	150	VAL
1	O	210	ARG
2	P	24	LYS
2	P	105	GLU
1	Q	82(A)	SER
1	Q	150	VAL
2	R	1	ASP
2	R	105	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	192	GLN
1	A	27	HIS
1	A	60	ASN
1	C	192	GLN
2	D	42	GLN
2	B	27	GLN
2	B	147	GLN
1	E	81	GLN
2	F	189	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	204	ASN
1	M	54	ASN
1	M	56	ASN
2	N	137	ASN
2	N	147	GLN
1	Q	5	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PCA	M	1	1	7,8,9	1.39	1 (14%)	9,10,12	1.85	2 (22%)
1	PCA	A	1	1	7,8,9	1.41	1 (14%)	9,10,12	1.85	2 (22%)
1	PCA	H	1	1	7,8,9	1.34	1 (14%)	9,10,12	1.88	2 (22%)
1	PCA	E	1	1	7,8,9	1.39	1 (14%)	9,10,12	1.90	2 (22%)
1	PCA	Q	1	1	7,8,9	1.37	1 (14%)	9,10,12	1.75	2 (22%)
1	PCA	I	1	1	7,8,9	1.36	1 (14%)	9,10,12	1.95	2 (22%)
1	PCA	O	1	1	7,8,9	1.36	1 (14%)	9,10,12	1.71	2 (22%)
1	PCA	C	1	1	7,8,9	1.36	1 (14%)	9,10,12	1.81	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PCA	M	1	1	-	0/0/11/13	0/1/1/1
1	PCA	A	1	1	-	0/0/11/13	0/1/1/1
1	PCA	H	1	1	-	0/0/11/13	0/1/1/1
1	PCA	E	1	1	-	0/0/11/13	0/1/1/1
1	PCA	Q	1	1	-	0/0/11/13	0/1/1/1
1	PCA	I	1	1	-	0/0/11/13	0/1/1/1
1	PCA	O	1	1	-	0/0/11/13	0/1/1/1
1	PCA	C	1	1	-	0/0/11/13	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	PCA	CD-N	2.49	1.40	1.34
1	O	1	PCA	CD-N	2.48	1.40	1.34
1	Q	1	PCA	CD-N	2.47	1.40	1.34
1	H	1	PCA	CD-N	2.46	1.40	1.34
1	E	1	PCA	CD-N	2.46	1.40	1.34
1	C	1	PCA	CD-N	2.46	1.40	1.34
1	M	1	PCA	CD-N	2.46	1.40	1.34
1	I	1	PCA	CD-N	2.46	1.40	1.34

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	1	PCA	O-C-CA	-4.71	112.67	124.77
1	M	1	PCA	O-C-CA	-4.45	113.31	124.77
1	E	1	PCA	O-C-CA	-4.45	113.32	124.77
1	H	1	PCA	O-C-CA	-4.41	113.42	124.77
1	C	1	PCA	O-C-CA	-4.41	113.42	124.77
1	A	1	PCA	O-C-CA	-4.26	113.81	124.77
1	Q	1	PCA	O-C-CA	-4.14	114.12	124.77
1	O	1	PCA	O-C-CA	-3.96	114.58	124.77
1	A	1	PCA	CB-CA-C	-3.16	108.33	112.66
1	E	1	PCA	CB-CA-C	-3.04	108.49	112.66
1	H	1	PCA	CB-CA-C	-2.97	108.58	112.66
1	I	1	PCA	CB-CA-C	-2.85	108.75	112.66
1	O	1	PCA	CB-CA-C	-2.81	108.80	112.66
1	Q	1	PCA	CB-CA-C	-2.76	108.87	112.66
1	C	1	PCA	CB-CA-C	-2.60	109.08	112.66
1	M	1	PCA	CB-CA-C	-2.60	109.09	112.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 2 are monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	P	301	-	4,4,4	0.24	0	6,6,6	0.08	0
5	EDO	N	306	-	3,3,3	0.44	0	2,2,2	0.32	0
5	EDO	E	305	-	3,3,3	0.43	0	2,2,2	0.33	0
4	SO4	L	301	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	M	303	-	4,4,4	0.22	0	6,6,6	0.14	0
4	SO4	J	302	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	D	302	-	4,4,4	0.24	0	6,6,6	0.05	0
4	SO4	D	303	-	4,4,4	0.22	0	6,6,6	0.09	0
4	SO4	M	302	-	4,4,4	0.24	0	6,6,6	0.07	0
5	EDO	Q	302	-	3,3,3	0.42	0	2,2,2	0.36	0
3	7V7	I	301	-	27,27,27	0.94	1 (3%)	34,35,35	0.86	1 (2%)
3	7V7	O	301	-	27,27,27	1.00	2 (7%)	34,35,35	0.85	1 (2%)
3	7V7	C	301	-	27,27,27	0.90	1 (3%)	34,35,35	0.86	1 (2%)
4	SO4	A	302	-	4,4,4	0.23	0	6,6,6	0.08	0
3	7V7	E	301	-	27,27,27	0.98	2 (7%)	34,35,35	0.85	1 (2%)
4	SO4	C	302	-	4,4,4	0.24	0	6,6,6	0.09	0
5	EDO	L	304	-	3,3,3	0.44	0	2,2,2	0.32	0
5	EDO	N	305	-	3,3,3	0.45	0	2,2,2	0.32	0
3	7V7	R	301	-	27,27,27	0.90	1 (3%)	34,35,35	0.83	1 (2%)
4	SO4	L	302	-	4,4,4	0.23	0	6,6,6	0.11	0
5	EDO	J	303	-	3,3,3	0.44	0	2,2,2	0.37	0
4	SO4	F	301	-	4,4,4	0.23	0	6,6,6	0.12	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	E	302	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	J	301	-	4,4,4	0.24	0	6,6,6	0.06	0
4	SO4	I	302	-	4,4,4	0.24	0	6,6,6	0.08	0
5	EDO	E	303	-	3,3,3	0.44	0	2,2,2	0.36	0
5	EDO	L	303	-	3,3,3	0.43	0	2,2,2	0.36	0
5	EDO	J	305	-	3,3,3	0.43	0	2,2,2	0.36	0
5	EDO	N	304	-	3,3,3	0.44	0	2,2,2	0.30	0
4	SO4	F	302	-	4,4,4	0.24	0	6,6,6	0.04	0
4	SO4	Q	301	-	4,4,4	0.24	0	6,6,6	0.08	0
3	7V7	H	301	-	27,27,27	1.02	1 (3%)	34,35,35	0.97	2 (5%)
4	SO4	H	302	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	N	301	-	4,4,4	0.23	0	6,6,6	0.07	0
3	7V7	A	301	-	27,27,27	0.85	1 (3%)	34,35,35	0.86	1 (2%)
5	EDO	J	304	-	3,3,3	0.45	0	2,2,2	0.30	0
4	SO4	N	302	-	4,4,4	0.24	0	6,6,6	0.09	0
3	7V7	M	301	-	27,27,27	1.15	1 (3%)	34,35,35	1.00	2 (5%)
4	SO4	B	301	-	4,4,4	0.23	0	6,6,6	0.08	0
5	EDO	E	304	-	3,3,3	0.51	0	2,2,2	0.20	0
4	SO4	D	301	-	4,4,4	0.24	0	6,6,6	0.10	0
4	SO4	N	303	-	4,4,4	0.23	0	6,6,6	0.09	0
4	SO4	O	302	-	4,4,4	0.23	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	N	306	-	-	0/1/1/1	-
5	EDO	E	305	-	-	0/1/1/1	-
5	EDO	Q	302	-	-	0/1/1/1	-
3	7V7	I	301	-	-	2/19/29/29	0/3/3/3
3	7V7	O	301	-	-	2/19/29/29	0/3/3/3
3	7V7	C	301	-	-	2/19/29/29	0/3/3/3
3	7V7	E	301	-	-	2/19/29/29	0/3/3/3
5	EDO	L	304	-	-	0/1/1/1	-
5	EDO	N	305	-	-	0/1/1/1	-
3	7V7	R	301	-	-	0/19/29/29	0/3/3/3
5	EDO	J	303	-	-	1/1/1/1	-
5	EDO	E	303	-	-	0/1/1/1	-
5	EDO	J	305	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	L	303	-	-	0/1/1/1	-
5	EDO	N	304	-	-	0/1/1/1	-
3	7V7	H	301	-	-	4/19/29/29	0/3/3/3
3	7V7	A	301	-	-	1/19/29/29	0/3/3/3
5	EDO	J	304	-	-	0/1/1/1	-
3	7V7	M	301	-	-	7/19/29/29	0/3/3/3
5	EDO	E	304	-	-	0/1/1/1	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	301	7V7	C02-N05	4.37	1.43	1.36
3	H	301	7V7	C02-N05	3.78	1.42	1.36
3	E	301	7V7	C02-N05	3.41	1.42	1.36
3	I	301	7V7	C02-N05	3.32	1.42	1.36
3	O	301	7V7	C02-N05	3.26	1.42	1.36
3	C	301	7V7	C02-N05	3.25	1.42	1.36
3	R	301	7V7	C02-N05	3.08	1.41	1.36
3	A	301	7V7	C02-N05	3.02	1.41	1.36
3	E	301	7V7	C03-C02	2.27	1.54	1.51
3	O	301	7V7	C03-C02	2.07	1.54	1.51

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	7V7	C04-C03-C02	-2.62	108.09	112.69
3	I	301	7V7	C04-C03-C02	-2.62	108.09	112.69
3	A	301	7V7	C04-C03-C02	-2.58	108.18	112.69
3	M	301	7V7	C08-N09-C10	2.58	114.39	108.84
3	O	301	7V7	C04-C03-C02	-2.55	108.23	112.69
3	E	301	7V7	C04-C03-C02	-2.48	108.35	112.69
3	R	301	7V7	C04-C03-C02	-2.43	108.44	112.69
3	H	301	7V7	C04-C03-C02	-2.25	108.74	112.69
3	M	301	7V7	C04-C03-C02	-2.06	109.09	112.69
3	H	301	7V7	C08-N09-C10	2.03	113.22	108.84

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	M	301	7V7	C13-C12-N09-C08

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	M	301	7V7	C13-C12-N09-C10
3	M	301	7V7	N09-C12-C13-C14
3	M	301	7V7	C12-C13-C14-C15
3	H	301	7V7	C11-C06-N05-C02
3	M	301	7V7	C11-C06-N05-C02
3	M	301	7V7	C12-C13-C14-C19
3	E	301	7V7	C12-C13-C14-C19
3	E	301	7V7	C12-C13-C14-C15
3	I	301	7V7	C12-C13-C14-C15
3	H	301	7V7	C12-C13-C14-C19
3	I	301	7V7	C12-C13-C14-C19
5	J	303	EDO	O1-C1-C2-O2
3	H	301	7V7	C12-C13-C14-C15
3	C	301	7V7	C12-C13-C14-C19
3	O	301	7V7	C12-C13-C14-C19
3	C	301	7V7	C12-C13-C14-C15
3	M	301	7V7	C07-C06-N05-C02
3	O	301	7V7	C12-C13-C14-C15
3	H	301	7V7	N09-C12-C13-C14
3	A	301	7V7	N09-C12-C13-C14



There are no ring outliers.



1 monomer is involved in 1 short contact:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	L	302	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	210/228 (92%)	1.06	20 (9%) 15 13	28, 50, 65, 78	0
1	C	209/228 (91%)	-0.00	2 (0%) 79 76	19, 31, 45, 64	0
1	E	210/228 (92%)	0.24	5 (2%) 59 56	22, 38, 53, 67	0
1	H	210/228 (92%)	0.55	8 (3%) 44 42	25, 42, 59, 72	0
1	I	210/228 (92%)	0.02	6 (2%) 54 50	21, 30, 47, 70	0
1	M	210/228 (92%)	0.20	2 (0%) 79 76	21, 37, 50, 67	0
1	O	210/228 (92%)	0.58	9 (4%) 40 38	27, 44, 61, 71	0
1	Q	210/228 (92%)	0.21	6 (2%) 54 50	22, 36, 54, 64	0
2	B	211/214 (98%)	0.79	23 (10%) 12 10	24, 43, 74, 81	0
2	D	213/214 (99%)	0.01	3 (1%) 73 70	20, 29, 49, 71	0
2	F	213/214 (99%)	0.20	9 (4%) 41 38	20, 31, 63, 80	0
2	J	213/214 (99%)	0.03	2 (0%) 81 78	21, 29, 46, 61	0
2	L	213/214 (99%)	0.37	6 (2%) 55 51	25, 38, 56, 68	0
2	N	212/214 (99%)	0.33	6 (2%) 55 51	22, 35, 62, 71	0
2	P	213/214 (99%)	0.55	14 (6%) 26 23	22, 39, 68, 77	0
2	R	213/214 (99%)	0.36	12 (5%) 31 28	22, 35, 53, 69	0
All	All	3380/3536 (95%)	0.34	133 (3%) 44 41	19, 37, 61, 81	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	212	GLY	4.8
2	P	202	SER	4.4
2	N	212	GLY	4.3
1	I	133	GLY	4.3
1	O	61	GLU	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	211	ARG	3.9
1	I	127	SER	3.9
1	A	115	SER	3.9
1	C	133	GLY	3.8
1	A	61	GLU	3.8
1	H	190	GLY	3.8
2	L	127	SER	3.7
1	H	133	GLY	3.6
1	O	127	SER	3.5
1	Q	127	SER	3.5
2	R	212	GLY	3.5
1	A	127	SER	3.5
1	M	133	GLY	3.4
1	H	210	ARG	3.3
1	A	150	VAL	3.2
2	B	191	VAL	3.2
2	B	210	ASN	3.2
2	D	213	GLU	3.1
1	A	133	GLY	3.1
1	E	42	GLY	3.1
2	B	146	VAL	3.1
1	Q	126	PRO	3.0
1	O	190	GLY	2.9
2	B	180	THR	2.9
2	F	156	SER	2.8
2	B	209	PHE	2.8
2	F	213	GLU	2.8
1	E	133	GLY	2.8
2	R	191	VAL	2.8
2	F	152	ASN	2.8
1	Q	133	GLY	2.8
1	I	3	ARG	2.7
2	R	209	PHE	2.7
1	A	41	PRO	2.7
2	J	126	LYS	2.7
2	L	125	LEU	2.6
2	R	145	LYS	2.6
1	M	65	GLY	2.6
1	O	156	SER	2.6
2	R	150	VAL	2.6
1	A	148	GLU	2.6
2	P	146	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	202	SER	2.5
1	A	195	ILE	2.5
1	A	12	VAL	2.5
1	H	41	PRO	2.5
1	E	127	SER	2.5
2	L	149	LYS	2.5
2	B	193	ALA	2.5
1	H	127	SER	2.5
1	A	173	SER	2.5
2	P	156	SER	2.5
1	Q	42	GLY	2.5
2	B	150	VAL	2.4
2	N	187	GLU	2.4
2	P	203	SER	2.4
2	B	147	GLN	2.4
2	N	123	GLU	2.4
2	L	159	SER	2.4
2	R	203	SER	2.4
2	D	212	GLY	2.4
1	A	176	TYR	2.4
1	A	80	ILE	2.4
2	R	127	SER	2.4
2	B	189	HIS	2.3
2	P	154	LEU	2.3
2	B	123	GLU	2.3
2	L	147	GLN	2.3
2	F	154	LEU	2.3
1	I	213	PRO	2.3
1	H	207	VAL	2.3
2	B	126	LYS	2.3
2	R	213	GLU	2.3
2	R	147	GLN	2.3
1	E	117	LYS	2.2
2	B	207	LYS	2.2
2	P	121	SER	2.2
2	P	147	GLN	2.2
1	A	57	LEU	2.2
2	B	145	LYS	2.2
2	B	190	LYS	2.2
1	A	193	THR	2.2
1	H	208	ASP	2.2
1	Q	56	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	204	PRO	2.2
2	P	195	GLU	2.2
2	F	130	ALA	2.2
2	B	125	LEU	2.2
2	B	206	THR	2.2
2	B	182	SER	2.2
1	A	213	PRO	2.2
1	H	55	ILE	2.2
2	R	184	ALA	2.2
1	O	133	GLY	2.1
1	O	83	THR	2.1
2	P	69	THR	2.1
1	A	204	ASN	2.1
2	R	210	ASN	2.1
2	F	190	LYS	2.1
2	N	179	LEU	2.1
2	P	213	GLU	2.1
2	D	152	ASN	2.1
2	R	151	ASP	2.1
2	J	184	ALA	2.1
1	I	41	PRO	2.1
2	P	24	LYS	2.1
2	L	122	ASP	2.1
1	A	42	GLY	2.1
1	E	65	GLY	2.1
2	P	206	THR	2.1
1	Q	74	SER	2.1
2	F	182	SER	2.1
1	A	20	ILE	2.1
2	F	125	LEU	2.0
1	O	116	THR	2.0
2	B	27	GLN	2.0
1	O	84	SER	2.0
2	P	12	SER	2.0
1	A	40	ARG	2.0
2	B	154	LEU	2.0
2	N	184	ALA	2.0
1	I	190	GLY	2.0
1	C	213	PRO	2.0
1	O	85	GLU	2.0
2	B	187	GLU	2.0
2	F	186	TYR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	82(B)	SER	2.0
2	N	80	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PCA	Q	1	8/9	0.79	0.15	36,43,52,53	0
1	PCA	C	1	8/9	0.86	0.14	32,41,45,46	0
1	PCA	M	1	8/9	0.86	0.12	30,35,44,46	0
1	PCA	A	1	8/9	0.86	0.12	43,47,51,53	0
1	PCA	O	1	8/9	0.88	0.11	29,35,43,45	0
1	PCA	H	1	8/9	0.89	0.13	43,46,54,55	0
1	PCA	E	1	8/9	0.90	0.12	35,44,46,52	0
1	PCA	I	1	8/9	0.92	0.10	25,35,40,41	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	L	302	5/5	0.56	0.12	81,81,85,95	0
5	EDO	E	304	4/4	0.60	0.25	41,45,46,48	0
4	SO4	C	302	5/5	0.61	0.20	43,47,76,89	0
4	SO4	A	302	5/5	0.61	0.16	63,80,83,112	0
4	SO4	O	302	5/5	0.64	0.18	55,69,72,102	0
4	SO4	B	301	5/5	0.65	0.13	75,80,86,102	0
4	SO4	Q	301	5/5	0.68	0.18	41,49,62,90	0
4	SO4	M	303	5/5	0.68	0.30	48,57,68,90	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	EDO	L	303	4/4	0.71	0.21	39,44,45,63	0
4	SO4	M	302	5/5	0.71	0.22	48,60,65,89	0
4	SO4	E	302	5/5	0.72	0.17	41,52,69,87	0
4	SO4	H	302	5/5	0.73	0.18	43,60,76,96	0
5	EDO	N	305	4/4	0.73	0.19	27,29,32,34	0
4	SO4	N	303	5/5	0.75	0.29	47,62,63,83	0
4	SO4	D	302	5/5	0.76	0.26	70,71,82,86	0
5	EDO	E	305	4/4	0.78	0.23	35,40,41,54	0
5	EDO	N	306	4/4	0.78	0.15	27,32,39,42	0
4	SO4	I	302	5/5	0.79	0.17	48,52,79,91	0
4	SO4	P	301	5/5	0.82	0.17	63,75,81,96	0
4	SO4	D	303	5/5	0.83	0.18	43,48,67,69	0
5	EDO	J	304	4/4	0.83	0.16	31,34,34,41	0
4	SO4	N	301	5/5	0.85	0.15	52,59,66,74	0
5	EDO	N	304	4/4	0.85	0.15	18,20,21,27	0
5	EDO	J	305	4/4	0.87	0.12	29,32,36,41	0
4	SO4	J	301	5/5	0.88	0.17	44,55,59,67	0
4	SO4	J	302	5/5	0.88	0.15	55,56,60,61	0
4	SO4	N	302	5/5	0.88	0.14	43,49,58,67	0
4	SO4	L	301	5/5	0.88	0.18	54,63,69,71	0
3	7V7	A	301	25/25	0.88	0.14	28,37,53,57	0
5	EDO	L	304	4/4	0.89	0.12	34,37,37,40	0
3	7V7	H	301	25/25	0.89	0.12	28,36,42,49	0
3	7V7	R	301	25/25	0.90	0.12	29,37,49,54	0
3	7V7	M	301	25/25	0.90	0.11	21,29,34,39	0
3	7V7	O	301	25/25	0.90	0.12	18,29,48,50	0
6	NI	C	303	1/1	0.90	0.11	92,92,92,92	0
6	NI	B	302	1/1	0.90	0.10	77,77,77,77	0
3	7V7	E	301	25/25	0.91	0.11	24,29,37,43	0
5	EDO	J	303	4/4	0.91	0.14	20,28,29,35	0
4	SO4	F	301	5/5	0.91	0.13	48,53,58,68	0
5	EDO	E	303	4/4	0.92	0.14	26,27,33,40	0
3	7V7	C	301	25/25	0.93	0.10	21,26,32,35	0
4	SO4	F	302	5/5	0.93	0.12	40,46,52,54	0
3	7V7	I	301	25/25	0.94	0.10	18,24,31,33	0
4	SO4	D	301	5/5	0.95	0.15	27,48,52,53	0
5	EDO	Q	302	4/4	0.95	0.10	23,24,32,37	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 7V7 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7V7 H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7V7 R 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7V7 M 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7V7 O 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7V7 E 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7V7 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 7V7 I 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.