



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 20, 2022 – 07:09 pm BST

PDB ID : 7AY0  
Title : Crystal structure of truncated USP1-UAF1  
Authors : Arkinson, C.; Rennie, M.L.; Walden, H.  
Deposited on : 2020-11-10  
Resolution : 3.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.29  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.29


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1257 (3.70-3.50)
Clashscore	141614	1353 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	563	 74% 16% 9%
1	C	563	 74% 16% 9%
2	B	397	 61% 14% 24%
2	D	397	 57% 14% 28%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called WD repeat-containing protein 48.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	512	Total	C	N	O	S	0	0	0
			4022	2538	706	756	22			
1	C	511	Total	C	N	O	S	0	0	0
			4016	2536	705	753	22			

- Molecule 2 is a protein called Ubiquitin carboxyl-terminal hydrolase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	302	Total	C	N	O	S	0	0	0
			2424	1557	395	458	14			
2	D	285	Total	C	N	O	S	0	0	0
			2285	1464	374	433	14			


- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: WD repeat-containing protein 48



- Molecule 1: WD repeat-containing protein 48



- Molecule 2: Ubiquitin carboxyl-terminal hydrolase 1





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.57Å 119.57Å 195.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	59.78 – 3.60 77.60 – 3.60	Depositor EDS
% Data completeness (in resolution range)	80.2 (59.78-3.60) 80.2 (77.60-3.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.64 (at 3.58Å)	Xtrriage
Refinement program	PHENIX 1.18	Depositor
R, $R_{free}$	0.235 , 0.266 0.235 , 0.265	Depositor DCC
$R_{free}$ test set	1329 reflections (5.22%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	78.3	Xtrriage
Anisotropy	0.033	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.065 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	12749	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	86.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.16% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:  
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/4103	0.55	0/5571
1	C	0.26	0/4098	0.57	0/5563
2	B	0.25	0/2466	0.46	0/3326
2	D	0.25	0/2322	0.47	0/3131
All	All	0.26	0/12989	0.53	0/17591

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	160	THR	Mainchain

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4022	0	4027	56	1
1	C	4016	0	4023	55	0
2	B	2424	0	2424	35	1
2	D	2285	0	2290	31	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0
All	All	12749	0	12764	175	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:ASN:HD21	1:A:181:THR:HG22	1.46	0.78
1:A:152:LEU:HD22	1:A:156:ASN:HB2	1.65	0.77
2:D:551:LYS:NZ	2:D:584:HIS:O	2.18	0.77
2:B:457:SER:HB3	2:B:533:LYS:HE2	1.71	0.73
2:B:551:LYS:NZ	2:B:584:HIS:O	2.21	0.73
2:D:457:SER:HB3	2:D:533:LYS:HE3	1.73	0.71
1:C:311:ALA:HA	1:C:326:LEU:HD13	1.74	0.69
1:A:439:PHE:HB3	1:A:461:ASN:HD21	1.59	0.67
1:A:293:GLU:HG2	1:A:316:THR:HG21	1.77	0.67
2:D:768:SER:HB2	2:D:773:PRO:HB3	1.75	0.67
1:C:476:ARG:NH2	1:C:543:ASN:OD1	2.31	0.64
1:C:157:ASN:O	1:C:157:ASN:ND2	2.23	0.63
2:D:761:LYS:O	2:D:765:ASN:ND2	2.28	0.62
1:A:233:THR:HG22	1:A:249:ARG:HG2	1.81	0.62
1:C:293:GLU:HG2	1:C:316:THR:HG21	1.82	0.62
2:D:437:ARG:HD3	2:D:446:LEU:HD22	1.82	0.61
2:D:438:THR:HG22	2:D:517:ARG:HG3	1.83	0.61
2:B:151:SER:O	2:B:180:ARG:NH1	2.34	0.60
2:D:429:LEU:HA	2:D:526:GLU:H	1.66	0.60
1:A:516:ILE:HG12	1:A:527:ARG:HG3	1.84	0.60
2:B:91:TYR:CE1	2:B:203:VAL:HG21	2.37	0.60
1:A:54:ILE:HG12	1:A:81:ILE:HD11	1.84	0.59
2:D:460:VAL:HG13	2:D:461:GLN:H	1.67	0.59
1:A:144:TRP:HB3	1:A:149:LEU:HD11	1.83	0.59
2:B:429:LEU:HA	2:B:526:GLU:H	1.67	0.59
2:B:436:LEU:HB2	2:B:449:ARG:HB3	1.84	0.59
1:C:191:VAL:HG21	1:C:205:LYS:HG3	1.83	0.59
1:A:37:GLN:HG3	1:A:81:ILE:HG22	1.84	0.59

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:476:ARG:NH2	1:A:543:ASN:OD1	2.36	0.58
2:B:437:ARG:HD3	2:B:446:LEU:HD23	1.84	0.58
1:C:250:VAL:HB	1:C:287:ARG:NH1	2.18	0.58
2:D:585:SER:OG	2:D:775:SER:OG	2.17	0.58
1:C:472:GLU:OE1	1:C:508:GLN:HG2	2.04	0.57
1:C:152:LEU:HG	1:C:156:ASN:HB2	1.86	0.57
1:A:48:ALA:HB2	1:A:81:ILE:HD12	1.86	0.57
1:A:531:ARG:HB2	1:C:409:LYS:HE2	1.87	0.57
2:B:156:VAL:HG22	2:B:176:THR:HG21	1.87	0.57
1:C:20:VAL:HG22	1:C:430:THR:HG22	1.86	0.56
2:D:458:VAL:HG13	2:D:488:ALA:HB1	1.88	0.56
1:C:148:THR:HG22	1:C:159:VAL:HG12	1.87	0.55
1:C:278:CYS:HB2	1:C:290:ILE:HD11	1.89	0.55
2:B:458:VAL:HG13	2:B:488:ALA:HB1	1.89	0.55
1:A:293:GLU:HG3	1:A:294:LYS:H	1.71	0.54
1:A:373:ARG:HH11	1:A:373:ARG:HG2	1.71	0.54
1:A:181:THR:HG23	1:A:182:ILE:HG12	1.88	0.54
1:A:152:LEU:O	1:A:153:THR:HG23	2.08	0.54
1:A:456:SER:HB2	1:A:458:PRO:HD3	1.90	0.54
2:B:436:LEU:HD23	2:B:519:LEU:HD13	1.90	0.54
2:B:580:ALA:HB2	2:B:598:VAL:HG13	1.89	0.54
1:A:114:ARG:HB3	1:A:523:ARG:NH2	2.22	0.53
1:A:472:GLU:OE1	1:A:508:GLN:HG2	2.08	0.53
2:B:91:TYR:HE1	2:B:203:VAL:HG21	1.73	0.53
1:C:170:SER:O	1:C:187:SER:HB2	2.08	0.53
2:D:493:ALA:HA	2:D:519:LEU:HD22	1.91	0.53
1:C:192:LEU:HD21	1:C:213:VAL:HG11	1.89	0.53
1:A:344:ASN:HB3	1:A:345:PRO:HD3	1.91	0.53
1:C:293:GLU:HG3	1:C:294:LYS:H	1.74	0.53
2:D:434:LEU:HD11	2:D:519:LEU:HD21	1.91	0.53
1:C:209:HIS:CE1	1:C:235:ARG:HD2	2.44	0.53
1:A:192:LEU:HD21	1:A:213:VAL:HG11	1.90	0.52
2:D:146:ILE:HD12	2:D:149:LEU:HD12	1.90	0.52
1:A:278:CYS:HB2	1:A:290:ILE:HD11	1.91	0.52
1:A:133:ALA:HB2	1:A:143:LEU:HD23	1.92	0.52
1:A:423:ASP:OD1	1:A:424:LEU:N	2.42	0.52
2:D:555:PRO:HG3	2:D:767:LEU:HD22	1.91	0.52
1:A:181:THR:OG1	1:A:198:ARG:NH2	2.42	0.52
1:A:250:VAL:HB	1:A:287:ARG:NH1	2.24	0.52
1:C:423:ASP:OD1	1:C:424:LEU:N	2.43	0.51
2:D:152:LEU:HD11	2:D:178:PRO:HA	1.91	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:88:ASN:HB3	2:B:197:GLN:HB2	1.92	0.51
1:C:149:LEU:HD23	1:C:159:VAL:HG11	1.93	0.50
2:D:750:PHE:HE1	2:D:755:VAL:HG22	1.74	0.50
1:A:368:ILE:HD13	1:A:375:ILE:HG12	1.92	0.50
1:C:293:GLU:OE2	1:C:322:ASN:ND2	2.44	0.50
1:C:373:ARG:HG2	1:C:373:ARG:HH11	1.77	0.50
1:A:558:ASN:O	1:A:559:MET:HB2	2.12	0.50
2:B:504:TYR:HD2	2:B:515:ALA:HB2	1.77	0.50
1:C:149:LEU:O	1:C:152:LEU:HD13	2.12	0.49
1:C:156:ASN:OD1	1:C:156:ASN:N	2.42	0.49
2:B:163:PHE:HD1	2:B:163:PHE:O	1.96	0.49
2:D:758:THR:OG1	2:D:762:ASP:HB2	2.13	0.49
1:C:133:ALA:HB2	1:C:143:LEU:HD23	1.94	0.49
1:C:289:LEU:HD22	1:C:348:PRO:HA	1.93	0.49
2:D:750:PHE:CE1	2:D:755:VAL:HG22	2.48	0.49
2:D:149:LEU:HD23	2:D:181:LEU:HD11	1.93	0.49
1:A:313:TRP:CZ2	1:A:323:LYS:HD2	2.47	0.49
1:C:363:ILE:HG22	1:C:424:LEU:HD13	1.94	0.48
1:A:170:SER:O	1:A:187:SER:HB2	2.14	0.48
1:C:558:ASN:O	1:C:559:MET:HB2	2.13	0.48
1:A:439:PHE:CB	1:A:461:ASN:HD21	2.27	0.48
1:C:114:ARG:HB3	1:C:523:ARG:NH2	2.28	0.48
1:C:129:LYS:HE2	1:C:179:LEU:O	2.13	0.48
1:A:274:ARG:NH1	1:A:295:ALA:HA	2.28	0.48
2:D:443:CYS:SG	2:D:445:SER:HB2	2.54	0.48
1:A:191:VAL:HG11	1:A:205:LYS:HG3	1.95	0.48
1:A:191:VAL:HG11	1:A:205:LYS:CG	2.44	0.47
1:A:502:LYS:NZ	1:C:405:ASP:OD1	2.31	0.47
1:C:26:GLU:OE1	1:C:30:ARG:NH1	2.46	0.47
1:A:49:GLY:O	1:A:78:VAL:HG12	2.14	0.47
1:A:293:GLU:OE2	1:A:322:ASN:ND2	2.47	0.47
1:C:460:LEU:HB3	1:C:465:LEU:HD11	1.96	0.47
2:D:183:ASN:OD1	2:D:184:THR:N	2.47	0.47
2:B:424:GLU:O	2:B:428:LYS:HG2	2.15	0.47
1:A:184:VAL:HG22	1:A:194:VAL:HG22	1.96	0.47
2:B:433:GLN:OE1	2:B:450:ARG:NH1	2.48	0.47
1:A:156:ASN:OD1	1:A:156:ASN:N	2.41	0.47
2:B:156:VAL:O	2:B:160:GLN:HG3	2.15	0.47
2:D:762:ASP:N	2:D:762:ASP:OD1	2.48	0.47
1:C:191:VAL:HG21	1:C:205:LYS:CG	2.43	0.46
1:A:82:VAL:HG11	1:A:125:TYR:HB2	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:LEU:HB2	1:A:345:PRO:HG2	1.97	0.46
2:B:539:GLY:O	2:B:540:LEU:HB2	2.15	0.46
1:C:274:ARG:NH1	1:C:295:ALA:HA	2.31	0.46
1:A:81:ILE:HG23	1:A:90:LEU:HD11	1.98	0.46
1:A:320:THR:HG22	1:A:359:GLY:H	1.81	0.46
2:B:437:ARG:HE	2:B:520:LEU:HD12	1.80	0.46
1:C:30:ARG:O	1:C:362:SER:OG	2.23	0.46
1:C:54:ILE:O	1:C:71:MET:N	2.34	0.46
1:A:152:LEU:HD22	1:A:156:ASN:CB	2.40	0.45
1:A:327:LYS:HB3	1:A:327:LYS:HE2	1.66	0.45
1:A:21:ILE:HD12	1:A:429:LEU:HD23	1.97	0.45
2:B:578:LEU:HD11	2:B:581:VAL:HG23	1.97	0.45
1:C:313:TRP:CZ2	1:C:323:LYS:HD2	2.51	0.45
2:B:541:GLU:HG2	2:B:542:PHE:H	1.81	0.45
2:B:542:PHE:HB3	2:B:547:GLY:HA3	1.99	0.45
1:C:460:LEU:HD13	1:C:465:LEU:HD11	1.98	0.45
1:A:209:HIS:CE1	1:A:235:ARG:HD2	2.52	0.45
2:D:112:LEU:HB3	2:D:146:ILE:HG12	1.98	0.45
1:C:376:LEU:HD11	1:C:410:ARG:HD2	1.99	0.45
1:A:20:VAL:HG22	1:A:430:THR:HG22	1.99	0.44
2:B:493:ALA:HA	2:B:519:LEU:HB3	1.98	0.44
2:B:434:LEU:HG	2:B:519:LEU:HD11	1.98	0.44
1:C:27:LYS:HG3	1:C:67:TYR:CD2	2.53	0.43
1:A:293:GLU:HG3	1:A:294:LYS:N	2.33	0.43
1:C:415:TYR:HD1	1:C:416:VAL:N	2.16	0.43
1:C:286:ILE:O	1:C:286:ILE:HG13	2.18	0.43
2:B:436:LEU:HD12	2:B:449:ARG:HD3	2.00	0.43
1:C:274:ARG:NH1	1:C:296:PRO:HD3	2.33	0.43
2:D:152:LEU:HD23	2:D:181:LEU:HD23	2.00	0.43
1:C:464:GLY:O	1:C:468:GLN:HG3	2.18	0.43
2:D:747:TRP:N	2:D:758:THR:O	2.52	0.43
1:C:191:VAL:HG23	1:C:206:LEU:O	2.19	0.42
2:D:578:LEU:HD11	2:D:581:VAL:HG23	2.00	0.42
1:A:366:CYS:SG	1:A:422:VAL:HG11	2.60	0.42
2:B:748:LEU:HD23	2:B:750:PHE:CD2	2.54	0.42
1:C:88:LYS:HA	1:C:105:HIS:CE1	2.55	0.42
1:A:191:VAL:HG13	1:A:206:LEU:O	2.19	0.42
2:D:177:GLN:HG2	2:D:179:ARG:H	1.84	0.42
1:A:377:THR:O	1:A:384:VAL:HA	2.20	0.42
1:C:82:VAL:HG11	1:C:125:TYR:HB2	2.01	0.42
1:C:184:VAL:HG22	1:C:194:VAL:HG22	2.00	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:402:ASP:HB3	1:C:405:ASP:HB2	2.01	0.42
1:C:204:MET:SD	1:C:242:GLN:HG2	2.60	0.42
2:D:86:LEU:HD21	2:D:178:PRO:HD2	2.02	0.42
2:D:536:ALA:N	2:D:550:SER:O	2.47	0.42
2:D:762:ASP:HA	2:D:765:ASN:HB2	2.02	0.42
2:B:197:GLN:HG3	2:B:590:SER:O	2.20	0.42
2:B:188:LEU:HD11	2:B:210:ASN:OD1	2.20	0.41
1:C:307:ASP:HB2	1:C:308:PRO:CD	2.50	0.41
2:B:97:GLN:HB3	2:B:750:PHE:CE1	2.55	0.41
2:B:148:SER:OG	2:B:181:LEU:HD23	2.20	0.41
2:B:433:GLN:HG3	2:B:523:LYS:HB2	2.01	0.41
1:C:298:LEU:O	1:C:299:LYS:HG2	2.20	0.41
1:C:320:THR:HG22	1:C:359:GLY:H	1.85	0.41
1:A:526:PHE:HB3	1:A:545:THR:HG21	2.03	0.41
1:C:295:ALA:HB2	1:C:318:LYS:HG3	2.03	0.41
1:A:298:LEU:O	1:A:299:LYS:HG2	2.21	0.41
2:B:428:LYS:HD2	2:B:428:LYS:HA	1.85	0.41
1:C:510:PRO:HA	1:C:511:PRO:HD3	1.97	0.41
2:D:561:LYS:HG2	2:D:562:LEU:N	2.35	0.40
1:A:19:TYR:CE1	1:A:466:LEU:HD21	2.55	0.40
1:A:169:ASP:HB3	1:A:188:THR:HG23	2.03	0.40
2:B:536:ALA:N	2:B:550:SER:O	2.46	0.40
2:B:163:PHE:CE1	2:B:167:PRO:HB3	2.55	0.40
1:C:412:LYS:HB3	1:C:412:LYS:HE2	1.71	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:SER:OG	2:B:205:GLN:OE1[3_545]	2.04	0.16

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	506/563 (90%)	478 (94%)	24 (5%)	4 (1%)	19	59
1	C	505/563 (90%)	479 (95%)	22 (4%)	4 (1%)	19	59
2	B	284/397 (72%)	264 (93%)	20 (7%)	0	100	100
2	D	267/397 (67%)	244 (91%)	23 (9%)	0	100	100
All	All	1562/1920 (81%)	1465 (94%)	89 (6%)	8 (0%)	29	68

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	73	HIS
1	A	327	LYS
1	C	73	HIS
1	A	328	GLY
1	C	456	SER
1	C	327	LYS
1	A	307	ASP
1	C	307	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	448/492 (91%)	447 (100%)	1 (0%)	93	98
1	C	447/492 (91%)	442 (99%)	5 (1%)	73	88
2	B	279/364 (77%)	272 (98%)	7 (2%)	47	75
2	D	264/364 (72%)	253 (96%)	11 (4%)	30	63
All	All	1438/1712 (84%)	1414 (98%)	24 (2%)	60	82

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	418	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	163	PHE
2	B	452	ASP
2	B	570	LYS
2	B	574	ASP
2	B	748	LEU
2	B	784	LYS
2	B	785	LEU
1	C	157	ASN
1	C	286	ILE
1	C	415	TYR
1	C	418	ASN
1	C	461	ASN
2	D	428	LYS
2	D	445	SER
2	D	452	ASP
2	D	505	PHE
2	D	540	LEU
2	D	554	THR
2	D	574	ASP
2	D	747	TRP
2	D	748	LEU
2	D	756	LYS
2	D	762	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	461	ASN
2	D	461	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	512/563 (90%)	0.15	5 (0%) 82 70	37, 69, 108, 164	0
1	C	511/563 (90%)	0.31	11 (2%) 62 45	40, 70, 119, 194	0
2	B	302/397 (76%)	0.33	8 (2%) 56 40	42, 111, 148, 179	0
2	D	285/397 (71%)	0.43	15 (5%) 26 16	40, 119, 161, 194	0
All	All	1610/1920 (83%)	0.28	39 (2%) 59 42	37, 79, 145, 194	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	100	TYR	5.7
2	B	743	TYR	4.2
1	C	450	PHE	3.8
1	A	270	GLY	3.7
2	D	749	LEU	3.4
2	D	84	ASN	3.3
2	B	425	LEU	3.2
2	D	750	PHE	3.1
2	D	596	ALA	3.0
2	D	97	GLN	2.9
2	B	100	TYR	2.9
1	C	62	HIS	2.8
2	D	597	SER	2.8
2	D	751	ASP	2.8
1	A	269	SER	2.7
2	D	748	LEU	2.7
2	B	93	ASN	2.5
1	C	463	GLY	2.5
1	A	345	PRO	2.4
1	C	460	LEU	2.4
1	C	534	GLY	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	462	LEU	2.4
1	C	477	THR	2.4
2	D	782	TYR	2.4
2	B	97	GLN	2.3
1	C	345	PRO	2.3
2	D	104	GLY	2.3
2	D	116	ILE	2.2
2	D	757	VAL	2.2
2	D	101	PHE	2.2
2	B	758	THR	2.2
1	C	478	HIS	2.1
1	A	413	MET	2.1
1	A	403	PHE	2.1
2	D	185	LEU	2.1
1	C	502	LYS	2.1
2	B	163	PHE	2.1
1	C	429	LEU	2.1
2	B	427	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	D	1000	1/1	0.98	0.27	69,69,69,69	0
3	ZN	B	1000	1/1	0.99	0.24	68,68,68,68	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.