

Full wwPDB X-ray Structure Validation Report (i)

Nov 25, 2024 – 10:07 AM EST

PDB ID	:	9B2W
Title	:	PIV3 HN with Fab 13
Authors	:	Durie, I.A.; Mousa, J.J.
Deposited on	:	2024-03-17
Resolution	:	2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution $(\#Entries, resolution range(Å))$				
Rfree	164625	5504 (2.50-2.50)				
Clashscore	180529	6282 (2.50-2.50)				
Ramachandran outliers	177936	6191 (2.50-2.50)				
Sidechain outliers	177891	6193 (2.50-2.50)				
RSRZ outliers	164620	5504 (2.50-2.50)				

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	461	2% 76% 16%	7%
1	D	461	% 	• 7%
2	В	222	86%	13% •
2	Е	222	4% 75% 21%	, 0 • •
3	С	219	85%	14%



Mol	Chain	Length	Quality of chain	
3	F	219	86%	13% •
4	Н	2	100%	
5	G	3	67%	33%
5	J	3	33% 33%	33%
6	Ι	4	50% 50%	
7	К	3	100%	



9B2W

2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 13578 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Hemagglutinin-neuraminidase.

Mol	Chain	Residues		Atoms					AltConf	Trace
1	D	430	Total 3375	C 2134	N 581	O 640	S 20	0	0	0
1	А	429	Total 3367	C 2130	N 579	O 638	S 20	0	0	0

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	HIS	-	expression tag	UNP Q81080
D	2	HIS	-	expression tag	UNP Q81080
D	3	HIS	-	expression tag	UNP Q81080
D	4	HIS	-	expression tag	UNP Q81080
D	5	HIS	-	expression tag	UNP Q81080
D	6	HIS	-	expression tag	UNP Q81080
D	7	SER	-	expression tag	UNP Q81080
D	8	LEU	-	expression tag	UNP Q81080
D	9	VAL	-	expression tag	UNP Q81080
D	10	PRO	-	expression tag	UNP Q81080
D	11	ARG	-	expression tag	UNP Q81080
D	12	GLY	-	expression tag	UNP Q81080
D	13	SER	-	expression tag	UNP Q81080
А	1	HIS	-	expression tag	UNP Q81080
А	2	HIS	-	expression tag	UNP Q81080
А	3	HIS	-	expression tag	UNP Q81080
А	4	HIS	-	expression tag	UNP Q81080
А	5	HIS	-	expression tag	UNP Q81080
А	6	HIS	-	expression tag	UNP Q81080
А	7	SER	-	expression tag	UNP Q81080
А	8	LEU	-	expression tag	UNP Q81080
А	9	VAL	-	expression tag	UNP Q81080
А	10	PRO	-	expression tag	UNP Q81080
А	11	ARG	-	expression tag	UNP Q81080
A	12	GLY	-	expression tag	UNP Q81080

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	13	SER	-	expression tag	UNP Q81080

• Molecule 2 is a protein called Fab 13 Heavy Chain.

Mol	Chain	Residues		Atoms					AltConf	Trace
9	Р	222	Total	С	Ν	Ο	S	0	0	0
	2 B 22.		1653	1045	277	325	6	0	0	
0	Б	215	Total	С	Ν	0	S	0	0	0
	E	210	1611	1022	269	314	6	0	0	

• Molecule 3 is a protein called Fab 13 Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	С	218	Total 1669	C 1039	N 284	O 339	${f S}{7}$	0	0	0
3	F	217	Total 1663	C 1036	N 283	O 338	S 6	0	0	0

• Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	Н	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	G	3	Total 39	C 22	N 2	O 15	0	0	0
5	J	3	Total 39	C 22	N 2	O 15	0	0	0



• Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopy ranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
6	Ι	4	Total 49	C 28	N 2	0 19	0	0	0

• Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[al pha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
7	K	3	Total 38	C 22	N 2	0 14	0	0	0

• Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
8	D	1	Total 5	0 4	S 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
8	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
8	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	А	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	D	3	Total O 3 3	0	0
10	А	5	Total O 5 5	0	0
10	В	1	Total O 1 1	0	0
10	С	1	Total O 1 1	0	0
10	Е	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Hemagglutinin-neuraminidase

• Molecule 2: Fab	13 Heavy Chain	
Chain E:	75%	21% ••
E1 V2 S7 S7 V12 V12 F27 F27 S35 S35 W36	T40 P41 P41 F41 F41 F41 F43 F43 G53 G53 G53 G53 G53 G53 G53 G53 C42 F79 F77 F79 F79 F79 F79 F79 F79 F79 F79	5102 106 1106 1107 1110 1114 1111 1114 1115 1115 1115 1115
LYS SER THR SER SER CLY GLY GLY 7155 F155 F155 F155 F155	1150 1173 1173 1173 1173 1176 1176 1186 8187 8186 8188 8186 8188 8186 8186 8186 818	K222
• Molecule 3: Fab	13 Light Chain	
Chain C:	85%	14%
ASP D1 12 12 13 810 810 811 811 811 811 811 811	832 133 133 133 138 138 138 138 138 138 148 148 148 148 148 148 148 148 148 14	988 1110 1110 1124 1128 1128 1128 1128 1128 1128 1128
• Molecule 3: Fab	13 Light Chain	
Chain F:	86%	13% •
ASP D1 12 13 13 14 14 15 15 11 11 11 11 11 11 11 11 11 11 11	1129 129 129 129 133 149 147 117 1117 1117 1117 1117 1117 11	K130 N141 N142 F143 F143 G151 B171 B171 S175 S175 F192 E199 E199 E217 CYS

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:	100%	
NAG2 NAG2		

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:	67%	33%
_		

NAG1 NAG2 NAG2 BMA3

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:	33%	33%	33%
MAG2 NAG2 BMA3			



 $\bullet \ {\rm Molecule \ 6: \ beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alp ha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose}$

50%

Chain I: 50%

NAG1 NAG2 BMA3 FUC4

 • Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:

100%

NAG1 NAG2 FUC3



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	81.27Å 129.35Å 89.45Å	Deperitor
a, b, c, α , β , γ	90.00° 93.57° 90.00°	Depositor
Bosolution(A)	34.76 - 2.51	Depositor
Resolution (A)	34.76 - 2.51	EDS
% Data completeness	96.8 (34.76-2.51)	Depositor
(in resolution range)	98.0 (34.76-2.51)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.23 (at 2.51 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
P. P.	0.219 , 0.264	Depositor
n, n_{free}	0.220 , 0.265	DCC
R_{free} test set	3183 reflections $(5.06%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.2	Xtriage
Anisotropy	0.353	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.31 , 20.5	EDS
L-test for twinning ²	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	13578	wwPDB-VP
Average B, all atoms $(Å^2)$	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.99% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, SO4, BMA, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.29	0/3447	0.55	0/4696
1	D	0.27	0/3455	0.54	0/4707
2	В	0.30	0/1699	0.53	0/2314
2	Е	0.31	0/1656	0.53	0/2256
3	С	0.28	0/1704	0.53	0/2313
3	F	0.28	0/1698	0.52	0/2305
All	All	0.29	0/13659	0.54	0/18591

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	В	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	В	115	ASN	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3367	0	3328	51	0
1	D	3375	0	3334	41	0
2	В	1653	0	1594	17	0
2	Е	1611	0	1552	23	0
3	С	1669	0	1622	15	0
3	F	1663	0	1617	18	0
4	Н	28	0	25	1	0
5	G	39	0	34	0	0
5	J	39	0	34	2	0
6	Ι	49	0	43	2	0
7	K	38	0	34	0	0
8	А	10	0	0	1	0
8	D	5	0	0	1	0
8	F	5	0	0	0	0
9	А	14	0	13	0	0
10	А	5	0	0	0	0
10	В	1	0	0	0	0
10	С	1	0	0	0	0
10	D	3	0	0	0	0
10	Е	3	0	0	0	0
All	All	13578	0	13230	157	0

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:40:THR:HG23	2:B:43:LYS:HB2	1.63	0.79
2:E:40:THR:HG23	2:E:43:LYS:HB2	1.68	0.75
1:A:411:LEU:HD23	1:A:415:LEU:HB2	1.68	0.75
1:A:229:LEU:HD13	1:A:233:ILE:HD11	1.70	0.73
3:F:5:THR:HA	3:F:104:GLN:HE22	1.54	0.70
3:C:31:HIS:ND1	3:C:33:ASP:OD1	2.24	0.69
1:D:73:PRO:HD3	1:D:448:GLN:HE22	1.57	0.69
1:D:419:TYR:HB3	1:D:438:GLU:HG3	1.75	0.68
2:E:172:HIS:HD2	3:F:141:ASN:HD21	1.42	0.68
3:C:85:ALA:HA	3:C:110:ILE:HG13	1.75	0.67
1:D:391:ARG:NH2	8:D:501:SO4:O3	2.27	0.67
1:A:210:SER:HB2	1:A:299:GLY:H	1.61	0.66



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:41:PRO:HD3	2:B:92:ALA:HA	1.79	0.65
2:B:205:ASN:ND2	2:B:216:ASP:OD1	2.22	0.65
2:E:159:THR:HG22	2:E:207:ASN:HB3	1.78	0.65
2:E:41:PRO:HD3	2:E:92:ALA:HA	1.78	0.65
1:D:74:THR:HG23	1:A:452:PHE:HA	1.78	0.64
2:E:36:TRP:HE1	2:E:70:VAL:HG23	1.63	0.63
1:D:452:PHE:HA	1:A:74:THR:HG23	1.83	0.61
1:A:404:ARG:NE	1:A:407:GLU:OE2	2.30	0.61
1:A:110:TYR:HD1	1:A:138:ILE:HD13	1.65	0.61
1:D:316:SER:OG	1:D:317:TRP:N	2.33	0.60
2:B:127:PRO:HB3	2:B:153:TYR:HB3	1.84	0.59
3:F:127:GLU:HA	3:F:130:LYS:HE3	1.84	0.58
2:B:83:MET:HE3	2:B:86:LEU:HD21	1.86	0.57
1:D:420:THR:HG22	1:D:437:VAL:HG13	1.85	0.57
1:D:30:ARG:N	1:D:184:TYR:HH	2.02	0.57
1:A:100:THR:HG22	1:A:101:ARG:HD2	1.86	0.57
1:A:174:ILE:HG12	1:A:195:ASN:HD22	1.69	0.57
1:D:80:VAL:HB	1:D:449:PRO:HD3	1.87	0.57
3:C:128:GLN:O	3:C:131:SER:OG	2.23	0.57
2:E:11:LEU:HD13	2:E:155:PRO:HG3	1.88	0.56
2:B:91:THR:OG1	2:B:119:PRO:HD2	2.06	0.56
1:A:37:ILE:HD11	1:A:120:VAL:HG23	1.88	0.55
3:F:4:MET:HE1	3:F:29:LEU:HD11	1.88	0.55
2:B:83:MET:HB3	2:B:86:LEU:HD21	1.89	0.54
1:A:77:ASP:OD1	1:A:101:ARG:NH2	2.40	0.54
2:B:159:THR:HG22	2:B:207:ASN:HB3	1.91	0.53
1:D:217:TYR:HB3	1:D:222:ILE:HD12	1.91	0.52
3:F:151:GLN:HB2	3:F:199:GLU:HG2	1.91	0.52
1:A:350:ASN:HA	1:A:389:LYS:NZ	2.24	0.52
2:E:12:VAL:O	2:E:119:PRO:HA	2.10	0.52
3:C:11:LEU:HD21	3:C:19:ALA:HB1	1.92	0.51
1:D:47:ARG:NH2	3:F:1:ASP:OD1	2.44	0.50
1:A:286:TRP:CD2	1:A:331:TYR:HB3	2.46	0.50
2:B:173:THR:HG23	2:B:188:SER:HB2	1.93	0.50
3:F:171:ASP:OD1	3:F:173:LYS:N	2.41	0.50
1:A:368:THR:HG22	1:A:420:THR:HG23	1.94	0.50
2:E:2:VAL:HG22	2:E:27:PHE:HB3	1.93	0.50
3:F:171:ASP:O	3:F:175:SER:HA	2.12	0.50
1:A:53:PRO:HA	1:A:459:SER:O	2.11	0.49
3:C:38:LEU:HD21	3:C:93:CYS:HB2	1.94	0.49
1:D:404:ARG:NE	1:D:407:GLU:OE2	2.46	0.49



	i ageni	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:F:66:ARG:NH2	3:F:87:ASP:OD1	2.45	0.49
3:F:117:PRO:HB3	3:F:143:PHE:HB3	1.94	0.49
1:D:56:MET:CG	1:D:459:SER:HB2	2.43	0.49
2:E:34:MET:HB3	2:E:79:LEU:HD22	1.95	0.49
2:E:172:HIS:CD2	3:F:141:ASN:HD21	2.26	0.49
1:A:266:MET:HG3	1:A:295:TRP:CZ2	2.48	0.49
1:A:419:TYR:HB3	1:A:438:GLU:HG3	1.94	0.48
1:D:240:ASN:O	1:D:241:THR:OG1	2.29	0.48
1:D:132:ILE:HG13	1:D:133:SER:N	2.29	0.48
1:D:266:MET:HG3	1:D:295:TRP:CZ2	2.49	0.48
2:E:36:TRP:CE2	2:E:81:LEU:HB2	2.49	0.48
3:F:13:VAL:HG21	3:F:83:VAL:HG21	1.96	0.48
1:A:137:ASN:OD1	1:A:139:ASN:HB2	2.13	0.47
3:F:59:ARG:HG3	3:F:63:VAL:HB	1.95	0.47
3:C:66:ARG:NH2	3:C:87:ASP:OD1	2.42	0.47
1:A:398:TYR:HE2	1:A:456:ILE:HG12	1.79	0.47
3:C:86:GLU:O	3:C:88:VAL:N	2.48	0.47
1:A:383:VAL:HG21	1:A:435:HIS:HB3	1.97	0.46
3:C:2:ILE:HD12	3:C:98:GLN:HB2	1.98	0.46
3:C:124:PRO:HG3	3:C:134:ALA:HB1	1.97	0.46
1:D:81:ARG:CZ	1:D:99:ILE:HD11	2.45	0.46
1:A:350:ASN:HA	1:A:389:LYS:HZ1	1.81	0.46
1:D:222:ILE:HG12	1:D:272:VAL:HG22	1.98	0.46
1:A:440:ASN:HB2	1:A:447:PHE:CE2	2.49	0.46
1:D:307:LYS:HB2	1:D:307:LYS:HE2	1.76	0.46
1:D:412:ASN:HD22	6:I:1:NAG:H83	1.81	0.46
1:A:110:TYR:CD1	1:A:138:ILE:HD13	2.49	0.46
2:E:156:GLU:HG3	2:E:157:PRO:HA	1.98	0.45
1:A:431:GLY:HA3	1:A:456:ILE:HD12	1.98	0.45
1:A:364:THR:OG1	1:A:365:GLY:N	2.48	0.45
2:E:105:VAL:HB	2:E:107:HIS:CE1	2.51	0.45
1:A:80:VAL:HG22	1:A:98:LEU:HG	1.98	0.45
1:A:77:ASP:O	1:A:102:GLY:N	2.48	0.44
1:A:340:TRP:CE2	5:J:2:NAG:H5	2.51	0.44
2:E:36:TRP:CZ2	2:E:79:LEU:HG	2.53	0.44
2:B:12:VAL:O	2:B:119:PRO:HA	2.17	0.44
2:E:83:MET:HB3	2:E:86:LEU:HD21	1.99	0.44
3:C:42:LEU:HB2	3:C:52:LEU:HD11	2.00	0.44
2:B:68:PHE:CE2	2:B:83:MET:HG2	2.53	0.44
2:B:162:TRP:CH2	2:B:204:CYS:HB3	2.53	0.44
1:D:77:ASP:OD1	1:D:77:ASP:N	2.41	0.44



	hi a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:127:ASP:OD1	1:D:453:LYS:NZ	2.45	0.44
3:C:66:ARG:NH1	3:C:87:ASP:OD2	2.46	0.44
1:D:319:SER:HB2	1:D:356:HIS:O	2.18	0.43
1:D:390:SER:HB2	1:D:392:VAL:HG22	1.98	0.43
1:D:411:LEU:HD11	6:I:1:NAG:H62	2.00	0.43
1:A:143:LYS:HB3	1:A:143:LYS:HE2	1.63	0.43
2:B:11:LEU:HD13	2:B:155:PRO:HG3	2.00	0.43
1:D:53:PRO:HA	1:D:459:SER:O	2.18	0.43
1:A:340:TRP:CH2	1:A:342:ASN:HB2	2.53	0.43
1:A:317:TRP:CG	1:A:359:PRO:HA	2.54	0.43
2:E:53:GLY:HA2	2:E:72:ARG:NH1	2.33	0.43
2:E:127:PRO:HB3	2:E:153:TYR:HB3	2.01	0.43
1:D:35:VAL:HG21	3:F:37:TYR:CZ	2.54	0.43
2:E:51:ILE:HD11	2:E:55:GLY:HA2	2.00	0.43
2:E:176:ALA:HA	2:E:186:LEU:HB3	2.01	0.43
1:D:95:THR:HB	1:D:147:LEU:HD11	2.00	0.43
1:A:56:MET:HE2	1:A:56:MET:HB3	1.88	0.43
1:A:240:ASN:OD1	1:A:242:THR:HG23	2.19	0.43
3:F:2:ILE:HD12	3:F:98:GLN:HB2	2.01	0.43
2:B:40:THR:CG2	2:B:43:LYS:HB2	2.40	0.43
2:B:115:ASN:HA	2:B:116:PRO:HD3	1.83	0.43
1:A:270:ILE:HG13	1:A:270:ILE:O	2.18	0.42
1:D:31:ILE:HG22	1:D:117:ILE:HD13	2.01	0.42
1:A:398:TYR:CE2	1:A:456:ILE:HG12	2.54	0.42
1:D:67:PRO:HB3	1:A:112:VAL:HG21	2.01	0.42
3:C:127:GLU:O	3:C:130:LYS:HG2	2.19	0.42
1:A:174:ILE:HG12	1:A:195:ASN:ND2	2.33	0.42
1:A:292:GLN:HG3	1:A:336:ILE:HB	2.01	0.42
1:A:37:ILE:HD13	1:A:118:ILE:HG22	2.02	0.42
3:F:11:LEU:HD21	3:F:19:ALA:HB1	2.01	0.42
1:D:415:LEU:HD11	1:D:439:ILE:HG23	2.02	0.42
3:F:104:GLN:H	3:F:104:GLN:CD	2.12	0.42
1:A:35:VAL:HG13	8:A:501:SO4:O2	2.19	0.42
1:A:95:THR:HB	1:A:147:LEU:HD11	2.02	0.42
2:E:173:THR:HG23	2:E:188:SER:HB2	2.02	0.42
1:A:80:VAL:HB	1:A:449:PRO:HD3	2.01	0.41
5:J:2:NAG:H4	5:J:3:BMA:H2	1.63	0.41
1:A:275:LYS:HE2	1:A:281:PRO:HD3	2.02	0.41
3:C:129:LEU:O	3:C:187:LYS:HD3	2.20	0.41
1:D:66:GLY:O	1:A:74:THR:OG1	2.36	0.41
1:A:30:ARG:NH1	1:A:131:ARG:HH22	2.19	0.41



A + am 1	A + 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:B:161:SER:HB2	2:B:205:ASN:HB2	2.02	0.41
3:C:42:LEU:HD13	3:C:91:TYR:CZ	2.56	0.41
3:C:4:MET:HE1	3:C:25:SER:HB3	2.03	0.41
2:E:115:ASN:HA	2:E:116:PRO:HD3	1.78	0.41
1:D:72:MET:HE1	1:A:450:MET:HG2	2.03	0.41
1:D:136:PHE:HB3	1:D:142:ARG:NH1	2.35	0.41
2:E:155:PRO:HD2	2:E:210:PRO:HB2	2.01	0.41
3:F:192:LYS:HE3	3:F:192:LYS:HB3	1.68	0.41
1:D:398:TYR:HE2	1:D:456:ILE:HG12	1.86	0.41
1:D:431:GLY:HA3	1:D:456:ILE:HD12	2.03	0.41
1:D:266:MET:HG3	1:D:295:TRP:CH2	2.56	0.41
1:D:197:ASN:HD22	4:H:1:NAG:C7	2.34	0.40
1:A:77:ASP:HA	1:A:446:THR:HG21	2.03	0.40
1:D:199:SER:HB2	1:D:284:LYS:HG2	2.02	0.40
1:D:450:MET:HE3	1:D:450:MET:HB2	1.94	0.40
1:A:415:LEU:HD11	1:A:439:ILE:HG23	2.03	0.40
2:B:218:LYS:HD3	2:B:220:GLU:OE2	2.21	0.40
1:A:379:ILE:HG12	1:A:400:THR:HG22	2.02	0.40
1:D:275:LYS:HD3	1:D:282:LYS:NZ	2.36	0.40
1:A:74:THR:O	1:A:74:THR:HG22	2.21	0.40
2:E:110:TYR:C	2:E:111:TRP:HD1	2.24	0.40
1:A:311:TYR:CE2	1:A:369:ASP:HA	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	425/461~(92%)	407 (96%)	18 (4%)	0	100	100
1	D	426/461~(92%)	404 (95%)	21 (5%)	1 (0%)	44	64
2	В	220/222 (99%)	212 (96%)	7 (3%)	1 (0%)	25	44



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
2	Ε	211/222~(95%)	205~(97%)	6 (3%)	0	100	100
3	С	216/219~(99%)	207~(96%)	9~(4%)	0	100	100
3	F	215/219~(98%)	210~(98%)	5(2%)	0	100	100
All	All	1713/1804 (95%)	1645 (96%)	66 (4%)	2(0%)	48	69

Continued from previous page...

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	411	LEU
2	В	41	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	388/418~(93%)	381 (98%)	7(2%)	54	78
1	D	389/418~(93%)	377~(97%)	12 (3%)	35	62
2	В	184/184 (100%)	177 (96%)	7 (4%)	28	53
2	Е	179/184~(97%)	168 (94%)	11 (6%)	15	32
3	С	192/193~(100%)	188 (98%)	4 (2%)	48	74
3	F	191/193~(99%)	189 (99%)	2 (1%)	73	88
All	All	1523/1590~(96%)	1480 (97%)	43 (3%)	38	65

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	77	ASP
1	D	129	ASN
1	D	131	ARG
1	D	269	SER
1	D	274	ASP
1	D	275	LYS



Mol	Chain	Res	Type		
1	D	282	LYS		
1	D	346	ARG		
1	D	350	ASN		
1	D	357	SER		
1	D	390	SER		
1	D	459	SER		
1	А	30	ARG		
1	А	185	ASP		
1	А	187	SER		
1	А	199	SER		
1	А	265	ARG		
1	А	346	ARG		
1	А	450	MET		
2	В	5	LEU		
2	В	107	HIS		
2	В	115	ASN		
2	В	128	SER		
2	В	137	LYS		
2	В	140	SER		
2	В	159	THR		
3	С	10	SER		
3	С	59	ARG		
3	С	65	ASP		
3	С	72	SER		
2	Е	7	SER		
2	Е	35	SER		
2	Е	40	THR		
2	Е	87	ARG		
2	Е	102	SER		
2	Е	143	THR		
2	Е	159	THR		
2	Е	167	LEU		
2	Е	199	THR		
2	Е	214	LYS		
2	Е	221	PRO		
3	F	7	SER		
3	F	32	SER		

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

1 D 448 GLN	Mol	Chain	Res	Type
	1	D	448	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	А	195	ASN
1	А	448	GLN
2	В	13	GLN
2	В	107	HIS
3	F	141	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	\mathbf{ths}	B	ond ang	gles
	Type	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
5	NAG	G	1	5,1	14,14,15	0.18	0	17,19,21	0.39	0
5	NAG	G	2	5	14,14,15	0.25	0	17,19,21	0.67	0
5	BMA	G	3	5	11,11,12	0.69	0	$15,\!15,\!17$	0.88	1 (6%)
4	NAG	Н	1	4,1	14,14,15	0.21	0	17,19,21	0.40	0
4	NAG	Н	2	4	14,14,15	0.27	0	17,19,21	0.60	1 (5%)
6	NAG	Ι	1	6,1	14,14,15	0.23	0	17,19,21	0.39	0
6	NAG	Ι	2	6	14,14,15	0.30	0	17,19,21	0.36	0
6	BMA	Ι	3	6	11,11,12	0.68	0	15,15,17	0.69	0
6	FUC	Ι	4	6	10,10,11	0.92	0	14,14,16	1.05	1 (7%)
5	NAG	J	1	5,1	14,14,15	0.30	0	17,19,21	0.48	0
5	NAG	J	2	5	14,14,15	0.23	0	17,19,21	0.55	0
5	BMA	J	3	5	11,11,12	1.10	1 (9%)	$15,\!15,\!17$	1.09	2 (13%)
7	NAG	K	1	7,1	14,14,15	0.48	0	17,19,21	0.44	0



Mol Type Cha	Chain	n Dog	Tink	Bond lengths			Bond angles			
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
7	NAG	K	2	7	14,14,15	0.34	0	17,19,21	0.57	0
7	FUC	К	3	7	10,10,11	0.64	0	14,14,16	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
5	BMA	G	3	5	-	1/2/19/22	0/1/1/1
4	NAG	Н	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Н	2	4	-	0/6/23/26	0/1/1/1
6	NAG	Ι	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	Ι	2	6	-	3/6/23/26	0/1/1/1
6	BMA	Ι	3	6	-	1/2/19/22	0/1/1/1
6	FUC	Ι	4	6	-	-	0/1/1/1
5	NAG	J	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	2/6/23/26	0/1/1/1
5	BMA	J	3	5	-	0/2/19/22	0/1/1/1
7	NAG	K	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	K	2	7	-	2/6/23/26	0/1/1/1
7	FUC	K	3	7	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	J	3	BMA	C4-C5	2.62	1.58	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
5	J	3	BMA	C3-C4-C5	2.49	114.75	110.23
5	G	3	BMA	C1-O5-C5	2.08	114.97	112.19
4	Н	2	NAG	C1-O5-C5	2.06	114.95	112.19
6	Ι	4	FUC	O5-C5-C4	2.05	113.24	109.55
5	J	3	BMA	C1-C2-C3	-2.03	106.69	109.64

There are no chirality outliers.



Mol	Chain	Res	Type	Atoms
5	J	2	NAG	C8-C7-N2-C2
5	J	2	NAG	O7-C7-N2-C2
6	Ι	1	NAG	C8-C7-N2-C2
6	Ι	1	NAG	O7-C7-N2-C2
6	Ι	2	NAG	C8-C7-N2-C2
6	Ι	2	NAG	O7-C7-N2-C2
7	Κ	2	NAG	C8-C7-N2-C2
7	Κ	2	NAG	O7-C7-N2-C2
5	G	3	BMA	O5-C5-C6-O6
6	Ι	3	BMA	O5-C5-C6-O6
7	Κ	1	NAG	C4-C5-C6-O6
5	G	2	NAG	C3-C2-N2-C7
5	G	2	NAG	C1-C2-N2-C7
7	Κ	1	NAG	O5-C5-C6-O6
6	Ι	2	NAG	C4-C5-C6-O6

All (15) torsion outliers are listed below:

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	J	3	BMA	1	0
5	J	2	NAG	2	0
6	Ι	1	NAG	2	0
4	Н	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















5.6 Ligand geometry (i)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Turne	Chain	Dog	Link	Bond lengths			Bond angles		
INIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	SO4	D	501	-	4,4,4	0.24	0	6,6,6	0.14	0
8	SO4	F	301	-	4,4,4	0.24	0	6,6,6	0.09	0
8	SO4	A	502	-	4,4,4	0.23	0	6,6,6	0.06	0



Mal True		Chain	Dec	Tinle	Bond lengths			Bond angles		
IVIOI	туре	Chain	nes	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
8	SO4	А	501	-	4,4,4	0.23	0	$6,\!6,\!6$	0.11	0
9	NAG	А	503	1	14,14,15	0.23	0	17,19,21	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	А	503	1	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	А	503	NAG	C8-C7-N2-C2
9	А	503	NAG	O7-C7-N2-C2
9	А	503	NAG	C4-C5-C6-O6
9	А	503	NAG	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	501	SO4	1	0
8	А	501	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	429/461~(93%)	0.11	8 (1%) 66 63	27, 38, 53, 61	0
1	D	430/461~(93%)	0.01	6 (1%) 73 70	25, 35, 50, 69	0
2	В	222/222 (100%)	0.22	3 (1%) 73 70	30, 40, 58, 68	0
2	Е	215/222~(96%)	0.37	8 (3%) 45 42	28, 38, 55, 64	0
3	С	218/219~(99%)	0.20	4 (1%) 67 64	33, 43, 57, 73	0
3	F	217/219~(99%)	0.13	1 (0%) 87 85	29, 40, 51, 60	0
All	All	1731/1804 (95%)	0.14	30 (1%) 69 65	25, 39, 54, 73	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Е	212	ASN	6.7
2	Е	113	PRO	3.8
2	В	115	ASN	3.7
1	D	418	GLY	3.6
1	D	104	GLN	3.5
1	А	305	GLY	3.4
1	А	350	ASN	3.1
2	В	41	PRO	3.0
1	А	184	TYR	3.0
2	Ε	116	PRO	2.9
1	D	66	GLY	2.8
2	Е	214	LYS	2.8
2	Ε	135	SER	2.7
3	С	218	CYS	2.6
1	А	418	GLY	2.5
1	A	444	LEU	2.5
2	Е	213	THR	2.5
1	D	30	ARG	2.4
1	А	361	GLY	2.3



Mol	Chain	Res	Type	RSRZ
2	Е	196	SER	2.3
1	D	419	TYR	2.3
3	F	33	ASP	2.3
1	А	279	SER	2.2
1	D	62	ARG	2.2
3	С	33	ASP	2.2
1	А	232	PRO	2.1
2	Е	210	PRO	2.1
2	В	159	THR	2.1
3	С	173	LYS	2.1
3	С	79	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

SUGAR-RSR INFOmissingINFO

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q < 0.9
9	NAG	А	503	14/15	0.59	0.16	$60,\!67,\!71,\!72$	0
8	SO4	D	501	5/5	0.72	0.19	$61,\!68,\!76,\!79$	0
8	SO4	А	501	5/5	0.86	0.28	57,58,62,66	0
8	SO4	А	502	5/5	0.88	0.11	$51,\!56,\!59,\!61$	0
8	SO4	F	301	5/5	0.90	0.11	47,54,58,62	0

6.5 Other polymers (i)

There are no such residues in this entry.

