



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 15, 2024 – 01:42 AM EST

PDB ID : 1B5G  
Title : HUMAN THROMBIN COMPLEXED WITH NOVEL SYNTHETIC PEPTIDE MIMETIC INHIBITOR AND HIRUGEN  
Authors : St Charles, R.; Tulinsky, A.; Kahn, M.  
Deposited on : 1998-03-05  
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	3661 (2.08-2.04)
Ramachandran outliers	177936	3649 (2.08-2.04)
Sidechain outliers	177891	3649 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	36	44% 25% 11% 19%
2	H	259	50% 36% 10% .
3	I	12	25% 33% 25% 17%

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 2526 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-THROMBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	29	239	149	38	51	1	0	0	0


- Molecule 2 is a protein called ALPHA-THROMBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	250	2022	1290	358	360	14	0	0	0

- Molecule 3 is a protein called HIRUGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	I	10	90	56	10	23	1	0	0	0

- Molecule 4 is [[[(4S,5S)-4-[[[(3S,6S,8aR)-6-azanyl-5-oxo-6-(phenylmethyl)-1,2,3,7,8,8a-hexahydroindolizin-3-yl]carbonylamino]-5-(1,3-benzothiazol-2-yl)-5-hydroxy-pentyl]amino]-azanyl-methylidene]azanium (three-letter code: 0ZE) (formula: C<sub>29</sub>H<sub>38</sub>N<sub>7</sub>O<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	H	1	Total	C	N	O	S	0	0
			40	29	7	3	1		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	2	Total	Na	0	0
			2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	L	11	Total	O	0	0
			11	11		
6	H	117	Total	O	0	0
			117	117		
6	I	5	Total	O	0	0
			5	5		



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.84Å 72.08Å 73.00Å 90.00° 100.90° 90.00°	Depositor
Resolution (Å)	7.00 – 2.07	Depositor
% Data completeness (in resolution range)	81.0 (7.00-2.07)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROFFT	Depositor
R, $R_{free}$	0.164 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2526	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OZE, TYS, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	L	1.15	1/241 (0.4%)	2.04	8/321 (2.5%)
2	H	1.04	0/2074	1.94	43/2801 (1.5%)
3	I	1.11	0/74	2.03	2/96 (2.1%)
All	All	1.05	1/2389 (0.0%)	1.95	53/3218 (1.6%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	14(C)	GLU	CD-OE2	-5.51	1.19	1.25

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	233	ARG	NE-CZ-NH1	22.80	131.70	120.30
2	H	233	ARG	NE-CZ-NH2	-14.29	113.15	120.30
2	H	187	ARG	NE-CZ-NH1	-12.40	114.10	120.30
2	H	221(A)	ARG	NE-CZ-NH1	-12.24	114.18	120.30
2	H	101	ARG	NE-CZ-NH2	-12.23	114.19	120.30
2	H	165	ARG	NE-CZ-NH2	11.69	126.15	120.30
2	H	221(A)	ARG	NE-CZ-NH2	11.68	126.14	120.30
2	H	97	ARG	NE-CZ-NH2	-10.19	115.21	120.30
2	H	60(A)	TYR	CB-CG-CD1	-10.10	114.94	121.00
2	H	35	ARG	NE-CZ-NH2	-9.91	115.34	120.30
2	H	175	ARG	NE-CZ-NH1	-9.79	115.41	120.30
2	H	35	ARG	NE-CZ-NH1	9.63	125.12	120.30
1	L	1(A)	ASP	CB-CG-OD1	-9.59	109.67	118.30
2	H	233	ARG	CD-NE-CZ	9.32	136.65	123.60
2	H	175	ARG	CD-NE-CZ	-9.26	110.64	123.60
2	H	173	ARG	NE-CZ-NH2	-9.03	115.78	120.30
2	H	243	ASP	CB-CG-OD2	-9.02	110.18	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	165	ARG	NE-CZ-NH1	-7.82	116.39	120.30
2	H	125	ASP	CB-CG-OD2	7.81	125.33	118.30
2	H	228	TYR	CB-CG-CD2	7.43	125.46	121.00
2	H	97	ARG	NE-CZ-NH1	7.38	123.99	120.30
2	H	243	ASP	CB-CA-C	7.22	124.85	110.40
2	H	101	ARG	NE-CZ-NH1	7.08	123.84	120.30
2	H	93	ARG	NE-CZ-NH1	-7.05	116.78	120.30
2	H	164	GLU	CG-CD-OE2	6.92	132.15	118.30
2	H	186(C)	GLY	C-N-CA	6.64	138.31	121.70
2	H	186	PRO	C-N-CA	6.63	138.26	121.70
1	L	8	GLU	OE1-CD-OE2	-6.43	115.58	123.30
2	H	230	HIS	CA-CB-CG	6.07	123.92	113.60
2	H	126	ARG	NE-CZ-NH1	6.07	123.33	120.30
2	H	173	ARG	NE-CZ-NH1	6.01	123.31	120.30
2	H	194	ASP	CB-CG-OD2	6.01	123.71	118.30
2	H	213	VAL	CA-CB-CG2	5.99	119.88	110.90
2	H	125	ASP	CB-CG-OD1	-5.96	112.93	118.30
2	H	227	PHE	CB-CG-CD1	-5.85	116.70	120.80
2	H	116	ASP	CB-CG-OD1	5.72	123.45	118.30
1	L	14(D)	ARG	NE-CZ-NH1	-5.63	117.48	120.30
2	H	232	PHE	CB-CG-CD1	-5.61	116.87	120.80
2	H	126	ARG	NE-CZ-NH2	-5.61	117.50	120.30
3	I	57	GLU	N-CA-CB	5.58	120.64	110.60
1	L	1(A)	ASP	CB-CG-OD2	5.56	123.31	118.30
1	L	8	GLU	CG-CD-OE2	5.41	129.12	118.30
2	H	179	ASN	CB-CG-OD1	-5.38	110.85	121.60
3	I	58	GLU	CG-CD-OE2	5.35	129.00	118.30
1	L	14(J)	TYR	CA-C-N	-5.29	105.57	117.20
2	H	157	VAL	CA-CB-CG1	5.23	118.74	110.90
2	H	86	GLU	CG-CD-OE1	-5.21	107.88	118.30
1	L	14(L)	ASP	N-CA-CB	5.18	119.93	110.60
2	H	175	ARG	NH1-CZ-NH2	5.11	125.02	119.40
1	L	14(A)	LYS	CA-CB-CG	5.10	124.61	113.40
2	H	80	GLU	CG-CD-OE2	-5.10	108.11	118.30
2	H	222	ASP	CB-CG-OD1	5.09	122.88	118.30
2	H	60(A)	TYR	CB-CG-CD2	5.06	124.04	121.00

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	239	0	235	8	1
2	H	2022	0	1996	119	2
3	I	90	0	68	12	2
4	H	40	0	37	17	0
5	H	2	0	0	0	0
6	H	117	0	0	12	0
6	I	5	0	0	0	0
6	L	11	0	0	2	0
All	All	2526	0	2336	142	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:195:SER:OG	4:H:372:OZE:C	1.84	1.26
2:H:195:SER:OG	4:H:372:OZE:H37	0.90	1.07
2:H:151:GLN:HG2	6:H:447:HOH:O	1.55	1.06
4:H:372:OZE:H72	4:H:372:OZE:C12	1.85	1.03
2:H:75:ARG:HH11	2:H:75:ARG:HG3	1.17	1.02
2:H:165:ARG:HE	2:H:169:LYS:HE3	1.20	1.02
1:L:14(J):TYR:C	1:L:14(K):ILE:HG12	1.84	0.97
2:H:165:ARG:HE	2:H:169:LYS:CE	1.76	0.97
2:H:61:GLU:OE1	2:H:87:LYS:HA	1.66	0.95
2:H:165:ARG:NE	2:H:169:LYS:HZ1	1.63	0.95
2:H:26:MET:HE3	6:H:458:HOH:O	1.67	0.93
1:L:14(H):GLU:HA	1:L:14(L):ASP:HA	1.49	0.91
1:L:14(I):SER:C	1:L:14(K):ILE:H	1.72	0.91
2:H:195:SER:CB	4:H:372:OZE:H37	2.01	0.91
2:H:195:SER:HG	4:H:372:OZE:H37	1.18	0.90
2:H:72:SER:OG	2:H:75:ARG:HG2	1.76	0.86
2:H:75:ARG:HG3	2:H:75:ARG:NH1	1.86	0.84
2:H:165:ARG:CZ	2:H:169:LYS:HZ1	1.93	0.82
4:H:372:OZE:H72	4:H:372:OZE:H12	1.60	0.81

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:60(E):ASP:OD2	6:H:511:HOH:O	1.96	0.81
2:H:165:ARG:NE	2:H:169:LYS:NZ	2.28	0.80
1:L:10:LYS:HE2	6:L:515:HOH:O	1.81	0.79
2:H:165:ARG:CZ	2:H:169:LYS:NZ	2.46	0.79
2:H:85:LEU:HD13	2:H:106:MET:CE	2.14	0.78
2:H:236:LYS:HE2	6:H:540:HOH:O	1.84	0.77
2:H:35:ARG:O	2:H:38:GLN:HA	1.85	0.76
4:H:372:OZE:H4	6:H:497:HOH:O	1.86	0.76
2:H:164:GLU:OE1	2:H:167:VAL:HG21	1.86	0.76
1:L:14(J):TYR:C	1:L:14(K):ILE:CG1	2.54	0.75
2:H:85:LEU:HD13	2:H:106:MET:HE2	1.68	0.75
2:H:130:LEU:CD2	2:H:162:ILE:HD13	2.17	0.75
2:H:26:MET:CE	6:H:458:HOH:O	2.29	0.73
4:H:372:OZE:C41	6:H:497:HOH:O	2.38	0.71
2:H:46:LEU:HD22	2:H:48:SER:O	1.92	0.70
1:L:14(I):SER:C	1:L:14(K):ILE:N	2.45	0.69
2:H:165:ARG:NE	2:H:169:LYS:HE3	2.03	0.69
2:H:130:LEU:HD23	2:H:162:ILE:CD1	2.24	0.68
2:H:195:SER:CB	4:H:372:OZE:C	2.66	0.67
2:H:165:ARG:NH2	2:H:169:LYS:HZ3	1.92	0.67
3:I:58:GLU:H	3:I:58:GLU:CD	1.96	0.67
2:H:50:ARG:HD3	2:H:108:LEU:O	1.96	0.66
2:H:17:VAL:O	2:H:188:GLY:HA2	1.95	0.66
2:H:165:ARG:HE	2:H:169:LYS:NZ	1.93	0.64
2:H:70:LYS:HE3	2:H:72:SER:O	1.97	0.64
2:H:32:MET:HG3	2:H:40:LEU:HD12	1.80	0.63
2:H:186(A):ASP:O	2:H:186(C):GLY:N	2.32	0.63
2:H:60(F):LYS:HG2	6:H:497:HOH:O	1.99	0.62
2:H:135:LYS:HE2	2:H:184(A):TYR:OH	1.98	0.62
3:I:60:PRO:HD2	3:I:63:TYS:HD2	1.81	0.62
1:L:10:LYS:CE	6:L:515:HOH:O	2.44	0.62
2:H:244:GLN:HG2	2:H:245:PHE:CD2	2.35	0.61
2:H:130:LEU:HD22	2:H:162:ILE:HD13	1.84	0.60
2:H:36:LYS:HG2	3:I:64:LEU:HD23	1.83	0.60
2:H:61:GLU:OE1	2:H:87:LYS:CA	2.47	0.60
2:H:204(B):ASN:O	2:H:205:ASN:HB2	2.01	0.59
2:H:130:LEU:CD2	2:H:162:ILE:CD1	2.79	0.59
2:H:236:LYS:HB2	6:H:517:HOH:O	2.02	0.59
2:H:130:LEU:HD23	2:H:162:ILE:HD13	1.83	0.59
2:H:165:ARG:NE	2:H:169:LYS:CE	2.55	0.59
2:H:165:ARG:NH2	2:H:169:LYS:NZ	2.50	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:75:ARG:NH1	2:H:75:ARG:CG	2.60	0.58
2:H:64:LEU:HB2	2:H:85:LEU:HD11	1.84	0.58
3:I:60:PRO:HB2	3:I:62:GLU:OE2	2.03	0.58
2:H:97:ARG:NH2	6:H:498:HOH:O	2.38	0.57
2:H:71:HIS:CD2	2:H:154:VAL:HG22	2.39	0.57
2:H:164:GLU:OE1	2:H:167:VAL:CG2	2.54	0.55
3:I:61:GLU:C	3:I:63:TYS:N	2.59	0.55
2:H:165:ARG:O	2:H:169:LYS:HG3	2.06	0.55
2:H:60(D):TRP:CH2	4:H:372:OZE:H42	2.43	0.54
2:H:185:LYS:N	2:H:186(B):GLU:OE1	2.39	0.54
2:H:60(G):ASN:O	2:H:60(G):ASN:OD1	2.25	0.54
4:H:372:OZE:C12	4:H:372:OZE:C7	2.74	0.54
2:H:49:ASP:HB3	2:H:114:PHE:CZ	2.44	0.53
2:H:204(B):ASN:C	2:H:204(B):ASN:HD22	2.09	0.53
2:H:32:MET:HG3	2:H:40:LEU:CD1	2.39	0.52
2:H:203:SER:HB3	2:H:204(B):ASN:ND2	2.24	0.52
3:I:60:PRO:O	3:I:63:TYS:HB3	2.10	0.52
2:H:91:HIS:CE1	2:H:101:ARG:HD3	2.45	0.52
2:H:230:HIS:CE1	2:H:233:ARG:HG3	2.45	0.51
2:H:98:ASN:OD1	2:H:98:ASN:N	2.42	0.51
2:H:57:HIS:HD2	4:H:372:OZE:H3	1.75	0.51
2:H:50:ARG:NH1	2:H:108:LEU:O	2.43	0.51
2:H:85:LEU:HD13	2:H:106:MET:HE1	1.89	0.51
2:H:126:ARG:HA	2:H:232:PHE:CZ	2.45	0.51
3:I:57:GLU:HG2	3:I:58:GLU:O	2.11	0.50
2:H:186(A):ASP:C	2:H:186(C):GLY:H	2.15	0.50
2:H:244:GLN:OE1	2:H:245:PHE:CE2	2.66	0.49
2:H:94:TYR:CZ	2:H:96:TRP:HB3	2.47	0.49
2:H:186(A):ASP:C	2:H:186(C):GLY:N	2.66	0.49
2:H:136:GLY:HA3	2:H:199:PHE:CZ	2.47	0.49
2:H:139:THR:HG22	2:H:157:VAL:HG13	1.93	0.49
2:H:164:GLU:C	2:H:166:PRO:HD2	2.34	0.48
2:H:36:LYS:O	2:H:38:GLN:HG3	2.12	0.48
2:H:50:ARG:CD	2:H:108:LEU:O	2.61	0.48
2:H:195:SER:CB	4:H:372:OZE:O	2.60	0.48
2:H:75:ARG:N	2:H:75:ARG:HD3	2.26	0.48
2:H:60(I):THR:O	2:H:63:ASP:HB2	2.13	0.48
2:H:21:ASP:OD1	2:H:156:GLN:OE1	2.31	0.47
1:L:14(K):ILE:HD11	2:H:134:TYR:OH	2.14	0.47
2:H:217:GLU:HA	4:H:372:OZE:H16	1.95	0.47
2:H:97:ARG:HG3	6:H:438:HOH:O	2.14	0.47

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:165:ARG:N	2:H:166:PRO:HD2	2.29	0.47
2:H:46:LEU:CD2	2:H:48:SER:O	2.62	0.47
2:H:99:LEU:O	2:H:102:ASP:HB2	2.15	0.47
2:H:139:THR:CG2	2:H:157:VAL:HG13	2.45	0.47
2:H:35:ARG:HD3	2:H:39:GLU:OE2	2.15	0.46
3:I:60:PRO:HB2	3:I:62:GLU:CD	2.36	0.46
2:H:195:SER:HG	4:H:372:OZE:C17	2.29	0.46
3:I:61:GLU:O	3:I:63:TYR:N	2.49	0.45
2:H:135:LYS:CE	2:H:184(A):TYR:OH	2.64	0.45
2:H:60(G):ASN:O	2:H:60(G):ASN:CG	2.54	0.45
2:H:85:LEU:CD1	2:H:106:MET:HE1	2.47	0.45
2:H:77(A):ARG:O	2:H:78:ASN:HB2	2.17	0.45
2:H:204(B):ASN:HD22	2:H:205:ASN:N	2.15	0.45
2:H:41:LEU:CD2	2:H:64:LEU:CD2	2.96	0.44
2:H:165:ARG:N	2:H:166:PRO:CD	2.81	0.44
2:H:230:HIS:ND1	2:H:233:ARG:HG3	2.32	0.44
2:H:103:ILE:HD11	2:H:238:ILE:HD11	1.99	0.44
2:H:182:CYS:HA	2:H:226:GLY:O	2.17	0.44
2:H:212:ILE:HD12	2:H:229:THR:HB	2.00	0.44
2:H:211:GLY:HA2	2:H:229:THR:O	2.17	0.43
3:I:57:GLU:CG	3:I:58:GLU:N	2.82	0.43
2:H:202:LYS:HE3	2:H:205:ASN:O	2.18	0.43
3:I:57:GLU:HG2	3:I:58:GLU:N	2.34	0.42
2:H:110:LYS:HE2	6:H:529:HOH:O	2.18	0.42
2:H:195:SER:OG	4:H:372:OZE:C17	2.61	0.42
2:H:204(B):ASN:O	2:H:205:ASN:CB	2.68	0.42
2:H:85:LEU:CD1	2:H:106:MET:CE	2.94	0.42
2:H:88:ILE:HG21	2:H:88:ILE:HD13	1.73	0.42
2:H:127:GLU:H	2:H:127:GLU:CD	2.23	0.42
2:H:60(F):LYS:HE2	4:H:372:OZE:H51	2.02	0.42
2:H:134:TYR:N	2:H:134:TYR:HD1	2.18	0.42
2:H:50:ARG:HG2	2:H:111:PRO:HA	2.01	0.41
2:H:60(B):PRO:N	2:H:60(C):PRO:CD	2.82	0.41
2:H:134:TYR:N	2:H:134:TYR:CD1	2.89	0.41
2:H:200:VAL:HG12	2:H:209:GLN:HA	2.02	0.41
2:H:204(B):ASN:C	2:H:204(B):ASN:ND2	2.74	0.41
3:I:62:GLU:OE1	3:I:62:GLU:N	2.33	0.41
2:H:185:LYS:HG3	2:H:186(B):GLU:OE1	2.20	0.41
2:H:57:HIS:CD2	2:H:57:HIS:C	2.94	0.41
2:H:85:LEU:N	2:H:85:LEU:HD23	2.35	0.41
2:H:125:ASP:OD1	2:H:127:GLU:HB2	2.20	0.41

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:75:ARG:NH1	3:I:57:GLU:OE1[2_555]	1.70	0.50
2:H:75:ARG:NH2	3:I:57:GLU:CB[2_555]	2.12	0.08
1:L:14(H):GLU:OE2	1:L:14(L):ASP:OD2[2_556]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	27/36 (75%)	22 (82%)	5 (18%)	0	100	100
2	H	246/259 (95%)	236 (96%)	9 (4%)	1 (0%)	30	23
3	I	7/12 (58%)	6 (86%)	1 (14%)	0	100	100
All	All	280/307 (91%)	264 (94%)	15 (5%)	1 (0%)	30	23

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	186(B)	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	27/31 (87%)	23 (85%)	4 (15%)	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	H	218/225 (97%)	193 (88%)	25 (12%)	4	1
3	I	8/10 (80%)	8 (100%)	0	100	100
All	All	253/266 (95%)	224 (88%)	29 (12%)	4	1

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	6	LEU
1	L	14(A)	LYS
1	L	14(F)	LEU
1	L	14(K)	ILE
2	H	27	SER
2	H	33	LEU
2	H	36(A)	SER
2	H	46	LEU
2	H	50	ARG
2	H	61	GLU
2	H	65	LEU
2	H	75	ARG
2	H	83	SER
2	H	85	LEU
2	H	86	GLU
2	H	87	LYS
2	H	109	LYS
2	H	127	GLU
2	H	129(B)	SER
2	H	153	SER
2	H	154	VAL
2	H	157	VAL
2	H	187	ARG
2	H	204(B)	ASN
2	H	221(A)	ARG
2	H	235	LYS
2	H	236	LYS
2	H	240	LYS
2	H	244	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	78	ASN
2	H	156	GLN
2	H	204(B)	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	TYS	I	63	3	15,16,17	1.82	3 (20%)	15,22,24	1.47	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	I	63	3	-	3/10/11/13	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	63	TYS	OH-CZ	-4.47	1.35	1.42
3	I	63	TYS	OH-S	4.25	1.66	1.58
3	I	63	TYS	CB-CA	2.13	1.58	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	63	TYS	CB-CG-CD1	-2.68	115.91	120.90
3	I	63	TYS	O2-S-O1	2.67	122.52	112.24

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	I	63	TYS	CA-CB-CG-CD1
3	I	63	TYS	CA-CB-CG-CD2
3	I	63	TYS	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	63	TYS	4	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	OZE	H	372	-	39,44,44	1.76	4 (10%)	45,63,63	1.98	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OZE	H	372	-	-	2/23/57/57	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	372	OZE	O-C	-8.58	1.26	1.42
4	H	372	OZE	C51-C61	2.56	1.42	1.36
4	H	372	OZE	C41-C31	2.53	1.42	1.36
4	H	372	OZE	CB-CA	2.36	1.57	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	372	OZE	C17-C-CA	6.53	118.61	111.26
4	H	372	OZE	CG-CB-CA	-5.35	103.75	113.94
4	H	372	OZE	C8-C10-C11	-4.16	107.45	115.49
4	H	372	OZE	O-C-CA	3.50	117.20	107.90
4	H	372	OZE	CA-N-C1	-3.11	117.83	123.25
4	H	372	OZE	C6-C5-N1	3.05	115.08	110.09
4	H	372	OZE	C-CA-N	-2.72	105.12	110.03
4	H	372	OZE	C71-C21-N11	2.66	114.23	108.04
4	H	372	OZE	C7-C6-C5	2.59	114.59	110.99
4	H	372	OZE	C4-C5-N1	-2.41	99.05	101.68

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	372	OZE	NH1-CZ-NE-CD
4	H	372	OZE	NH2-CZ-NE-CD


There are no ring outliers.

1 monomer is involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	372	OZE	17	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.