



# Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 07:39 am BST

PDB ID : 1B8J  
Title : ALKALINE PHOSPHATASE COMPLEXED WITH VANADATE  
Authors : Holtz, K.M.; Stec, B.; Kantrowitz, E.R.  
Deposited on : 1999-02-01  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	449	
1	B	449	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7579 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (ALKALINE PHOSPHATASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	S				V
1	A	449	3309	2042	581	673	12	1	0	0	0
1	B	449	3309	2042	581	673	12	1	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	102	SVA	SER	MODIFIED RESIDUE	UNP P00634
B	102	SVA	SER	MODIFIED RESIDUE	UNP P00634

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	2	Total	Zn	0	0
			2	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Mg 1 1	0	0
4	A	1	Total Mg 1 1	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	505	Total O 505 505	0	0
5	B	440	Total O 440 440	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: PROTEIN (ALKALINE PHOSPHATASE)



- Molecule 1: PROTEIN (ALKALINE PHOSPHATASE)



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	195.41Å 167.81Å 76.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 1.90	Depositor
% Data completeness (in resolution range)	98.4 (8.00-1.90)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.177 , 0.196	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	7579	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SVA, ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.88	3/3352 (0.1%)	0.99	7/4549 (0.2%)
1	B	0.82	1/3352 (0.0%)	0.96	7/4549 (0.2%)
All	All	0.85	4/6704 (0.1%)	0.97	14/9098 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	322	GLU	CD-OE1	-6.12	1.19	1.25
1	A	198	ALA	CA-CB	5.65	1.64	1.52
1	A	322	GLU	CD-OE1	-5.58	1.19	1.25
1	A	322	GLU	CD-OE2	-5.29	1.19	1.25

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	293	ASN	N-CA-C	7.95	132.46	111.00
1	B	322	GLU	OE1-CD-OE2	-7.77	113.98	123.30
1	B	293	ASN	N-CA-C	7.74	131.90	111.00
1	A	48	LEU	CA-CB-CG	6.66	130.61	115.30
1	A	322	GLU	OE1-CD-OE2	-6.59	115.39	123.30
1	B	48	LEU	CA-CB-CG	6.04	129.20	115.30
1	A	323	GLY	N-CA-C	-5.77	98.67	113.10
1	B	78	LEU	CA-CB-CG	-5.63	102.36	115.30
1	B	195	LEU	CB-CG-CD1	-5.50	101.64	111.00
1	A	128	ASP	CB-CG-OD1	5.22	123.00	118.30
1	B	323	GLY	N-CA-C	-5.15	100.23	113.10
1	A	50	GLY	N-CA-C	-5.11	100.32	113.10
1	B	97	ASP	N-CA-C	-5.06	97.34	111.00
1	A	168	CYS	CA-CB-SG	-5.04	104.93	114.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3309	0	3248	38	0
1	B	3309	0	3248	48	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	505	0	0	3	1
5	B	440	0	0	15	0
All	All	7579	0	6496	82	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:ASP:HB3	5:B:1310:HOH:O	1.77	0.83
1:A:34:ARG:HD3	5:B:1231:HOH:O	1.79	0.82
1:A:292:ARG:HB2	5:A:1077:HOH:O	1.83	0.79
1:B:48:LEU:HD13	1:B:321:VAL:HB	1.66	0.77
1:B:195:LEU:HD11	5:B:1059:HOH:O	1.83	0.77
1:B:224:THR:OG1	1:B:227:GLU:HG3	1.84	0.76
1:B:151:LEU:HD13	5:B:1059:HOH:O	1.85	0.76
1:B:73:LYS:NZ	5:B:1408:HOH:O	2.23	0.71
1:A:137:LYS:HE3	1:A:199:ARG:O	1.93	0.68
1:A:48:LEU:HD13	1:A:321:VAL:HB	1.78	0.65
1:A:224:THR:OG1	1:A:227:GLU:HG3	1.96	0.65
1:A:293:ASN:HB3	1:A:296:VAL:HG23	1.80	0.64
1:A:111:THR:OG1	1:A:113:VAL:HG12	1.98	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:THR:HG22	5:A:1423:HOH:O	1.99	0.62
1:B:195:LEU:HD12	5:B:1049:HOH:O	1.99	0.62
1:B:287:THR:HG22	5:B:1373:HOH:O	1.98	0.62
1:B:137:LYS:HE3	1:B:199:ARG:O	2.00	0.61
1:B:73:LYS:HE3	5:B:1194:HOH:O	2.00	0.61
1:B:272:LYS:HE2	5:B:1012:HOH:O	2.01	0.59
1:B:188:LYS:HE3	5:B:1179:HOH:O	2.01	0.59
1:B:293:ASN:HB3	1:B:296:VAL:HG23	1.84	0.59
1:A:267:ARG:HG2	1:A:292:ARG:NH1	2.19	0.57
1:A:83:GLN:HE21	1:B:83:GLN:HE21	1.55	0.55
1:A:116:TYR:CZ	1:A:119:ALA:HB2	2.41	0.55
1:B:291:GLN:HG3	5:B:1322:HOH:O	2.09	0.53
1:A:379:PRO:HA	1:A:399:VAL:HG21	1.90	0.53
1:A:208:ALA:HB2	1:A:258:LEU:HB3	1.91	0.53
1:B:111:THR:OG1	1:B:113:VAL:HG12	2.10	0.52
1:A:120:LEU:O	1:A:162:HIS:HA	2.09	0.51
1:A:34:ARG:HG2	1:B:37:LEU:HD12	1.92	0.51
1:B:10:ARG:HB2	1:B:71:PHE:CE1	2.46	0.51
1:A:276:HIS:O	1:A:279:ILE:HG12	2.12	0.50
1:B:116:TYR:CZ	1:B:119:ALA:HB2	2.47	0.49
1:B:120:LEU:O	1:B:162:HIS:HA	2.12	0.49
1:A:174:THR:HG23	1:A:178:CYS:HB2	1.95	0.49
1:B:228:GLN:O	1:B:232:ARG:HG3	2.13	0.49
1:A:354:GLU:HA	1:A:357:LYS:HE2	1.95	0.48
1:A:269:LEU:HD22	5:A:1002:HOH:O	2.13	0.48
1:B:354:GLU:HA	1:B:357:LYS:HE2	1.96	0.47
1:B:178:CYS:HB3	1:B:181:ASN:OD1	2.14	0.47
1:A:369:ASP:OD1	1:A:369:ASP:N	2.47	0.47
1:B:10:ARG:HB2	1:B:71:PHE:CD1	2.50	0.47
1:B:274:THR:HG21	5:B:1088:HOH:O	2.14	0.46
1:B:149:ALA:HB2	1:B:324:ALA:CB	2.45	0.46
1:B:281:LYS:HB3	1:B:282:PRO:HD2	1.98	0.46
1:B:226:ARG:O	1:B:230:GLN:HG2	2.16	0.46
1:A:449:LYS:HA	1:A:449:LYS:HD3	1.73	0.46
1:A:33:LEU:HD12	1:A:33:LEU:HA	1.76	0.45
1:B:230:GLN:H	1:B:230:GLN:HG2	1.59	0.45
1:B:276:HIS:O	1:B:279:ILE:HG12	2.17	0.45
1:A:149:ALA:HB2	1:A:324:ALA:CB	2.47	0.44
1:B:331:HIS:ND1	1:B:410:GLN:O	2.47	0.44
1:A:40:LYS:HA	1:A:40:LYS:HD2	1.61	0.44
1:B:40:LYS:HD2	1:B:40:LYS:HA	1.59	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:GLU:HG2	1:A:4:MET:N	2.33	0.44
1:A:223:LYS:HB3	1:A:223:LYS:HE2	1.61	0.44
1:A:289:ASN:O	1:A:292:ARG:HD3	2.17	0.44
1:B:29:GLN:HG3	5:B:1340:HOH:O	2.17	0.44
1:A:331:HIS:ND1	1:A:410:GLN:O	2.48	0.44
1:B:3:GLU:HG2	1:B:4:MET:N	2.31	0.44
1:A:48:LEU:HG	1:A:349:VAL:HG22	2.00	0.43
1:B:33:LEU:HD12	1:B:33:LEU:HA	1.81	0.43
1:A:379:PRO:HA	1:A:399:VAL:CG2	2.48	0.42
1:B:291:GLN:NE2	5:B:1246:HOH:O	2.52	0.42
1:B:250:ASN:OD1	1:B:253:LYS:HD2	2.19	0.42
1:A:148:THR:HG23	1:A:299:LEU:HD13	2.00	0.42
1:A:15:ASP:O	1:A:21:GLY:HA3	2.19	0.42
1:B:48:LEU:CD1	1:B:321:VAL:HB	2.44	0.42
1:B:171:PRO:HD2	1:B:213:GLU:OE1	2.20	0.42
1:A:276:HIS:HE1	1:B:406:GLU:OE1	2.02	0.41
1:A:383:ALA:HB1	1:A:384:PRO:HD2	2.02	0.41
1:B:149:ALA:HB2	1:B:324:ALA:HB1	2.01	0.41
1:B:337:GLY:O	1:B:341:GLU:HG2	2.20	0.41
1:A:68:ALA:HB1	1:B:87:TYR:CD1	2.55	0.41
1:B:223:LYS:HB3	1:B:223:LYS:HE2	1.63	0.40
1:B:224:THR:HG1	1:B:227:GLU:HG3	1.83	0.40
1:B:226:ARG:CZ	1:B:236:LEU:HD23	2.51	0.40
1:A:337:GLY:O	1:A:341:GLU:HG2	2.21	0.40
1:B:157:ALA:HA	5:B:1049:HOH:O	2.20	0.40
1:B:449:LYS:HD3	1:B:449:LYS:HA	1.86	0.40
1:A:230:GLN:H	1:A:230:GLN:HG2	1.56	0.40
1:A:62:ARG:HH11	1:A:62:ARG:HD2	1.72	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1198:HOH:O	5:A:1198:HOH:O[3_656]	1.68	0.52

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	446/449 (99%)	437 (98%)	8 (2%)	1 (0%)	47	38
1	B	446/449 (99%)	436 (98%)	9 (2%)	1 (0%)	47	38
All	All	892/898 (99%)	873 (98%)	17 (2%)	2 (0%)	47	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	293	ASN
1	B	407	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/339 (100%)	327 (96%)	12 (4%)	36	27
1	B	339/339 (100%)	325 (96%)	14 (4%)	30	21
All	All	678/678 (100%)	652 (96%)	26 (4%)	33	24

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	LYS
1	A	78	LEU
1	A	80	LEU
1	A	84	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	172	SER
1	A	230	GLN
1	A	237	VAL
1	A	261	ASP
1	A	279	ILE
1	A	293	ASN
1	A	354	GLU
1	A	397	VAL
1	B	34	ARG
1	B	40	LYS
1	B	78	LEU
1	B	80	LEU
1	B	84	TYR
1	B	172	SER
1	B	230	GLN
1	B	237	VAL
1	B	261	ASP
1	B	279	ILE
1	B	287	THR
1	B	293	ASN
1	B	354	GLU
1	B	397	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	235	GLN
1	A	276	HIS
1	A	329	GLN
1	A	338	GLN
1	B	83	GLN
1	B	235	GLN
1	B	329	GLN
1	B	338	GLN
1	B	391	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	SVA	A	102	1,2	5,10,11	1.40	1 (20%)	0,16,18	0.00	-
1	SVA	B	102	1,2	5,10,11	1.97	2 (40%)	0,16,18	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SVA	A	102	1,2	-	0/0/9/11	-
1	SVA	B	102	1,2	-	0/0/9/11	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	102	SVA	OG-CB	-3.05	1.34	1.43
1	B	102	SVA	OG-V	-2.60	1.70	1.80
1	A	102	SVA	OG-V	-2.04	1.72	1.80

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	A	970	-	4,4,4	0.76	0	6,6,6	0.24	0
3	SO4	B	971	-	4,4,4	0.93	0	6,6,6	0.62	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.