

Full wwPDB X-ray Structure Validation Report (i)

Oct 13, 2021 – 12:59 pm BST

:	7B8T
:	Levofloxacin bound structure of bacterial efflux pump.
:	Wilhelm, J.; Sjuts, H.; Pos, K.M.
:	2020-12-13
:	2.70 Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	613	% • 87%	8%	6%
1	В	613	% • •	11%	6%
1	C	613	2% 83%	10%	7%
2	D	169	% • •	7%	5%
2	Е	169	80%	12%	8%



Mol	Chain	Length	Quality of chain		
2	F	169	89%	6%	5%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 16823 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Multidrug efflux pump subunit AcrB,Multidrug efflux pump subunit AcrB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	٨	578	Total	С	Ν	0	S	0	0	0
	576	4405	2766	746	871	22	0	0	0	
1	В	E 70	Total	С	Ν	0	S	0	0	0
	576	4405	2766	746	871	22	0	0	0	
1	1 0	579	Total	С	Ν	0	S	0	0	0
	U	512	4358	2739	738	859	22	0		

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	38	SER	-	expression tag	UNP P31224
А	552	GLY	-	linker	UNP P31224
А	553	GLY	-	linker	UNP P31224
А	554	SER	-	linker	UNP P31224
А	555	GLY	-	linker	UNP P31224
А	556	GLY	-	linker	UNP P31224
А	557	SER	-	linker	UNP P31224
А	558	GLY	-	linker	UNP P31224
А	559	GLY	-	linker	UNP P31224
А	560	SER	-	linker	UNP P31224
А	870	SER	-	expression tag	UNP P31224
А	871	ALA	-	expression tag	UNP P31224
А	872	LEU	-	expression tag	UNP P31224
В	38	SER	-	expression tag	UNP P31224
В	552	GLY	-	linker	UNP P31224
В	553	GLY	-	linker	UNP P31224
В	554	SER	-	linker	UNP P31224
В	555	GLY	-	linker	UNP P31224
В	556	GLY	-	linker	UNP P31224
В	557	SER	-	linker	UNP P31224
В	558	GLY	-	linker	UNP P31224
В	559	GLY	-	linker	UNP P31224



Continued from previous page									
Chain	Residue	Modelled	Actual	Comment	Reference				
В	560	SER	-	linker	UNP P31224				
В	870	SER	-	expression tag	UNP P31224				
В	871	ALA	-	expression tag	UNP P31224				
В	872	LEU	-	expression tag	UNP P31224				
С	38	SER	-	expression tag	UNP P31224				
С	552	GLY	-	linker	UNP P31224				
С	553	GLY	-	linker	UNP P31224				
С	554	SER	-	linker	UNP P31224				
С	555	GLY	-	linker	UNP P31224				
С	556	GLY	-	linker	UNP P31224				
С	557	SER	-	linker	UNP P31224				
С	558	GLY	-	linker	UNP P31224				
С	559	GLY	-	linker	UNP P31224				
С	560	SER	-	linker	UNP P31224				
С	870	SER	-	expression tag	UNP P31224				
С	871	ALA	-	expression tag	UNP P31224				
С	872	LEU	-	expression tag	UNP P31224				

• Molecule 2 is a protein called DARPin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	Л	160	Total	С	Ν	0	S	0	0	0
	100	1218	766	219	232	1	0	0	0	
0	9 E	155	Total	С	Ν	0	S	0	0	0
	199	1173	739	205	228	1	0	0	0	
0	9 F	161	Total	С	Ν	0	S	0	0	0
	Г		1228	772	222	233	1	0		0

• Molecule 3 is (3S)-9-fluoro-3-methyl-10-(4-methylpiperazin-1-yl)-7-oxo-2,3-dihydro-7H-[1,4]o xazino[2,3,4-ij]quinoline-6-carboxylic acid (three-letter code: LFX) (formula: C₁₈H₂₀FN₃O₄) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3 C	1	Total	С	F	Ν	Ο	0	0
	1	26	18	1	3	4	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total O 1 1	0	0
4	В	4	Total O 4 4	0	0
4	С	5	Total O 5 5	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Multidrug efflux pump subunit AcrB,Multidrug efflux pump subunit AcrB







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	108.65Å 145.49Å 175.16Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\texttt{A}}{A} \right)$	49.75 - 2.70	Depositor
Resolution (A)	49.75 - 2.70	EDS
% Data completeness	98.0 (49.75-2.70)	Depositor
(in resolution range)	98.0(49.75-2.70)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.35 (at 2.69 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
B B.	0.220 , 0.269	Depositor
II, II free	0.219 , 0.268	DCC
R_{free} test set	3759 reflections $(4.98%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	58.2	Xtriage
Anisotropy	0.755	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	(Not available), (Not available)	EDS
L-test for $twinning^2$	$ < L > = 0.49, < L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16823	wwPDB-VP
Average B, all atoms $(Å^2)$	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: LFX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	Bond lengths		angles
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.25	0/4480	0.43	0/6070
1	В	0.27	0/4480	0.45	0/6070
1	С	0.25	0/4433	0.44	0/6005
2	D	0.23	0/1242	0.38	0/1689
2	Е	0.24	0/1192	0.42	0/1621
2	F	0.24	0/1253	0.45	0/1704
All	All	0.25	0/17080	0.44	0/23159

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4405	0	4343	24	0
1	В	4405	0	4343	51	0
1	С	4358	0	4300	40	0
2	D	1218	0	1186	5	0
2	Е	1173	0	1156	13	0
2	F	1228	0	1193	6	0
3	С	26	0	19	1	0



0 0 1 0 0 0	e chundada ji chu pretto de pagem					
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	А	1	0	0	0	0
4	В	4	0	0	0	0
4	С	5	0	0	0	0
All	All	16823	0	16540	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:225:VAL:HG12	1:C:778:LYS:HZ3	1.43	0.83
1:B:225:VAL:HG12	1:C:778:LYS:NZ	2.00	0.77
1:B:843:LEU:HD13	1:B:847:LEU:HD11	1.66	0.75
1:B:584:GLN:HG3	1:B:613:ASN:ND2	2.04	0.72
1:B:584:GLN:HG3	1:B:613:ASN:HD21	1.55	0.72
1:A:649:MET:HG2	1:A:653:ARG:HH21	1.55	0.70
1:B:662:MET:HB3	1:B:664:PHE:HE2	1.56	0.70
1:B:843:LEU:HD13	1:B:847:LEU:CD1	2.21	0.70
2:E:126:LEU:HD12	2:E:164:ILE:HD12	1.74	0.68
1:C:764:ASP:HB3	1:C:769:LYS:HD2	1.78	0.66
1:B:843:LEU:CD1	1:B:847:LEU:HD11	2.26	0.66
1:B:712:MET:HG3	1:B:713:LEU:HD22	1.78	0.66
1:B:847:LEU:H	1:B:847:LEU:HD12	1.63	0.64
1:B:277:ILE:HD13	1:B:615:PHE:HB2	1.79	0.64
1:B:713:LEU:CD2	1:B:843:LEU:HD12	2.28	0.63
1:C:57:VAL:HG21	1:C:86:GLY:HA2	1.80	0.63
2:E:31:ARG:HB2	2:E:31:ARG:HH11	1.64	0.62
1:C:778:LYS:HD2	1:C:778:LYS:H	1.65	0.61
1:C:45:ILE:HG12	1:C:129:VAL:HG22	1.83	0.61
1:A:222:THR:HA	1:A:224:PRO:HD3	1.83	0.60
2:E:126:LEU:HD11	2:E:161:LEU:HB2	1.84	0.60
1:A:652:THR:HG22	1:A:664:PHE:HA	1.84	0.60
2:E:31:ARG:HB2	2:E:31:ARG:NH1	2.16	0.60
1:B:591:LEU:HD12	1:B:613:ASN:HB2	1.84	0.59
2:E:64:GLU:O	2:E:68:LYS:HG3	2.02	0.58
1:A:641:GLU:N	1:A:641:GLU:OE2	2.35	0.58
2:F:90:PHE:HE1	2:F:123:ARG:HH12	1.50	0.58
1:B:713:LEU:HD23	1:B:843:LEU:HD12	1.85	0.58
1:B:183:ALA:N	1:B:271:GLY:O	2.32	0.57
1:B:713:LEU:HD11	1:B:840:ALA:HB1	1.86	0.57



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:61:GLU:O	2:E:65:VAL:HG12	2.04	0.57
1:A:652:THR:CG2	1:A:665:ALA:H	2.19	0.56
1:B:172:VAL:HG13	1:B:291:ILE:HG23	1.87	0.56
1:B:705:GLU:HB3	1:B:847:LEU:HD23	1.87	0.56
1:A:183:ALA:N	1:A:271:GLY:O	2.29	0.55
2:F:56:TYR:CE1	2:F:90:PHE:HE2	2.26	0.54
2:D:16:LYS:NZ	2:D:20:GLU:OE1	2.32	0.53
2:D:126:LEU:O	2:D:129:VAL:HG12	2.07	0.53
1:C:169:THR:OG1	1:C:309:GLU:HG3	2.08	0.53
1:A:64:VAL:HG12	1:A:114:ALA:HB1	1.90	0.53
1:A:679:GLY:HA2	1:A:830:GLN:HA	1.89	0.53
2:D:92:HIS:HB3	2:D:95:ILE:HD12	1.91	0.53
1:A:220:GLY:HA2	1:B:781:MET:HE3	1.92	0.52
1:B:837:THR:HA	1:B:840:ALA:HB3	1.90	0.52
1:B:108:GLN:NE2	1:C:109:ASN:HB3	2.25	0.52
2:E:42:ALA:O	2:E:50:PRO:HD3	2.10	0.51
1:B:712:MET:SD	1:B:835:LYS:HD2	2.50	0.51
1:C:758:TYR:CE1	1:C:770:LYS:HG2	2.46	0.51
1:B:637:ARG:O	1:B:643:LYS:HE3	2.10	0.50
2:F:42:ALA:O	2:F:50:PRO:HD3	2.11	0.50
1:B:60:THR:CG2	1:B:119:PRO:HG3	2.40	0.50
1:C:183:ALA:HB2	1:C:273:GLU:HG2	1.93	0.50
1:C:42:ALA:HB2	1:C:93:THR:HG22	1.94	0.50
1:A:109:ASN:HB3	1:C:108:GLN:NE2	2.27	0.49
1:A:607:GLU:HB2	1:A:632:LYS:HG2	1.94	0.49
1:C:775:SER:HB3	1:C:780:ARG:HD3	1.94	0.49
1:B:641:GLU:OE2	1:B:641:GLU:N	2.26	0.49
1:B:57:VAL:CG1	1:B:88:VAL:HG22	2.43	0.48
1:B:586:ARG:NH2	1:B:660:ASP:O	2.46	0.48
1:A:59:ASP:HB3	1:C:763:ILE:HD11	1.95	0.48
1:A:143:ILE:HG22	1:A:286:ALA:HB2	1.95	0.48
1:A:213:GLN:HG3	1:B:56:THR:HG23	1.94	0.48
2:E:62:ILE:HA	2:E:65:VAL:HG12	1.94	0.48
2:E:65:VAL:O	2:E:69:ASN:ND2	2.38	0.48
1:C:136:PHE:CD2	3:C:901:LFX:H02	2.49	0.48
2:F:56:TYR:CD1	2:F:90:PHE:HE2	2.32	0.47
1:B:711:ASP:O	1:B:835:LYS:NZ	2.47	0.47
1:B:712:MET:HG2	1:B:843:LEU:HG	1.96	0.47
1:C:634:TRP:HD1	1:C:635:ALA:N	2.12	0.47
1:C:685:ILE:HD11	1:C:858:ASP:HB2	1.96	0.47
1:C:777:ALA:O	1:C:781:MET:HG2	2.13	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:184:MET:HB3	1:A:771:VAL:HG22	1.96	0.47
1:B:843:LEU:O	1:B:847:LEU:HD12	2.15	0.46
1:B:713:LEU:HD21	1:B:843:LEU:HD12	1.98	0.46
1:C:638:PRO:O	1:C:642:ASN:ND2	2.48	0.46
1:B:154:ILE:O	1:B:158:VAL:HG23	2.16	0.46
1:C:778:LYS:HD2	1:C:778:LYS:N	2.29	0.46
1:B:281:PHE:O	1:B:284:GLN:HG2	2.15	0.46
1:C:146:ASP:OD1	1:C:320:GLY:HA3	2.14	0.46
1:C:186:ILE:HB	1:C:773:VAL:HG23	1.97	0.46
1:C:190:PRO:HB3	1:C:789:TRP:CE3	2.51	0.45
2:D:42:ALA:O	2:D:50:PRO:HD3	2.16	0.45
1:B:302:THR:HG22	1:B:306:ILE:HD11	1.98	0.45
1:C:53:ASP:O	1:C:57:VAL:HG23	2.16	0.45
1:A:108:GLN:HB2	1:A:129:VAL:HG21	1.97	0.45
1:A:572:PHE:HE1	1:A:631:LEU:HD21	1.82	0.45
1:C:200:PRO:HD2	1:C:749:THR:HG23	1.98	0.44
1:B:163:LYS:HE2	1:B:175:VAL:HG12	2.00	0.44
1:B:170:SER:OG	1:B:171:GLY:N	2.50	0.44
1:C:84:SER:OG	1:C:814:PRO:HB2	2.18	0.44
1:B:633:ASP:OD1	1:B:634:TRP:N	2.50	0.44
1:C:327:TYR:CE1	1:C:571:VAL:HB	2.53	0.44
2:E:23:ARG:HB2	2:E:53:LEU:HD22	2.00	0.44
1:B:225:VAL:CG1	1:C:778:LYS:NZ	2.77	0.43
1:A:832:ALA:HB3	1:A:835:LYS:HE2	1.99	0.43
1:B:842:GLU:O	1:B:846:GLN:HG3	2.18	0.43
2:E:62:ILE:HA	2:E:65:VAL:CG1	2.48	0.43
2:F:67:LEU:HD11	2:F:99:LEU:HD23	2.00	0.43
1:B:640:GLU:N	1:B:641:GLU:OE2	2.51	0.43
1:A:726:GLN:HA	1:C:232:ALA:HB1	2.00	0.43
2:F:10:HIS:O	2:F:12:SER:N	2.52	0.43
1:B:95:GLU:O	1:B:98:THR:OG1	2.28	0.43
1:C:634:TRP:CD1	1:C:635:ALA:N	2.87	0.43
1:B:55:LYS:NZ	1:B:59:ASP:OD2	2.41	0.42
1:B:137:LEU:N	1:B:291:ILE:O	2.45	0.42
1:B:166:ILE:HD12	1:B:306:ILE:HG23	2.01	0.42
1:A:276:ASP:O	1:A:614:GLY:HA3	2.19	0.42
2:E:27:ASP:OD2	2:E:61:GLU:HG3	2.19	0.42
1:A:649:MET:HG2	1:A:653:ARG:NH2	2.30	0.42
1:C:72:ILE:HD13	1:C:107:VAL:HG22	2.00	0.42
2:E:51:LEU:HD11	2:E:63:VAL:HG13	2.01	0.42
1:B:277:ILE:CD1	1:B:615:PHE:HB2	2.49	0.42



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:A:681:ASP:HB3	1:A:860:THR:O	2.20	0.41
1:C:684:LEU:HD12	1:C:856:GLY:O	2.20	0.41
1:B:684:LEU:O	1:B:824:SER:HA	2.20	0.41
1:C:184:MET:HB3	1:C:771:VAL:HG22	2.02	0.41
1:A:167:SER:HB3	1:B:70:ASN:HB3	2.03	0.41
1:C:189:ASN:ND2	1:C:779:TYR:OH	2.54	0.41
1:C:686:ASP:HB2	1:C:695:LEU:HD22	2.01	0.41
1:A:777:ALA:O	1:A:781:MET:HG2	2.21	0.41
1:B:682:PHE:CZ	1:B:857:TYR:HB2	2.55	0.41
1:B:190:PRO:HB3	1:B:789:TRP:CE3	2.56	0.41
1:B:835:LYS:HD3	1:B:839:GLU:OE1	2.21	0.41
1:C:156:ASP:OD2	1:C:765:ARG:NH1	2.52	0.41
2:D:109:LYS:HG2	2:D:115:THR:HG22	2.02	0.40
1:C:637:ARG:NH1	1:C:642:ASN:O	2.51	0.40
1:C:637:ARG:O	1:C:643:LYS:NZ	2.54	0.40
1:C:743:ILE:HD13	1:C:743:ILE:HA	1.97	0.40
1:C:571:VAL:HG12	1:C:630:SER:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	572/613~(93%)	559~(98%)	13 (2%)	0	100	100
1	В	572/613~(93%)	556 (97%)	14 (2%)	2(0%)	41	66
1	С	566/613~(92%)	542 (96%)	22 (4%)	2 (0%)	34	60
2	D	158/169~(94%)	151 (96%)	7 (4%)	0	100	100
2	Е	153/169~(90%)	149 (97%)	4 (3%)	0	100	100
2	F	159/169~(94%)	153 (96%)	5 (3%)	1 (1%)	25	50
All	All	2180/2346~(93%)	2110 (97%)	65 (3%)	5(0%)	47	73



All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	170	SER
2	F	11	GLY
1	С	135	SER
1	С	136	PHE
1	В	778	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	470/495~(95%)	460 (98%)	10 (2%)	53 80
1	В	470/495~(95%)	463 (98%)	7 (2%)	65 86
1	С	464/495~(94%)	457 (98%)	7(2%)	65 86
2	D	124/132~(94%)	122 (98%)	2(2%)	62 85
2	Ε	120/132~(91%)	117~(98%)	3(2%)	47 76
2	F	125/132~(95%)	125 (100%)	0	100 100
All	All	1773/1881 (94%)	1744 (98%)	29 (2%)	62 85

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	49	TYR
1	А	55	LYS
1	А	83	ASP
1	А	313	MET
1	А	636	ASP
1	А	664	PHE
1	А	667	ASN
1	А	711	ASP
1	А	717	ARG
1	А	801	PHE
1	В	49	TYR
1	В	133	SER



Mol	Chain	Res	Type
1	В	617	PHE
1	В	643	LYS
1	В	801	PHE
1	В	815	ARG
1	В	835	LYS
1	С	49	TYR
1	С	238	THR
1	С	327	TYR
1	С	634	TRP
1	С	647	ILE
1	С	712	MET
1	С	801	PHE
2	D	23	ARG
2	D	81	SER
2	Е	12	SER
2	Е	28	ASP
2	Е	160	ASP

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such side chains are listed below:

Mol	Chain	Res	Type
1	А	108	GLN
1	А	667	ASN
1	В	613	ASN
1	С	89	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain Re		Dog	Link	Bond lengths			Bond angles		
	Moi Type Ci	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	LFX	С	901	-	21,29,29	1.07	2 (9%)	25,44,44	0.92	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFX	С	901	-	-	0/4/27/27	0/3/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
3	С	901	LFX	С17-С	4.14	1.51	1.47
3	С	901	LFX	O02-C15	2.10	1.27	1.23

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	С	901	LFX	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is



within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	578/613~(94%)	-0.01	5 (0%) 84 85	41, 59, 89, 113	0
1	В	578/613~(94%)	-0.11	4 (0%) 87 89	39, 57, 88, 114	0
1	С	572/613~(93%)	0.02	10 (1%) 70 72	43, 64, 100, 127	0
2	D	160/169~(94%)	-0.07	1 (0%) 89 91	50, 65, 84, 110	0
2	Ε	155/169~(91%)	-0.12	3 (1%) 66 69	52, 67, 91, 102	0
2	F	161/169~(95%)	-0.09	0 100 100	55, 71, 94, 108	0
All	All	2204/2346~(93%)	-0.04	23 (1%) 82 83	39, 62, 94, 127	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	170	SER	5.1
1	С	618	ALA	3.9
1	А	834	GLY	3.0
1	С	660	ASP	2.9
1	С	299	ALA	2.8
1	А	664	PHE	2.8
1	С	327	TYR	2.7
1	С	134	SER	2.6
2	Е	162	ALA	2.6
1	В	299	ALA	2.5
1	В	712	MET	2.5
2	D	31	ARG	2.3
1	С	301	ASP	2.3
1	С	649	MET	2.3
1	С	291	ILE	2.3
2	E	163	GLU	2.3
1	А	569	GLN	2.3
1	В	39	ALA	2.3
1	С	635	ALA	2.2



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Е	150	PHE	2.1
1	А	712	MET	2.1
1	В	664	PHE	2.1
1	А	831	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{\AA}^2)$	Q<0.9
3	LFX	С	901	26/26	0.87	0.28	$65,\!82,\!93,\!95$	26

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

