



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 6, 2023 – 02:15 pm GMT

PDB ID : 4BAA
Title : Redesign of a Phenylalanine Aminomutase into a beta-Phenylalanine Ammonia Lyase
Authors : Bartsch, S.; Wybenga, G.G.; Jansen, M.; Heberling, M.M.; Wu, B.; Dijkstra, B.W.; Janssen, D.B.
Deposited on : 2012-09-12
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	705	
1	B	705	
1	C	705	
1	D	705	

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 19964 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHENYLALANINE AMMONIA-LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	636	4933	3129	847	934	23	0	0	0
1	B	644	4998	3171	857	947	23	0	0	0
1	C	618	4812	3062	825	903	22	0	0	0
1	D	642	4981	3160	855	943	23	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP Q68G84
A	-18	GLY	-	expression tag	UNP Q68G84
A	-17	SER	-	expression tag	UNP Q68G84
A	-16	SER	-	expression tag	UNP Q68G84
A	-15	HIS	-	expression tag	UNP Q68G84
A	-14	HIS	-	expression tag	UNP Q68G84
A	-13	HIS	-	expression tag	UNP Q68G84
A	-12	HIS	-	expression tag	UNP Q68G84
A	-11	HIS	-	expression tag	UNP Q68G84
A	-10	HIS	-	expression tag	UNP Q68G84
A	-9	SER	-	expression tag	UNP Q68G84
A	-8	SER	-	expression tag	UNP Q68G84
A	-7	GLY	-	expression tag	UNP Q68G84
A	-6	LEU	-	expression tag	UNP Q68G84
A	-5	VAL	-	expression tag	UNP Q68G84
A	-4	PRO	-	expression tag	UNP Q68G84
A	-3	ARG	-	expression tag	UNP Q68G84
A	-2	GLY	-	expression tag	UNP Q68G84
A	-1	SER	-	expression tag	UNP Q68G84
A	0	HIS	-	expression tag	UNP Q68G84
A	92	SER	ARG	engineered mutation	UNP Q68G84

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	175	MDO	ALA	chromophore	UNP Q68G84
A	175	MDO	SER	chromophore	UNP Q68G84
A	175	MDO	GLY	chromophore	UNP Q68G84
B	-19	MET	-	expression tag	UNP Q68G84
B	-18	GLY	-	expression tag	UNP Q68G84
B	-17	SER	-	expression tag	UNP Q68G84
B	-16	SER	-	expression tag	UNP Q68G84
B	-15	HIS	-	expression tag	UNP Q68G84
B	-14	HIS	-	expression tag	UNP Q68G84
B	-13	HIS	-	expression tag	UNP Q68G84
B	-12	HIS	-	expression tag	UNP Q68G84
B	-11	HIS	-	expression tag	UNP Q68G84
B	-10	HIS	-	expression tag	UNP Q68G84
B	-9	SER	-	expression tag	UNP Q68G84
B	-8	SER	-	expression tag	UNP Q68G84
B	-7	GLY	-	expression tag	UNP Q68G84
B	-6	LEU	-	expression tag	UNP Q68G84
B	-5	VAL	-	expression tag	UNP Q68G84
B	-4	PRO	-	expression tag	UNP Q68G84
B	-3	ARG	-	expression tag	UNP Q68G84
B	-2	GLY	-	expression tag	UNP Q68G84
B	-1	SER	-	expression tag	UNP Q68G84
B	0	HIS	-	expression tag	UNP Q68G84
B	92	SER	ARG	engineered mutation	UNP Q68G84
B	175	MDO	ALA	chromophore	UNP Q68G84
B	175	MDO	SER	chromophore	UNP Q68G84
B	175	MDO	GLY	chromophore	UNP Q68G84
C	-19	MET	-	expression tag	UNP Q68G84
C	-18	GLY	-	expression tag	UNP Q68G84
C	-17	SER	-	expression tag	UNP Q68G84
C	-16	SER	-	expression tag	UNP Q68G84
C	-15	HIS	-	expression tag	UNP Q68G84
C	-14	HIS	-	expression tag	UNP Q68G84
C	-13	HIS	-	expression tag	UNP Q68G84
C	-12	HIS	-	expression tag	UNP Q68G84
C	-11	HIS	-	expression tag	UNP Q68G84
C	-10	HIS	-	expression tag	UNP Q68G84
C	-9	SER	-	expression tag	UNP Q68G84
C	-8	SER	-	expression tag	UNP Q68G84
C	-7	GLY	-	expression tag	UNP Q68G84
C	-6	LEU	-	expression tag	UNP Q68G84
C	-5	VAL	-	expression tag	UNP Q68G84

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	expression tag	UNP Q68G84
C	-3	ARG	-	expression tag	UNP Q68G84
C	-2	GLY	-	expression tag	UNP Q68G84
C	-1	SER	-	expression tag	UNP Q68G84
C	0	HIS	-	expression tag	UNP Q68G84
C	92	SER	ARG	engineered mutation	UNP Q68G84
C	175	MDO	ALA	chromophore	UNP Q68G84
C	175	MDO	SER	chromophore	UNP Q68G84
C	175	MDO	GLY	chromophore	UNP Q68G84
D	-19	MET	-	expression tag	UNP Q68G84
D	-18	GLY	-	expression tag	UNP Q68G84
D	-17	SER	-	expression tag	UNP Q68G84
D	-16	SER	-	expression tag	UNP Q68G84
D	-15	HIS	-	expression tag	UNP Q68G84
D	-14	HIS	-	expression tag	UNP Q68G84
D	-13	HIS	-	expression tag	UNP Q68G84
D	-12	HIS	-	expression tag	UNP Q68G84
D	-11	HIS	-	expression tag	UNP Q68G84
D	-10	HIS	-	expression tag	UNP Q68G84
D	-9	SER	-	expression tag	UNP Q68G84
D	-8	SER	-	expression tag	UNP Q68G84
D	-7	GLY	-	expression tag	UNP Q68G84
D	-6	LEU	-	expression tag	UNP Q68G84
D	-5	VAL	-	expression tag	UNP Q68G84
D	-4	PRO	-	expression tag	UNP Q68G84
D	-3	ARG	-	expression tag	UNP Q68G84
D	-2	GLY	-	expression tag	UNP Q68G84
D	-1	SER	-	expression tag	UNP Q68G84
D	0	HIS	-	expression tag	UNP Q68G84
D	92	SER	ARG	engineered mutation	UNP Q68G84
D	175	MDO	ALA	chromophore	UNP Q68G84
D	175	MDO	SER	chromophore	UNP Q68G84
D	175	MDO	GLY	chromophore	UNP Q68G84

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	67	Total O 67 67	0	0
2	B	59	Total O 59 59	0	0
2	C	61	Total O 61 61	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	53	Total	O	0	0
			53	53		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: PHENYLALANINE AMMONIA-LYASE





- Molecule 1: PHENYLALANINE AMMONIA-LYASE



- Molecule 1: PHENYLALANINE AMMONIA-LYASE



● Molecule 1: PHENYLALANINE AMMONIA-LYASE



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	99.30Å 145.84Å 99.41Å 90.00° 99.96° 90.00°	Depositor
Resolution (Å)	48.90 – 2.50 48.05 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.0 (48.90-2.50) 98.0 (48.05-2.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.209 , 0.246 0.208 , 0.245	Depositor DCC
R_{free} test set	4716 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtrriage
Anisotropy	0.023	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 25.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.022 for l,-k,h	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	19964	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	0/5004	0.49	0/6790
1	B	0.40	1/5070 (0.0%)	0.49	0/6880
1	C	0.41	3/4880 (0.1%)	0.48	0/6618
1	D	0.45	1/5053 (0.0%)	0.50	0/6857
All	All	0.41	5/20007 (0.0%)	0.49	0/27145

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	330	TRP	CD2-CE2	5.10	1.47	1.41
1	C	68	TRP	CD2-CE2	5.05	1.47	1.41
1	D	294	TRP	CD2-CE2	5.03	1.47	1.41
1	C	149	TRP	CD2-CE2	5.03	1.47	1.41
1	C	294	TRP	CD2-CE2	5.02	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4933	0	4974	28	0
1	B	4998	0	5049	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	4812	0	4885	31	0
1	D	4981	0	5032	32	0
2	A	67	0	0	0	0
2	B	59	0	0	1	0
2	C	61	0	0	0	0
2	D	53	0	0	0	0
All	All	19964	0	19940	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:83:THR:HG23	1:D:94:THR:O	1.63	0.96
1:D:145:SER:O	1:D:224:LYS:HE3	1.70	0.92
1:D:320:ASP:O	1:D:325:ARG:NH1	2.03	0.89
1:D:83:THR:CG2	1:D:94:THR:O	2.20	0.88
1:A:35:ILE:H	1:A:350:ASN:HD21	1.26	0.81
1:D:506:VAL:HG21	1:D:599:VAL:HG21	1.71	0.72
1:D:29:VAL:O	1:D:29:VAL:HG23	1.87	0.71
1:A:224:LYS:HE2	1:A:356:PRO:HD2	1.71	0.71
1:B:407:SER:HB3	1:B:410:LEU:HB2	1.74	0.69
1:B:224:LYS:HE2	1:B:356:PRO:HD2	1.76	0.66
1:A:352:ALA:HB3	1:B:279:VAL:CG1	2.27	0.64
1:D:29:VAL:O	1:D:29:VAL:CG2	2.46	0.63
1:C:506:VAL:HG21	1:C:599:VAL:HG21	1.80	0.62
1:D:227:LEU:O	1:D:231:ASN:HB2	2.02	0.59
1:B:29:VAL:HG12	1:B:35:ILE:HD11	1.83	0.59
1:B:424:TYR:OH	1:D:85:GLY:HA2	2.02	0.58
1:A:29:VAL:HG12	1:A:141:THR:HG21	1.85	0.58
1:A:35:ILE:H	1:A:350:ASN:ND2	2.00	0.58
1:C:446:PRO:HD3	1:D:446:PRO:HD3	1.86	0.58
1:B:512:SER:HB2	1:B:529:LEU:HD21	1.87	0.57
1:D:224:LYS:HG3	1:D:224:LYS:O	2.04	0.57
1:D:437:SER:O	1:D:441:GLN:HG2	2.05	0.57
1:D:80:TYR:HA	1:D:84:THR:HG23	1.87	0.56
1:A:227:LEU:O	1:A:231:ASN:HB2	2.07	0.55
1:C:43:LEU:HD13	1:C:134:LEU:HD22	1.89	0.54
1:B:632:VAL:HA	1:B:636:LEU:HD12	1.89	0.53
1:A:446:PRO:HD3	1:B:446:PRO:HD3	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:384:ARG:HD2	1:B:443:LEU:O	2.10	0.52
1:A:352:ALA:HB3	1:B:279:VAL:HG12	1.92	0.51
1:C:632:VAL:HA	1:C:636:LEU:HD12	1.93	0.50
1:C:384:ARG:HG2	1:C:444:ALA:HA	1.93	0.50
1:D:531:VAL:O	1:D:535:VAL:HG22	2.12	0.50
1:C:51:VAL:HG21	1:C:159:LEU:HD13	1.94	0.50
1:B:178:ASP:HB3	1:B:181:PRO:HG2	1.93	0.49
1:D:632:VAL:HA	1:D:636:LEU:HD12	1.93	0.49
1:B:227:LEU:O	1:B:231:ASN:HB2	2.12	0.49
1:A:111:GLY:O	1:C:650:GLN:HG3	2.13	0.48
1:C:300:PRO:HB2	1:C:619:ARG:HG3	1.94	0.48
1:A:94:THR:HG22	1:A:96:ARG:H	1.79	0.48
1:A:384:ARG:HG2	1:A:444:ALA:HA	1.96	0.48
1:A:632:VAL:HA	1:A:636:LEU:HD12	1.96	0.48
1:A:85:GLY:HA2	1:C:424:TYR:OH	2.14	0.48
1:D:80:TYR:HA	1:D:84:THR:CG2	2.43	0.47
1:B:437:SER:O	1:B:441:GLN:HG2	2.14	0.47
1:C:182:LEU:HD23	1:C:185:ILE:HD12	1.96	0.47
1:B:85:GLY:HA2	1:D:424:TYR:OH	2.14	0.47
1:C:506:VAL:CG2	1:C:599:VAL:HG21	2.43	0.47
1:B:51:VAL:HG21	1:B:159:LEU:HD13	1.95	0.47
1:A:178:ASP:HB3	1:A:181:PRO:HG2	1.96	0.46
1:C:291:LEU:HD11	1:C:673:LEU:HD22	1.98	0.46
1:B:182:LEU:HD23	1:B:185:ILE:HD12	1.98	0.46
1:C:387:VAL:HG13	1:C:479:LEU:HD22	1.97	0.46
1:A:299:SER:HA	1:A:300:PRO:HD3	1.81	0.46
1:C:136:ARG:HD3	1:C:182:LEU:HD22	1.97	0.46
1:D:255:GLU:HG2	1:D:331:LEU:HD13	1.98	0.46
1:A:43:LEU:HD22	1:A:134:LEU:HD22	1.99	0.45
1:B:265:ILE:O	1:B:266:PHE:HB2	2.14	0.45
1:D:384:ARG:HG2	1:D:444:ALA:HA	1.98	0.45
1:A:88:ALA:HB2	1:A:458:ASN:HB2	1.98	0.45
1:B:557:GLN:HB3	2:B:2054:HOH:O	2.17	0.45
1:C:537:VAL:HA	1:C:540:TYR:CE2	2.51	0.45
1:A:207:ALA:N	1:A:208:PRO:HD2	2.32	0.45
1:A:636:LEU:HD22	1:A:655:LYS:HB3	1.98	0.45
1:C:437:SER:O	1:C:441:GLN:HG2	2.17	0.45
1:A:418:PRO:O	1:A:542:GLU:HG3	2.17	0.45
1:D:182:LEU:HD21	1:D:234:SER:HB2	1.99	0.45
1:D:88:ALA:HB2	1:D:458:ASN:HB2	1.99	0.44
1:D:567:HIS:HA	1:D:574:THR:HG21	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:ALA:O	1:A:59:ARG:HB3	2.17	0.44
1:B:81:GLY:HA3	1:B:227:LEU:HD22	1.99	0.44
1:C:224:LYS:HE3	1:C:356:PRO:HD2	1.98	0.44
1:A:512:SER:HB2	1:A:529:LEU:HD21	1.99	0.44
1:A:51:VAL:HG21	1:A:159:LEU:HD13	1.99	0.44
1:A:263:GLU:OE2	1:A:299:SER:OG	2.28	0.44
1:B:560:PHE:HB2	1:C:560:PHE:HB2	1.99	0.44
1:C:123:GLU:HG3	1:C:198:ARG:HH22	1.83	0.43
1:D:43:LEU:HD22	1:D:134:LEU:HD22	2.00	0.43
1:C:348:GLU:OE1	1:D:280:LYS:HE3	2.18	0.43
1:D:537:VAL:HA	1:D:540:TYR:CE2	2.53	0.43
1:A:27:ILE:CD1	1:A:43:LEU:HB2	2.49	0.42
1:C:531:VAL:O	1:C:535:VAL:HG22	2.19	0.42
1:C:322:TYR:CZ	1:D:459:GLN:HG2	2.54	0.42
1:D:82:VAL:HG23	1:D:83:THR:OG1	2.18	0.42
1:A:437:SER:O	1:A:441:GLN:HG2	2.20	0.42
1:C:165:PRO:HA	1:C:197:ALA:HA	2.01	0.42
1:B:199:ILE:HB	1:B:203:VAL:HG22	2.01	0.42
1:D:180:ILE:HB	1:D:181:PRO:HD3	2.02	0.41
1:B:545:CYS:SG	1:B:589:SER:HA	2.61	0.41
1:C:43:LEU:HD11	1:C:51:VAL:HG22	2.02	0.41
1:D:83:THR:HG22	1:D:83:THR:O	2.20	0.41
1:C:102:GLU:HG3	1:C:221:LEU:HD12	2.03	0.41
1:C:379:TYR:O	1:C:383:VAL:HG23	2.20	0.41
1:D:79:ILE:O	1:D:84:THR:HG23	2.20	0.41
1:B:163:VAL:HG22	1:B:199:ILE:HG12	2.03	0.41
1:D:84:THR:HA	1:D:92:SER:O	2.21	0.41
1:D:524:THR:HG23	1:D:562:THR:HG21	2.01	0.41
1:A:501:GLU:OE2	1:A:619:ARG:NH1	2.51	0.41
1:C:262:CYS:HB2	1:C:324:LEU:HD11	2.03	0.41
1:C:295:LEU:HA	1:C:624:LYS:HD2	2.02	0.41
1:B:262:CYS:HB2	1:B:324:LEU:HD11	2.03	0.41
1:C:299:SER:HA	1:C:300:PRO:HD3	1.91	0.41
1:C:136:ARG:HH22	1:C:354:ASP:HB3	1.86	0.40
1:C:37:VAL:HG13	1:C:346:GLU:HG3	2.02	0.40
1:A:163:VAL:HA	1:A:198:ARG:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	623/705 (88%)	609 (98%)	14 (2%)	0	100	100
1	B	633/705 (90%)	619 (98%)	13 (2%)	1 (0%)	47	68
1	C	603/705 (86%)	593 (98%)	10 (2%)	0	100	100
1	D	631/705 (90%)	616 (98%)	15 (2%)	0	100	100
All	All	2490/2820 (88%)	2437 (98%)	52 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	90	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	538/592 (91%)	527 (98%)	11 (2%)	55	79
1	B	546/592 (92%)	529 (97%)	17 (3%)	40	67
1	C	526/592 (89%)	521 (99%)	5 (1%)	76	90
1	D	544/592 (92%)	530 (97%)	14 (3%)	46	72
All	All	2154/2368 (91%)	2107 (98%)	47 (2%)	52	77

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	VAL
1	A	94	THR
1	A	231	ASN
1	A	268	ARG
1	A	278	LYS
1	A	279	VAL
1	A	334	LEU
1	A	353	ASN
1	A	392	LYS
1	A	481	LEU
1	A	602	LEU
1	B	59	ARG
1	B	82	VAL
1	B	102	GLU
1	B	107	CYS
1	B	201	ASP
1	B	203	VAL
1	B	231	ASN
1	B	268	ARG
1	B	334	LEU
1	B	455	GLU
1	B	481	LEU
1	B	552	LEU
1	B	553	LEU
1	B	555	LEU
1	B	574	THR
1	B	618	VAL
1	B	640	VAL
1	C	231	ASN
1	C	268	ARG
1	C	279	VAL
1	C	555	LEU
1	C	575	ASP
1	D	82	VAL
1	D	84	THR
1	D	96	ARG
1	D	224	LYS
1	D	231	ASN
1	D	268	ARG
1	D	279	VAL
1	D	324	LEU
1	D	325	ARG
1	D	353	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	481	LEU
1	D	555	LEU
1	D	576	THR
1	D	602	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	231	ASN
1	A	350	ASN
1	A	413	ASN
1	A	459	GLN
1	A	671	HIS
1	B	162	ASN
1	B	231	ASN
1	C	231	ASN
1	C	621	GLN
1	D	231	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	MDO	C	175	1	12,13,14	2.85	6 (50%)	15,18,20	3.24	4 (26%)
1	MDO	D	175	1	12,13,14	2.80	6 (50%)	15,18,20	3.30	4 (26%)
1	MDO	A	175	1	12,13,14	2.80	6 (50%)	15,18,20	3.55	4 (26%)
1	MDO	B	175	1	12,13,14	2.79	6 (50%)	15,18,20	3.40	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MDO	C	175	1	-	2/4/23/24	0/1/1/1
1	MDO	D	175	1	-	0/4/23/24	0/1/1/1
1	MDO	A	175	1	-	0/4/23/24	0/1/1/1
1	MDO	B	175	1	-	1/4/23/24	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	175	MDO	O2-C2	6.35	1.36	1.23
1	D	175	MDO	O2-C2	6.34	1.36	1.23
1	A	175	MDO	O2-C2	6.27	1.36	1.23
1	B	175	MDO	O2-C2	6.19	1.36	1.23
1	D	175	MDO	O3-C3	4.24	1.44	1.19
1	C	175	MDO	O3-C3	4.21	1.43	1.19
1	A	175	MDO	O3-C3	4.18	1.43	1.19
1	B	175	MDO	O3-C3	4.15	1.43	1.19
1	C	175	MDO	CA1-C1	3.18	1.55	1.51
1	C	175	MDO	C2-N3	-3.02	1.32	1.39
1	B	175	MDO	CA1-C1	2.96	1.55	1.51
1	B	175	MDO	C2-N3	-2.94	1.32	1.39
1	A	175	MDO	C2-N3	-2.91	1.33	1.39
1	D	175	MDO	CA2-N2	-2.90	1.33	1.39
1	B	175	MDO	CA2-N2	-2.89	1.33	1.39
1	A	175	MDO	CA2-N2	-2.89	1.33	1.39
1	D	175	MDO	C2-N3	-2.87	1.33	1.39
1	C	175	MDO	CA2-N2	-2.86	1.33	1.39
1	D	175	MDO	CA1-C1	2.86	1.55	1.51
1	A	175	MDO	CA1-C1	2.85	1.55	1.51
1	A	175	MDO	CA2-C2	-2.27	1.38	1.43
1	B	175	MDO	CA2-C2	-2.25	1.38	1.43
1	C	175	MDO	CA2-C2	-2.14	1.38	1.43
1	D	175	MDO	CA2-C2	-2.00	1.39	1.43

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	175	MDO	CA2-C2-N3	8.65	107.46	103.37
1	B	175	MDO	CA2-C2-N3	8.30	107.29	103.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	175	MDO	CA2-C2-N3	8.23	107.26	103.37
1	A	175	MDO	O2-C2-CA2	-8.17	126.38	130.96
1	C	175	MDO	CA2-C2-N3	7.94	107.13	103.37
1	B	175	MDO	O2-C2-CA2	-7.67	126.66	130.96
1	C	175	MDO	O2-C2-CA2	-7.32	126.85	130.96
1	D	175	MDO	O2-C2-CA2	-7.17	126.93	130.96
1	A	175	MDO	O3-C3-CA3	-5.49	109.83	126.39
1	B	175	MDO	O3-C3-CA3	-5.30	110.40	126.39
1	D	175	MDO	O3-C3-CA3	-5.15	110.85	126.39
1	C	175	MDO	O3-C3-CA3	-5.15	110.85	126.39
1	B	175	MDO	N3-C1-N2	-2.82	109.50	111.45
1	D	175	MDO	N3-C1-N2	-2.74	109.56	111.45
1	A	175	MDO	N3-C1-N2	-2.74	109.56	111.45
1	C	175	MDO	N3-C1-N2	-2.67	109.61	111.45

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	175	MDO	N2-C1-CA1-CB
1	C	175	MDO	N2-C1-CA1-CB
1	C	175	MDO	N3-C1-CA1-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	635/705 (90%)	-0.01	12 (1%) 66 69	21, 38, 60, 72	0
1	B	643/705 (91%)	0.04	13 (2%) 65 68	20, 37, 63, 84	0
1	C	617/705 (87%)	-0.04	8 (1%) 77 79	20, 36, 54, 76	0
1	D	641/705 (90%)	0.04	18 (2%) 53 56	21, 37, 63, 77	0
All	All	2536/2820 (89%)	0.01	51 (2%) 65 68	20, 37, 61, 84	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	314	LEU	4.9
1	C	314	LEU	3.5
1	B	572	ILE	3.3
1	C	581	LEU	3.2
1	A	577	LEU	3.2
1	D	77	ALA	3.2
1	D	577	LEU	3.1
1	D	94	THR	3.1
1	C	576	THR	3.0
1	B	56	GLU	2.9
1	B	314	LEU	2.9
1	D	92	SER	2.8
1	D	602	LEU	2.7
1	B	94	THR	2.6
1	A	581	LEU	2.6
1	C	586	LYS	2.5
1	A	515	ALA	2.5
1	D	586	LYS	2.4
1	A	202	ASP	2.4
1	D	563	ILE	2.4
1	D	591	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	576	THR	2.4
1	D	71	ARG	2.4
1	D	95	ASN	2.4
1	A	586	LYS	2.4
1	D	57	GLN	2.4
1	D	56	GLU	2.4
1	B	95	ASN	2.3
1	B	57	GLN	2.3
1	C	217	ARG	2.3
1	B	677	LEU	2.3
1	D	202	ASP	2.3
1	D	574	THR	2.3
1	B	573	GLU	2.3
1	B	55	ALA	2.2
1	D	449	THR	2.2
1	A	588	LEU	2.1
1	B	99	GLU	2.1
1	A	576	THR	2.1
1	A	517	GLU	2.1
1	B	217	ARG	2.1
1	A	565	ALA	2.1
1	C	671	HIS	2.1
1	B	545	CYS	2.0
1	A	311	ILE	2.0
1	C	73	ALA	2.0
1	A	47	HIS	2.0
1	A	518	CYS	2.0
1	B	92	SER	2.0
1	C	522	ASN	2.0
1	D	75	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	MDO	D	175	13/14	0.90	0.19	31,32,33,33	0
1	MDO	B	175	13/14	0.93	0.16	31,32,33,33	0
1	MDO	C	175	13/14	0.95	0.13	30,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	MDO	A	175	13/14	0.95	0.14	28,29,29,30	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.