



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 11, 2023 – 08:57 am GMT

PDB ID : 7BAG
Title : C3b in complex with CP40
Authors : Lamers, C.; Xue, X.; Smiesko, M.; van Son, H.; Wagner, B.; Sfyroera, G.;
Gros, P.; Lambris, J.; Ricklin, D.
Deposited on : 2020-12-15
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	645	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">3% 88% 11% .</p>
2	B	915	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">6% 89% 11%</p>
3	C	14	<div style="display: flex; align-items: center;"> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 21%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: orange; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">71% 21% 7%</p>
4	D	2	<div style="display: flex; align-items: center;"> <div style="width: 50%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 50%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">50% 50%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PEG	B	1703	-	-	X	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 13417 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement C3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	640	4992	3179	846	952	15	0	0	0

- Molecule 2 is a protein called Complement C3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	915	7307	4626	1231	1412	38	851	0	0

- Molecule 3 is a protein called Compstatin CP40.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	14	125	83	22	18	2	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	2	27	16	2	9	0	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Ca	0	0
			1	1		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	B	1	Total C O 7 4 3	0	0
6	B	1	Total C O 7 4 3	0	0
6	B	1	Total C O 7 4 3	0	0

- Molecule 7 is ACETAMIDE (three-letter code: ACM) (formula: C_2H_5NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
7	B	1	4	2	1	1	0	0

- Molecule 8 is AMINO GROUP (three-letter code: NH2) (formula: H₂N).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	N		
8	C	1	1	1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	422	Total 422	O 422	0	0
9	B	499	Total 499	O 499	0	0
9	C	4	Total 4	O 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Complement C3



- Molecule 2: Complement C3



- Molecule 3: Compstatin CP40

Chain C:  71% 21% 7%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.51Å 90.53Å 140.09Å 90.00° 108.84° 90.00°	Depositor
Resolution (Å)	47.82 – 2.00 47.82 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.1 (47.82-2.00) 98.1 (47.82-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 2.00Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.194 , 0.225 0.196 , 0.196	Depositor DCC
R_{free} test set	7878 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtrriage
Anisotropy	0.365	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.015 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13417	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, DTY, CA, ACM, SAR, IML, NH2, EXL, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/5092	0.54	0/6917
2	B	0.28	0/7453	0.52	7/10092 (0.1%)
3	C	0.24	0/84	0.79	0/110
All	All	0.29	0/12629	0.53	7/17119 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1325	MET	CG-SD-CE	-7.98	87.43	100.20
2	B	1485	ARG	NE-CZ-NH1	7.21	123.91	120.30
2	B	1577	LYS	CD-CE-NZ	-6.27	97.27	111.70
2	B	1485	ARG	CD-NE-CZ	5.37	131.11	123.60
2	B	1487	GLU	CA-CB-CG	-5.33	101.68	113.40
2	B	1487	GLU	OE1-CD-OE2	5.22	129.56	123.30
2	B	1485	ARG	NE-CZ-NH2	-5.17	117.71	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4992	0	5055	56	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	7307	0	7228	75	0
3	C	125	0	103	2	0
4	D	27	0	23	1	0
5	A	1	0	0	0	0
6	A	14	0	20	3	0
6	B	21	0	30	9	0
7	B	4	0	3	0	0
8	C	1	0	0	0	0
9	A	422	0	0	17	2
9	B	499	0	0	21	2
9	C	4	0	0	0	0
All	All	13417	0	12462	129	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:602:ASP:OD1	9:A:801:HOH:O	1.84	0.95
1:A:300:LYS:NZ	9:A:807:HOH:O	2.06	0.88
1:A:215:GLU:OE2	9:A:802:HOH:O	1.96	0.81
2:B:1048:VAL:O	9:B:1803:HOH:O	1.97	0.81
1:A:282:ARG:HH11	6:A:702:PEG:H21	1.47	0.80
2:B:754:GLU:OE2	9:B:1805:HOH:O	2.01	0.76
1:A:58:THR:OG1	9:A:803:HOH:O	1.98	0.75
2:B:861:GLN:NE2	9:B:1814:HOH:O	2.19	0.75
1:A:635:ARG:O	9:A:805:HOH:O	2.05	0.75
1:A:26:ASP:O	9:A:806:HOH:O	2.06	0.74
1:A:458:ASP:OD1	1:A:461:HIS:ND1	2.20	0.74
2:B:797:ASP:OD1	9:B:1806:HOH:O	2.07	0.72
1:A:19:THR:HG21	4:D:1:NAG:H82	1.73	0.71
1:A:249:VAL:HG11	1:A:278:VAL:HG11	1.73	0.70
1:A:351:MET:HE1	9:A:1167:HOH:O	1.91	0.69
2:B:1403:VAL:HA	9:B:1804:HOH:O	1.92	0.68
2:B:1529:LYS:HD3	2:B:1540:ILE:HD12	1.74	0.68
2:B:1202:GLY:O	9:B:1807:HOH:O	2.10	0.67
2:B:1564:SER:OG	9:B:1808:HOH:O	2.13	0.67
2:B:1404:ASP:N	9:B:1804:HOH:O	2.00	0.66
2:B:1400:ALA:O	9:B:1809:HOH:O	2.15	0.64
1:A:585:LYS:NZ	9:A:813:HOH:O	2.24	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:611:LYS:NZ	9:A:820:HOH:O	2.29	0.64
1:A:183:LYS:HG3	1:A:199:GLU:HG2	1.79	0.64
2:B:1521:TYR:HB2	2:B:1523:TYR:CE2	2.32	0.64
1:A:438:VAL:HG13	1:A:449:LEU:HD11	1.78	0.63
2:B:1523:TYR:CD1	2:B:1543:ILE:HD12	2.33	0.63
1:A:521:GLN:OE1	1:A:521:GLN:N	2.27	0.62
1:A:458:ASP:CG	1:A:461:HIS:HD1	2.03	0.62
2:B:1602:LYS:HD3	6:B:1703:PEG:H21	1.81	0.61
2:B:1163:ARG:NH2	9:B:1812:HOH:O	2.33	0.61
2:B:1525:THR:HB	2:B:1541:MET:HG3	1.83	0.60
2:B:1461:TYR:OH	9:B:1801:HOH:O	1.81	0.60
2:B:1356:GLN:HG2	2:B:1358:ALA:H	1.67	0.60
2:B:1494:GLU:HB2	6:B:1703:PEG:H12	1.83	0.60
2:B:1560:ARG:HG2	2:B:1598:TYR:HE1	1.67	0.60
2:B:1552:ASP:O	9:B:1811:HOH:O	2.17	0.59
2:B:1530:VAL:HG23	2:B:1576:GLU:HG3	1.84	0.58
1:A:8:THR:HG22	1:A:20:MET:HG2	1.86	0.58
1:A:211:GLU:OE2	9:A:809:HOH:O	2.17	0.57
2:B:1580:TYR:OH	9:B:1810:HOH:O	2.16	0.57
2:B:817:VAL:HB	9:B:2028:HOH:O	2.03	0.57
2:B:856:THR:OG1	6:B:1703:PEG:H22	2.07	0.55
2:B:1522:VAL:C	2:B:1523:TYR:HD2	2.10	0.55
2:B:1531:GLN:HB2	2:B:1538:GLU:HB2	1.88	0.55
1:A:3:MET:SD	1:A:522:ARG:HG2	2.48	0.54
2:B:1113:ASN:O	9:B:1812:HOH:O	2.18	0.54
1:A:313:GLY:HA3	2:B:1423:ILE:HD11	1.89	0.53
2:B:1326:TYR:CE2	2:B:1328:ALA:HB2	2.43	0.53
1:A:485:VAL:HG22	9:A:804:HOH:O	2.07	0.53
2:B:1043:ALA:HB2	2:B:1084:TRP:CD2	2.43	0.53
2:B:1045:ALA:HB2	2:B:1052:PRO:HA	1.90	0.53
2:B:1004:HIS:HB2	2:B:1066:LEU:HD21	1.91	0.52
2:B:1104:HIS:O	2:B:1107:MET:HG2	2.09	0.52
1:A:54:LEU:HA	9:A:803:HOH:O	2.10	0.52
1:A:267:LYS:NZ	9:A:830:HOH:O	2.43	0.51
1:A:514:THR:OG1	1:A:522:ARG:HD2	2.11	0.51
2:B:1191:THR:OG1	9:B:1813:HOH:O	2.19	0.51
1:A:147:ASN:ND2	1:A:149:GLU:OE1	2.44	0.50
2:B:1082:VAL:HG13	2:B:1129:LEU:HD22	1.94	0.49
2:B:990:GLU:OE1	2:B:1104:HIS:HD2	1.95	0.49
2:B:1386:MET:SD	2:B:1473:PRO:HD3	2.53	0.49
1:A:462:GLU:OE2	1:A:486:ARG:NH2	2.33	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:ASP:HB2	1:A:300:LYS:HD3	1.95	0.48
1:A:286:LEU:HD12	6:A:702:PEG:H32	1.95	0.48
1:A:457:MET:O	3:C:8:TRP:NE1	2.38	0.48
2:B:1411:GLU:OE2	2:B:1422:LEU:HA	2.13	0.48
1:A:413:GLU:OE2	9:A:810:HOH:O	2.20	0.48
2:B:856:THR:HG23	6:B:1703:PEG:H11	1.94	0.48
2:B:1523:TYR:HD1	2:B:1543:ILE:HD12	1.76	0.48
2:B:834:GLN:NE2	9:B:1815:HOH:O	2.20	0.48
2:B:1560:ARG:HG2	2:B:1598:TYR:CE1	2.47	0.48
1:A:541:LEU:HD22	2:B:786:SER:HB3	1.95	0.47
6:A:702:PEG:C1	9:A:812:HOH:O	2.62	0.47
1:A:215:GLU:HG2	9:A:802:HOH:O	2.14	0.47
1:A:50:GLU:HG3	1:A:66:PHE:HB3	1.96	0.47
1:A:252:GLY:HA3	1:A:303:TYR:CZ	2.50	0.47
2:B:1524:LYS:HB3	2:B:1545:GLN:HB3	1.97	0.47
1:A:253:ILE:HD11	1:A:300:LYS:HD2	1.96	0.47
2:B:862:GLN:HB2	9:B:1840:HOH:O	2.15	0.47
1:A:330:PRO:O	1:A:357:PRO:HD3	2.14	0.46
2:B:1133:LYS:HA	2:B:1143:LEU:HD21	1.98	0.46
2:B:1487:GLU:H	2:B:1487:GLU:HG3	1.31	0.46
2:B:1133:LYS:HE2	9:B:2218:HOH:O	2.16	0.45
2:B:1592:GLU:HG3	2:B:1594:PRO:HD2	1.97	0.45
1:A:553:PRO:HD2	2:B:802:THR:O	2.17	0.45
1:A:380:GLN:HG2	1:A:384:VAL:O	2.17	0.45
2:B:1573:LYS:HG2	6:B:1702:PEG:H41	1.99	0.44
2:B:742:ARG:HB3	2:B:775:ASP:HB3	2.00	0.44
1:A:38:HIS:HB3	1:A:43:LYS:HA	2.00	0.44
1:A:164:LEU:O	2:B:787:MET:HG2	2.18	0.44
2:B:1419:ARG:HA	2:B:1419:ARG:HD2	1.80	0.43
2:B:1495:ASN:H	6:B:1703:PEG:H31	1.83	0.43
2:B:1163:ARG:CZ	9:B:1812:HOH:O	2.66	0.43
2:B:1195:LYS:HE2	2:B:1195:LYS:HB3	1.87	0.43
2:B:1055:TRP:CE2	2:B:1108:ILE:HG22	2.54	0.43
1:A:128:PHE:HA	1:A:165:GLY:O	2.18	0.43
2:B:1535:ASP:HB3	2:B:1536:PHE:CD1	2.53	0.43
2:B:1075:SER:HB3	2:B:1139:GLN:HE22	1.83	0.43
6:B:1704:PEG:H31	6:B:1704:PEG:H12	1.55	0.43
1:A:126:ARG:CZ	1:A:572:VAL:HB	2.48	0.43
2:B:1572:LEU:O	2:B:1573:LYS:HE2	2.18	0.43
2:B:1582:MET:HA	2:B:1605:TRP:O	2.20	0.42
1:A:551:ARG:NH1	1:A:553:PRO:HA	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:916:MET:HG3	2:B:1328:ALA:HB3	2.02	0.42
2:B:1232:ARG:O	2:B:1236:GLU:OE1	2.37	0.42
3:C:13:CYS:HA	3:C:14:IML:HN1	1.57	0.42
2:B:985:PRO:HG3	9:B:2086:HOH:O	2.20	0.42
2:B:1543:ILE:HG13	2:B:1554:VAL:HG21	2.02	0.42
2:B:979:LYS:HD3	2:B:1015:PHE:CZ	2.54	0.41
2:B:1152:ASP:OD1	2:B:1179:ARG:NH2	2.31	0.41
1:A:312:SER:HB2	2:B:873:SER:HB2	2.01	0.41
2:B:1119:MET:HG3	2:B:1161:LEU:HD21	2.01	0.41
2:B:1172:TYR:HA	2:B:1217:ALA:HB2	2.01	0.41
2:B:855:THR:HB	6:B:1703:PEG:H42	2.02	0.41
1:A:104:GLN:CD	1:A:194:GLN:NE2	2.74	0.41
1:A:20:MET:HG3	1:A:66:PHE:HE1	1.85	0.41
1:A:561:LEU:HD23	1:A:561:LEU:HA	1.97	0.41
2:B:1495:ASN:N	6:B:1703:PEG:H31	2.36	0.41
1:A:39:ASP:OD2	1:A:39:ASP:N	2.52	0.41
1:A:230:GLU:OE2	9:A:811:HOH:O	2.22	0.41
1:A:386:LYS:HD2	1:A:440:ARG:HG2	2.03	0.41
1:A:438:VAL:CG1	1:A:449:LEU:HD11	2.46	0.40
1:A:458:ASP:CG	1:A:461:HIS:ND1	2.72	0.40
2:B:860:HIS:HE1	2:B:1451:GLN:OE1	2.04	0.40
1:A:84:VAL:HG13	1:A:101:VAL:HG21	2.03	0.40
1:A:223:ILE:HG13	1:A:294:ALA:HB1	2.03	0.40
1:A:251:PHE:CD2	1:A:304:VAL:HG22	2.57	0.40
2:B:988:CYS:HA	2:B:1037:PHE:CZ	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:835:HOH:O	9:B:2131:HOH:O[1_655]	2.13	0.07
9:A:1196:HOH:O	9:B:2264:HOH:O[2_455]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	636/645 (99%)	628 (99%)	7 (1%)	1 (0%)	47	44
2	B	913/915 (100%)	881 (96%)	31 (3%)	1 (0%)	51	49
3	C	10/14 (71%)	10 (100%)	0	0	100	100
All	All	1559/1574 (99%)	1519 (97%)	38 (2%)	2 (0%)	51	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	519	SER
2	B	1355	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	564/567 (100%)	564 (100%)	0	100	100
2	B	810/810 (100%)	809 (100%)	1 (0%)	93	95
3	C	9/9 (100%)	9 (100%)	0	100	100
All	All	1383/1386 (100%)	1382 (100%)	1 (0%)	93	95

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	1428	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	GLN
1	A	258	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	860	HIS
2	B	1104	HIS
2	B	1176	GLN
2	B	1499	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	IML	C	14	8,3	7,8,9	0.58	0	7,9,11	2.22	1 (14%)
3	EXL	C	5	3	11,16,17	1.20	1 (9%)	13,22,24	0.72	0
3	SAR	C	9	3	4,4,5	1.16	0	1,3,5	1.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IML	C	14	8,3	-	5/8/10/12	-
3	EXL	C	5	3	-	1/4/6/8	0/2/2/2
3	SAR	C	9	3	-	1/1/2/3	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	5	EXL	C03-N02	-2.65	1.34	1.38

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	14	IML	CB-CA-C	-5.19	105.75	112.82

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	5	EXL	O-C-CA-C05
3	C	9	SAR	C-CA-N-CN
3	C	14	IML	CA-CB-CG1-CD1
3	C	14	IML	CG2-CB-CG1-CD1
3	C	14	IML	N-CA-CB-CG1
3	C	14	IML	N-CA-CB-CG2
3	C	14	IML	CB-CA-N-CN

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	14	IML	1	0

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	D	1	1,4	14,14,15	0.22	0	17,19,21	0.39	0
4	NAG	D	2	4	13,13,15	0.37	0	14,17,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/19/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	2	NAG	C4-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 1 is monoatomic and 1 is modelled with single atom - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PEG	B	1703	-	6,6,6	0.49	0	5,5,5	0.37	0
6	PEG	A	703	-	6,6,6	0.47	0	5,5,5	0.35	0
6	PEG	A	702	-	6,6,6	0.52	0	5,5,5	0.33	0
6	PEG	B	1704	-	6,6,6	0.50	0	5,5,5	0.30	0
7	ACM	B	1701	2	3,3,3	1.73	1 (33%)	3,3,3	1.08	0
6	PEG	B	1702	-	6,6,6	0.48	0	5,5,5	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PEG	B	1703	-	-	3/4/4/4	-
6	PEG	A	703	-	-	3/4/4/4	-
6	PEG	A	702	-	-	2/4/4/4	-
6	PEG	B	1704	-	-	1/4/4/4	-
6	PEG	B	1702	-	-	3/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	1701	ACM	C1-N	2.69	1.42	1.32

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	1704	PEG	C1-C2-O2-C3
6	A	702	PEG	O1-C1-C2-O2
6	A	702	PEG	O2-C3-C4-O4
6	B	1703	PEG	O2-C3-C4-O4
6	A	703	PEG	O2-C3-C4-O4
6	B	1702	PEG	O2-C3-C4-O4
6	A	703	PEG	C1-C2-O2-C3
6	B	1703	PEG	C1-C2-O2-C3
6	B	1702	PEG	O1-C1-C2-O2
6	B	1702	PEG	C1-C2-O2-C3
6	A	703	PEG	O1-C1-C2-O2
6	B	1703	PEG	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1703	PEG	7	0
6	A	702	PEG	3	0
6	B	1704	PEG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1702	PEG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	640/645 (99%)	-0.07	21 (3%) 46 45	27, 49, 88, 169	0
2	B	805/915 (87%)	0.20	53 (6%) 18 17	28, 50, 97, 185	0
3	C	10/14 (71%)	0.71	0 100 100	69, 77, 91, 108	0
All	All	1455/1574 (92%)	0.08	74 (5%) 28 27	27, 50, 93, 185	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	550	ASP	12.3
2	B	1357	ASP	8.7
2	B	1417	SER	8.6
2	B	1358	ALA	7.7
1	A	519	SER	7.5
2	B	1403	VAL	7.2
2	B	1595	ASN	7.0
2	B	1503	ASP	6.9
2	B	1354	ARG	6.7
2	B	913	GLY	6.5
1	A	74	PHE	6.4
2	B	1353	LYS	6.0
2	B	1331	LYS	5.8
1	A	72	ARG	5.6
2	B	1641	ASN	5.4
2	B	1332	ASP	5.3
1	A	373	ASP	5.3
1	A	551	ARG	5.3
1	A	103	LEU	5.2
2	B	1445	PHE	4.9
2	B	1594	PRO	4.8
2	B	727	SER	4.8
2	B	1355	PRO	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	73	GLU	4.7
1	A	518	ALA	4.7
2	B	1352	GLU	4.5
2	B	1334	LEU	4.3
2	B	1326	TYR	4.2
2	B	914	ILE	4.0
2	B	1502	ASP	4.0
2	B	728	ASN	3.7
2	B	968	MET	3.7
2	B	1596	LEU	3.6
2	B	1329	LYS	3.6
1	A	372	GLU	3.6
2	B	762	ASN	3.6
1	A	45	LEU	3.5
1	A	517	GLY	3.1
2	B	1416	PHE	3.1
2	B	1550	GLY	3.1
1	A	149	GLU	3.1
2	B	915	ARG	3.0
2	B	917	ASN	3.0
1	A	155	GLN	2.9
2	B	1330	ALA	2.9
2	B	1517	PRO	2.9
2	B	1356	GLN	2.8
2	B	1549	SER	2.8
2	B	1586	SER	2.8
2	B	1328	ALA	2.7
2	B	1413	ASP	2.7
2	B	1593	LYS	2.6
2	B	1114	ASN	2.6
2	B	1553	GLU	2.6
2	B	1515	CYS	2.6
2	B	1584	GLY	2.5
2	B	759	PRO	2.5
1	A	75	LYS	2.5
1	A	44	LYS	2.4
1	A	151	ILE	2.4
2	B	1551	SER	2.4
2	B	1556	VAL	2.3
2	B	1410	TYR	2.3
2	B	1592	GLU	2.3
2	B	1418	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	916	MET	2.2
2	B	761	LYS	2.1
1	A	515	LEU	2.1
1	A	520	GLY	2.1
2	B	1351	THR	2.1
2	B	1504	LYS	2.1
1	A	396	LYS	2.0
1	A	464	LYS	2.0
2	B	1359	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DTY	C	1	12/13	0.77	0.24	70,78,92,95	0
3	IML	C	14	9/10	0.82	0.37	85,101,109,120	0
3	EXL	C	5	15/16	0.83	0.21	70,74,80,84	0
3	SAR	C	9	5/6	0.92	0.11	80,81,85,87	0

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	D	2	13/15	0.68	0.33	94,105,111,112	0
4	NAG	D	1	14/15	0.87	0.13	49,78,94,98	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NH2	C	101	1/1	0.84	0.67	93,93,93,93	0
6	PEG	B	1704	7/7	0.86	0.23	36,43,66,83	0
6	PEG	A	703	7/7	0.87	0.26	49,67,74,85	0
6	PEG	B	1702	7/7	0.91	0.13	42,57,68,80	0
6	PEG	A	702	7/7	0.93	0.15	37,56,68,87	0
6	PEG	B	1703	7/7	0.94	0.21	38,57,61,64	0
7	ACM	B	1701	4/4	0.96	0.09	49,49,53,55	0
5	CA	A	701	1/1	0.98	0.06	49,49,49,49	0

6.5 Other polymers [i](#)

There are no such residues in this entry.