



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 07:27 am GMT

PDB ID : 3BCE
Title : Crystal structure of the ErbB4 kinase
Authors : Qiu, C.
Deposited on : 2007-11-12
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	
1	B	328	
1	C	328	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	C	501	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7102 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Receptor tyrosine-protein kinase erbB-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	285	Total 2282	C 1465	N 392	O 406	S 19	4	0	0
1	B	286	Total 2294	C 1471	N 396	O 407	S 20	0	0	0
1	C	286	Total 2289	C 1469	N 393	O 408	S 19	0	0	0

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Mn 1	0	0

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			13	8	5		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	66	Total	O	0	0
			66	66		
5	B	70	Total	O	0	0
			70	70		
5	C	80	Total	O	0	0
			80	80		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Receptor tyrosine-protein kinase erbB-4

Chain A: 




- Molecule 1: Receptor tyrosine-protein kinase erbB-4

Chain B: 



- Molecule 1: Receptor tyrosine-protein kinase erbB-4

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	86.72Å 86.72Å 120.01Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.50 29.40 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (30.00-2.50) 100.0 (29.40-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.195 , 0.251 0.196 , 0.252	Depositor DCC
R_{free} test set	1750 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.356	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 5.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l 0.197 for h,-h-k,-l 0.000 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7102	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 27.06 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3532e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, PEG, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	3/2333 (0.1%)	0.63	0/3155
1	B	0.53	0/2344	0.63	1/3168 (0.0%)
1	C	0.62	0/2340	0.63	0/3166
All	All	0.63	3/7017 (0.0%)	0.63	1/9489 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	896	TYR	CD2-CE2	-5.58	1.30	1.39
1	A	959	TYR	CE2-CZ	-5.36	1.31	1.38
1	A	959	TYR	CD1-CE1	-5.30	1.31	1.39

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	907	LEU	CA-CB-CG	5.47	127.89	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	759	LEU	Peptide
1	C	852	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2282	0	2323	33	0
1	B	2294	0	2337	33	0
1	C	2289	0	2329	47	0
2	A	1	0	0	0	0
3	C	13	0	18	1	0
4	C	7	0	10	7	0
5	A	66	0	0	2	0
5	B	70	0	0	1	0
5	C	80	0	0	0	0
All	All	7102	0	7017	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:852:ALA:HB2	1:C:870:ARG:HD3	1.30	1.09
1:C:852:ALA:HB2	1:C:870:ARG:CD	1.84	1.08
1:C:852:ALA:CB	1:C:870:ARG:HD3	1.90	1.01
1:C:902:ARG:HG2	1:C:902:ARG:HH11	1.27	0.99
1:C:852:ALA:CB	1:C:870:ARG:CD	2.42	0.96
1:C:756:VAL:HG13	4:C:501:PEG:H41	1.49	0.94
1:C:852:ALA:HB2	1:C:870:ARG:HB3	1.59	0.85
1:B:850:TYR:OH	1:B:852:ALA:HB2	1.77	0.82
1:B:907:LEU:HD13	1:B:912:GLU:HB3	1.61	0.81
1:C:902:ARG:CG	1:C:902:ARG:HH11	1.94	0.81
1:C:771:THR:HB	4:C:501:PEG:H42	1.62	0.80
1:C:756:VAL:CG1	4:C:501:PEG:H41	2.13	0.78
1:C:852:ALA:CB	1:C:870:ARG:HD2	2.13	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:961:VAL:HG13	1:B:967:ARG:HD2	1.67	0.77
1:B:850:TYR:CZ	1:B:852:ALA:HB2	2.23	0.73
1:C:870:ARG:HG2	1:C:870:ARG:HH21	1.54	0.73
1:B:779:LEU:O	1:B:783:VAL:HG22	1.90	0.71
1:C:852:ALA:HB1	1:C:870:ARG:HD2	1.73	0.69
1:A:695:ARG:HH21	1:A:768:GLN:NE2	1.93	0.67
1:B:850:TYR:CE2	1:B:852:ALA:CB	2.78	0.67
1:B:851:ASN:O	1:B:852:ALA:C	2.30	0.66
1:A:841:ARG:HG3	1:A:850:TYR:CZ	2.31	0.66
1:C:825:LEU:CD1	4:C:501:PEG:H21	2.25	0.66
1:B:752:HIS:CD2	1:B:754:HIS:H	2.15	0.65
1:A:907:LEU:CD2	1:A:912:GLU:HB3	2.27	0.65
1:C:852:ALA:HB1	1:C:870:ARG:CD	2.23	0.65
1:C:771:THR:CB	4:C:501:PEG:H42	2.28	0.64
1:C:825:LEU:HD11	4:C:501:PEG:H21	1.79	0.63
1:A:752:HIS:HD2	1:A:754:HIS:H	1.47	0.63
1:B:752:HIS:HD2	1:B:754:HIS:H	1.47	0.63
1:A:859:ILE:HA	1:A:862:MET:HG2	1.81	0.62
1:B:850:TYR:CE2	1:B:852:ALA:HB2	2.35	0.62
1:C:870:ARG:CG	1:C:870:ARG:HH21	2.13	0.62
1:B:850:TYR:HE2	1:B:852:ALA:HB3	1.64	0.62
1:C:859:ILE:HA	1:C:862:MET:CG	2.30	0.62
1:C:865:GLU:HB2	1:C:871:LYS:HE2	1.83	0.61
1:B:817:ARG:HD3	1:B:839:LEU:O	2.02	0.60
1:A:727:ILE:HG22	1:A:768:GLN:HB3	1.84	0.60
1:B:762:CYS:HB3	1:B:768:GLN:CG	2.33	0.59
1:A:841:ARG:HG3	1:A:850:TYR:CE2	2.36	0.58
1:C:902:ARG:NH1	1:C:902:ARG:CG	2.61	0.58
1:A:870:ARG:HH21	1:A:870:ARG:HG2	1.68	0.58
1:B:749:SER:O	1:B:812:ARG:NH2	2.37	0.58
1:C:852:ALA:HB2	1:C:870:ARG:CB	2.30	0.57
1:A:695:ARG:HH21	1:A:768:GLN:HE22	1.50	0.57
1:C:957:GLN:H	1:C:957:GLN:NE2	2.01	0.57
1:B:965:ASP:O	1:B:968:MET:HB2	2.03	0.57
1:A:958:ARG:HD2	1:A:959:TYR:CE1	2.39	0.57
1:A:909:GLU:HA	1:A:909:GLU:OE2	2.05	0.57
1:B:850:TYR:CE2	1:B:852:ALA:HB3	2.39	0.56
1:B:750:MET:O	1:B:757:ARG:HG3	2.04	0.56
1:C:851:ASN:O	1:C:852:ALA:C	2.44	0.56
1:A:918:PRO:HD2	5:A:89:HOH:O	2.06	0.55
1:B:762:CYS:HB3	1:B:768:GLN:HG2	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:727:ILE:CG2	1:C:768:GLN:HG2	2.37	0.54
1:C:747:MET:HE2	1:C:756:VAL:HG12	1.89	0.54
1:B:815:VAL:HG12	1:B:817:ARG:HG3	1.88	0.54
1:A:762:CYS:HB3	1:A:768:GLN:HG2	1.89	0.53
1:C:727:ILE:HG22	1:C:768:GLN:HG2	1.91	0.53
1:C:907:LEU:HA	1:C:910:LYS:HE2	1.90	0.53
1:A:958:ARG:HD2	1:A:959:TYR:CZ	2.45	0.52
1:C:752:HIS:CD2	1:C:754:HIS:H	2.28	0.52
1:B:907:LEU:CD1	1:B:912:GLU:HB3	2.38	0.52
1:A:762:CYS:HB3	1:A:768:GLN:CG	2.40	0.52
1:C:957:GLN:HE21	1:C:957:GLN:H	1.56	0.51
1:B:779:LEU:HD13	1:B:888:LEU:HD21	1.92	0.51
1:B:957:GLN:NE2	1:B:966:ASP:O	2.44	0.51
1:C:817:ARG:HD3	1:C:839:LEU:O	2.11	0.51
1:A:735:LYS:O	1:A:739:GLU:HG3	2.11	0.51
1:C:752:HIS:HD2	1:C:754:HIS:H	1.57	0.50
1:B:690:GLU:HG3	1:B:764:SER:O	2.11	0.50
1:A:752:HIS:CD2	1:A:754:HIS:H	2.28	0.49
1:B:681:ASN:C	1:B:681:ASN:HD22	2.14	0.49
1:A:857:MET:O	1:A:862:MET:CE	2.60	0.49
1:C:885:ILE:O	1:C:889:MET:HG2	2.13	0.48
1:C:859:ILE:HA	1:C:862:MET:HG2	1.95	0.48
1:A:907:LEU:HD23	1:A:912:GLU:HB3	1.95	0.48
1:A:864:LEU:HD21	1:A:909:GLU:OE2	2.14	0.47
1:B:810:GLU:HA	1:B:874:HIS:CE1	2.49	0.47
1:C:771:THR:HB	4:C:501:PEG:C4	2.39	0.47
1:B:885:ILE:O	1:B:889:MET:HG2	2.15	0.47
1:B:850:TYR:HE2	1:B:852:ALA:CB	2.22	0.47
1:A:817:ARG:HD3	1:A:839:LEU:O	2.16	0.46
1:C:851:ASN:O	1:C:852:ALA:O	2.34	0.46
1:C:793:GLN:HG2	3:C:502:PG4:H12	1.97	0.46
1:C:681:ASN:C	1:C:681:ASN:HD22	2.18	0.46
1:C:852:ALA:HB2	1:C:870:ARG:CG	2.45	0.45
1:C:870:ARG:NH2	1:C:870:ARG:HG2	2.24	0.44
1:A:759:LEU:H	1:A:760:GLY:HA3	1.83	0.44
1:B:813:ARG:HD2	5:B:61:HOH:O	2.18	0.44
1:A:729:ASN:O	1:A:731:THR:N	2.51	0.44
1:B:863:ALA:HA	1:B:879:TRP:CD2	2.52	0.43
1:A:814:LEU:CD2	1:A:842:LEU:HB2	2.47	0.43
1:A:774:MET:HE1	1:A:827:LYS:HB2	2.01	0.42
1:B:761:VAL:HG13	1:B:761:VAL:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:759:LEU:N	1:A:760:GLY:HA3	2.34	0.42
1:C:786:HIS:O	1:C:787:LYS:C	2.58	0.42
1:C:783:VAL:HA	1:C:790:ILE:CD1	2.50	0.42
1:C:840:ALA:O	1:C:841:ARG:NH1	2.47	0.42
1:A:716:GLY:HA2	5:A:109:HOH:O	2.20	0.42
1:B:907:LEU:HD13	1:B:912:GLU:CB	2.41	0.41
1:A:907:LEU:C	1:A:907:LEU:HD23	2.40	0.41
1:C:797:ASN:O	1:C:801:GLN:HG3	2.19	0.41
1:C:783:VAL:HG12	1:C:798:TRP:CZ3	2.55	0.41
1:C:841:ARG:HG3	1:C:850:TYR:CE2	2.55	0.41
1:A:715:GLU:HA	1:A:716:GLY:HA2	1.82	0.41
1:A:870:ARG:NH2	1:A:870:ARG:HG2	2.33	0.41
1:B:828:SER:O	1:B:829:PRO:C	2.58	0.41
1:A:917:PRO:HA	1:A:918:PRO:HD3	1.91	0.41
1:A:895:PRO:O	1:A:896:TYR:C	2.58	0.40
1:C:679:ALA:HA	1:C:680:PRO:HD3	1.97	0.40
1:A:774:MET:CE	1:A:827:LYS:HB2	2.51	0.40
1:B:707:VAL:HG22	1:B:726:LYS:HG3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	279/328 (85%)	269 (96%)	9 (3%)	1 (0%)	36 57
1	B	280/328 (85%)	273 (98%)	7 (2%)	0	100 100
1	C	280/328 (85%)	271 (97%)	7 (2%)	2 (1%)	24 42
All	All	839/984 (85%)	813 (97%)	23 (3%)	3 (0%)	36 57

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	787	LYS
1	C	852	ALA
1	A	760	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/288 (87%)	232 (93%)	18 (7%)	16	30
1	B	251/288 (87%)	232 (92%)	19 (8%)	14	28
1	C	251/288 (87%)	233 (93%)	18 (7%)	16	30
All	All	752/864 (87%)	697 (93%)	55 (7%)	15	29

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	681	ASN
1	A	682	GLN
1	A	685	LEU
1	A	688	LEU
1	A	690	GLU
1	A	698	VAL
1	A	699	LEU
1	A	706	THR
1	A	715	GLU
1	A	723	VAL
1	A	740	PHE
1	A	768	GLN
1	A	836	ASP
1	A	849	GLU
1	A	871	LYS
1	A	896	TYR
1	A	906	ASP
1	A	958	ARG
1	B	681	ASN
1	B	685	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	688	LEU
1	B	698	VAL
1	B	699	LEU
1	B	718	THR
1	B	723	VAL
1	B	729	ASN
1	B	731	THR
1	B	740	PHE
1	B	766	THR
1	B	772	GLN
1	B	779	LEU
1	B	783	VAL
1	B	812	ARG
1	B	842	LEU
1	B	857	MET
1	B	859	ILE
1	B	907	LEU
1	C	678	THR
1	C	681	ASN
1	C	685	LEU
1	C	688	LEU
1	C	699	LEU
1	C	711	ILE
1	C	723	VAL
1	C	731	THR
1	C	757	ARG
1	C	789	ASN
1	C	836	ASP
1	C	857	MET
1	C	862	MET
1	C	870	ARG
1	C	902	ARG
1	C	954	ARG
1	C	957	GLN
1	C	963	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	681	ASN
1	A	737	ASN
1	A	752	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	768	GLN
1	A	874	HIS
1	B	681	ASN
1	B	729	ASN
1	B	752	HIS
1	B	768	GLN
1	B	786	HIS
1	B	957	GLN
1	C	681	ASN
1	C	737	ASN
1	C	752	HIS
1	C	789	ASN
1	C	957	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PEG	C	501	-	6,6,6	0.58	0	5,5,5	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PG4	C	502	-	12,12,12	0.53	0	11,11,11	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	C	501	-	-	0/4/4/4	0/0/0/0
3	PG4	C	502	-	-	0/10/10/10	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	501	PEG	7	0
3	C	502	PG4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/328 (86%)	-0.53	1 (0%) 92 93	10, 17, 32, 44	1 (0%)
1	B	286/328 (87%)	-0.64	1 (0%) 93 94	10, 17, 31, 44	0
1	C	286/328 (87%)	-0.68	0 100 100	10, 17, 32, 46	0
All	All	857/984 (87%)	-0.62	2 (0%) 94 95	10, 17, 32, 46	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	846	ASP	4.3
1	A	856	LYS	2.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PG4	C	502	13/13	0.88	0.20	50,51,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PEG	C	501	7/7	0.90	0.18	35,37,38,39	0
2	MN	A	1	1/1	0.99	0.07	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.