



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 14, 2024 – 12:24 PM EST

PDB ID : 9BD5
Title : Laccase from *Bacillus licheniformis*
Authors : Habib, M.H.; Smith, T.J.
Deposited on : 2024-04-11
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3333 (2.70-2.70)
Clashscore	180529	3684 (2.70-2.70)
Ramachandran outliers	177936	3633 (2.70-2.70)
Sidechain outliers	177891	3633 (2.70-2.70)
RSRZ outliers	164620	3333 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	530	 85% 10% 5%
1	B	530	 83% 11% 5%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8858 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spore coat protein A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	501	4090	2628	713	739	10	0	0	0
1	B	501	4090	2628	713	739	10	0	0	0

There are 34 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	513	GLU	-	expression tag	UNP A0A6N2GR66
A	514	PHE	-	expression tag	UNP A0A6N2GR66
A	515	GLU	-	expression tag	UNP A0A6N2GR66
A	516	ALA	-	expression tag	UNP A0A6N2GR66
A	517	TRP	-	expression tag	UNP A0A6N2GR66
A	518	ALA	-	expression tag	UNP A0A6N2GR66
A	519	ARG	-	expression tag	UNP A0A6N2GR66
A	520	THR	-	expression tag	UNP A0A6N2GR66
A	521	LYS	-	expression tag	UNP A0A6N2GR66
A	522	THR	-	expression tag	UNP A0A6N2GR66
A	523	HIS	-	expression tag	UNP A0A6N2GR66
A	524	LEU	-	expression tag	UNP A0A6N2GR66
A	525	ARG	-	expression tag	UNP A0A6N2GR66
A	526	ARG	-	expression tag	UNP A0A6N2GR66
A	527	GLY	-	expression tag	UNP A0A6N2GR66
A	528	SER	-	expression tag	UNP A0A6N2GR66
A	529	GLU	-	expression tag	UNP A0A6N2GR66
B	513	GLU	-	expression tag	UNP A0A6N2GR66
B	514	PHE	-	expression tag	UNP A0A6N2GR66
B	515	GLU	-	expression tag	UNP A0A6N2GR66
B	516	ALA	-	expression tag	UNP A0A6N2GR66
B	517	TRP	-	expression tag	UNP A0A6N2GR66
B	518	ALA	-	expression tag	UNP A0A6N2GR66
B	519	ARG	-	expression tag	UNP A0A6N2GR66
B	520	THR	-	expression tag	UNP A0A6N2GR66

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	521	LYS	-	expression tag	UNP A0A6N2GR66
B	522	THR	-	expression tag	UNP A0A6N2GR66
B	523	HIS	-	expression tag	UNP A0A6N2GR66
B	524	LEU	-	expression tag	UNP A0A6N2GR66
B	525	ARG	-	expression tag	UNP A0A6N2GR66
B	526	ARG	-	expression tag	UNP A0A6N2GR66
B	527	GLY	-	expression tag	UNP A0A6N2GR66
B	528	SER	-	expression tag	UNP A0A6N2GR66
B	529	GLU	-	expression tag	UNP A0A6N2GR66

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0

- Molecule 3 is COPPER (II) ION (three-letter code: CU) (formula: Cu) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total Cu 4 4	0	0
3	B	4	Total Cu 4 4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	288	Total 288	O 288	0	0
4	B	267	Total 267	O 267	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spore coat protein A



- Molecule 1: Spore coat protein A



4 Data and refinement statistics i

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	94.80Å 94.80Å 271.66Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	23.70 – 2.70 23.70 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.7 (23.70-2.70) 97.7 (23.70-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.48 (at 2.71Å)	Xtrriage
Refinement program	PHENIX 1.21rc1_5134	Depositor
R, R_{free}	0.189 , 0.232 0.192 , 0.234	Depositor DCC
R_{free} test set	34983 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	22.4	Xtrriage
Anisotropy	0.059	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 20.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.470 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8858	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CU, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/4213	0.49	0/5731
1	B	0.26	0/4213	0.49	0/5731
All	All	0.25	0/8426	0.49	0/11462

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4090	0	4019	26	0
1	B	4090	0	4019	29	0
2	A	60	0	0	0	0
2	B	55	0	0	0	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
4	A	288	0	0	1	0
4	B	267	0	0	0	0
All	All	8858	0	8038	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 55 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:436:ILE:HD11	1:B:470:GLY:HA2	1.66	0.78
1:A:436:ILE:HD11	1:A:470:GLY:HA2	1.75	0.68
1:B:264:TYR:HB3	1:B:289:GLU:HG2	1.81	0.62
1:A:264:TYR:HB3	1:A:289:GLU:HG2	1.82	0.62
1:B:326:ASP:O	1:B:328:THR:N	2.33	0.61

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	495/530 (93%)	462 (93%)	29 (6%)	4 (1%)	16	38
1	B	495/530 (93%)	464 (94%)	27 (6%)	4 (1%)	16	38
All	All	990/1060 (93%)	926 (94%)	56 (6%)	8 (1%)	16	38

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	342	LYS
1	B	342	LYS
1	B	355	LYS
1	A	3	LEU
1	A	364	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	450/475 (95%)	447 (99%)	3 (1%)	81	93
1	B	450/475 (95%)	446 (99%)	4 (1%)	75	90
All	All	900/950 (95%)	893 (99%)	7 (1%)	79	91

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	134	ARG
1	B	349	LEU
1	B	512	GLN
1	B	510	ARG
1	A	211	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 8 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	608	-	4,4,4	0.70	0	6,6,6	0.07	0
2	SO4	B	601	-	4,4,4	0.68	0	6,6,6	0.07	0
2	SO4	B	611	-	4,4,4	0.67	0	6,6,6	0.08	0
2	SO4	A	605	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	A	601	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	A	616	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	B	607	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	A	611	-	4,4,4	0.67	0	6,6,6	0.08	0
2	SO4	B	604	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	B	609	-	4,4,4	0.67	0	6,6,6	0.07	0
2	SO4	A	604	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	A	612	-	4,4,4	0.67	0	6,6,6	0.09	0
2	SO4	A	610	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	A	603	-	4,4,4	0.67	0	6,6,6	0.09	0
2	SO4	B	605	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	A	606	-	4,4,4	0.68	0	6,6,6	0.12	0
2	SO4	B	603	-	4,4,4	0.67	0	6,6,6	0.09	0
2	SO4	B	602	-	4,4,4	0.67	0	6,6,6	0.08	0
2	SO4	A	608	-	4,4,4	0.68	0	6,6,6	0.08	0
2	SO4	B	612	-	4,4,4	0.69	0	6,6,6	0.09	0
2	SO4	B	610	-	4,4,4	0.67	0	6,6,6	0.09	0
2	SO4	A	609	-	4,4,4	0.69	0	6,6,6	0.08	0
2	SO4	A	602	-	4,4,4	0.67	0	6,6,6	0.08	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	501/530 (94%)	-1.92	0 100 100	10, 20, 41, 65	0
1	B	501/530 (94%)	-1.93	0 100 100	10, 20, 41, 61	0
All	All	1002/1060 (94%)	-1.93	0 100 100	10, 20, 41, 65	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	611	5/5	0.97	0.07	54,72,84,85	0
2	SO4	B	611	5/5	0.97	0.06	62,64,94,95	0
2	SO4	A	610	5/5	0.98	0.05	45,46,61,69	0
2	SO4	A	604	5/5	0.98	0.07	37,44,52,67	0
2	SO4	B	604	5/5	0.98	0.05	44,53,83,84	0
2	SO4	A	605	5/5	0.98	0.04	52,52,79,80	0
2	SO4	A	608	5/5	0.99	0.04	27,51,67,73	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	A	609	5/5	0.99	0.04	35,42,56,84	0
2	SO4	A	603	5/5	0.99	0.04	38,43,54,71	0
2	SO4	A	601	5/5	0.99	0.03	39,45,57,68	0
2	SO4	A	612	5/5	0.99	0.03	36,36,44,53	0
2	SO4	A	616	5/5	0.99	0.05	34,55,63,78	0
2	SO4	B	601	5/5	0.99	0.04	44,53,65,68	0
2	SO4	B	602	5/5	0.99	0.04	32,39,42,43	0
2	SO4	B	603	5/5	0.99	0.04	38,44,65,71	0
2	SO4	A	602	5/5	0.99	0.04	28,39,42,46	0
2	SO4	B	607	5/5	0.99	0.05	28,38,62,63	0
2	SO4	B	608	5/5	0.99	0.04	37,37,46,85	0
2	SO4	B	610	5/5	0.99	0.04	44,48,57,67	0
2	SO4	A	606	5/5	0.99	0.02	36,36,41,59	0
2	SO4	B	612	5/5	0.99	0.04	32,33,44,50	0
3	CU	A	613	1/1	0.99	0.02	19,19,19,19	0
3	CU	B	613	1/1	0.99	0.03	21,21,21,21	0
3	CU	B	615	1/1	0.99	0.02	23,23,23,23	0
2	SO4	B	609	5/5	1.00	0.02	38,42,48,52	0
3	CU	A	614	1/1	1.00	0.01	18,18,18,18	0
3	CU	A	615	1/1	1.00	0.01	23,23,23,23	0
3	CU	B	606	1/1	1.00	0.01	24,24,24,24	0
2	SO4	B	605	5/5	1.00	0.02	33,36,41,49	0
3	CU	B	614	1/1	1.00	0.01	19,19,19,19	0
3	CU	A	607	1/1	1.00	0.01	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CU A 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CU B 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CU B 615:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CU A 614:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CU A 615:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CU B 606:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CU B 614:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.