

Full wwPDB X-ray Structure Validation Report (i)

May 18, 2023 – 04:36 pm BST

PDB ID	:	8BFF
Title	:	Human PPARgamma in complex with MINCH bound to the AF-2 sub-pocket
Authors	:	Useini, A.; Straeter, N.
Deposited on	:	2022-10-25
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.32.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R _{free}	130704	3163 (2.60-2.60)		
Clashscore	141614	3518 (2.60-2.60)		
Ramachandran outliers	138981	3455 (2.60-2.60)		
Sidechain outliers	138945	3455 (2.60-2.60)		
RSRZ outliers	127900	3104 (2.60-2.60)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	283	17%	17%	• 10%
1	В	283	71%	17%	• 10%
1	С	283	20%	19%	• 10%



8BFF

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12424 atoms, of which 6290 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	Λ	254	Total	С	Η	Ν	0	S	0 2	0	
1	A		4127	1313	2090	331	383	10		2	0
1	В	254	Total	С	Η	Ν	0	S	0	2	0
1	I D		4127	1313	2090	331	383	10			
1	C	254	Total	С	Η	Ν	0	S	0	0	0
	204	4111	1308	2083	330	380	10	0	0	0	

• Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Chain	Residue	Modelled	Actual	Actual Comment	
А	195	MET	-	initiating methionine	UNP P37231
А	196	ARG	-	expression tag	UNP P37231
А	197	GLY	-	expression tag	UNP P37231
А	198	SER	-	expression tag	UNP P37231
А	199	HIS	-	expression tag	UNP P37231
А	200	HIS	-	expression tag	UNP P37231
А	201	HIS	-	expression tag	UNP P37231
А	202	HIS	-	expression tag	UNP P37231
А	203	HIS	-	expression tag	UNP P37231
А	204	HIS	-	expression tag	UNP P37231
А	205	GLY	-	expression tag	UNP P37231
В	195	MET	-	initiating methionine	UNP P37231
В	196	ARG	-	expression tag	UNP P37231
В	197	GLY	-	expression tag	UNP P37231
В	198	SER	-	expression tag	UNP P37231
В	199	HIS	-	expression tag	UNP P37231
В	200	HIS	-	expression tag	UNP P37231
В	201	HIS	-	expression tag	UNP P37231
В	202	HIS	-	expression tag	UNP P37231
В	203	HIS	-	expression tag	UNP P37231
В	204	HIS	-	expression tag	UNP P37231
В	205	GLY	-	expression tag	UNP P37231
С	195	MET	-	initiating methionine	UNP P37231

There are 33 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
С	196	ARG	-	expression tag	UNP P37231
С	197	GLY	-	expression tag	UNP P37231
С	198	SER	-	expression tag	UNP P37231
С	199	HIS	-	expression tag	UNP P37231
С	200	HIS	-	expression tag	UNP P37231
С	201	HIS	-	expression tag	UNP P37231
С	202	HIS	-	expression tag	UNP P37231
С	203	HIS	-	expression tag	UNP P37231
С	204	HIS	-	expression tag	UNP P37231
С	205	GLY	-	expression tag	UNP P37231

• Molecule 2 is (1 {S},2 {R})-2-[(4 {R})-4-methylheptoxy]carbonylcyclohexane-1-carbox ylic acid (three-letter code: QG6) (formula: $C_{16}H_{28}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	А	1	Total 47	C 16	Н 27	0 4	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	5	Total O 5 5	0	0
3	В	6	Total O 6 6	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	С	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Peroxisome proliferator-activated receptor gamma







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31	Depositor
Cell constants	92.18Å 92.18Å 89.51Å	Deresiter
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	79.83 - 2.60	Depositor
Resolution (A)	79.83 - 2.60	EDS
% Data completeness	94.1 (79.83-2.60)	Depositor
(in resolution range)	94.1 (79.83-2.60)	EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$146.42 (at 2.62 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.2_4158, PHENIX 1.19.2_4158	Depositor
P. P.	0.266 , 0.295	Depositor
Π, Π_{free}	0.262 , 0.286	DCC
R_{free} test set	1702 reflections $(6.91%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	73.9	Xtriage
Anisotropy	0.436	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.40 , 53.5	EDS
L-test for twinning ²	$< L >=0.37, < L^2>=0.21$	Xtriage
	0.119 for -h,-k,l	
Estimated twinning fraction	0.397 for h,-h-k,-l	Xtriage
	0.124 for -k,-h,-l	
F_o, F_c correlation	0.93	EDS
Total number of atoms	12424	wwPDB-VP
Average B, all atoms $(Å^2)$	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.63% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: $\rm QG6$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
1VIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.31	1/2083~(0.0%)	0.52	1/2808~(0.0%)	
1	В	0.37	3/2083~(0.1%)	0.52	2/2808~(0.1%)	
1	С	0.32	0/2061	0.51	0/2778	
All	All	0.34	4/6227~(0.1%)	0.52	3/8394~(0.0%)	

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	В	365	GLU	CD-OE1	8.23	1.34	1.25
1	А	397	ARG	CG-CD	-5.61	1.38	1.51
1	В	365	GLU	CD-OE2	5.40	1.31	1.25
1	В	365	GLU	CG-CD	5.03	1.59	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
1	В	354	LYS	CD-CE-NZ	7.54	129.04	111.70
1	А	400	LEU	CB-CG-CD1	-6.17	100.51	111.00
1	В	354	LYS	CB-CG-CD	-5.51	97.28	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2037	2090	2080	42	0
1	В	2037	2090	2080	38	3
1	С	2028	2083	2083	39	2
2	А	20	27	0	0	0
3	А	5	0	0	6	0
3	В	6	0	0	2	0
3	С	1	0	0	0	0
All	All	6134	6290	6243	117	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:394:SER:N	3:A:601:HOH:O	1.89	1.04	
1:B:365:GLU:HA	1:B:365:GLU:OE1	1.64	0.94	
1:C:288:ARG:NH2	1:C:343:GLU:OE2	2.21	0.73	
1:A:243:ASP:OD1	1:A:244:LYS:N	2.22	0.73	
1:B:279:ILE:HG23	1:B:463:MET:SD	2.32	0.70	
1:B:351:GLU:OE1	1:B:354:LYS:HD2	1.93	0.68	
1:A:391:ILE:O	3:A:601:HOH:O	2.10	0.68	
1:B:379:LEU:HD11	1:B:435:LEU:HD21	1.75	0.68	
1:C:234:ARG:O	1:C:238:THR:N	2.27	0.67	
1:C:234:ARG:O	1:C:238:THR:HG23	1.95	0.65	
1:B:365:GLU:OE1	1:B:365:GLU:CA	2.38	0.64	
1:B:238:THR:O	1:B:238:THR:HG23	1.98	0.64	
1:A:358:LYS:CG	1:A:359:PRO:HD2	2.28	0.63	
1:A:400:LEU:HD13	1:A:406:ILE:HD12	1.79	0.63	
1:B:353:LEU:HD13	1:B:364:MET:HG2	1.79	0.63	
1:C:358:LYS:HB2	1:C:359:PRO:HD3	1.81	0.62	
1:A:212:ARG:NH1	1:A:420:GLN:OE1	2.30	0.61	
1:C:325:ILE:HG23	1:C:388:ILE:HD12	1.81	0.61	
1:A:319:LYS:NZ	1:A:472:ILE:O	2.31	0.61	
1:A:394:SER:CA	3:A:601:HOH:O	2.41	0.60	
1:A:235:ALA:HB1	1:A:241:THR:HG23	1.85	0.58	
1:C:453:LEU:O	1:C:457:LYS:HG3	2.04	0.58	
1:B:320:TYR:O	3:B:501:HOH:O	2.17	0.57	
1:A:358:LYS:HG2	1:A:359:PRO:HD2	1.86	0.57	
1:B:327:TYR:HE2	1:B:446:VAL:HG22	1.69	0.57	
1:C:282:PHE:CE2	1:C:360:PHE:HB3	2.39	0.57	
1:B:325:ILE:HG23	1:B:388:ILE:HD12	1.86	0.56	



	loub page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:325:ILE:HG23	1:A:388:ILE:HD12	1.87	0.55
1:B:325:ILE:HD11	1:B:392:ILE:HG12	1.88	0.55
1:B:327:TYR:CE2	1:B:446:VAL:HG22	2.41	0.54
1:B:212:ARG:NH1	1:B:420:GLN:OE1	2.37	0.54
1:C:427:GLU:HG2	1:C:428:SER:H	1.73	0.53
1:A:320:TYR:HB2	1:A:397:ARG:HD2	1.90	0.53
1:C:230:LYS:HB2	1:C:332:SER:HB3	1.91	0.53
1:A:350:ARG:HG2	1:A:354:LYS:HE3	1.91	0.53
1:B:367:LYS:HE3	1:B:445:ILE:CG2	2.39	0.53
1:A:450:VAL:O	1:A:454:GLN:HG2	2.10	0.52
1:C:363:PHE:HB2	1:C:452:LEU:HD22	1.92	0.51
1:A:358:LYS:HG3	1:A:359:PRO:HD2	1.91	0.51
1:B:234:ARG:NH1	3:B:505:HOH:O	2.44	0.51
1:B:238:THR:O	1:B:240:LYS:N	2.44	0.51
1:B:223:ILE:HD12	1:B:224:LYS:N	2.25	0.51
1:B:320:TYR:HB2	1:B:397:ARG:HD2	1.91	0.50
1:A:356:LEU:O	1:A:361:GLY:N	2.42	0.50
1:C:325:ILE:HD11	1:C:392:ILE:HG12	1.94	0.49
1:B:365:GLU:N	1:B:366:PRO:HD2	2.27	0.49
1:C:242:THR:O	1:C:243:ASP:CB	2.61	0.49
1:C:447:THR:O	1:C:451:GLN:HG3	2.13	0.49
1:A:228:LEU:HD12	1:A:232:LYS:HD3	1.95	0.49
1:A:358:LYS:HE3	1:A:360:PHE:HE1	1.78	0.49
1:A:325:ILE:HD11	1:A:392:ILE:HG12	1.95	0.48
1:A:223:ILE:HD12	1:A:224:LYS:N	2.27	0.48
1:C:288:ARG:HH22	1:C:343:GLU:CD	2.17	0.48
1:C:214:LEU:HD21	1:C:413:LEU:HD23	1.95	0.48
1:A:240:LYS:O	1:C:252:MET:SD	2.72	0.48
1:C:465:LEU:HD21	1:C:473:TYR:HD2	1.79	0.48
1:B:247:PHE:O	1:B:347:PHE:N	2.46	0.47
1:C:431:LEU:HD12	1:C:434:LYS:HD2	1.96	0.47
1:B:259:GLU:O	1:B:260:ASP:C	2.53	0.47
1:B:212:ARG:NH2	1:B:420:GLN:OE1	2.45	0.47
1:C:348:MET:SD	1:C:353:LEU:HD21	2.55	0.47
1:A:240:LYS:HE3	1:B:427:GLU:HG3	1.97	0.46
1:C:327:TYR:CE1	1:C:367:LYS:HE2	2.49	0.46
1:C:449:HIS:CE1	1:C:453:LEU:HD11	2.50	0.46
1:B:278:ALA:HB1	1:B:360:PHE:CG	2.50	0.46
1:C:278:ALA:O	1:C:282:PHE:HD2	1.99	0.46
1:B:282:PHE:HD2	1:B:463:MET:CE	2.28	0.46
1:B:421:LEU:HD22	1:B:431:LEU:HD23	1.97	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:324:GLU:HG3	1:A:446:VAL:HG21	1.97	0.46
1:A:393:LEU:C	3:A:601:HOH:O	2.38	0.46
1:A:362:ASP:OD1	1:A:362:ASP:N	2.48	0.45
1:B:322:VAL:HG12	1:B:323:HIS:N	2.29	0.45
1:C:322:VAL:HG13	1:C:323:HIS:N	2.31	0.45
1:B:327:TYR:CE1	1:B:367:LYS:HE2	2.51	0.45
1:B:357:ARG:NH1	1:B:460:GLU:OE1	2.48	0.45
1:A:252:MET:O	1:A:255:LEU:HB3	2.16	0.45
1:A:289:SER:O	1:A:293:VAL:HG23	2.17	0.45
1:C:438:LYS:HD3	1:C:438:LYS:HA	1.80	0.45
1:A:358:LYS:O	1:A:360:PHE:N	2.50	0.45
1:A:358:LYS:CG	1:A:359:PRO:CD	2.95	0.45
1:B:279:ILE:H	1:B:279:ILE:HD12	1.82	0.44
1:A:391:ILE:C	3:A:601:HOH:O	2.54	0.44
1:A:400:LEU:HD13	1:A:406:ILE:CD1	2.47	0.44
1:B:358:LYS:HB3	1:B:359:PRO:HD3	1.98	0.44
1:B:439:MET:O	1:B:443:ARG:HG2	2.18	0.44
1:B:238:THR:O	1:B:238:THR:CG2	2.66	0.44
1:B:364:MET:HG3	1:B:368:PHE:CE2	2.53	0.44
1:C:230:LYS:CB	1:C:332:SER:HB3	2.47	0.43
1:C:293:VAL:HG22	1:C:322:VAL:HG21	1.99	0.43
1:C:363:PHE:CD2	1:C:452:LEU:HD13	2.53	0.43
1:C:286:GLN:O	1:C:290:VAL:HG23	2.19	0.43
1:C:350:ARG:HD3	1:C:354:LYS:HE3	2.00	0.43
1:A:282:PHE:HE2	1:A:363:PHE:CG	2.37	0.42
1:C:279:ILE:HD13	1:C:360:PHE:CZ	2.55	0.42
1:A:322:VAL:HG12	1:A:323:HIS:N	2.34	0.42
1:A:450:VAL:HG11	1:A:476:LEU:HG	2.02	0.42
1:C:452:LEU:O	1:C:452:LEU:HG	2.20	0.42
1:A:358:LYS:C	1:A:360:PHE:H	2.22	0.42
1:B:350:ARG:HG3	1:B:368:PHE:CD2	2.55	0.42
1:A:282:PHE:HE2	1:A:363:PHE:CD2	2.38	0.41
1:B:323:HIS:O	1:B:327:TYR:CD2	2.73	0.41
1:A:394:SER:CB	3:A:601:HOH:O	2.68	0.41
1:C:242:THR:O	1:C:243:ASP:HB3	2.21	0.41
1:B:358:LYS:HB3	1:B:359:PRO:CD	2.50	0.41
1:A:451:GLN:O	1:A:454:GLN:HB2	2.20	0.41
1:A:320:TYR:CB	1:A:397:ARG:HD2	2.51	0.41
1:A:255:LEU:O	1:A:259:GLU:HG3	2.21	0.41
1:C:363:PHE:CD2	1:C:452:LEU:HB2	2.56	0.41
1:C:367:LYS:HD3	1:C:445:ILE:HG21	2.03	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:351:GLU:O	1:C:355:SER:N	2.53	0.41
1:A:237:LEU:HD21	1:A:340:LEU:HG	2.03	0.40
1:B:290:VAL:HG22	1:B:469:LEU:HD13	2.03	0.40
1:C:427:GLU:HG2	1:C:428:SER:N	2.36	0.40
1:C:331:ALA:HA	1:C:334:MET:HB2	2.02	0.40
1:A:365:GLU:N	1:A:366:PRO:HD2	2.36	0.40
1:C:377:LEU:HD13	1:C:435:LEU:HD12	2.03	0.40
1:C:444:GLN:HG2	1:C:445:ILE:N	2.35	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:312:ASN:OD1	1:B:429:SER:OG[3_664]	2.12	0.08
1:B:244:LYS:HZ2	$1:C:220:ASP:OD2[3_564]$	1.58	0.02
1:B:244:LYS:NZ	$1:C:220:ASP:OD2[3_564]$	2.18	0.02

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	252/283~(89%)	243~(96%)	9~(4%)	0	100	100
1	В	252/283~(89%)	244 (97%)	6 (2%)	2(1%)	19	39
1	С	250/283~(88%)	242~(97%)	8 (3%)	0	100	100
All	All	754/849~(89%)	729 (97%)	23 (3%)	2~(0%)	41	64

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	239	GLY
1	В	357	ARG



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	229/254~(90%)	224 (98%)	5(2%)	52 76
1	В	229/254~(90%)	229 (100%)	0	100 100
1	С	227/254 (89%)	221 (97%)	6 (3%)	46 72
All	All	685/762~(90%)	674 (98%)	11 (2%)	62 82

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	241	THR
1	А	322	VAL
1	А	362	ASP
1	А	453	LEU
1	А	463	MET
1	С	277	VAL
1	С	350	ARG
1	С	427	GLU
1	С	444	GLN
1	С	462	ASP
1	С	476	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Type Chain Bee		Dog	Tink	Bond lengths			Bond angles			
Moi Type Chai	Ullalli	ani nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
2	QG6	А	501	-	20,20,20	1.07	1 (5%)	25,25,25	1.72	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QG6	А	501	-	-	9/18/29/29	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	501	QG6	O06-C05	3.48	1.40	1.33

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	501	QG6	O06-C05-C04	6.17	119.72	111.36
2	А	501	QG6	C16-C04-C03	2.45	114.72	110.71
2	А	501	QG6	O06-C05-O15	-2.42	119.56	124.13
2	А	501	QG6	C17-C16-C04	2.27	115.71	111.77

There are no chirality outliers.

All (9) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	А	501	QG6	C04-C05-O06-C07
2	А	501	QG6	O15-C05-O06-C07
2	А	501	QG6	C07-C08-C09-C10
2	А	501	QG6	O20-C02-C03-C04
2	А	501	QG6	O01-C02-C03-C04
2	А	501	QG6	O01-C02-C03-C19
2	А	501	QG6	C09-C10-C12-C13
2	А	501	QG6	O20-C02-C03-C19
2	А	501	QG6	C11-C10-C12-C13

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	254/283~(89%)	1.24	48 (18%)	1	0	75, 85, 94, 98	0
1	В	254/283~(89%)	1.55	72~(28%)	0	0	72, 85, 109, 134	0
1	С	254/283~(89%)	1.32	58~(22%)	0	0	78, 87, 97, 108	0
All	All	762/849~(89%)	1.37	178~(23%)	0	0	72, 86, 102, 134	0

All (178) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	364	MET	15.1
1	В	463	MET	10.7
1	С	363	PHE	9.5
1	В	281	ILE	8.9
1	С	243	ASP	7.9
1	А	363	PHE	7.6
1	В	242	THR	7.4
1	С	242	THR	6.7
1	С	246	PRO	6.5
1	В	464	SER	6.2
1	А	427	GLU	5.7
1	А	253	ASN	5.5
1	А	360	PHE	5.5
1	А	463	MET	5.4
1	А	464	SER	5.2
1	В	439	MET	5.2
1	В	241	THR	5.1
1	В	277	VAL	5.1
1	В	456	ILE	4.8
1	В	367	LYS	4.8
1	В	329	MET	4.8
1	С	451	GLN	4.7
1	В	363	PHE	4.7



Mol	Chain	Res	Type	RSRZ
1	В	253	ASN	4.6
1	А	392	ILE	4.6
1	В	260	ASP	4.5
1	В	244	LYS	4.5
1	В	327	TYR	4.4
1	А	234	ARG	4.2
1	В	468	LEU	4.2
1	В	374	PHE	4.1
1	В	325	ILE	4.1
1	А	403	VAL	4.1
1	В	240	LYS	4.0
1	В	452	LEU	4.0
1	А	449	HIS	3.9
1	С	360	PHE	3.8
1	С	287	PHE	3.8
1	С	344	GLY	3.8
1	С	386	ILE	3.8
1	С	238	THR	3.7
1	В	259	GLU	3.7
1	С	247	PHE	3.7
1	А	414	LEU	3.7
1	А	327	TYR	3.6
1	А	364	MET	3.6
1	В	346	GLY	3.6
1	А	307	VAL	3.6
1	В	235	ALA	3.6
1	А	240	LYS	3.6
1	В	356	LEU	3.6
1	В	453	LEU	3.5
1	В	333	LEU	3.5
1	В	435	LEU	3.5
1	С	456	ILE	3.5
1	С	260	ASP	3.3
1	A	242	THR	3.2
1	A	335	ASN	3.2
1	С	303	ILE	3.2
1	С	442	LEU	3.2
1	А	422	LYS	3.2
1	A	456	ILE	3.2
1	В	449	HIS	3.2
1	В	344	GLY	3.2
1	В	228	LEU	3.1



8BFF

Mol	Chain	Res	Type	RSRZ
1	В	476	LEU	3.1
1	С	434	LYS	3.1
1	С	358	LYS	3.0
1	С	407	GLU	3.0
1	В	450	VAL	3.0
1	В	353	LEU	3.0
1	А	416	ALA	3.0
1	С	335	ASN	3.0
1	В	307	VAL	3.0
1	С	214	LEU	3.0
1	С	309	LEU	3.0
1	С	249	ILE	2.9
1	А	302	SER	2.9
1	А	348	MET	2.9
1	А	255	LEU	2.9
1	В	403	VAL	2.9
1	С	277	VAL	2.9
1	В	231	ALA	2.9
1	А	286	GLN	2.9
1	С	230	LYS	2.9
1	В	255	LEU	2.8
1	А	237	LEU	2.8
1	С	414	LEU	2.8
1	В	306	PHE	2.8
1	В	401	LEU	2.7
1	С	465	LEU	2.7
1	А	282	PHE	2.7
1	В	287	PHE	2.7
1	В	419	LEU	2.7
1	В	345	GLN	2.7
1	A	406	ILE	2.7
1	C	468	LEU	2.6
1	C	382	SER	2.6
1	A	412	ASN	2.6
1	B	322	VAL	2.6
1	C	372	VAL	2.6
1	В	334	MET	2.6
1	A	283	GLN	2.6
1	В	434	LYS	2.6
1	B	377	LEU	2.6
1	C	306	PHE	2.6
1	В	283	GLN	2.5



8BFF

Mol	Chain	Rec	Type	RSP7
1	D	106	туре	05
1		400		2.0
	A	277	VAL	2.5
1		353	LEU	2.5
1	В	340	LEU	2.5
1	A	211	LEU	2.5
1	В	256	MET	2.5
1	B	280	ARG	2.5
1	С	231	ALA	2.5
1	В	462	ASP	2.5
1	В	427	GLU	2.4
1	В	430	GLN	2.4
1	А	227	PRO	2.4
1	А	467	PRO	2.4
1	С	237	LEU	2.4
1	В	249	ILE	2.4
1	В	245	SER	2.4
1	С	388	ILE	2.4
1	А	226	PHE	2.3
1	В	423	LEU	2.3
1	С	239	GLY	2.3
1	В	370	PHE	2.3
1	В	301	LYS	2.3
1	А	439	MET	2.3
1	С	240	LYS	2.3
1	В	388	ILE	2.3
1	С	286	GLN	2.3
1	В	372	VAL	2.3
1	С	333	LEU	2.3
1	A	243	ASP	2.3
1	В	227	PRO	2.2
1	С	370	PHE	2.2
1	C	374	PHE	2.2
- 1	Ā	325	ILE	2.2
1	A	386	ILE	2.2
1	B	392	ILE	2.2
1	A	402	ASN	2.2
1	C	435	LEU	2.2 2.2
1	C	453	LEI	2.2
1		-100 -250	GLU	2.2
1	R R	209	TVP	2.2
1	D C	200		2.2
1		011 011		2.2
1	A	408	LID	<i>L.L</i>



Mol	Chain	Res	Type	RSRZ	
1	С	315	VAL	2.2	
1	С	339	VAL	2.2	
1	А	233	ALA	2.1	
1	В	213	ALA	2.1	
1	С	432	PHE	2.1	
1	А	290	VAL	2.1	
1	В	465	LEU	2.1	
1	В	248	VAL	2.1	
1	В	469	LEU	2.1	
1	С	218	LEU	2.1	
1	С	417	LEU	2.1	
1	С	438	LYS	2.1	
1	А	306	PHE	2.1	
1	В	371	ALA	2.1	
1	А	387	PHE	2.1	
1	А	419	LEU	2.1	
1	В	279	ILE	2.1	
1	С	320	TYR	2.1	
1	С	253	ASN	2.1	
1	С	217	HIS	2.1	
1	С	421	LEU	2.1	
1	С	443	ARG	2.1	
1	А	445	ILE	2.0	
1	А	372	VAL	2.0	
1	С	307	VAL	2.0	
1	А	365	GLU	2.0	
1	С	336	LYS	2.0	
1	В	472	ILE	2.0	
1	С	436	LEU	2.0	

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	QG6	А	501	20/20	0.65	0.26	82,98,106,109	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers (i)

There are no such residues in this entry.

