

# Full wwPDB X-ray Structure Validation Report (i)

#### Aug 29, 2024 – 02:05 PM EDT

PDB ID	:	9BKE
Title	:	STRUCTURE OF 4-HYDROXYPHENYLACETATE 3-
		MONOOXYGENASE (HPAB), OXYGENASE COMPONENT FROM ES-
		CHERICHIA COLI MUTANT XS6 WITH AMP BOUND
Authors	:	Zhou, D.; Chen, L.; Rose, J.P.; Wang, B.C.
Deposited on	:	2024-04-27
Resolution	:	1.95  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.002 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.38.3

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	164625	3187 (1.96-1.96)
Clashscore	180529	3412 (1.96-1.96)
Ramachandran outliers	177936	3390(1.96-1.96)
Sidechain outliers	177891	3390 (1.96-1.96)
RSRZ outliers	164620	3186 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	527	80%	16%	••
1	В	527	9%	14%	••



#### 9BKE

# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 16943 atoms, of which 7930 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 4-hydroxyphenylacetate 3-monooxygenase oxygenase component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	А	513	Total 8054	C 2584	Н 3963	N 713	О 768	S 26	0	0	0
1	В	511	Total 8015	C 2572	Н 3943	N 708	O 766	S 26	0	0	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	MET	-	initiating methionine	UNP A0A2G8ZEZ1
А	2	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	3	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	4	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	5	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	6	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	7	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	8	HIS	-	expression tag	UNP A0A2G8ZEZ1
А	215	SER	PHE	conflict	UNP A0A2G8ZEZ1
А	218	ASP	ALA	conflict	UNP A0A2G8ZEZ1
А	219	LEU	GLN	conflict	UNP A0A2G8ZEZ1
А	220	GLY	VAL	conflict	UNP A0A2G8ZEZ1
А	221	SER	MET	conflict	UNP A0A2G8ZEZ1
А	223	SER	GLU	conflict	UNP A0A2G8ZEZ1
А	224	ASP	ASN	conflict	UNP A0A2G8ZEZ1
В	1	MET	-	initiating methionine	UNP A0A2G8ZEZ1
В	2	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	3	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	4	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	5	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	6	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	7	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	8	HIS	-	expression tag	UNP A0A2G8ZEZ1
В	215	SER	PHE	conflict	UNP A0A2G8ZEZ1

There are 30 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
В	218	ASP	ALA	conflict	UNP A0A2G8ZEZ1
В	219	LEU	GLN	conflict	UNP A0A2G8ZEZ1
В	220	GLY	VAL	conflict	UNP A0A2G8ZEZ1
В	221	SER	MET	conflict	UNP A0A2G8ZEZ1
В	223	SER	GLU	conflict	UNP A0A2G8ZEZ1
В	224	ASP	ASN	conflict	UNP A0A2G8ZEZ1

• Molecule 2 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf			
9	Δ	1	Total	С	Η	Ν	0	Р	0	0	
	1	35	10	12	5	7	1	0	0		
0	2 A	٨	1	Total	С	Η	Ν	Ο	Р	0	0
			35	10	12	5	7	1	0	U	

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	389	Total O 389 389	0	0
3	В	415	Total O 415 415	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 4-hydroxyphenylacetate 3-monooxygenase oxygenase component

 $\bullet$  Molecule 1: 4-hydroxyphenylacetate 3-mono<br/>oxygenase oxygenase component





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 2 2	Depositor
Cell constants	100.23Å 100.23Å 336.00Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	39.74 - 1.95	Depositor
Resolution (A)	39.74 - 1.95	EDS
% Data completeness	76.0 (39.74-1.95)	Depositor
(in resolution range)	88.4 (39.74-1.95)	EDS
$R_{merge}$	0.14	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.99 (at 1.95 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.21_5207: ???)	Depositor
B B.	0.183 , 0.213	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.184 , $0.213$	DCC
$R_{free}$ test set	123240 reflections $(1.80%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	19.0	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.41, 58.2	EDS
L-test for $twinning^2$	$ \langle L  \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	16943	wwPDB-VP
Average B, all atoms $(Å^2)$	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.35% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.58	3/4188~(0.1%)	0.80	4/5675~(0.1%)	
1	В	0.61	2/4168~(0.0%)	0.79	4/5649~(0.1%)	
All	All	0.60	5/8356~(0.1%)	0.79	8/11324 (0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	В	143	GLU	CB-CG	-8.05	1.36	1.52
1	А	333	CYS	CB-SG	-6.92	1.70	1.82
1	А	468	TYR	CD2-CE2	-6.82	1.29	1.39
1	В	333	CYS	CB-SG	-6.39	1.71	1.82
1	А	467	ASN	CB-CG	-5.01	1.39	1.51

All (5) bond length outliers are listed below:

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	468	TYR	CB-CG-CD2	-12.53	113.48	121.00
1	В	173	LEU	CB-CG-CD2	10.95	129.61	111.00
1	А	468	TYR	CB-CG-CD1	10.07	127.04	121.00
1	В	173	LEU	CA-CB-CG	9.04	136.10	115.30
1	В	173	LEU	CB-CG-CD1	-8.02	97.37	111.00
1	А	468	TYR	CA-CB-CG	6.73	126.19	113.40



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	333	CYS	CA-CB-SG	6.38	125.49	114.00
1	А	467	ASN	CB-CA-C	-5.32	99.75	110.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	404	VAL	Peptide

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4091	3963	3962	82	2
1	В	4072	3943	3942	79	2
2	А	46	24	24	0	0
3	А	389	0	0	31	2
3	В	415	0	0	35	2
All	All	9013	7930	7928	160	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:411:LEU:N	3:B:603:HOH:O	1.79	1.12
1:A:411:LEU:N	3:A:701:HOH:O	1.82	1.09
1:B:505:GLN:OE1	3:B:601:HOH:O	1.70	1.09
1:B:109:GLU:OE2	3:B:602:HOH:O	1.75	1.02
1:A:467:ASN:O	1:A:468:TYR:HB2	1.61	1.01
1:A:409:ILE:HA	3:A:712:HOH:O	1.61	0.98
1:A:401:GLU:O	1:A:405:THR:HG22	1.68	0.93
1:A:24:GLU:OE2	3:A:703:HOH:O	1.88	0.91
1:A:43:VAL:O	3:A:702:HOH:O	1.86	0.91



	lio us puge	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:147:ARG:NH1	B:147:ARG:NH1 3:B:605:HOH:O		0.91
1:A:468:TYR:O	1:A:470:GLY:N	2.06	0.88
1:A:200:VAL:O	3:A:704:HOH:O	1.96	0.83
1:A:386:ARG:NH2	1:A:478:GLN:OE1	2.10	0.82
1:A:343:GLN:OE1	3:A:706:HOH:O	1.97	0.81
1:A:180:ASP:O	3:A:705:HOH:O	1.96	0.81
1:A:8:HIS:O	3:A:707:HOH:O	2.01	0.79
1:A:439:HIS:ND1	3:A:713:HOH:O	2.15	0.79
1:A:164:ILE:HG12	3:A:739:HOH:O	1.84	0.77
1:A:411:LEU:CA	3:A:701:HOH:O	2.26	0.76
1:B:335:GLY:O	3:B:607:HOH:O	2.03	0.76
1:B:9:LYS:N	3:B:618:HOH:O	2.18	0.74
1:B:411:LEU:CA	3:B:603:HOH:O	2.29	0.73
1:B:224:ASP:N	3:B:604:HOH:O	1.97	0.73
1:B:504:ASP:OD2	3:B:608:HOH:O	2.05	0.73
1:B:468:TYR:O	1:B:469:SER:HB3	1.87	0.72
1:A:188:GLU:OE2	3:A:708:HOH:O	2.07	0.72
1:A:468:TYR:OH	3:A:709:HOH:O	2.08	0.71
1:B:215:SER:OG	3:B:610:HOH:O	2.09	0.70
1:A:165:VAL:N	3:A:704:HOH:O	2.03	0.70
1:A:215:SER:OG	3:A:710:HOH:O	2.10	0.69
1:B:410:TYR:CD1	3:B:603:HOH:O	2.45	0.69
1:A:468:TYR:C	1:A:470:GLY:H	1.97	0.68
1:A:409:ILE:O	3:A:712:HOH:O	2.12	0.67
1:B:438:ASP:OD1	3:B:611:HOH:O	2.11	0.66
1:A:411:LEU:HA	3:A:701:HOH:O	1.89	0.66
1:B:215:SER:N	3:B:610:HOH:O	2.28	0.65
1:B:401:GLU:OE2	3:B:612:HOH:O	2.14	0.65
1:B:278:ASN:OD1	3:B:613:HOH:O	2.15	0.65
1:A:406:SER:O	1:A:409:ILE:HG22	1.97	0.64
1:B:84:GLY:N	3:B:617:HOH:O	2.17	0.64
1:A:162:HIS:O	1:A:162:HIS:HD2	1.80	0.64
1:A:401:GLU:OE2	3:A:714:HOH:O	2.15	0.64
1:A:468:TYR:O	1:A:469:SER:HB3	1.98	0.63
1:B:223:SER:HB3	3:B:604:HOH:O	1.98	0.63
1:B:183:ILE:HD12	1:B:276:MET:CE	2.29	0.63
1:B:468:TYR:O	1:B:469:SER:CB	2.47	0.63
1:B:411:LEU:HA	3:B:603:HOH:O	1.94	0.63
1:B:184:LYS:HE3	1:B:186:GLU:OE2	1.99	0.62
1:B:178:VAL:O	1:B:181:VAL:HG22	2.00	0.62
1:A:162:HIS:O	1:A:162:HIS:CD2	2.52	0.62



	i i i i i i i i i i i i i i i i i i i	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:386:ARG:HD3	1:B:469:SER:OG	1.99	0.61	
1:B:277:ASP:OD1	1:B:278:ASN:ND2	2.34	0.60	
1:A:164:ILE:HA	3:A:739:HOH:O	2.01	0.60	
1:A:468:TYR:O	3:A:715:HOH:O	2.16	0.59	
1:B:162:HIS:ND1	1:B:164:ILE:HD12	2.17	0.58	
1:B:215:SER:CA	3:B:610:HOH:O	2.50	0.58	
1:B:404:VAL:O	1:B:404:VAL:HG12	2.03	0.58	
1:A:215:SER:CA	3:A:710:HOH:O	2.52	0.57	
1:A:523:ASP:O	1:A:527:LYS:HG2	2.04	0.57	
1:B:214:GLY:O	3:B:615:HOH:O	2.17	0.57	
1:B:278:ASN:CB	3:B:613:HOH:O	2.53	0.56	
1:B:61:GLN:HG3	3:B:637:HOH:O	2.04	0.56	
1:B:194:ILE:HA	1:B:279:VAL:O	2.06	0.55	
1:A:391:MET:SD	3:B:1011:HOH:O	2.58	0.55	
1:B:164:ILE:HG22	1:B:164:ILE:O	2.05	0.55	
1:B:173:LEU:HD22	1:B:177:LYS:HE3	1.89	0.55	
1:B:61:GLN:CG	3:B:637:HOH:O	2.55	0.54	
1:B:277:ASP:O	1:B:278:ASN:HB2	2.07	0.54	
1:B:225:PRO:HD3	3:B:604:HOH:O	2.06	0.54	
1:B:176:ASP:O	1:B:177:LYS:CB	2.56	0.54	
1:A:164:ILE:HG22	1:A:164:ILE:O	2.08	0.54	
1:A:184:LYS:HE2	3:A:705:HOH:O	2.08	0.53	
1:B:169:ILE:CD1	1:B:181:VAL:HG21	2.39	0.53	
1:A:391:MET:CE	3:B:1011:HOH:O	2.56	0.53	
1:A:124:TYR:OH	1:A:162:HIS:HE1	1.92	0.53	
1:A:180:ASP:HA	1:A:184:LYS:HZ3	1.75	0.52	
1:A:464:TYR:O	1:A:468:TYR:CD2	2.63	0.52	
1:A:120:ARG:NH2	1:A:162:HIS:NE2	2.57	0.52	
1:A:164:ILE:HG23	3:A:739:HOH:O	2.11	0.51	
1:B:183:ILE:HD12	1:B:276:MET:HE3	1.91	0.51	
1:A:26:TYR:CZ	1:A:30:LEU:HD11	2.46	0.51	
1:A:405:THR:OG1	1:A:406:SER:N	2.44	0.50	
1:A:215:SER:N	3:A:710:HOH:O	2.45	0.50	
1:B:68:LYS:NZ	3:B:634:HOH:O	2.44	0.50	
1:A:183:ILE:HD12	1:A:276:MET:CE	2.42	0.50	
1:A:9:LYS:HE3	1:A:12:ASP:OD2	2.12	0.49	
1:B:308:TYR:N	1:B:309:PRO:CD	2.76	0.49	
1:A:297:ARG:HD2	1:A:301:GLU:OE2	2.13	0.49	
1:A:498:ARG:HD2	3:A:726:HOH:O	2.11	0.49	
1:B:187:LYS:HD3	1:B:189:THR:HG22	1.95	0.48	
1:B:309:PRO:HB2	1:B:382:LEU:HD22	1.96	0.48	



	lo us puge	Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:A:261:TYB:HB3	1:A:264:SER:HB2	1.96	0.48	
1:B:84:GLY:CA	3:B:617:HOH:O	2.61	0.48	
1:A:468:TYR:C	1:A:470:GLY:N	2.56	0.47	
1:B:164:ILE:O	1:B:164:ILE:CG2	2.61	0.47	
1:A:518:ASP:OD2	3:A:718:HOH:O	2.20	0.47	
1:B:278:ASN:HB3	3:B:613:HOH:O	2.13	0.47	
1:A:165:VAL:HB	3:A:704:HOH:O	2.14	0.47	
1:B:43:VAL:HG13	1:B:49:HIS:CD2	2.50	0.47	
1:B:518:ASP:OD2	3:B:620:HOH:O	2.21	0.47	
1:B:162:HIS:ND1	1:B:164:ILE:CD1	2.78	0.46	
1:A:309:PRO:HB2	1:A:382:LEU:HD22	1.97	0.46	
1:B:225:PRO:HB2	1:B:290:ARG:HB3	1.98	0.46	
1:A:176:ASP:O	1:A:177:LYS:CB	2.63	0.46	
1:B:175:THR:O	1:B:179:LYS:NZ	2.37	0.46	
1:A:71:MET:HE1	1:A:109:GLU:OE1	2.15	0.45	
1:A:174:PRO:HD2	1:A:177:LYS:CE	2.47	0.45	
1:A:338:GLU:O	3:A:719:HOH:O	2.21	0.45	
1:A:409:ILE:HG23	1:A:410:TYR:N	2.31	0.45	
1:B:410:TYR:O	1:B:411:LEU:C	2.54	0.45	
1:B:156:THR:OG1	1:B:158:LEU:HG	2.16	0.45	
1:B:169:ILE:HD11	1:B:182:TYR:CE2	2.52	0.45	
1:A:59:VAL:O	1:A:62:LEU:HB2	2.17	0.44	
1:B:164:ILE:HG12	3:B:615:HOH:O	2.17	0.44	
1:A:124:TYR:HB3	3:A:727:HOH:O	2.17	0.44	
1:B:9:LYS:N	1:B:10:PRO:HD2	2.32	0.44	
1:B:431:VAL:HG12	1:B:431:VAL:O	2.17	0.44	
1:A:49:HIS:ND1	1:A:50:PRO:HD2	2.33	0.44	
1:B:49:HIS:ND1	1:B:50:PRO:HD2	2.33	0.44	
1:A:308:TYR:N	1:A:309:PRO:CD	2.80	0.44	
1:B:225:PRO:HG2	1:B:290:ARG:NH2	2.33	0.44	
1:A:162:HIS:CD2	1:A:162:HIS:C	2.91	0.43	
1:A:431:VAL:HG12	1:A:431:VAL:O	2.18	0.43	
1:B:299:THR:OG1	3:B:619:HOH:O	2.18	0.43	
1:A:404:VAL:CG2	1:A:408:LEU:HD11	2.48	0.43	
1:B:333:CYS:HB3	1:B:437:MET:SD	2.58	0.43	
1:A:260:ASP:HA	1:A:447:LYS:HD3	2.01	0.43	
1:B:164:ILE:HA	3:B:615:HOH:O	2.17	0.43	
1:A:162:HIS:HB2	1:A:164:ILE:HD11	2.01	0.43	
1:B:435:ASN:OD1	1:B:435:ASN:N	2.52	0.42	
1:B:498:ARG:NH2	3:B:606:HOH:O	2.03	0.42	
1:A:104:ARG:HG2	1:A:314:VAL:HG21	2.02	0.42	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:404:VAL:HG23	1:A:408:LEU:HG	2.02	0.42	
1:A:435:ASN:HB3	3:A:922:HOH:O	2.20	0.42	
1:B:261:TYR:HB3	1:B:264:SER:HB2	2.01	0.42	
1:B:278:ASN:CG	3:B:613:HOH:O	2.57	0.42	
1:A:174:PRO:HD2	1:A:177:LYS:HE2	2.02	0.42	
1:A:234:PRO:HG2	1:A:237:ALA:HB2	2.02	0.42	
1:B:35:GLU:HG3	1:B:42:ARG:CZ	2.50	0.42	
1:A:194:ILE:HA	1:A:279:VAL:O	2.19	0.42	
1:B:125:LYS:NZ	1:B:162:HIS:HB3	2.35	0.42	
1:A:50:PRO:HB2	1:A:250:MET:HG3	2.02	0.42	
1:B:59:VAL:O	1:B:62:LEU:HB2	2.20	0.42	
1:B:88:HIS:HB3	1:B:91:PHE:CD1	2.54	0.42	
1:B:366:GLU:HB2	1:B:378:ASP:HB2	2.02	0.41	
1:B:297:ARG:NH1	1:B:301:GLU:OE1	2.53	0.41	
1:A:133:GLY:HA3	1:A:150:TYR:CG	2.55	0.41	
1:B:14:ARG:CZ	1:B:156:THR:HG22	2.49	0.41	
1:A:156:THR:OG1	1:A:158:LEU:HG	2.21	0.41	
1:A:519:ILE:HG21	1:B:50:PRO:HB3	2.03	0.41	
1:B:468:TYR:CD1	1:B:468:TYR:C	2.92	0.41	
1:A:438:ASP:OD1	1:A:440:VAL:HB	2.21	0.41	
1:B:333:CYS:HB2	1:B:442:ARG:HG3	2.03	0.41	
1:A:11:GLU:OE2	1:A:152:ARG:NE	2.46	0.40	
1:A:120:ARG:HA	1:A:120:ARG:HD2	1.88	0.40	
1:B:308:TYR:CD1	1:B:308:TYR:C	2.95	0.40	
1:A:306:ARG:HB3	3:A:731:HOH:O	2.20	0.40	
1:B:44:LYS:HD3	1:B:44:LYS:HA	1.88	0.40	
1:A:410:TYR:O	1:A:411:LEU:C	2.60	0.40	
1:A:366:GLU:HB2	1:A:378:ASP:HB2	2.04	0.40	

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic	Clash
	1100m <b>-</b>	distance $(A)$	overlap (Å)
1:A:278:ASN:O	1:B:187:LYS:NZ[1_655]	1.87	0.33
1:A:278:ASN:O	1:B:187:LYS:HZ2[1_655]	1.29	0.31
3:A:1038:HOH:O	3:B:854:HOH:O[7_555]	1.98	0.22
3:B:948:HOH:O	3:B:948:HOH:O[5_755]	2.09	0.11
3:A:823:HOH:O	3:A:921:HOH:O[7_555]	2.18	0.02



#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	509/527~(97%)	487 (96%)	16 (3%)	6 (1%)	11 4
1	В	507/527~(96%)	487 (96%)	15 (3%)	5 (1%)	13 5
All	All	1016/1054~(96%)	974 (96%)	31 (3%)	11 (1%)	12 4

All (11) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	411	LEU
1	А	468	TYR
1	В	405	THR
1	В	411	LEU
1	А	177	LYS
1	А	9	LYS
1	В	177	LYS
1	А	201	VAL
1	А	224	ASP
1	В	201	VAL
1	В	224	ASP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	432/443~(98%)	424 (98%)	8 (2%)	52 47
1	В	430/443~(97%)	422 (98%)	8 (2%)	52 47



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentile	$\mathbf{s}$
All	All	862/886~(97%)	846~(98%)	16 (2%)	52 47	

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	110	TRP
1	А	152	ARG
1	А	162	HIS
1	А	172	HIS
1	А	229	LEU
1	А	353	ARG
1	А	385	TYR
1	А	495	MET
1	В	110	TRP
1	В	152	ARG
1	В	162	HIS
1	В	179	LYS
1	В	333	CYS
1	В	353	ARG
1	В	468	TYR
1	В	524	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	162	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



### 5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune Chain Reg I		n Bos Link		Bond lengths			Bond angles		
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	AMP	А	602	-	21,25,25	0.93	1 (4%)	23,38,38	1.39	3 (13%)
2	AMP	А	601	-	21,25,25	0.86	1 (4%)	23,38,38	1.45	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AMP	А	602	-	-	0/6/26/26	0/3/3/3
2	AMP	А	601	-	-	0/6/26/26	0/3/3/3

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	602	AMP	C2-N3	2.46	1.35	1.32
2	А	601	AMP	C2-N3	2.26	1.35	1.32

All (2) bond length outliers are listed below:

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	А	601	AMP	N3-C2-N1	-5.16	121.67	128.67
2	А	602	AMP	N3-C2-N1	-4.79	122.17	128.67
2	А	602	AMP	C4-C5-N7	-2.79	106.39	109.34
2	А	601	AMP	C4-C5-N7	-2.45	106.75	109.34
2	А	601	AMP	O3P-P-O2P	2.09	115.63	107.80
2	А	602	AMP	O3P-P-O2P	2.04	115.46	107.80

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	513/527~(97%)	0.48	57 (11%) 12 15	7, 26, 66, 134	0
1	В	511/527~(96%)	0.28	47 (9%) 16 20	7, 23, 59, 145	0
All	All	1024/1054~(97%)	0.38	104 (10%) 13 17	7, 25, 62, 145	0

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	409	ILE	10.7
1	В	409	ILE	9.0
1	В	169	ILE	8.7
1	А	468	TYR	8.1
1	В	175	THR	7.6
1	А	410	TYR	7.4
1	В	178	VAL	7.3
1	В	164	ILE	7.0
1	В	174	PRO	7.0
1	В	468	TYR	6.8
1	А	175	THR	6.6
1	В	173	LEU	6.6
1	А	164	ILE	6.6
1	А	181	VAL	6.6
1	В	410	TYR	6.3
1	В	168	PRO	6.2
1	А	173	LEU	6.0
1	А	174	PRO	5.7
1	А	8	HIS	5.6
1	A	177	LYS	5.6
1	A	178	VAL	5.4
1	В	179	LYS	4.9
1	A	169	ILE	4.8
1	B	184	LYS	4.7



Mol	Chain	Res	Type	RSRZ
1	В	177	LYS	4.6
1	А	176	ASP	4.6
1	А	434	SER	4.5
1	А	168	PRO	4.2
1	В	172	HIS	4.2
1	В	171	ARG	4.1
1	А	190	ASP	4.1
1	А	215	SER	4.0
1	А	162	HIS	3.9
1	А	179	LYS	3.8
1	А	184	LYS	3.8
1	В	181	VAL	3.8
1	В	436	GLY	3.7
1	А	171	ARG	3.7
1	В	278	ASN	3.6
1	В	170	ASP	3.6
1	А	525	LEU	3.5
1	А	289	TYR	3.4
1	А	227	PHE	3.3
1	А	435	ASN	3.3
1	В	176	ASP	3.3
1	В	292	PHE	3.2
1	А	405	THR	3.1
1	В	434	SER	3.1
1	А	223	SER	3.1
1	А	182	TYR	3.1
1	А	172	HIS	3.1
1	В	435	ASN	3.0
1	А	185	LEU	2.9
1	В	215	SER	2.9
1	A	170	ASP	2.9
1	В	405	THR	2.8
1	В	469	SER	2.7
1	А	183	ILE	2.7
1	В	194	ILE	2.7
1	A	527	LYS	2.7
1	A	436	GLY	2.7
1	A	180	ASP	2.7
1	А	469	SER	2.6
1	A	238	ASP	2.6
1	А	292	PHE	2.6
1	А	224	ASP	2.6



Mol	Chain	Res	Type	RSRZ	
1	В	333	CYS	2.5	
1	А	33	GLY	2.5	
1	А	299	THR	2.5	
1	А	523	ASP	2.5	
1	В	185	LEU	2.5	
1	В	429	LYS	2.4	
1	В	432	ARG	2.4	
1	В	180	ASP	2.4	
1	В	200	VAL	2.4	
1	В	182	TYR	2.4	
1	А	194	ILE	2.4	
1	В	167	PRO	2.4	
1	А	430	TYR	2.4	
1	В	430	TYR	2.4	
1	А	42	ARG	2.4	
1	А	277	ASP	2.4	
1	В	517	ASP	2.4	
1	В	526	LEU	2.3	
1	А	515	ASN	2.3	
1	А	44	LYS	2.3	
1	В	339	PHE	2.3	
1	В	423	ILE	2.3	
1	А	338	GLU	2.3	
1	В	192	GLY	2.2	
1	В	524	LYS	2.2	
1	В	422	GLN	2.2	
1	В	227	PHE	2.2	
1	В	187	LYS	2.2	
1	А	37	TYR	2.2	
1	А	226	ASP	2.2	
1	А	201	VAL	2.2	
1	А	518	ASP	2.1	
1	А	467	ASN	2.1	
1	А	300	MET	2.1	
1	А	278	ASN	2.1	
1	В	190	ASP	2.1	
1	В	418	LEU	2.1	
1	А	167	PRO	2.0	

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	AMP	А	601	23/23	0.81	0.20	43,67,88,93	0
2	AMP	А	602	23/23	0.86	0.16	27,49,68,70	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers (i)

There are no such residues in this entry.

