



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 10:01 pm GMT

PDB ID : 4BN2
Title : The crystal structure of kinesin-like protein KIF15
Authors : Klejnot, M.; Falnikar, A.; Ulaganathan, V.; Cross, R.; Baas, P.; Kozielski, F.
Deposited on : 2013-05-13
Resolution : 2.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2449 (2.70-2.70)
Clashscore	122126	2756 (2.70-2.70)
Ramachandran outliers	120053	2716 (2.70-2.70)
Sidechain outliers	120020	2716 (2.70-2.70)
RSRZ outliers	108989	2376 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	 5% 61% 24% 5% • 10%
1	B	361	 5% 61% 24% • • 10%
1	C	361	 4% 60% 22% • 14%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7582 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called KINESIN-LIKE PROTEIN KIF15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	326	2473	1556	436	470	11	0	3	0
1	B	324	2462	1544	431	475	12	0	1	1
1	C	311	2360	1483	416	450	11	1	1	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP Q9NS87
A	2	ALA	-	expression tag	UNP Q9NS87
A	3	MET	-	expression tag	UNP Q9NS87
A	4	GLY	-	expression tag	UNP Q9NS87
B	1	GLY	-	expression tag	UNP Q9NS87
B	2	ALA	-	expression tag	UNP Q9NS87
B	3	MET	-	expression tag	UNP Q9NS87
B	4	GLY	-	expression tag	UNP Q9NS87
C	1	GLY	-	expression tag	UNP Q9NS87
C	2	ALA	-	expression tag	UNP Q9NS87
C	3	MET	-	expression tag	UNP Q9NS87
C	4	GLY	-	expression tag	UNP Q9NS87

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	68	Total	O	0	0
			68	68		
4	B	81	Total	O	0	0
			81	81		
4	C	54	Total	O	0	0
			54	54		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: KINESIN-LIKE PROTEIN KIF15




• Molecule 1: KINESIN-LIKE PROTEIN KIF15



• Molecule 1: KINESIN-LIKE PROTEIN KIF15





4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	90.08Å 90.08Å 249.01Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.49 – 2.69 29.49 – 2.70	Depositor EDS
% Data completeness (in resolution range)	88.9 (29.49-2.69) 85.7 (29.49-2.70)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.68Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE: 1.7.1_743)	Depositor
R, R_{free}	0.202 , 0.259 0.193 , 0.251	Depositor DCC
R_{free} test set	765 reflections (2.59%)	wwPDB-VP
Wilson B-factor (Å ²)	35.3	Xtrriage
Anisotropy	0.226	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7582	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.68 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4253e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.63	1/2520 (0.0%)	0.97	9/3405 (0.3%)
1	B	0.63	0/2499	0.96	12/3370 (0.4%)
1	C	0.83	2/2392 (0.1%)	0.91	10/3230 (0.3%)
All	All	0.70	3/7411 (0.0%)	0.95	31/10005 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	5
1	C	0	3
All	All	0	15

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	206	ARG	C-N	-27.60	0.70	1.34
1	C	135	ARG	CG-CD	-5.86	1.37	1.51
1	A	135	ARG	CA-CB	-5.34	1.42	1.53

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	119	ARG	NE-CZ-NH2	-17.78	111.41	120.30
1	B	174	ARG	NE-CZ-NH2	-15.88	112.36	120.30
1	A	119	ARG	NE-CZ-NH1	15.71	128.15	120.30
1	B	174	ARG	NE-CZ-NH1	15.18	127.89	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	206	ARG	O-C-N	-13.66	100.84	122.70
1	C	135	ARG	NE-CZ-NH1	-9.32	115.64	120.30
1	C	174	ARG	NE-CZ-NH2	-9.16	115.72	120.30
1	A	119	ARG	CD-NE-CZ	8.99	136.18	123.60
1	B	135	ARG	NE-CZ-NH1	-8.74	115.93	120.30
1	C	206	ARG	CA-C-N	8.32	135.51	117.20
1	A	174	ARG	NE-CZ-NH2	-8.20	116.20	120.30
1	A	135	ARG	NE-CZ-NH1	-8.18	116.21	120.30
1	C	135	ARG	NE-CZ-NH2	8.06	124.33	120.30
1	C	174	ARG	NE-CZ-NH1	7.68	124.14	120.30
1	B	119	ARG	NE-CZ-NH2	-7.57	116.51	120.30
1	B	135	ARG	NE-CZ-NH2	7.50	124.05	120.30
1	B	174	ARG	CD-NE-CZ	7.11	133.56	123.60
1	B	34	ASN	N-CA-CB	-6.93	98.12	110.60
1	A	135	ARG	NE-CZ-NH2	6.78	123.69	120.30
1	C	119	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	B	235	LYS	N-CA-C	6.31	128.04	111.00
1	B	119	ARG	NE-CZ-NH1	6.09	123.35	120.30
1	A	174	ARG	NE-CZ-NH1	5.83	123.21	120.30
1	C	119	ARG	NE-CZ-NH2	-5.79	117.40	120.30
1	A	119	ARG	CG-CD-NE	-5.77	99.69	111.80
1	C	135	ARG	CB-CG-CD	-5.66	96.88	111.60
1	C	206	ARG	NE-CZ-NH1	-5.51	117.54	120.30
1	B	135	ARG	CB-CG-CD	-5.42	97.51	111.60
1	A	135	ARG	CA-CB-CG	-5.24	101.87	113.40
1	B	45	LEU	CA-CB-CG	5.22	127.31	115.30
1	B	206	ARG	NE-CZ-NH1	-5.10	117.75	120.30

There are no chirality outliers.

All (15) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109	SER	Mainchain,Peptide
1	A	213	THR	Mainchain,Peptide
1	A	215	MET	Peptide
1	A	33	GLN	Peptide
1	A	48	HIS	Mainchain
1	B	111	SER	Peptide
1	B	213	THR	Peptide
1	B	215	MET	Peptide
1	B	235	LYS	Peptide
1	B	48	HIS	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	C	206	ARG	Mainchain
1	C	329	GLY	Peptide
1	C	48	HIS	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2473	0	2436	100	0
1	B	2462	0	2433	71	0
1	C	2360	0	2314	76	0
2	A	27	0	12	2	0
2	B	27	0	12	0	0
2	C	27	0	12	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	68	0	0	4	0
4	B	81	0	0	8	0
4	C	54	0	0	4	0
All	All	7582	0	7219	245	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (245) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:34:ASN:N	1:C:34:ASN:HD22	1.52	1.08
1:A:276:ARG:NH2	1:A:303:ASP:O	1.88	1.05
1:B:276:ARG:NH2	1:B:303:ASP:O	1.91	1.02
1:C:276:ARG:NH2	1:C:303:ASP:O	1.91	1.02
1:A:257:ARG:HA	1:A:273:ASN:C	1.79	1.01
1:B:165:ASP:OD2	4:B:2061:HOH:O	1.87	0.91
1:A:206:ARG:NH2	1:C:196:GLU:OE2	2.05	0.90
1:B:36:CYS:SG	4:B:2007:HOH:O	2.13	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:34:ASN:ND2	1:C:34:ASN:N	2.18	0.90
1:B:214:SER:O	1:B:215:MET:HG2	1.72	0.88
1:C:25:ARG:HH11	1:C:25:ARG:HG2	1.40	0.86
1:A:215:MET:HA	1:A:216:ASN:C	1.96	0.86
1:A:25:ARG:HG2	1:A:25:ARG:HH11	1.39	0.84
1:B:327:HIS:ND1	1:B:328:PRO:O	2.10	0.84
1:B:188:GLU:OE2	4:B:2066:HOH:O	1.97	0.83
1:C:327:HIS:ND1	1:C:328:PRO:O	2.11	0.82
1:B:215:MET:HA	1:B:216:ASN:C	2.02	0.80
1:C:179:LYS:HE3	1:C:317:ASN:HD22	1.48	0.79
1:A:327:HIS:ND1	1:A:328:PRO:O	2.15	0.79
1:A:114[A]:PHE:HD1	1:A:115:SER:H	1.27	0.77
1:A:179:LYS:HE3	1:A:317:ASN:HD22	1.48	0.77
1:C:179:LYS:HE3	1:C:317:ASN:ND2	2.01	0.76
1:B:179:LYS:HE3	1:B:317:ASN:HD22	1.51	0.75
1:A:25:ARG:CG	1:A:25:ARG:HH11	2.00	0.74
1:A:46:ARG:HE	1:A:55:THR:HG22	1.52	0.74
1:B:273:ASN:O	1:B:274:ILE:HG22	1.87	0.73
1:A:25:ARG:HG2	1:A:25:ARG:NH1	2.02	0.72
1:A:215:MET:CB	1:A:217:ARG:HG3	2.20	0.71
1:A:257:ARG:HA	1:A:273:ASN:O	1.90	0.71
1:C:25:ARG:CG	1:C:25:ARG:HH11	2.01	0.71
1:B:46:ARG:HE	1:B:55:THR:HG22	1.56	0.71
1:A:114[A]:PHE:CD1	1:A:115:SER:N	2.50	0.70
1:A:10:GLY:N	4:A:2001:HOH:O	2.24	0.70
1:A:162:ASP:HB2	1:A:171:LEU:HD11	1.75	0.69
1:A:109:SER:HB2	1:A:110:GLU:CB	2.23	0.68
1:C:45:LEU:O	1:C:45:LEU:HD12	1.93	0.68
1:A:45:LEU:HD12	1:A:45:LEU:C	2.14	0.68
1:B:240:VAL:HG13	1:B:360:GLN:HG3	1.76	0.68
1:C:170:GLY:N	4:C:2035:HOH:O	2.26	0.67
1:C:162:ASP:HB2	1:C:171:LEU:HD11	1.76	0.67
1:C:251:ASP:OD1	4:C:2025:HOH:O	2.12	0.67
1:C:45:LEU:C	1:C:45:LEU:HD12	2.14	0.67
1:C:25:ARG:HG2	1:C:25:ARG:NH1	2.02	0.66
1:A:298:HIS:CE1	4:A:2059:HOH:O	2.49	0.66
1:A:179:LYS:HE3	1:A:317:ASN:ND2	2.09	0.66
1:A:109:SER:C	1:A:111:SER:H	1.99	0.66
1:C:285:ILE:HG23	1:C:349:ILE:HD11	1.79	0.65
1:C:46:ARG:HE	1:C:55:THR:HG22	1.62	0.65
1:B:162:ASP:HB2	1:B:171:LEU:HD11	1.78	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:SER:O	1:A:111:SER:N	2.20	0.64
1:B:179:LYS:HE3	1:B:317:ASN:ND2	2.12	0.64
1:A:206:ARG:HH22	1:C:196:GLU:CD	1.99	0.63
1:A:257:ARG:CA	1:A:273:ASN:C	2.62	0.63
1:B:46:ARG:HE	1:B:55:THR:CG2	2.10	0.63
1:B:285:ILE:HG23	1:B:349:ILE:HD11	1.80	0.63
1:A:46:ARG:HE	1:A:55:THR:CG2	2.11	0.62
1:C:57:THR:N	4:C:2011:HOH:O	2.26	0.62
1:A:45:LEU:HD12	1:A:45:LEU:O	1.99	0.62
1:C:179:LYS:CE	1:C:317:ASN:HD22	2.13	0.61
1:A:274:ILE:HG23	1:A:274:ILE:O	2.01	0.60
1:A:237:ASN:OD1	1:A:237:ASN:C	2.39	0.60
1:B:102:THR:OG1	4:B:2043:HOH:O	2.13	0.60
1:B:59:ASP:OD2	1:B:347[A]:LYS:HE2	2.02	0.59
1:A:178:LYS:HG3	1:A:180:GLY:H	1.69	0.58
1:B:110:GLU:HB3	4:B:2048:HOH:O	2.03	0.58
1:B:350:LYS:N	4:B:2078:HOH:O	2.35	0.58
1:A:285:ILE:HG23	1:A:349:ILE:HD11	1.85	0.57
1:A:176:HIS:ND1	1:A:178:LYS:HG2	2.20	0.57
1:B:122:ILE:HB	1:B:123:PRO:HD3	1.86	0.57
1:B:178:LYS:HG3	1:B:180:GLY:H	1.70	0.56
1:A:59:ASP:OD2	1:A:347[A]:LYS:HE2	2.05	0.56
1:A:285:ILE:HD12	1:A:349:ILE:CD1	2.34	0.56
1:B:26:SER:OG	1:B:26:SER:O	2.21	0.56
1:A:92:PHE:HB3	1:A:250:VAL:HB	1.88	0.56
1:C:26:SER:O	1:C:26:SER:OG	2.16	0.56
1:C:46:ARG:HE	1:C:55:THR:CG2	2.19	0.55
1:B:92:PHE:HB3	1:B:250:VAL:HB	1.89	0.55
1:C:116:HIS:O	1:C:119:ARG:HD3	2.07	0.55
1:C:122:ILE:HB	1:C:123:PRO:HD3	1.87	0.55
1:B:317:ASN:HA	1:B:352:LYS:O	2.06	0.55
1:C:92:PHE:CB	1:C:250:VAL:HB	2.38	0.54
1:C:258:GLN:H	1:C:274:ILE:N	2.06	0.54
1:B:159:GLN:HG2	1:B:161:TYR:CE1	2.43	0.54
1:A:215:MET:CA	1:A:216:ASN:C	2.74	0.53
1:B:285:ILE:HD12	1:B:349:ILE:CD1	2.38	0.53
1:B:92:PHE:CB	1:B:250:VAL:HB	2.38	0.53
1:A:46:ARG:NE	1:A:55:THR:HG22	2.21	0.53
1:A:80:VAL:O	1:A:83:CYS:HB2	2.08	0.53
1:B:214:SER:C	1:B:215:MET:HG2	2.29	0.53
1:A:122:ILE:HB	1:A:123:PRO:HD3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:GLU:O	1:A:52:GLU:HG2	2.08	0.53
1:B:177:ILE:C	1:B:179:LYS:H	2.13	0.52
1:B:46:ARG:HH11	1:B:46:ARG:HG2	1.75	0.52
1:B:46:ARG:NE	1:B:55:THR:HG22	2.23	0.52
1:A:179:LYS:CE	1:A:317:ASN:HD22	2.19	0.52
1:A:92:PHE:CB	1:A:250:VAL:HB	2.40	0.52
1:B:45:LEU:C	1:B:45:LEU:HD23	2.29	0.52
1:A:159:GLN:HG2	1:A:161:TYR:CE1	2.44	0.51
1:C:179:LYS:HG3	1:C:312:ASP:OD2	2.10	0.51
1:A:290:ASP:HB2	1:A:297:ARG:HG3	1.93	0.51
1:B:312:ASP:HA	1:B:316:GLY:HA3	1.92	0.51
1:C:136:GLU:OE1	1:C:136:GLU:HA	2.09	0.51
1:C:227:THR:HG21	1:C:246:LEU:HD11	1.93	0.51
1:C:159:GLN:HG2	1:C:161:TYR:CE1	2.46	0.51
1:C:317:ASN:HA	1:C:352:LYS:O	2.11	0.51
1:A:179:LYS:HG3	1:A:312:ASP:OD2	2.11	0.50
1:C:177:ILE:C	1:C:179:LYS:H	2.13	0.50
1:C:45:LEU:CD1	1:C:45:LEU:C	2.79	0.50
1:C:158:GLU:OE2	1:C:305:LYS:HG3	2.11	0.50
1:C:80:VAL:O	1:C:83:CYS:HB2	2.12	0.50
1:A:215:MET:HA	1:A:217:ARG:N	2.27	0.50
1:A:35:LEU:O	1:A:329:GLY:N	2.36	0.50
1:C:92:PHE:HB3	1:C:250:VAL:HB	1.92	0.50
1:C:196:GLU:HA	1:C:199:GLN:HE21	1.77	0.50
1:A:177:ILE:C	1:A:179:LYS:H	2.15	0.50
1:C:285:ILE:HD12	1:C:349:ILE:CD1	2.42	0.50
1:B:116:HIS:O	1:B:119:ARG:HD3	2.11	0.49
1:C:291:VAL:HG23	1:C:297:ARG:HB2	1.93	0.49
1:A:26:SER:O	1:A:26:SER:OG	2.25	0.49
1:B:215:MET:CA	1:B:216:ASN:C	2.78	0.49
1:A:256:GLU:O	1:A:273:ASN:O	2.30	0.49
1:A:45:LEU:CD1	1:A:45:LEU:C	2.80	0.49
1:B:179:LYS:HG3	1:B:312:ASP:OD2	2.13	0.49
1:B:215:MET:SD	1:B:217:ARG:CB	3.00	0.48
1:A:35:LEU:O	1:A:36:CYS:HB3	2.12	0.48
1:B:176:HIS:ND1	1:B:178:LYS:HG2	2.29	0.48
1:B:242:ILE:HD12	1:B:360:GLN:OE1	2.14	0.48
1:A:103:PHE:CE2	2:A:600:ADP:C6	3.01	0.48
1:A:227:THR:HG21	1:A:246:LEU:HD11	1.95	0.48
1:A:196:GLU:HA	1:A:199:GLN:HE21	1.78	0.48
1:C:290:ASP:HB2	1:C:297:ARG:HG3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:LYS:CE	1:B:317:ASN:HD22	2.22	0.48
1:C:137:LYS:O	1:C:138:GLU:CB	2.62	0.48
1:A:317:ASN:HA	1:A:352:LYS:O	2.14	0.48
1:B:52:GLU:HG2	1:B:52:GLU:O	2.13	0.47
1:B:215:MET:HA	1:B:217:ARG:N	2.29	0.47
1:C:196:GLU:HA	1:C:199:GLN:NE2	2.29	0.47
1:A:16:PHE:HD1	1:A:60:HIS:HB3	1.79	0.47
1:A:35:LEU:O	1:A:36:CYS:CB	2.63	0.47
1:B:35:LEU:O	1:B:36:CYS:HB3	2.14	0.47
1:C:135:ARG:C	1:C:137:LYS:N	2.65	0.47
1:A:164:LEU:CD1	1:A:164:LEU:N	2.77	0.47
1:A:14:LYS:HE3	4:A:2002:HOH:O	2.15	0.47
1:C:35:LEU:O	1:C:329:GLY:N	2.38	0.47
1:A:92:PHE:CE1	1:A:322:ILE:HG12	2.50	0.46
1:B:16:PHE:HD1	1:B:60:HIS:HB3	1.80	0.46
1:A:109:SER:C	1:A:111:SER:N	2.64	0.46
1:A:291:VAL:HG23	1:A:297:ARG:HB2	1.98	0.46
1:C:146:PHE:CE2	1:C:232:SER:HB3	2.50	0.46
1:C:16:PHE:HD1	1:C:60:HIS:HB3	1.81	0.46
1:B:45:LEU:CD2	1:B:45:LEU:C	2.84	0.46
1:C:144:LYS:HA	1:C:233:MET:O	2.14	0.46
1:A:46:ARG:NH1	4:A:2009:HOH:O	2.48	0.46
1:B:227:THR:HG21	1:B:246:LEU:HD11	1.97	0.46
1:B:212:SER:OG	1:B:219:SER:HB2	2.16	0.46
1:C:177:ILE:C	1:C:179:LYS:N	2.69	0.46
1:C:46:ARG:HH11	1:C:46:ARG:HG2	1.81	0.46
1:A:205:TRP:O	1:A:205:TRP:CD1	2.69	0.46
1:C:52:GLU:HG2	1:C:52:GLU:O	2.15	0.46
1:C:285:ILE:O	1:C:289:VAL:HG23	2.15	0.45
1:C:164:LEU:N	1:C:164:LEU:CD1	2.79	0.45
1:A:285:ILE:O	1:A:289:VAL:HG23	2.16	0.45
1:B:80:VAL:O	1:B:83:CYS:HB2	2.16	0.45
1:B:114:PHE:O	1:B:118:LEU:HG	2.16	0.45
1:C:300:CYS:HB3	1:C:303:ASP:HB2	1.97	0.45
1:B:177:ILE:C	1:B:179:LYS:N	2.69	0.45
1:A:69:GLU:HB2	1:A:124:ARG:NH2	2.31	0.45
1:C:296:GLN:O	1:C:297:ARG:HG2	2.17	0.45
1:A:147:LEU:HA	1:A:147:LEU:HD12	1.79	0.45
1:A:46:ARG:HG2	1:A:46:ARG:HH11	1.82	0.45
1:C:285:ILE:HG23	1:C:349:ILE:CD1	2.46	0.45
1:A:69:GLU:HB2	1:A:124:ARG:HH21	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:312:ASP:HA	1:C:316:GLY:HA3	1.99	0.44
1:A:298:HIS:NE2	1:A:300:CYS:SG	2.86	0.44
1:B:156:TYR:O	1:B:159:GLN:HB3	2.17	0.44
1:C:92:PHE:CE1	1:C:322:ILE:HG12	2.52	0.44
1:C:46:ARG:NE	1:C:55:THR:HG22	2.30	0.44
1:A:144:LYS:HA	1:A:233:MET:O	2.18	0.44
1:A:148:CYS:HA	1:A:229:THR:O	2.17	0.44
1:B:285:ILE:O	1:B:289:VAL:HG23	2.18	0.44
1:A:290:ASP:CB	1:A:297:ARG:HG3	2.47	0.44
1:C:177:ILE:HG12	1:C:177:ILE:H	1.36	0.44
1:A:227:THR:CG2	1:A:246:LEU:HD11	2.48	0.43
1:C:290:ASP:CB	1:C:297:ARG:HG3	2.48	0.43
1:A:312:ASP:HA	1:A:316:GLY:HA3	2.00	0.43
1:B:164:LEU:N	1:B:164:LEU:CD1	2.81	0.43
1:B:35:LEU:O	1:B:36:CYS:CB	2.66	0.43
1:A:196:GLU:HA	1:A:199:GLN:NE2	2.34	0.43
1:B:63:ASP:HB3	4:B:2021:HOH:O	2.17	0.43
1:A:135:ARG:HG2	1:A:135:ARG:O	2.18	0.43
1:A:158:GLU:OE2	1:A:305:LYS:HG3	2.18	0.43
1:B:52:GLU:OE1	1:B:52:GLU:N	2.49	0.43
1:C:212:SER:OG	1:C:219:SER:HB2	2.18	0.43
1:A:212:SER:OG	1:A:219:SER:HB2	2.19	0.43
1:A:315:GLY:N	1:A:351:ASN:OD1	2.50	0.43
1:B:176:HIS:HB3	1:B:178:LYS:HG2	2.01	0.43
1:B:257:ARG:HD2	4:B:2072:HOH:O	2.18	0.43
1:B:101:LYS:HE2	1:B:101:LYS:HB2	1.85	0.43
1:C:156:TYR:O	1:C:159:GLN:HB3	2.19	0.43
1:A:177:ILE:C	1:A:179:LYS:N	2.71	0.43
1:B:196:GLU:HA	1:B:199:GLN:HE21	1.84	0.43
1:C:119:ARG:HG2	1:C:124:ARG:NH1	2.34	0.43
1:C:35:LEU:HA	1:C:35:LEU:HD12	1.63	0.42
1:C:55:THR:HG23	4:C:2009:HOH:O	2.19	0.42
1:B:119:ARG:HG2	1:B:124:ARG:NH1	2.34	0.42
1:A:114[A]:PHE:HD1	1:A:115:SER:N	2.01	0.42
1:C:52:GLU:OE1	1:C:52:GLU:N	2.51	0.42
1:B:291:VAL:HG12	1:B:297:ARG:HB2	2.02	0.42
1:C:35:LEU:O	1:C:36:CYS:HB3	2.19	0.42
1:C:103:PHE:CE2	2:C:600:ADP:C6	3.07	0.42
1:A:288:LEU:HD23	1:A:288:LEU:HA	1.81	0.42
1:C:154:GLU:OE1	1:C:208:ARG:HG3	2.18	0.42
1:A:120:GLY:O	1:A:123:PRO:HD2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:PHE:CE2	1:A:232:SER:HB3	2.55	0.42
1:B:136:GLU:HA	1:B:136:GLU:OE1	2.20	0.42
1:C:164:LEU:HA	1:C:164:LEU:HD12	1.83	0.42
1:A:164:LEU:HD13	1:A:164:LEU:N	2.35	0.41
1:A:68:GLN:HA	1:A:68:GLN:OE1	2.19	0.41
1:B:158:GLU:OE2	1:B:305:LYS:HG3	2.20	0.41
1:B:24:GLU:O	1:B:25:ARG:HB2	2.20	0.41
1:A:136:GLU:HA	1:A:136:GLU:OE1	2.20	0.41
1:A:178:LYS:NZ	1:A:180:GLY:HA3	2.34	0.41
1:A:154:GLU:OE1	1:A:208:ARG:HG3	2.19	0.41
1:C:35:LEU:O	1:C:36:CYS:CB	2.69	0.41
1:A:285:ILE:HD12	1:A:349:ILE:HD12	2.01	0.41
1:A:118:LEU:HA	1:A:118:LEU:HD12	1.92	0.41
1:A:103:PHE:CE2	2:A:600:ADP:N6	2.88	0.41
1:A:52:GLU:OE1	1:A:52:GLU:N	2.51	0.41
1:B:120:GLY:O	1:B:123:PRO:HD2	2.21	0.41
1:B:205:TRP:O	1:B:205:TRP:CD1	2.74	0.41
1:B:68:GLN:HA	1:B:68:GLN:OE1	2.20	0.41
1:C:148:CYS:HA	1:C:229:THR:O	2.20	0.41
1:A:285:ILE:HG23	1:A:349:ILE:CD1	2.51	0.41
1:B:148:CYS:HA	1:B:229:THR:O	2.19	0.41
1:B:144:LYS:HA	1:B:233:MET:O	2.21	0.41
1:C:205:TRP:O	1:C:205:TRP:CD1	2.74	0.41
1:C:288:LEU:HD23	1:C:288:LEU:HA	1.79	0.41
1:A:176:HIS:HB3	1:A:178:LYS:HG2	2.03	0.41
1:C:159:GLN:HG3	1:C:160:ILE:N	2.36	0.41
1:C:227:THR:CG2	1:C:246:LEU:HD11	2.51	0.40
1:A:119:ARG:HH11	1:A:127:GLU:CD	2.25	0.40
1:B:178:LYS:O	1:B:179:LYS:CB	2.68	0.40
1:A:92:PHE:CZ	1:A:322:ILE:HG12	2.56	0.40
1:A:349:ILE:CG2	1:A:350:LYS:N	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/361 (90%)	303 (94%)	19 (6%)	1 (0%)	43	71
1	B	315/361 (87%)	297 (94%)	17 (5%)	1 (0%)	43	71
1	C	298/361 (82%)	286 (96%)	12 (4%)	0	100	100
All	All	936/1083 (86%)	886 (95%)	48 (5%)	2 (0%)	49	77

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	110	GLU
1	B	274	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/303 (88%)	238 (90%)	28 (10%)	7	17
1	B	269/303 (89%)	243 (90%)	26 (10%)	9	21
1	C	254/303 (84%)	226 (89%)	28 (11%)	7	16
All	All	789/909 (87%)	707 (90%)	82 (10%)	8	17

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	ARG
1	A	36	CYS
1	A	40	LEU
1	A	44	SER
1	A	45	LEU
1	A	106	MET
1	A	109	SER
1	A	111	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	115	SER
1	A	118	LEU
1	A	119	ARG
1	A	152	PHE
1	A	164	LEU
1	A	166	SER
1	A	177	ILE
1	A	178	LYS
1	A	179	LYS
1	A	199	GLN
1	A	202	SER
1	A	214	SER
1	A	237	ASN
1	A	244	THR
1	A	274	ILE
1	A	276	ARG
1	A	331[A]	ARG
1	A	331[B]	ARG
1	A	347[A]	LYS
1	A	347[B]	LYS
1	B	36	CYS
1	B	40	LEU
1	B	44	SER
1	B	45	LEU
1	B	109	SER
1	B	112	ASP
1	B	115	SER
1	B	132	LEU
1	B	135	ARG
1	B	138	GLU
1	B	152	PHE
1	B	164	LEU
1	B	166	SER
1	B	168	SER
1	B	177	ILE
1	B	178	LYS
1	B	179	LYS
1	B	199	GLN
1	B	202	SER
1	B	215	MET
1	B	218	GLU
1	B	244	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	257	ARG
1	B	276	ARG
1	B	291	VAL
1	B	360	GLN
1	C	25	ARG
1	C	34	ASN
1	C	35	LEU
1	C	36	CYS
1	C	40	LEU
1	C	44	SER
1	C	45	LEU
1	C	106	MET
1	C	109	SER
1	C	115	SER
1	C	135	ARG
1	C	137	LYS
1	C	147	LEU
1	C	152	PHE
1	C	163	LEU
1	C	164	LEU
1	C	166	SER
1	C	168	SER
1	C	177	ILE
1	C	179	LYS
1	C	199	GLN
1	C	202	SER
1	C	218	GLU
1	C	239	ILE
1	C	244	THR
1	C	276	ARG
1	C	331[A]	ARG
1	C	331[B]	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	A	600	3	25,29,29	1.17	2 (8%)	25,45,45	1.65	3 (12%)
2	ADP	B	600	3	25,29,29	1.14	1 (4%)	25,45,45	1.54	3 (12%)
2	ADP	C	600	3	25,29,29	1.10	1 (4%)	25,45,45	1.69	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	600	3	-	0/12/32/32	0/3/3/3
2	ADP	B	600	3	-	0/12/32/32	0/3/3/3
2	ADP	C	600	3	-	0/12/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	ADP	O4'-C1'	2.31	1.44	1.41
2	C	600	ADP	C5-C4	2.87	1.47	1.40
2	B	600	ADP	C5-C4	3.09	1.47	1.40
2	A	600	ADP	C5-C4	3.12	1.47	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	600	ADP	N3-C2-N1	-5.45	124.20	128.86
2	A	600	ADP	N3-C2-N1	-4.66	124.88	128.86
2	B	600	ADP	N3-C2-N1	-4.44	125.06	128.86
2	A	600	ADP	C4-C5-N7	-3.85	105.69	109.41
2	B	600	ADP	C4-C5-N7	-3.67	105.86	109.41
2	C	600	ADP	C4-C5-N7	-2.36	107.13	109.41
2	C	600	ADP	PA-O3A-PB	-2.32	124.83	132.63
2	C	600	ADP	C2-N1-C6	2.30	122.66	118.75
2	B	600	ADP	O3B-PB-O2B	2.33	116.80	107.59
2	A	600	ADP	O3B-PB-O2B	2.47	117.35	107.59

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	ADP	2	0
2	C	600	ADP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	206:ARG	C	207:ASN	N	0.70

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	326/361 (90%)	-0.04	17 (5%) 27 25	15, 33, 83, 124	0
1	B	324/361 (89%)	-0.02	17 (5%) 27 25	14, 31, 80, 105	0
1	C	311/361 (86%)	-0.14	14 (4%) 33 31	16, 34, 73, 104	1 (0%)
All	All	961/1083 (88%)	-0.07	48 (4%) 29 27	14, 33, 80, 124	1 (0%)

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	ASN	7.9
1	A	273	ASN	5.9
1	A	110	GLU	5.2
1	B	111	SER	5.2
1	B	114	PHE	5.0
1	B	112	ASP	4.8
1	C	217	ARG	4.6
1	A	112	ASP	4.5
1	B	113	ASN	4.2
1	A	111	SER	4.2
1	B	177	ILE	4.1
1	B	215	MET	4.1
1	A	114[A]	PHE	4.0
1	A	177	ILE	3.8
1	A	237	ASN	3.7
1	A	176	HIS	3.4
1	C	294	GLY	3.4
1	C	295	LYS	3.3
1	C	115	SER	3.2
1	A	295	LYS	3.1
1	C	10	GLY	3.0
1	B	273	ASN	3.0
1	C	291	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	292	GLY	2.9
1	A	296	GLN	2.9
1	A	217	ARG	2.9
1	B	293	ASN	2.7
1	B	33	GLN	2.7
1	B	217	ARG	2.7
1	C	296	GLN	2.5
1	C	218	GLU	2.5
1	C	242	ILE	2.4
1	C	239	ILE	2.4
1	C	258	GLN	2.3
1	B	290	ASP	2.3
1	A	215	MET	2.3
1	B	360	GLN	2.3
1	C	177	ILE	2.3
1	A	290	ASP	2.3
1	B	115	SER	2.3
1	B	179	LYS	2.2
1	B	143	GLY	2.2
1	A	10	GLY	2.2
1	A	236	SER	2.1
1	C	298	HIS	2.1
1	A	25	ARG	2.1
1	C	109	SER	2.1
1	B	110	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MG	A	601	1/1	0.96	0.18	15,15,15,15	0
2	ADP	A	600	27/27	0.98	0.12	12,19,27,29	0
2	ADP	C	600	27/27	0.98	0.13	13,22,32,39	0
3	MG	B	601	1/1	0.98	0.15	24,24,24,24	0
3	MG	C	601	1/1	0.99	0.12	17,17,17,17	0
2	ADP	B	600	27/27	0.99	0.11	9,16,23,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.