



# Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 05:45 am BST

PDB ID : 2BPM  
Title : STRUCTURE OF CDK2-CYCLIN A WITH PHA-630529  
Authors : Cameron, A.; Fogliatto, G.; Pevarello, P.; Brasca, M.G.; Orsini, P.; Traquandi, G.; Longo, A.; Nesi, M.; Orzi, F.; Piutti, C.; Sansonna, P.; Varasi, M.; Vulpetti, A.; Roletto, F.; Alzani, R.; Ciomei, M.; Albanese, C.; Pastori, W.; Marsiglio, A.; Pesenti, E.; Fiorentini, F.; Bischoff, J.R.; Mercurio, C.  
Deposited on : 2005-04-21  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">5%      79%      18%      ..</p>
1	C	309	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 66%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">8%      66%      29%      ..</p>
2	B	265	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 74%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">7%      74%      23%      ..</p>
2	D	265	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">3%      76%      20%      .</p>

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 9452 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CELL DIVISION PROTEIN KINASE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	302	Total	C	N	O	S	0	0	0
			2427	1579	412	428	8			
1	C	299	Total	C	N	O	S	0	0	0
			2405	1563	409	425	8			

- Molecule 2 is a protein called CYCLIN A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	258	Total	C	N	O	S	0	0	0
			2084	1350	339	384	11			
2	D	255	Total	C	N	O	S	0	0	0
			2062	1336	336	379	11			

- Molecule 3 is (2S)-N-[(3Z)-5-CYCLOPROPYL-3H-PYRAZOL-3-YLIDENE]-2-[4-(2-OXOIMIDAZOLIDIN-1-YL)PHENYL]PROPANAMIDE (three-letter code: 529) (formula: C<sub>18</sub>H<sub>19</sub>N<sub>5</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			25	18	5	2		
3	C	1	Total	C	N	O	0	0
			25	18	5	2		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	145	Total	O	0	0
			145	145		
5	B	72	Total	O	0	0
			72	72		
5	C	56	Total	O	0	0
			56	56		
5	D	141	Total	O	0	0
			141	141		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CELL DIVISION PROTEIN KINASE 2




- Molecule 1: CELL DIVISION PROTEIN KINASE 2




- Molecule 2: CYCLIN A2



- Molecule 2: CYCLIN A2

Chain D: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	183.61Å 183.61Å 214.13Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.76 – 2.40 29.76 – 2.40	Depositor EDS
% Data completeness (in resolution range)	(Not available) (29.76-2.40) 99.6 (29.76-2.40)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.88 (at 2.39Å)	Xtrriage
Refinement program	CNX 2002	Depositor
R, $R_{free}$	0.229 , 0.271 0.226 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.7	Xtrriage
Anisotropy	0.431	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 50.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9452	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 529

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/2490	0.63	0/3381
1	C	0.34	0/2467	0.59	0/3349
2	B	0.34	0/2134	0.56	0/2897
2	D	0.38	0/2111	0.60	0/2864
All	All	0.36	0/9202	0.60	0/12491

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2427	0	2481	39	0
1	C	2405	0	2454	66	0
2	B	2084	0	2107	45	0
2	D	2062	0	2087	40	0
3	A	25	0	18	0	0
3	C	25	0	18	1	0
4	A	5	0	0	0	0
4	D	5	0	0	0	0
5	A	145	0	0	2	1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	72	0	0	0	0
5	C	56	0	0	2	0
5	D	141	0	0	1	0
All	All	9452	0	9165	182	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:126:ARG:O	1:C:164:VAL:HG22	1.87	0.75
1:C:40:GLU:HG3	1:C:41:THR:HG23	1.67	0.75
1:C:7:VAL:HG23	1:C:8:GLU:HG2	1.70	0.74
1:A:36:ARG:HH12	1:A:75:LYS:HE2	1.52	0.73
1:A:158:THR:HG21	5:A:2081:HOH:O	1.90	0.71
1:A:51:GLU:O	1:A:55:LEU:HB2	1.90	0.71
1:A:12:GLU:HG3	1:A:13:GLY:H	1.56	0.71
2:D:198:GLY:O	2:D:201:LYS:HG2	1.91	0.71
2:B:289:LYS:HE3	2:B:293:ARG:HH21	1.56	0.70
1:C:7:VAL:HG22	1:C:20:LYS:O	1.92	0.70
2:D:321:HIS:NE2	2:D:379:LYS:HD2	2.06	0.70
2:D:216:ASP:HB2	2:D:406:GLN:HG3	1.74	0.69
1:C:56:LYS:HE3	5:C:2015:HOH:O	1.93	0.69
2:B:346:PRO:O	2:B:349:LYS:HG2	1.94	0.67
1:C:51:GLU:O	1:C:55:LEU:HB2	1.95	0.66
1:A:172:GLU:HG2	1:A:271:PRO:HG3	1.76	0.65
2:B:289:LYS:CE	2:B:293:ARG:HH21	2.10	0.65
1:C:38:ASP:HB3	1:C:42:GLU:HB3	1.79	0.65
1:C:255:LEU:HG	1:C:259:GLY:HA3	1.80	0.64
1:A:197:VAL:CG1	1:A:254:PRO:HG2	2.28	0.62
2:D:374:GLU:HG3	2:D:378:ARG:NH1	2.14	0.62
2:B:398:TYR:CE1	2:B:426:PRO:HG3	2.35	0.61
1:C:241:PRO:HB2	1:C:243:TRP:CZ3	2.36	0.60
1:C:91:MET:HE2	1:C:196:MET:HG2	1.83	0.60
1:C:197:VAL:CG1	1:C:254:PRO:HG2	2.31	0.60
2:D:205:ASP:OD1	2:D:250:ARG:NH1	2.35	0.60
2:D:229:ASN:HD22	2:D:334:MET:HE2	1.67	0.60
1:A:36:ARG:NH1	1:A:75:LYS:HE2	2.18	0.59
2:B:319:PHE:CE2	2:B:330:GLU:HG2	2.39	0.58
2:B:346:PRO:HB2	2:B:349:LYS:HE2	1.85	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:388:LYS:HB3	2:B:389:PRO:HD3	1.84	0.58
2:B:210:MET:CE	2:B:250:ARG:HG2	2.35	0.57
2:D:346:PRO:O	2:D:349:LYS:HG2	2.04	0.57
2:B:194:LYS:HD2	2:B:195:PRO:HD2	1.85	0.56
1:A:128:LEU:HD13	1:A:189:LEU:HD13	1.87	0.56
1:C:47:THR:HG23	5:C:2012:HOH:O	2.06	0.56
2:D:275:VAL:HG21	2:D:292:LEU:HD21	1.87	0.56
2:D:289:LYS:O	2:D:293:ARG:HG3	2.06	0.56
2:D:388:LYS:O	2:D:392:MET:HG2	2.04	0.56
2:D:216:ASP:CB	2:D:406:GLN:HG3	2.35	0.55
2:B:319:PHE:CD2	2:B:330:GLU:HG2	2.41	0.55
1:C:70:ILE:N	1:C:70:ILE:HD12	2.21	0.55
2:B:179:HIS:CE1	2:B:379:LYS:NZ	2.75	0.55
1:C:39:THR:HG22	1:C:39:THR:O	2.06	0.55
1:A:32:LEU:HD23	1:A:79:VAL:HG22	1.89	0.55
1:C:136:ASN:HD21	1:C:140:ALA:HB3	1.71	0.55
2:D:205:ASP:OD2	2:D:250:ARG:HG3	2.07	0.54
1:A:163:VAL:HG12	1:A:180:TYR:OH	2.07	0.54
1:C:40:GLU:O	2:D:288:LYS:HD2	2.07	0.54
1:C:262:LEU:HG	1:C:266:MET:CE	2.38	0.54
1:C:7:VAL:O	1:C:8:GLU:HB3	2.08	0.53
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.90	0.53
1:C:61:PRO:O	1:C:142:LYS:HE2	2.09	0.53
2:B:210:MET:HE3	2:B:250:ARG:HG2	1.90	0.53
1:A:255:LEU:HG	1:A:259:GLY:HA3	1.90	0.53
2:B:388:LYS:O	2:B:392:MET:HG2	2.08	0.53
2:D:279:VAL:HG21	2:D:288:LYS:HG2	1.90	0.53
1:C:109:PHE:O	1:C:113:GLN:HG3	2.09	0.52
2:B:332:LEU:HD23	2:B:363:ALA:HA	1.90	0.52
2:B:374:GLU:HG3	2:B:378:ARG:NH1	2.25	0.52
2:B:206:ILE:HA	2:B:210:MET:SD	2.49	0.52
1:C:158:THR:HA	1:C:180:TYR:HE1	1.75	0.52
1:A:159:TYR:CE2	1:A:161:HIS:HB2	2.46	0.51
2:B:401:ALA:HB3	2:B:402:PRO:HD3	1.93	0.51
1:C:158:THR:HA	1:C:180:TYR:CE1	2.44	0.51
1:C:188:SER:O	1:C:192:ILE:HG13	2.11	0.51
2:B:361:HIS:CD2	2:B:391:LEU:HD21	2.47	0.50
1:C:198:THR:O	1:C:199:ARG:HB2	2.11	0.50
1:C:99:ILE:HG22	1:C:104:ILE:HG13	1.94	0.50
1:C:87:LEU:O	1:C:91:MET:HG3	2.11	0.50
2:D:344:ALA:O	2:D:348:LEU:HB2	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:179:HIS:CE1	2:B:379:LYS:HZ1	2.28	0.50
2:D:210:MET:HE1	2:D:250:ARG:HG2	1.93	0.50
1:C:139:GLY:HA2	1:C:294:PRO:HD3	1.94	0.50
1:A:7:VAL:HG12	1:A:8:GLU:HG2	1.92	0.50
1:C:213:PHE:O	1:C:217:ARG:HB2	2.12	0.50
1:A:32:LEU:CD2	1:A:79:VAL:HG22	2.42	0.50
1:C:262:LEU:HG	1:C:266:MET:HE1	1.93	0.50
1:C:209:ILE:HD11	1:C:213:PHE:CZ	2.48	0.49
1:C:49:ILE:HG23	2:D:306:LEU:HD12	1.95	0.49
1:C:124:LEU:HG	1:C:152:PHE:CD1	2.47	0.49
1:A:121:HIS:O	1:A:122:ARG:HG3	2.12	0.49
2:B:190:GLU:OE1	2:B:352:PRO:HD2	2.13	0.49
1:C:136:ASN:ND2	1:C:140:ALA:HB3	2.28	0.49
1:C:85:GLN:HG3	1:C:86:ASP:N	2.28	0.49
1:A:297:ARG:O	1:A:298:LEU:HD23	2.12	0.48
2:B:205:ASP:OD2	2:B:250:ARG:HG3	2.12	0.48
1:A:42:GLU:OE2	2:B:275:VAL:HG12	2.13	0.48
1:A:1:MET:HE2	1:A:70:ILE:HG12	1.95	0.48
2:D:364:LEU:HG	2:D:370:GLN:HB2	1.96	0.48
2:D:388:LYS:HB3	2:D:389:PRO:HD3	1.95	0.48
2:D:263:LEU:HD21	2:D:295:GLU:HG3	1.96	0.48
1:C:121:HIS:C	1:C:122:ARG:HG3	2.34	0.48
1:C:84:HIS:CD2	1:C:137:THR:HG23	2.48	0.48
1:A:284:PRO:O	1:A:287:GLN:HB2	2.13	0.48
2:D:229:ASN:HD22	2:D:334:MET:CE	2.26	0.48
2:B:281:ILE:HD12	2:B:282:THR:HG23	1.95	0.47
1:C:60:HIS:CG	1:C:61:PRO:HD2	2.49	0.47
1:A:61:PRO:O	1:A:142:LYS:HE2	2.13	0.47
1:A:251:VAL:C	1:A:253:PRO:HD3	2.35	0.47
2:B:217:TRP:CH2	2:B:281:ILE:HD13	2.50	0.47
2:B:297:LEU:O	2:B:301:VAL:HG23	2.14	0.47
1:A:159:TYR:HB3	5:A:2074:HOH:O	2.15	0.46
1:A:91:MET:HE1	1:A:195:GLU:HG2	1.98	0.46
1:A:93:ALA:HB1	1:A:297:ARG:HD2	1.97	0.46
2:B:323:GLN:HB2	2:B:324:PRO:HD3	1.97	0.46
2:B:398:TYR:CD1	2:B:426:PRO:HG3	2.51	0.45
1:C:193:PHE:CD2	1:C:266:MET:HE3	2.51	0.45
2:D:347:TYR:OH	2:D:394:LEU:HA	2.17	0.45
1:C:253:PRO:HB2	1:C:254:PRO:HD3	1.99	0.45
1:C:290:THR:C	1:C:292:PRO:HD3	2.37	0.45
1:C:12:GLU:HB3	1:C:13:GLY:H	1.60	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:223:ASP:OD1	1:C:225:VAL:HB	2.15	0.45
1:C:155:PRO:HD3	2:D:316:THR:HG21	1.99	0.45
1:A:121:HIS:C	1:A:122:ARG:HG3	2.38	0.45
2:B:275:VAL:HG11	2:B:288:LYS:HE2	1.99	0.45
1:A:157:ARG:HB2	2:B:270:ILE:HD11	1.97	0.44
2:B:274:GLU:HG2	2:B:277:GLU:HG2	1.99	0.44
2:B:225:TYR:HE1	2:B:281:ILE:HG21	1.82	0.44
1:C:137:THR:HG22	1:C:296:LEU:HD12	1.98	0.44
1:C:69:VAL:C	1:C:70:ILE:HD12	2.38	0.44
2:D:200:MET:HG2	2:D:208:ASN:ND2	2.33	0.44
2:B:205:ASP:OD1	2:B:250:ARG:NH1	2.50	0.44
1:C:121:HIS:O	1:C:122:ARG:HG3	2.18	0.44
2:D:179:HIS:CE1	2:D:379:LYS:NZ	2.86	0.44
2:B:198:GLY:O	2:B:201:LYS:HG2	2.18	0.44
1:C:36:ARG:NH1	1:C:75:LYS:HE2	2.32	0.44
2:D:406:GLN:NE2	5:D:2123:HOH:O	2.50	0.43
1:C:32:LEU:CD2	1:C:79:VAL:HG22	2.47	0.43
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.99	0.43
2:D:404:HIS:CE1	2:D:406:GLN:HB2	2.54	0.43
1:C:10:ILE:HA	3:C:1299:529:H2	2.00	0.43
2:D:210:MET:HE1	2:D:250:ARG:HA	2.00	0.43
2:B:207:THR:OG1	2:B:210:MET:HG3	2.18	0.43
1:A:36:ARG:HH11	1:A:36:ARG:HG2	1.83	0.43
1:A:295:HIS:O	1:A:297:ARG:NH1	2.51	0.43
2:D:191:VAL:HG12	2:D:191:VAL:O	2.19	0.43
1:A:-1:VAL:HG11	2:D:296:HIS:CE1	2.54	0.43
2:B:235:ALA:O	2:B:239:ILE:HG13	2.19	0.43
1:A:85:GLN:HG3	1:A:86:ASP:N	2.34	0.43
2:B:294:MET:O	2:B:298:VAL:HG23	2.19	0.43
1:C:197:VAL:HG13	1:C:254:PRO:HG2	2.00	0.42
1:A:110:GLN:OE1	1:A:140:ALA:HA	2.18	0.42
1:C:245:ARG:NH2	1:C:248:PHE:CE1	2.88	0.42
2:B:262:LEU:HD11	2:B:266:LYS:HE3	2.00	0.42
1:A:49:ILE:HG23	2:B:306:LEU:HD12	2.02	0.42
2:D:179:HIS:NE2	2:D:320:LEU:HD12	2.34	0.42
2:D:373:PRO:CG	2:D:376:LEU:HD12	2.49	0.42
2:D:410:ARG:O	2:D:414:LYS:HG3	2.19	0.42
1:A:233:MET:HA	1:A:234:PRO:HD3	1.91	0.42
1:C:172:GLU:HG2	1:C:271:PRO:HG3	2.01	0.42
1:C:44:VAL:HA	1:C:45:PRO:HD3	1.93	0.42
2:D:192:LYS:C	2:D:194:LYS:H	2.23	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:199:TYR:CD1	2:D:199:TYR:C	2.93	0.42
1:C:43:GLY:HA3	2:D:292:LEU:HD22	2.01	0.42
1:C:288:ASP:O	1:C:289:VAL:C	2.59	0.42
1:C:193:PHE:HD2	1:C:266:MET:HE3	1.85	0.42
1:C:32:LEU:HD21	1:C:79:VAL:HG22	2.02	0.42
2:B:425:ASN:HA	2:B:425:ASN:HD22	1.57	0.41
1:C:105:LYS:HE2	1:C:285:PHE:CZ	2.55	0.41
1:A:52:ILE:HD11	1:A:78:LEU:CD2	2.50	0.41
1:A:55:LEU:HD12	1:A:55:LEU:HA	1.90	0.41
1:C:170:ALA:HB1	1:C:172:GLU:OE2	2.20	0.41
1:A:122:ARG:HA	1:A:152:PHE:CE1	2.56	0.41
1:A:198:THR:O	1:A:199:ARG:HB2	2.20	0.41
1:A:270:ASP:HB3	1:A:273:LYS:HB2	2.02	0.41
2:B:335:PHE:CE1	2:B:409:ILE:HG22	2.56	0.41
2:B:395:HIS:ND1	2:B:430:LEU:HG	2.35	0.41
1:C:213:PHE:HB3	1:C:217:ARG:NH2	2.35	0.41
2:D:401:ALA:HB3	2:D:402:PRO:HD3	2.02	0.41
1:C:230:VAL:HG13	1:C:231:THR:N	2.36	0.41
2:D:281:ILE:HG13	2:D:281:ILE:H	1.75	0.41
1:A:52:ILE:HD11	1:A:78:LEU:HD21	2.01	0.41
2:B:234:LEU:HA	2:B:234:LEU:HD23	1.93	0.41
2:B:347:TYR:OH	2:B:394:LEU:HA	2.21	0.41
1:C:49:ILE:HA	1:C:49:ILE:HD13	1.95	0.40
2:B:348:LEU:HD12	2:B:348:LEU:HA	1.74	0.40
1:C:159:TYR:HB2	1:C:163:VAL:HG23	2.03	0.40
2:D:277:GLU:HA	2:D:280:TYR:CD2	2.56	0.40
2:D:191:VAL:O	2:D:191:VAL:CG1	2.68	0.40
1:C:283:HIS:CG	1:C:284:PRO:HD2	2.56	0.40
1:C:94:SER:O	1:C:98:GLY:N	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2009:HOH:O	5:A:2009:HOH:O[11_556]	1.67	0.53

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/309 (97%)	291 (97%)	9 (3%)	0	100	100
1	C	297/309 (96%)	282 (95%)	12 (4%)	3 (1%)	15	23
2	B	256/265 (97%)	249 (97%)	6 (2%)	1 (0%)	34	48
2	D	253/265 (96%)	250 (99%)	3 (1%)	0	100	100
All	All	1106/1148 (96%)	1072 (97%)	30 (3%)	4 (0%)	34	48

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	162	GLU
1	C	8	GLU
2	B	176	PRO
1	C	289	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/273 (98%)	260 (97%)	7 (3%)	46	66
1	C	264/273 (97%)	261 (99%)	3 (1%)	73	87
2	B	232/237 (98%)	229 (99%)	3 (1%)	69	84
2	D	229/237 (97%)	227 (99%)	2 (1%)	78	90
All	All	992/1020 (97%)	977 (98%)	15 (2%)	65	80

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	LEU
1	A	83	LEU
1	A	122	ARG
1	A	154	VAL
1	A	189	LEU
1	A	248	PHE
1	A	255	LEU
2	B	346	PRO
2	B	348	LEU
2	B	425	ASN
1	C	55	LEU
1	C	59	ASN
1	C	122	ARG
2	D	346	PRO
2	D	396	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	ASN
1	A	161	HIS
2	B	208	ASN
2	B	425	ASN
1	C	59	ASN
1	C	71	HIS
1	C	84	HIS
2	D	179	HIS
2	D	208	ASN
2	D	296	HIS
2	D	396	GLN
2	D	419	HIS
2	D	425	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	SO4	D	1433	-	4,4,4	0.27	0	6,6,6	0.07	0
3	529	C	1299	-	25,28,28	2.35	10 (40%)	29,40,40	2.39	5 (17%)
4	SO4	A	1300	-	4,4,4	0.29	0	6,6,6	0.08	0
3	529	A	1299	-	25,28,28	2.14	8 (32%)	29,40,40	2.29	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	529	C	1299	-	-	1/19/41/41	0/4/4/4
3	529	A	1299	-	-	3/19/41/41	0/4/4/4

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1299	529	C8-N14	5.28	1.45	1.31
3	A	1299	529	C8-N14	4.95	1.45	1.31
3	C	1299	529	C11-C10	4.84	1.54	1.49
3	C	1299	529	C21-N1	4.42	1.52	1.43
3	A	1299	529	C11-C10	4.41	1.54	1.49
3	A	1299	529	C21-N1	4.07	1.51	1.43
3	C	1299	529	C5-N1	-3.08	1.35	1.38
3	A	1299	529	C23-C18	2.79	1.43	1.39
3	A	1299	529	C5-N1	-2.77	1.36	1.38

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1299	529	C20-C21	2.75	1.44	1.39
3	A	1299	529	C20-C21	2.62	1.44	1.39
3	A	1299	529	C22-C21	2.62	1.44	1.39
3	C	1299	529	C23-C18	2.54	1.43	1.39
3	C	1299	529	C22-C21	2.45	1.44	1.39
3	C	1299	529	C16-C15	2.45	1.56	1.52
3	C	1299	529	C8-N7	2.32	1.38	1.35
3	A	1299	529	C19-C18	2.30	1.42	1.39
3	C	1299	529	C19-C18	2.24	1.42	1.39

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1299	529	C13-C11-C10	9.47	131.54	119.11
3	A	1299	529	C13-C11-C10	9.20	131.18	119.11
3	C	1299	529	O24-C5-N4	-4.79	120.04	127.18
3	A	1299	529	O24-C5-N4	-4.67	120.21	127.18
3	C	1299	529	C21-N1-C5	3.63	129.77	125.69
3	A	1299	529	C21-N1-C5	3.35	129.46	125.69
3	C	1299	529	C12-C11-C10	-2.86	115.36	119.11
3	A	1299	529	C12-C11-C10	-2.48	115.87	119.11
3	C	1299	529	C3-C2-N1	2.06	105.13	103.07

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1299	529	N6-C10-C11-C13
3	A	1299	529	C9-C10-C11-C13
3	C	1299	529	N14-C15-C16-C25
3	A	1299	529	N14-C15-C16-C25


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1299	529	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	302/309 (97%)	-0.09	15 (4%) 28 27	28, 40, 82, 110	0
1	C	299/309 (96%)	0.28	26 (8%) 10 9	32, 58, 91, 115	0
2	B	258/265 (97%)	0.25	18 (6%) 16 15	35, 52, 81, 103	0
2	D	255/265 (96%)	-0.11	9 (3%) 44 43	29, 39, 72, 94	0
All	All	1114/1148 (97%)	0.08	68 (6%) 21 20	28, 48, 83, 115	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	271	TYR	6.8
2	B	323	GLN	6.8
1	C	161	HIS	6.4
2	B	175	VAL	6.1
1	C	159	TYR	6.0
1	C	162	GLU	5.2
1	A	13	GLY	5.1
1	C	13	GLY	5.0
2	B	432	LEU	4.8
1	C	96	LEU	4.8
1	A	14	THR	4.8
2	D	323	GLN	4.6
1	C	160	THR	4.4
1	C	14	THR	4.3
1	C	15	TYR	4.2
2	B	324	PRO	4.2
1	C	40	GLU	4.2
1	A	39	THR	4.1
1	A	161	HIS	4.1
1	A	38	ASP	3.9
2	D	324	PRO	3.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	B	284	ASP	3.7
1	C	295	HIS	3.7
1	A	15	TYR	3.7
1	A	40	GLU	3.5
1	C	97	THR	3.4
2	B	201	LYS	3.4
1	A	287	GLN	3.4
2	D	271	TYR	3.3
1	C	298	LEU	3.3
2	D	193	CYS	3.2
2	D	311	VAL	3.1
1	C	39	THR	3.0
1	A	12	GLU	2.9
1	A	-2	LEU	2.8
2	B	177	ASP	2.8
1	A	36	ARG	2.8
1	C	73	GLU	2.7
2	D	197	VAL	2.6
2	B	250	ARG	2.6
1	C	287	GLN	2.6
1	C	297	ARG	2.6
1	C	98	GLY	2.6
2	B	415	ASN	2.5
1	A	159	TYR	2.5
1	A	189	LEU	2.5
2	B	403	GLN	2.5
1	C	247	ASP	2.4
1	A	73	GLU	2.4
2	B	179	HIS	2.4
2	B	378	ARG	2.4
1	C	95	ALA	2.4
2	D	178	TYR	2.3
1	C	133	LEU	2.3
2	B	283	ASP	2.3
1	C	41	THR	2.3
1	C	250	LYS	2.2
1	C	249	SER	2.2
2	B	197	VAL	2.2
2	B	235	ALA	2.1
1	C	8	GLU	2.1
1	C	12	GLU	2.1
2	B	226	LYS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	283	ASP	2.1
1	C	157	ARG	2.1
2	B	359	ALA	2.1
2	D	337	GLY	2.0
1	A	188	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	529	C	1299	25/25	0.85	0.18	47,61,72,73	0
4	SO4	A	1300	5/5	0.89	0.22	97,98,99,100	0
4	SO4	D	1433	5/5	0.91	0.23	110,111,111,112	0
3	529	A	1299	25/25	0.96	0.12	32,37,48,49	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 529 C 1299:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 529 A 1299:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.