



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 08:30 pm BST

PDB ID : 1BRQ
Title : CRYSTAL STRUCTURE OF THE TRIGONAL FORM OF HUMAN PLASMA RETINOL-BINDING PROTEIN AT 2.5 ANGSTROMS RESOLUTION
Authors : Zanotti, G.; Monaco, H.L.
Deposited on : 1992-07-27
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	182	30% 38% 26% . .

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1463 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RETINOL BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	175	1408	884	245	269	10	0	0	1

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	55	55	55	0	0

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	104.20Å 104.20Å 74.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.190 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	1463	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.84	9/1440 (0.6%)	1.63	32/1947 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	147	GLU	CD-OE2	7.08	1.33	1.25
1	A	81	GLU	CD-OE2	6.97	1.33	1.25
1	A	33	GLU	CD-OE2	5.61	1.31	1.25
1	A	13	GLU	CD-OE2	5.54	1.31	1.25
1	A	49	GLU	CD-OE2	5.43	1.31	1.25
1	A	158	GLU	CD-OE1	5.31	1.31	1.25
1	A	157	GLU	CD-OE1	5.24	1.31	1.25
1	A	44	GLU	CD-OE2	5.12	1.31	1.25
1	A	1	GLU	CD-OE2	5.10	1.31	1.25

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	5	ARG	NE-CZ-NH1	-10.01	115.29	120.30
1	A	139	ARG	CD-NE-CZ	7.90	134.66	123.60
1	A	139	ARG	NE-CZ-NH2	-7.44	116.58	120.30
1	A	126	ASP	CB-CG-OD1	7.10	124.69	118.30
1	A	31	ASP	CB-CG-OD2	6.94	124.55	118.30
1	A	131	ASP	CB-CG-OD1	-6.93	112.06	118.30
1	A	126	ASP	CB-CG-OD2	-6.82	112.16	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	131	ASP	CB-CG-OD2	6.73	124.36	118.30
1	A	72	ASP	CB-CG-OD2	-6.72	112.25	118.30
1	A	68	ASP	CB-CG-OD2	-6.58	112.38	118.30
1	A	31	ASP	CB-CG-OD1	-6.52	112.43	118.30
1	A	5	ARG	NE-CZ-NH2	6.42	123.51	120.30
1	A	3	ASP	CB-CG-OD2	-6.40	112.54	118.30
1	A	79	ASP	CB-CG-OD1	-6.25	112.67	118.30
1	A	103	ASP	CB-CG-OD1	-6.19	112.72	118.30
1	A	48	ASP	CB-CG-OD2	6.14	123.83	118.30
1	A	139	ARG	NE-CZ-NH1	6.14	123.37	120.30
1	A	48	ASP	CB-CG-OD1	-6.13	112.78	118.30
1	A	155	ARG	N-CA-CB	6.01	121.42	110.60
1	A	128	THR	CA-CB-CG2	-5.95	104.07	112.40
1	A	108	ASP	CB-CG-OD2	5.85	123.57	118.30
1	A	79	ASP	CB-CG-OD2	5.82	123.54	118.30
1	A	140	ASP	CB-CG-OD2	5.68	123.41	118.30
1	A	152	VAL	CA-CB-CG2	-5.63	102.46	110.90
1	A	112	ASP	CB-CG-OD1	5.52	123.27	118.30
1	A	68	ASP	CB-CG-OD1	5.52	123.27	118.30
1	A	39	ASP	CB-CG-OD1	-5.32	113.52	118.30
1	A	110	ASP	CB-CG-OD1	5.25	123.03	118.30
1	A	103	ASP	CB-CG-OD2	5.23	123.00	118.30
1	A	72	ASP	CB-CG-OD1	5.17	122.96	118.30
1	A	82	ASP	CB-CA-C	5.09	120.58	110.40
1	A	114	TYR	CB-CG-CD2	5.04	124.03	121.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	155	ARG	CA

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1408	0	1334	113	0
2	A	55	0	0	2	0
All	All	1463	0	1334	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 41.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:29:LYS:HB2	1:A:168:ILE:HD11	1.30	1.05
1:A:19:ARG:HH11	1:A:19:ARG:HG2	1.26	0.97
1:A:58:LYS:HE3	1:A:174:CYS:HB3	1.46	0.96
1:A:115:ALA:HB3	1:A:137:PHE:HB2	1.50	0.92
1:A:63:LEU:HB2	1:A:67:TRP:CD1	2.10	0.86
1:A:29:LYS:HZ1	1:A:166:ARG:NH2	1.76	0.82
1:A:29:LYS:HG3	1:A:135:PHE:CE1	2.17	0.79
1:A:29:LYS:NZ	1:A:166:ARG:NH2	2.29	0.79
1:A:58:LYS:CE	1:A:174:CYS:HB3	2.12	0.77
1:A:81:GLU:CD	1:A:81:GLU:H	1.88	0.77
1:A:29:LYS:HZ1	1:A:166:ARG:HH22	1.29	0.76
1:A:62:ARG:HG3	1:A:62:ARG:HH11	1.54	0.73
1:A:153:ARG:HH22	1:A:163:ARG:HE	1.35	0.72
1:A:153:ARG:HH12	1:A:163:ARG:HG3	1.56	0.70
1:A:47:VAL:HG23	1:A:52:GLN:C	2.11	0.70
1:A:153:ARG:HA	1:A:156:GLN:HE21	1.57	0.69
1:A:64:LEU:HD23	1:A:64:LEU:O	1.92	0.69
1:A:77:PHE:CD1	1:A:88:MET:HB2	2.28	0.69
1:A:114:TYR:CE2	1:A:151:ILE:HD11	2.29	0.68
1:A:77:PHE:CE1	1:A:88:MET:HB2	2.29	0.68
1:A:166:ARG:O	1:A:166:ARG:HG3	1.93	0.68
1:A:2:ARG:HG2	1:A:3:ASP:N	2.09	0.67
1:A:29:LYS:NZ	1:A:166:ARG:HH22	1.91	0.66
1:A:17:LYS:NZ	1:A:51:GLY:O	2.29	0.66
1:A:151:ILE:HD12	1:A:155:ARG:HD3	1.76	0.66
1:A:48:ASP:OD2	1:A:52:GLN:HG2	1.95	0.66
1:A:153:ARG:HH12	1:A:163:ARG:CG	2.10	0.65
1:A:99:LYS:NZ	2:A:228:HOH:O	2.30	0.65
1:A:153:ARG:HG3	1:A:156:GLN:HE21	1.61	0.64
1:A:69:VAL:HG23	1:A:70:CYS:N	2.12	0.63
1:A:62:ARG:HG3	1:A:68:ASP:OD1	1.99	0.62
1:A:114:TYR:HB3	1:A:144:LEU:HD22	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:LEU:HD12	1:A:67:TRP:NE1	2.15	0.61
1:A:52:GLN:HG3	1:A:52:GLN:O	1.99	0.60
1:A:40:ASN:OD1	1:A:170:HIS:HA	2.02	0.59
1:A:30:LYS:C	1:A:30:LYS:HD2	2.23	0.59
1:A:145:PRO:HB2	1:A:147:GLU:OE1	2.02	0.59
1:A:19:ARG:HH11	1:A:19:ARG:CG	2.09	0.58
1:A:122:LEU:O	1:A:130:ALA:HB3	2.04	0.58
1:A:94:ALA:HB1	1:A:96:PHE:CE2	2.38	0.58
1:A:63:LEU:HB2	1:A:67:TRP:HD1	1.62	0.58
1:A:151:ILE:CD1	1:A:155:ARG:HD3	2.33	0.57
1:A:108:ASP:OD2	1:A:151:ILE:HD13	2.04	0.57
1:A:76:THR:HG21	1:A:91:TRP:HH2	1.71	0.55
1:A:114:TYR:HA	1:A:137:PHE:O	2.07	0.55
1:A:153:ARG:HG3	1:A:156:GLN:NE2	2.22	0.54
1:A:19:ARG:NH1	1:A:19:ARG:HG2	2.05	0.54
1:A:120:CYS:HB3	2:A:231:HOH:O	2.08	0.54
1:A:124:ASN:OD1	1:A:130:ALA:HB2	2.07	0.53
1:A:28:ALA:CA	1:A:168:ILE:HD12	2.38	0.53
1:A:47:VAL:HG23	1:A:52:GLN:O	2.07	0.53
1:A:147:GLU:OE1	1:A:147:GLU:N	2.29	0.53
1:A:39:ASP:O	1:A:40:ASN:HB2	2.09	0.53
1:A:153:ARG:HA	1:A:156:GLN:NE2	2.24	0.53
1:A:140:ASP:OD1	1:A:141:PRO:HD2	2.10	0.51
1:A:104:HIS:CE1	1:A:117:GLN:HG3	2.45	0.51
1:A:29:LYS:NZ	1:A:37:LEU:O	2.39	0.51
1:A:62:ARG:HG3	1:A:62:ARG:NH1	2.18	0.51
1:A:89:LYS:HG2	1:A:91:TRP:HZ3	1.76	0.51
1:A:65:ASN:O	1:A:66:ASN:HB2	2.10	0.51
1:A:107:VAL:HB	1:A:116:VAL:HG22	1.92	0.50
1:A:138:SER:HB2	1:A:144:LEU:CD2	2.41	0.50
1:A:81:GLU:N	1:A:81:GLU:OE2	2.25	0.49
1:A:64:LEU:HD22	1:A:64:LEU:H	1.78	0.49
1:A:159:LEU:O	1:A:161:LEU:HG	2.13	0.48
1:A:29:LYS:HZ2	1:A:166:ARG:NH2	2.10	0.48
1:A:25:TYR:CE1	1:A:141:PRO:HD3	2.48	0.48
1:A:27:MET:CG	1:A:138:SER:HB3	2.44	0.48
1:A:48:ASP:OD1	1:A:50:THR:OG1	2.28	0.48
1:A:36:PHE:O	1:A:37:LEU:HB2	2.12	0.48
1:A:138:SER:HB2	1:A:144:LEU:HD21	1.95	0.48
1:A:134:SER:HB3	1:A:165:TYR:CE2	2.49	0.48
1:A:147:GLU:H	1:A:147:GLU:CD	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:VAL:HG23	1:A:94:ALA:N	2.30	0.47
1:A:144:LEU:HB3	1:A:145:PRO:HD2	1.95	0.47
1:A:152:VAL:O	1:A:156:GLN:HG3	2.14	0.47
1:A:35:LEU:CD1	1:A:166:ARG:NH2	2.77	0.47
1:A:85:LYS:HD3	1:A:105:TRP:CE2	2.50	0.47
1:A:169:VAL:CG1	1:A:170:HIS:N	2.78	0.47
1:A:13:GLU:O	1:A:13:GLU:HG2	2.15	0.46
1:A:151:ILE:HD12	1:A:155:ARG:CD	2.43	0.46
1:A:62:ARG:HA	1:A:68:ASP:OD1	2.16	0.45
1:A:40:ASN:N	1:A:169:VAL:O	2.48	0.45
1:A:76:THR:CG2	1:A:91:TRP:CH2	2.99	0.45
1:A:53:MET:HE2	1:A:86:PHE:CE2	2.52	0.45
1:A:93:VAL:CG2	1:A:94:ALA:N	2.79	0.45
1:A:62:ARG:NH1	1:A:68:ASP:OD1	2.50	0.45
1:A:26:ALA:HB3	1:A:41:ILE:HB	1.99	0.44
1:A:47:VAL:O	1:A:47:VAL:HG13	2.17	0.44
1:A:77:PHE:CE1	1:A:88:MET:CG	3.00	0.44
1:A:28:ALA:HA	1:A:168:ILE:HD12	2.00	0.44
1:A:6:VAL:O	1:A:8:SER:N	2.50	0.44
1:A:64:LEU:HD23	1:A:64:LEU:C	2.35	0.44
1:A:61:VAL:O	1:A:68:ASP:HA	2.17	0.44
1:A:69:VAL:HG23	1:A:70:CYS:C	2.38	0.44
1:A:126:ASP:OD1	1:A:128:THR:HG23	2.19	0.43
1:A:89:LYS:HG2	1:A:91:TRP:CZ3	2.54	0.43
1:A:129:CYS:SG	1:A:132:SER:HB3	2.59	0.43
1:A:16:ASP:OD2	1:A:19:ARG:HB2	2.19	0.43
1:A:53:MET:CE	1:A:86:PHE:CE2	3.02	0.42
1:A:5:ARG:HB2	1:A:5:ARG:HE	1.47	0.42
1:A:88:MET:CE	1:A:90:TYR:HB3	2.48	0.42
1:A:146:PRO:HD2	1:A:147:GLU:OE1	2.19	0.42
1:A:63:LEU:HD11	1:A:69:VAL:CG1	2.50	0.42
1:A:76:THR:HG21	1:A:91:TRP:CH2	2.54	0.42
1:A:6:VAL:C	1:A:8:SER:H	2.24	0.41
1:A:80:THR:HB	1:A:81:GLU:OE2	2.20	0.41
1:A:63:LEU:CD1	1:A:67:TRP:NE1	2.81	0.41
1:A:24:TRP:CH2	1:A:139:ARG:HD2	2.55	0.41
1:A:64:LEU:CD2	1:A:64:LEU:N	2.83	0.41
1:A:81:GLU:CD	1:A:81:GLU:N	2.61	0.41
1:A:125:LEU:HA	1:A:125:LEU:HD12	1.82	0.40
1:A:63:LEU:HD12	1:A:67:TRP:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	173/182 (95%)	145 (84%)	18 (10%)	10 (6%)	1 1

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	79	ASP
1	A	21	SER
1	A	50	THR
1	A	67	TRP
1	A	174	CYS
1	A	7	SER
1	A	95	SER
1	A	173	TYR
1	A	6	VAL
1	A	141	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	151/158 (96%)	111 (74%)	40 (26%)	0 0

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2	ARG
1	A	8	SER
1	A	10	ARG
1	A	16	ASP
1	A	19	ARG
1	A	21	SER
1	A	27	MET
1	A	30	LYS
1	A	35	LEU
1	A	37	LEU
1	A	44	GLU
1	A	46	SER
1	A	49	GLU
1	A	50	THR
1	A	52	GLN
1	A	53	MET
1	A	56	THR
1	A	58	LYS
1	A	64	LEU
1	A	65	ASN
1	A	69	VAL
1	A	70	CYS
1	A	72	ASP
1	A	73	MET
1	A	81	GLU
1	A	82	ASP
1	A	99	LYS
1	A	106	ILE
1	A	112	ASP
1	A	116	VAL
1	A	125	LEU
1	A	139	ARG
1	A	144	LEU
1	A	150	LYS
1	A	151	ILE
1	A	155	ARG
1	A	157	GLU
1	A	166	ARG
1	A	167	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	156	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.