



Full wwPDB NMR Structure Validation Report ⓘ

Jun 15, 2024 – 09:43 PM EDT

PDB ID : 2BUG
BMRB ID : 6696
Title : Solution structure of the TPR domain from Protein phosphatase 5 in complex with Hsp90 derived peptide
Authors : Cliff, M.J.; Harris, R.; Barford, D.; Ladbury, J.E.; Williams, M.A.
Deposited on : 2005-06-13

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 88%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	140	
2	B	6	

2 Ensemble composition and analysis

This entry contains 19 models. Model 5 is the overall representative, medoid model (most similar to other models). The authors have identified model 4 as representative.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:19-A:146 (128)	0.59	5

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 3 single-model clusters were found.

Cluster number	Models
1	2, 3, 4, 5, 6, 7, 11, 13, 18, 19
2	8, 10
3	12, 14
4	9, 16
Single-model clusters	1; 15; 17

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2208 atoms, of which 1100 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called SERINE/THREONINE PROTEIN PHOSPHATASE 5.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	131	2126	673	1063	186	200	4	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	83	ASN	GLY	engineered mutation	UNP P53041

- Molecule 2 is a protein called HSP90.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
2	B	6	82	26	37	5	13	1	0

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5



- Molecule 2: HSP90



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5



- Molecule 2: HSP90

Chain B:  100%



4.2.2 Score per residue for model 2


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  49% 40% • • 6%



- Molecule 2: HSP90


Chain B:  100%



4.2.3 Score per residue for model 3


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  56% 34% • • 6%




- Molecule 2: HSP90

Chain B:  100%




4.2.4 Score per residue for model 4

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5




- Molecule 2: HSP90




4.2.5 Score per residue for model 5 (medoid)

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5




- Molecule 2: HSP90



4.2.6 Score per residue for model 6

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5



- Molecule 2: HSP90

Chain B:  100%



4.2.7 Score per residue for model 7

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  57%  31% 6%



- Molecule 2: HSP90


Chain B:  100%



4.2.8 Score per residue for model 8


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  56%  34% 6%



- Molecule 2: HSP90

Chain B:  100%




4.2.9 Score per residue for model 9

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5




- Molecule 2: HSP90




4.2.10 Score per residue for model 10

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5




- Molecule 2: HSP90




4.2.11 Score per residue for model 11

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5



- Molecule 2: HSP90


Chain B:  100%



4.2.12 Score per residue for model 12


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  52% 36% 6%



- Molecule 2: HSP90

Chain B:  100%



4.2.13 Score per residue for model 13

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  58% 31% 6%




- Molecule 2: HSP90

Chain B:  100%




4.2.14 Score per residue for model 14

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5




- Molecule 2: HSP90




4.2.15 Score per residue for model 15

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5




- Molecule 2: HSP90




4.2.16 Score per residue for model 16

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5



- Molecule 2: HSP90


Chain B:  100%



4.2.17 Score per residue for model 17


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  47% 40% 6% 6% 6%



- Molecule 2: HSP90


Chain B:  100%



4.2.18 Score per residue for model 18

- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  53% 34% 6% 6% 6%



- Molecule 2: HSP90



Chain B:  100%



4.2.19 Score per residue for model 19


- Molecule 1: SERINE/THREONINE PROTEIN PHOSPHATASE 5

Chain A:  54% 34% 6%



• Molecule 2: HSP90

Chain B:  100%



5 Refinement protocol and experimental data overview

The models were refined using the following method: *ARIA*.

Of the 100 calculated structures, 19 were deposited, based on the following criterion: *LOWEST RESTRAINT ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	refinement	1.2
ARIA	structure solution	1.2

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1634
Number of shifts mapped to atoms	1634
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	88%

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.35±0.04	0±1/1063 (0.0± 0.1%)	0.46±0.01	0±0/1427 (0.0± 0.0%)
All	All	0.35	4/20197 (0.0%)	0.46	0/27113 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.1±0.2
All	All	0	1

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	99	TYR	CE1-CZ	8.40	1.49	1.38	15	1
1	A	80	TYR	CE2-CZ	-8.18	1.27	1.38	14	1
1	A	80	TYR	CE1-CZ	8.03	1.49	1.38	14	1
1	A	99	TYR	CE2-CZ	-5.72	1.31	1.38	15	1

There are no bond-angle outliers.

There are no chirality outliers.

All unique planar outliers are listed below.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	99	TYR	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1042	1047	1046	35±6
2	B	0	0	0	0±0
All	All	19798	19893	19874	660

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:99:TYR:HA	1:A:102:ARG:NH2	0.94	1.77	16	1
1:A:99:TYR:HA	1:A:102:ARG:HH12	0.92	1.24	12	1
1:A:70:LEU:HD13	1:A:74:ARG:HD2	0.84	1.47	17	1
1:A:96:ILE:HG21	1:A:126:LYS:HE3	0.79	1.54	15	8
1:A:96:ILE:HG21	1:A:126:LYS:HE2	0.77	1.55	9	8
1:A:89:ILE:HD11	1:A:102:ARG:NH2	0.75	1.97	16	1
1:A:85:ALA:HB1	1:A:102:ARG:HB3	0.75	1.58	17	1
1:A:133:LYS:O	1:A:137:GLN:HG3	0.74	1.82	12	12
1:A:23:GLY:HA2	1:A:26:LYS:HE2	0.70	1.64	18	4
1:A:133:LYS:O	1:A:137:GLN:HG2	0.70	1.85	15	7
1:A:99:TYR:HA	1:A:102:ARG:NH1	0.69	1.99	12	1
1:A:27:ARG:HA	1:A:30:GLU:HB2	0.69	1.62	10	8
1:A:86:THR:HG23	1:A:102:ARG:HH21	0.69	1.47	13	1
1:A:142:ILE:HA	1:A:145:GLN:CG	0.69	2.17	6	19
1:A:85:ALA:HB1	1:A:102:ARG:NE	0.68	2.04	5	1
1:A:69:SER:HB3	1:A:84:ASP:HB3	0.68	1.66	2	5
1:A:143:VAL:HA	1:A:146:LYS:HE3	0.67	1.65	16	2
1:A:89:ILE:HD11	1:A:102:ARG:CZ	0.67	2.18	16	2
1:A:102:ARG:CZ	1:A:102:ARG:HB2	0.66	2.19	12	1
1:A:71:ALA:HA	1:A:74:ARG:HD3	0.66	1.68	17	1
1:A:126:LYS:HD3	1:A:129:ASP:HB2	0.66	1.67	1	1
1:A:28:ALA:HB2	1:A:57:LEU:HB2	0.65	1.66	6	8
1:A:89:ILE:O	1:A:93:LYS:HA	0.65	1.91	13	9
1:A:60:SER:HA	1:A:91:LEU:HD22	0.64	1.69	12	5
1:A:142:ILE:HA	1:A:145:GLN:HG2	0.63	1.67	6	17
1:A:22:ASP:O	1:A:26:LYS:HB3	0.63	1.94	8	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:129:ASP:OD2	1:A:131:ASP:HB3	0.63	1.94	17	8
1:A:126:LYS:HD3	1:A:129:ASP:HB3	0.62	1.69	16	11
1:A:141:LYS:O	1:A:145:GLN:HG2	0.62	1.94	19	17
1:A:97:LYS:O	1:A:101:ARG:HG2	0.62	1.95	14	9
1:A:70:LEU:O	1:A:74:ARG:HD3	0.61	1.94	7	3
1:A:97:LYS:HB3	1:A:101:ARG:NH1	0.61	2.10	5	1
1:A:87:ARG:O	1:A:91:LEU:HG	0.61	1.94	11	12
1:A:120:GLU:O	1:A:124:LYS:HG3	0.60	1.96	19	10
1:A:142:ILE:HA	1:A:145:GLN:HG3	0.59	1.73	11	11
1:A:135:LYS:N	1:A:135:LYS:HD3	0.59	2.11	18	1
1:A:116:LEU:O	1:A:120:GLU:HB2	0.59	1.96	7	17
1:A:141:LYS:O	1:A:145:GLN:HG3	0.59	1.97	11	2
1:A:52:SER:O	1:A:56:GLU:HG2	0.58	1.97	18	18
1:A:20:PRO:HD2	1:A:58:ASN:OD1	0.58	1.99	15	2
1:A:61:ASN:OD1	1:A:63:ILE:HB	0.57	1.98	10	3
1:A:71:ALA:HA	1:A:74:ARG:CD	0.57	2.30	17	1
1:A:20:PRO:O	1:A:25:LEU:HG	0.57	2.00	13	18
1:A:103:ALA:HB2	1:A:118:ASP:CB	0.57	2.29	3	7
1:A:126:LYS:HE3	1:A:132:ALA:HB2	0.56	1.77	17	2
1:A:70:LEU:O	1:A:74:ARG:HG2	0.56	2.00	2	12
1:A:140:ASN:O	1:A:144:LYS:HG3	0.56	2.00	4	14
1:A:37:ASP:HA	1:A:40:LYS:HE3	0.56	1.75	5	2
1:A:89:ILE:HG13	1:A:102:ARG:HD3	0.56	1.76	8	2
1:A:30:GLU:O	1:A:34:GLN:HG3	0.56	2.00	4	10
1:A:70:LEU:CD1	1:A:74:ARG:HD2	0.56	2.27	17	1
1:A:45:GLU:O	1:A:48:ILE:HB	0.56	2.01	14	4
1:A:96:ILE:HG23	1:A:122:VAL:HG13	0.56	1.76	17	4
1:A:78:TYR:HA	1:A:81:ALA:HB3	0.56	1.77	1	7
1:A:138:GLU:HA	1:A:141:LYS:HE2	0.55	1.78	6	7
1:A:111:LYS:HB3	1:A:114:ALA:HB3	0.55	1.78	5	6
1:A:126:LYS:HD2	1:A:132:ALA:HB2	0.55	1.77	15	7
1:A:44:TYR:O	1:A:48:ILE:HG13	0.55	2.02	16	15
1:A:129:ASP:O	1:A:133:LYS:HG3	0.55	2.01	8	6
1:A:113:ARG:HH11	1:A:116:LEU:HD23	0.55	1.62	12	1
1:A:70:LEU:HD13	1:A:74:ARG:CD	0.54	2.26	17	1
1:A:92:ASP:HB2	1:A:95:TYR:HB2	0.54	1.77	17	1
1:A:130:LYS:HE2	1:A:131:ASP:N	0.54	2.18	15	1
1:A:116:LEU:HD22	1:A:143:VAL:HG21	0.54	1.80	15	2
1:A:101:ARG:HA	1:A:101:ARG:HE	0.54	1.63	6	1
1:A:113:ARG:NH1	1:A:116:LEU:HD23	0.54	2.17	12	2
1:A:94:LYS:HA	1:A:99:TYR:OH	0.54	2.03	7	8

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:103:ALA:HB2	1:A:118:ASP:HB3	0.54	1.78	1	6
1:A:96:ILE:HD11	1:A:125:VAL:HG21	0.53	1.79	19	4
1:A:130:LYS:HD2	1:A:131:ASP:N	0.53	2.19	6	2
1:A:68:ARG:HD3	1:A:84:ASP:OD2	0.53	2.04	1	1
1:A:89:ILE:HD11	1:A:102:ARG:NH1	0.53	2.19	12	1
1:A:70:LEU:C	1:A:74:ARG:HD3	0.53	2.24	7	3
1:A:96:ILE:CG2	1:A:126:LYS:HE2	0.52	2.34	18	4
1:A:70:LEU:HG	1:A:74:ARG:HD2	0.52	1.81	14	2
1:A:66:GLY:HA2	1:A:102:ARG:HH22	0.52	1.64	5	1
1:A:96:ILE:CG2	1:A:126:LYS:HE3	0.52	2.31	16	6
1:A:126:LYS:CD	1:A:132:ALA:HB2	0.52	2.34	9	9
1:A:142:ILE:HA	1:A:145:GLN:CD	0.52	2.25	18	1
1:A:34:GLN:O	1:A:37:ASP:HB3	0.52	2.05	18	6
1:A:119:TYR:CE1	1:A:135:LYS:HB3	0.51	2.39	12	5
1:A:51:TYR:CE1	1:A:67:ASN:HB3	0.51	2.40	17	1
1:A:53:GLN:O	1:A:57:LEU:HG	0.51	2.06	18	11
1:A:96:ILE:HG21	1:A:126:LYS:CE	0.51	2.34	9	1
1:A:22:ASP:HA	1:A:25:LEU:HB2	0.50	1.82	3	3
1:A:90:GLU:HA	1:A:93:LYS:NZ	0.50	2.22	11	1
1:A:71:ALA:CA	1:A:74:ARG:HD3	0.50	2.36	17	1
1:A:72:TYR:HB3	1:A:77:CYS:HB2	0.50	1.82	17	1
1:A:126:LYS:HD3	1:A:132:ALA:HB2	0.50	1.84	4	2
1:A:97:LYS:O	1:A:101:ARG:HD3	0.50	2.07	5	1
1:A:103:ALA:HB2	1:A:118:ASP:HB2	0.50	1.84	7	5
1:A:136:TYR:HD2	1:A:137:GLN:NE2	0.49	2.05	11	1
1:A:67:ASN:HD22	1:A:68:ARG:N	0.49	2.05	19	1
1:A:141:LYS:HG3	1:A:142:ILE:N	0.49	2.22	11	4
1:A:51:TYR:O	1:A:55:ILE:HG13	0.49	2.07	1	1
1:A:44:TYR:HD1	1:A:74:ARG:HE	0.48	1.49	17	1
1:A:65:TYR:CE1	1:A:87:ARG:HG2	0.48	2.43	6	1
1:A:70:LEU:HG	1:A:74:ARG:CD	0.48	2.38	14	2
1:A:49:LYS:O	1:A:53:GLN:HG3	0.48	2.07	1	4
1:A:126:LYS:HD3	1:A:129:ASP:CB	0.48	2.38	18	5
1:A:74:ARG:NE	1:A:74:ARG:HA	0.48	2.24	5	1
1:A:26:LYS:HG2	1:A:27:ARG:N	0.48	2.22	8	1
1:A:118:ASP:O	1:A:122:VAL:HG23	0.48	2.09	19	5
1:A:96:ILE:CG2	1:A:122:VAL:HG13	0.48	2.38	10	5
1:A:68:ARG:HG2	1:A:72:TYR:CE2	0.48	2.44	11	1
1:A:20:PRO:HB2	1:A:25:LEU:CD2	0.47	2.39	5	4
1:A:99:TYR:HA	1:A:102:ARG:HH22	0.47	1.65	16	1
1:A:93:LYS:O	1:A:93:LYS:HD3	0.47	2.09	18	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:146:LYS:HB3	1:A:146:LYS:NZ	0.47	2.24	15	1
1:A:31:LEU:HD13	1:A:53:GLN:CB	0.47	2.40	13	1
1:A:49:LYS:HE3	1:A:53:GLN:NE2	0.47	2.24	4	1
1:A:62:ALA:CB	1:A:92:ASP:HB2	0.47	2.39	14	2
1:A:27:ARG:HA	1:A:30:GLU:CB	0.47	2.36	10	2
1:A:31:LEU:HD23	1:A:34:GLN:OE1	0.47	2.10	11	2
1:A:97:LYS:HB3	1:A:101:ARG:HH12	0.46	1.70	5	1
1:A:82:LEU:O	1:A:82:LEU:HD13	0.46	2.11	5	2
1:A:97:LYS:O	1:A:101:ARG:HG3	0.46	2.11	15	1
1:A:58:ASN:OD1	1:A:61:ASN:HB2	0.46	2.09	4	2
1:A:69:SER:HB3	1:A:84:ASP:HB2	0.46	1.86	1	1
1:A:138:GLU:O	1:A:142:ILE:HG13	0.46	2.10	18	2
1:A:26:LYS:O	1:A:30:GLU:HG3	0.46	2.11	8	2
1:A:130:LYS:HD3	1:A:131:ASP:N	0.46	2.26	9	1
1:A:38:TYR:HA	1:A:41:ALA:HB3	0.46	1.88	12	3
1:A:130:LYS:N	1:A:130:LYS:HD3	0.46	2.26	13	2
1:A:48:ILE:HG12	1:A:68:ARG:NH2	0.46	2.26	14	1
1:A:35:ALA:HB2	1:A:50:PHE:HB2	0.46	1.88	4	5
1:A:62:ALA:HB2	1:A:92:ASP:HB2	0.46	1.88	16	2
1:A:113:ARG:O	1:A:117:ARG:HG3	0.45	2.11	16	3
1:A:95:TYR:CE2	1:A:97:LYS:HB3	0.45	2.46	9	1
1:A:27:ARG:O	1:A:31:LEU:HG	0.45	2.11	7	7
1:A:71:ALA:HA	1:A:74:ARG:NE	0.45	2.26	17	1
1:A:92:ASP:OD1	1:A:95:TYR:HB3	0.45	2.10	17	1
1:A:138:GLU:HA	1:A:141:LYS:HE3	0.45	1.88	19	1
1:A:46:ASN:O	1:A:50:PHE:HD1	0.45	1.95	10	11
1:A:20:PRO:HG2	1:A:57:LEU:O	0.45	2.11	16	2
1:A:97:LYS:O	1:A:101:ARG:HD2	0.45	2.12	7	1
1:A:65:TYR:CE2	1:A:87:ARG:HG2	0.45	2.47	18	1
1:A:51:TYR:CZ	1:A:67:ASN:HB3	0.45	2.46	5	2
1:A:69:SER:O	1:A:73:LEU:HG	0.45	2.12	3	1
1:A:63:ILE:HD13	1:A:95:TYR:CZ	0.45	2.47	6	1
1:A:102:ARG:HD3	1:A:118:ASP:OD1	0.45	2.12	18	1
1:A:127:PRO:O	1:A:133:LYS:HD2	0.44	2.11	1	1
1:A:26:LYS:O	1:A:30:GLU:HG2	0.44	2.11	14	1
1:A:41:ALA:O	1:A:42:LYS:HB2	0.44	2.13	11	2
1:A:126:LYS:CE	1:A:132:ALA:HB2	0.44	2.41	17	1
1:A:66:GLY:O	1:A:69:SER:HB3	0.44	2.12	7	1
1:A:85:ALA:HB1	1:A:102:ARG:HB2	0.44	1.89	16	1
1:A:76:GLU:HA	1:A:78:TYR:CE2	0.44	2.47	13	1
1:A:89:ILE:HD11	1:A:102:ARG:CD	0.44	2.43	17	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:105:SER:O	1:A:109:LEU:HG	0.44	2.13	19	4
1:A:25:LEU:HD22	1:A:58:ASN:HB2	0.44	1.90	9	1
1:A:130:LYS:HA	1:A:133:LYS:HB2	0.44	1.89	1	1
1:A:76:GLU:HA	1:A:78:TYR:CE1	0.44	2.48	7	2
1:A:26:LYS:HG3	1:A:30:GLU:OE2	0.44	2.12	10	1
1:A:65:TYR:CD1	1:A:87:ARG:HG2	0.44	2.48	6	1
1:A:123:VAL:HA	1:A:132:ALA:HB1	0.43	1.90	3	1
1:A:136:TYR:HD2	1:A:137:GLN:HE21	0.43	1.55	11	1
1:A:62:ALA:HB1	1:A:88:ALA:HB1	0.43	1.89	1	3
1:A:23:GLY:HA2	1:A:26:LYS:HD3	0.43	1.90	14	2
1:A:102:ARG:CZ	1:A:102:ARG:CB	0.43	2.97	16	2
1:A:135:LYS:HA	1:A:138:GLU:HB3	0.43	1.90	19	2
1:A:96:ILE:HD11	1:A:125:VAL:HG11	0.43	1.91	9	2
1:A:58:ASN:OD1	1:A:59:PRO:HD2	0.43	2.13	19	1
1:A:102:ARG:HD3	1:A:118:ASP:OD2	0.43	2.14	14	1
1:A:107:MET:HE1	1:A:142:ILE:HD12	0.43	1.91	10	1
1:A:120:GLU:HG3	1:A:136:TYR:CE1	0.43	2.49	10	1
1:A:51:TYR:CD1	1:A:67:ASN:HB3	0.43	2.48	18	1
1:A:52:SER:HA	1:A:55:ILE:HD12	0.43	1.90	9	4
1:A:67:ASN:HA	1:A:70:LEU:HB3	0.42	1.90	1	1
1:A:33:THR:O	1:A:36:ASN:HB3	0.42	2.14	3	2
1:A:44:TYR:CG	1:A:74:ARG:HB3	0.42	2.49	7	1
1:A:70:LEU:HD23	1:A:74:ARG:NH1	0.42	2.28	14	2
1:A:82:LEU:HD22	1:A:102:ARG:HG3	0.42	1.90	16	2
1:A:34:GLN:O	1:A:38:TYR:HD1	0.42	1.97	7	1
1:A:73:LEU:HD21	1:A:105:SER:HA	0.42	1.90	17	1
1:A:70:LEU:HA	1:A:73:LEU:HD12	0.42	1.90	6	1
1:A:105:SER:O	1:A:109:LEU:HD13	0.42	2.13	12	1
1:A:66:GLY:HA3	1:A:101:ARG:CZ	0.42	2.45	15	1
1:A:72:TYR:HA	1:A:75:THR:OG1	0.42	2.15	16	1
1:A:73:LEU:HG	1:A:81:ALA:HB1	0.41	1.92	12	2
1:A:95:TYR:CD2	1:A:98:GLY:HA3	0.41	2.50	5	2
1:A:121:THR:HA	1:A:124:LYS:HE3	0.41	1.92	6	1
1:A:123:VAL:O	1:A:127:PRO:HB3	0.41	2.16	6	1
1:A:119:TYR:HB3	1:A:136:TYR:HA	0.41	1.91	6	1
1:A:106:ASN:HB2	1:A:115:ALA:HB2	0.41	1.92	9	1
1:A:62:ALA:HB1	1:A:92:ASP:OD2	0.41	2.16	17	1
1:A:142:ILE:CA	1:A:145:GLN:HG3	0.41	2.44	11	1
1:A:27:ARG:HD2	1:A:30:GLU:HB2	0.41	1.91	15	1
1:A:141:LYS:HA	1:A:144:LYS:HE2	0.41	1.92	5	1
1:A:111:LYS:NZ	1:A:111:LYS:HB3	0.41	2.31	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:74:ARG:NE	1:A:74:ARG:CA	0.41	2.84	5	1
1:A:88:ALA:HB3	1:A:102:ARG:NH1	0.41	2.31	5	1
1:A:70:LEU:HD23	1:A:74:ARG:HH11	0.41	1.76	7	1
1:A:27:ARG:HD2	1:A:30:GLU:HB3	0.40	1.93	5	1
1:A:82:LEU:HD23	1:A:105:SER:HB2	0.40	1.92	5	1
1:A:20:PRO:HB2	1:A:25:LEU:HD23	0.40	1.93	12	2
1:A:86:THR:O	1:A:90:GLU:HG2	0.40	2.17	10	1
1:A:122:VAL:HG12	1:A:132:ALA:CB	0.40	2.46	6	1
1:A:27:ARG:NH1	1:A:30:GLU:HG3	0.40	2.31	7	1
1:A:73:LEU:HD23	1:A:78:TYR:CD1	0.40	2.51	9	1
1:A:82:LEU:HG	1:A:106:ASN:ND2	0.40	2.32	17	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/140 (91%)	121±2 (94±1%)	4±2 (3±1%)	3±1 (2±1%)	9	45
2	B	0	-	-	-	-	-
All	All	2432/2774 (88%)	2295 (94%)	77 (3%)	60 (2%)	9	45

All 4 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	59	PRO	19
1	A	22	ASP	16
1	A	23	GLY	16
1	A	76	GLU	9

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation

was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	105/115 (91%)	98±2 (94±2%)	7±2 (6±2%)	21 70
2	B	0	-	-	-
All	All	1995/2280 (88%)	1868 (94%)	127 (6%)	21 70

All 37 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	126	LYS	19
1	A	107	MET	13
1	A	130	LYS	12
1	A	25	LEU	11
1	A	84	ASP	7
1	A	118	ASP	6
1	A	26	LYS	6
1	A	135	LYS	6
1	A	40	LYS	4
1	A	138	GLU	4
1	A	30	GLU	3
1	A	60	SER	2
1	A	76	GLU	2
1	A	89	ILE	2
1	A	139	CYS	2
1	A	78	TYR	2
1	A	92	ASP	2
1	A	144	LYS	2
1	A	42	LYS	2
1	A	61	ASN	2
1	A	67	ASN	2
1	A	129	ASP	1
1	A	74	ARG	1
1	A	111	LYS	1
1	A	117	ARG	1
1	A	137	GLN	1
1	A	102	ARG	1
1	A	19	PRO	1
1	A	105	SER	1
1	A	101	ARG	1
1	A	140	ASN	1
1	A	45	GLU	1
1	A	68	ARG	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	80	TYR	1
1	A	70	LEU	1
1	A	113	ARG	1
1	A	83	ASN	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 88% for the well-defined parts and 86% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1634
Number of shifts mapped to atoms	1634
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	6

7.1.2 Chemical shift referencing i

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	130	-0.48 ± 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	122	0.43 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	109	-0.56 ± 0.23	Should be applied
^{15}N	125	0.17 ± 0.26	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments i

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 88%, i.e. 1582 atoms were assigned a chemical shift out of a possible 1797. 0 out of 13 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	611/637 (96%)	253/257 (98%)	236/256 (92%)	122/124 (98%)
Sidechain	838/1005 (83%)	571/645 (89%)	254/307 (83%)	13/53 (25%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	133/155 (86%)	67/71 (94%)	66/82 (80%)	0/2 (0%)
Overall	1582/1797 (88%)	891/973 (92%)	556/645 (86%)	135/179 (75%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 86%, i.e. 1631 atoms were assigned a chemical shift out of a possible 1889. 0 out of 14 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	628/677 (93%)	264/273 (97%)	239/272 (88%)	125/132 (95%)
Sidechain	870/1057 (82%)	599/678 (88%)	258/326 (79%)	13/53 (25%)
Aromatic	133/155 (86%)	67/71 (94%)	66/82 (80%)	0/2 (0%)
Overall	1631/1889 (86%)	930/1022 (91%)	563/680 (83%)	138/187 (74%)

7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	86	THR	HG1	4.92	0.08 – 2.19	17.9
1	A	74	ARG	NE	113.30	76.53 – 92.65	17.8
1	A	27	ARG	NE	112.90	76.53 – 92.65	17.6
1	A	87	ARG	NE	112.60	76.53 – 92.65	17.4
1	A	68	ARG	CG	12.17	21.24 – 33.19	-12.6
1	A	46	ASN	HB3	0.88	1.12 – 4.38	-5.8

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

