



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 19, 2024 – 08:18 PM EDT

PDB ID : 3C0K
Title : Crystal Structure of a ribosomal RNA methyltransferase
Authors : Subramanian, S.; Jayaraman, S.; Bujnicki, J.
Deposited on : 2008-01-21
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	9409 (2.00-2.00)
Clashscore	180529	10737 (2.00-2.00)
Ramachandran outliers	177936	10628 (2.00-2.00)
Sidechain outliers	177891	10627 (2.00-2.00)
RSRZ outliers	164620	9409 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	
1	B	396	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6587 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UPF0064 protein yccW.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	395	Total 3064	C 1933	N 547	O 570	S 6	Se 8	0	0	0
1	B	395	Total 3065	C 1934	N 547	O 570	S 6	Se 8	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	164	Total 164	O 164	0	0
2	B	294	Total 294	O 294	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UPF0064 protein yccW



- Molecule 1: UPF0064 protein yccW



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.31Å 80.88Å 66.16Å 90.00° 98.91° 90.00°	Depositor
Resolution (Å)	42.25 – 2.00 42.25 – 2.04	Depositor EDS
% Data completeness (in resolution range)	92.9 (42.25-2.00) 99.6 (42.25-2.04)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.52 (at 2.03Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.194 , 0.242 0.203 , 0.199	Depositor DCC
R_{free} test set	2157 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtrriage
Anisotropy	0.477	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.016 for l,-k,h	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6587	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/3111	0.58	0/4179
1	B	0.41	0/3112	0.61	1/4181 (0.0%)
All	All	0.41	0/6223	0.59	1/8360 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	317	GLY	N-CA-C	-5.14	100.25	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3064	0	3031	115	0
1	B	3065	0	3035	85	0
2	A	164	0	0	5	0
2	B	294	0	0	7	0
All	All	6587	0	6066	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:THR:HG23	1:A:127:GLN:HB2	1.27	1.14
1:B:116:THR:HG23	1:B:127:GLN:HB2	1.27	1.14
1:B:33:LYS:H	1:B:33:LYS:HE2	1.12	1.12
1:B:42:ILE:HD11	1:B:51:ALA:HB3	1.30	1.06
1:A:341:SER:HB2	1:A:343:LEU:HD13	1.51	0.90
1:B:116:THR:CG2	1:B:127:GLN:HB2	2.01	0.89
1:A:39:THR:OG1	1:A:74:ILE:HD11	1.75	0.87
1:B:105:ILE:HD11	1:B:115:ILE:HG22	1.61	0.82
1:A:5:LEU:HD21	1:A:27:VAL:HG22	1.62	0.80
1:A:316:ARG:NE	1:A:316:ARG:HA	1.97	0.80
1:A:105:ILE:HG23	1:A:117:ILE:HB	1.65	0.79
1:B:5:LEU:HD21	1:B:27:VAL:HG22	1.66	0.77
1:A:33:LYS:HD3	1:A:33:LYS:H	1.48	0.77
1:B:33:LYS:H	1:B:33:LYS:CE	1.94	0.77
1:A:3:VAL:HG13	1:A:40:ILE:HG22	1.68	0.75
1:B:105:ILE:HG12	1:B:117:ILE:HB	1.69	0.74
1:B:303:LYS:O	1:B:305:VAL:N	2.20	0.73
1:A:316:ARG:HA	1:A:316:ARG:HE	1.54	0.72
1:B:42:ILE:CD1	1:B:51:ALA:HB3	2.13	0.71
1:B:105:ILE:HD11	1:B:117:ILE:HG13	1.72	0.71
1:A:192:LEU:HD13	1:A:204:TYR:OH	1.89	0.70
1:A:227:CYS:SG	1:A:299:MSE:HE2	2.31	0.70
1:B:33:LYS:HE2	1:B:33:LYS:N	1.98	0.69
1:A:346:SER:O	1:A:350:GLN:HG3	1.92	0.69
1:A:8:ALA:HB3	1:A:11:ARG:HG3	1.77	0.67
1:A:3:VAL:HG11	1:A:34:ALA:HB2	1.75	0.67
1:A:116:THR:CG2	1:A:127:GLN:HB2	2.16	0.67
1:B:316:ARG:N	1:B:316:ARG:HD2	2.09	0.66
1:A:15:LEU:HG	1:A:42:ILE:HD12	1.78	0.66
1:A:42:ILE:CD1	1:A:51:ALA:HB3	2.26	0.66
1:A:74:ILE:O	1:A:74:ILE:HG13	1.96	0.65
1:A:42:ILE:HD11	1:A:51:ALA:HB3	1.78	0.64
1:A:88:LYS:HD3	1:B:394:ARG:NH2	2.13	0.64
1:A:119:ARG:HH11	1:A:119:ARG:HG3	1.61	0.63
1:A:355:ASP:O	1:A:358:ILE:HG13	1.98	0.63
1:A:236:VAL:HG23	2:A:546:HOH:O	1.97	0.63
1:A:88:LYS:HD3	1:B:394:ARG:HH21	1.63	0.63
1:A:217:ARG:HG3	1:B:96:LYS:HE2	1.79	0.63
1:B:105:ILE:HD11	1:B:115:ILE:CG2	2.27	0.63
1:A:96:LYS:HE2	1:B:217:ARG:HG3	1.81	0.63
1:A:163:LYS:HD2	1:A:167:MSE:O	1.98	0.62
1:A:42:ILE:HG13	1:A:42:ILE:O	2.00	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:350:GLN:HG2	1:A:391:PHE:CZ	2.33	0.62
1:B:105:ILE:CD1	1:B:115:ILE:HG22	2.28	0.62
1:B:307:ASN:C	1:B:309:SER:H	2.03	0.62
1:B:288:ARG:HB2	1:B:328:LEU:HD11	1.82	0.62
1:A:33:LYS:HD3	1:A:33:LYS:N	2.14	0.62
1:B:74:ILE:O	1:B:74:ILE:HG13	1.98	0.62
1:A:287:TYR:CD1	1:A:292:GLU:HG3	2.35	0.61
1:A:230:TYR:CG	1:A:231:THR:N	2.67	0.61
1:A:230:TYR:C	1:A:255:ALA:HB1	2.21	0.60
1:A:341:SER:C	1:A:343:LEU:H	2.04	0.60
1:A:179:PRO:HG2	1:A:197:GLN:HG3	1.82	0.60
1:B:137:ARG:O	1:B:141:ILE:HG12	2.02	0.59
1:A:257:ASP:O	1:A:261:GLN:HG3	2.03	0.59
1:B:249:VAL:HG21	1:B:283:LEU:HD23	1.85	0.58
1:B:62:ARG:HH11	1:B:62:ARG:HG2	1.68	0.58
1:A:236:VAL:HG21	1:A:262:ASN:HB3	1.87	0.57
1:A:3:VAL:CG1	1:A:40:ILE:HG22	2.34	0.57
1:A:5:LEU:HG	1:A:30:MSE:SE	2.55	0.57
1:B:74:ILE:HD11	1:B:136:GLN:CD	2.26	0.57
1:A:249:VAL:HG21	1:A:283:LEU:HD23	1.88	0.56
1:B:12:GLU:HB2	1:B:50:LEU:HD21	1.88	0.55
1:A:287:TYR:HB3	1:A:292:GLU:HB2	1.87	0.55
1:A:44:ASP:OD2	1:A:48:LYS:HB2	2.07	0.55
1:B:213:LEU:C	1:B:213:LEU:HD13	2.27	0.55
1:A:350:GLN:HG2	1:A:391:PHE:CE2	2.42	0.54
1:B:190:MSE:HB2	1:B:240:MSE:HE3	1.89	0.54
1:B:55:TYR:OH	1:B:62:ARG:NH2	2.40	0.54
1:B:153:ILE:HB	1:B:175:THR:HG22	1.88	0.54
1:B:260:ARG:O	1:B:264:GLU:HG3	2.07	0.54
1:A:329:LEU:O	1:A:362:ARG:NH1	2.34	0.53
1:A:260:ARG:O	1:A:264:GLU:HG3	2.08	0.53
1:A:316:ARG:NE	1:A:316:ARG:CA	2.71	0.53
1:A:219:VAL:O	1:A:243:CYS:HA	2.08	0.53
1:B:179:PRO:HG2	1:B:197:GLN:HG3	1.89	0.53
1:A:230:TYR:CE1	1:A:231:THR:HG23	2.44	0.52
1:B:178:LEU:HD12	1:B:179:PRO:HD2	1.89	0.52
1:A:116:THR:HG23	1:A:127:GLN:CB	2.18	0.52
1:B:324:LEU:O	1:B:328:LEU:HD13	2.09	0.52
1:A:88:LYS:CD	1:B:394:ARG:HH21	2.23	0.52
1:A:217:ARG:HH11	1:A:217:ARG:HG2	1.75	0.52
1:B:198:HIS:HD2	2:B:548:HOH:O	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:346:SER:HB2	1:B:389:LYS:HD2	1.92	0.52
1:A:344:MSE:CB	1:A:348:LEU:HD23	2.40	0.51
1:A:332:GLY:HA3	1:B:88:LYS:HE3	1.93	0.51
1:B:213:LEU:HD13	1:B:213:LEU:O	2.11	0.51
1:B:62:ARG:HG2	1:B:62:ARG:NH1	2.27	0.50
1:B:130:SER:HA	1:B:165:GLU:HG3	1.93	0.50
1:B:218:TYR:CD1	1:B:334:ILE:HD13	2.45	0.50
1:B:362:ARG:HE	1:B:395:VAL:HG11	1.77	0.50
1:B:190:MSE:HG3	1:B:240:MSE:CE	2.42	0.50
1:B:109:SER:HA	1:B:379:ILE:HB	1.94	0.49
1:A:19:HIS:CE1	1:A:21:TRP:HB2	2.47	0.49
1:A:235:ALA:HB3	2:A:546:HOH:O	2.13	0.49
1:A:394:ARG:HH21	1:B:88:LYS:NZ	2.11	0.49
1:A:330:ASN:HA	2:A:448:HOH:O	2.13	0.49
1:B:42:ILE:HG12	1:B:51:ALA:O	2.13	0.48
1:A:249:VAL:CG2	1:A:283:LEU:HD23	2.43	0.48
1:A:217:ARG:HG2	1:A:217:ARG:NH1	2.29	0.48
1:A:88:LYS:HE3	1:B:332:GLY:HA3	1.96	0.48
1:B:116:THR:HG21	2:B:597:HOH:O	2.14	0.48
1:B:309:SER:O	1:B:343:LEU:HD21	2.13	0.48
1:A:153:ILE:HB	1:A:175:THR:HG22	1.95	0.48
1:A:119:ARG:HG3	1:A:119:ARG:NH1	2.28	0.48
1:B:105:ILE:CD1	1:B:115:ILE:CG2	2.90	0.48
1:A:318:TYR:O	1:A:321:ILE:HG22	2.13	0.48
1:B:388:LEU:C	1:B:388:LEU:HD23	2.34	0.48
1:B:49:TRP:CZ3	1:B:70:PRO:HG3	2.48	0.47
1:A:30:MSE:HE2	1:A:55:TYR:CE1	2.49	0.47
1:A:222:LYS:HB3	1:A:295:ASP:HB2	1.96	0.47
1:B:74:ILE:HD11	1:B:136:GLN:HG3	1.96	0.47
1:A:12:GLU:HB2	1:A:50:LEU:HD21	1.96	0.47
1:A:316:ARG:HG3	1:A:319:LYS:HD3	1.95	0.47
1:A:12:GLU:O	1:A:16:LEU:HG	2.15	0.47
1:B:105:ILE:HG12	1:B:117:ILE:CB	2.43	0.47
1:A:102:TYR:CZ	1:A:119:ARG:HD3	2.51	0.46
1:B:222:LYS:HB3	1:B:295:ASP:HB2	1.97	0.46
1:A:96:LYS:CE	1:B:217:ARG:HG3	2.44	0.46
1:B:303:LYS:C	1:B:305:VAL:H	2.17	0.46
1:A:383:PRO:HG2	1:A:384:GLU:OE1	2.15	0.46
1:A:102:TYR:OH	1:A:119:ARG:HD3	2.15	0.46
1:A:39:THR:OG1	1:A:74:ILE:CD1	2.57	0.46
1:A:105:ILE:CD1	1:A:112:LEU:HB2	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:ARG:O	1:A:85:GLN:HG3	2.16	0.46
1:A:299:MSE:CE	1:A:321:ILE:HG13	2.45	0.46
2:A:768:HOH:O	1:B:358:ILE:HD12	2.16	0.45
1:A:99:LEU:HD23	1:A:187:GLU:HA	1.98	0.45
1:B:362:ARG:CZ	2:B:695:HOH:O	2.63	0.45
1:B:341:SER:OG	1:B:344:MSE:HG2	2.16	0.45
1:B:307:ASN:C	1:B:309:SER:N	2.69	0.45
1:A:42:ILE:HG12	1:A:51:ALA:O	2.16	0.45
1:B:330:ASN:HA	2:B:709:HOH:O	2.15	0.45
1:B:250:ASP:O	1:B:277:ARG:HA	2.16	0.45
1:A:304:PHE:C	1:A:306:GLU:H	2.20	0.45
1:A:324:LEU:O	1:A:328:LEU:HD13	2.17	0.45
1:A:368:GLU:HB3	1:A:392:ALA:HB3	1.98	0.45
1:A:218:TYR:CD1	1:A:334:ILE:HD13	2.52	0.45
1:B:362:ARG:NE	2:B:695:HOH:O	2.50	0.45
1:A:33:LYS:N	1:A:33:LYS:CD	2.79	0.45
1:A:56:SER:O	1:A:62:ARG:HD2	2.17	0.45
1:A:105:ILE:HD13	1:A:112:LEU:HB2	1.98	0.45
1:A:137:ARG:O	1:A:141:ILE:HG12	2.17	0.45
1:A:341:SER:C	1:A:343:LEU:N	2.71	0.44
1:A:187:GLU:HG3	1:A:187:GLU:O	2.17	0.44
1:B:307:ASN:O	1:B:309:SER:N	2.50	0.44
1:A:12:GLU:HB2	1:A:50:LEU:CD2	2.47	0.44
1:B:80:SER:O	1:B:84:GLN:HG3	2.18	0.44
1:B:293:LYS:NZ	2:B:612:HOH:O	2.50	0.44
1:A:257:ASP:C	1:A:261:GLN:HE21	2.21	0.44
1:A:48:LYS:N	1:A:48:LYS:HD2	2.33	0.43
1:A:54:ALA:HB2	1:A:66:TRP:NE1	2.33	0.43
1:A:88:LYS:CE	1:B:394:ARG:HH21	2.31	0.43
1:A:14:SER:OG	1:A:15:LEU:HD22	2.17	0.43
1:A:263:VAL:HG12	1:A:270:LEU:HD22	1.99	0.43
1:A:45:HIS:CE1	1:A:46:GLN:HG3	2.53	0.43
1:A:100:ASP:OD2	1:A:100:ASP:C	2.57	0.43
1:A:372:GLN:HA	1:A:388:LEU:HD13	2.00	0.43
1:A:99:LEU:HD21	1:A:209:ARG:HD3	2.01	0.42
1:A:279:ASP:HB3	1:A:282:LYS:HB3	2.00	0.42
1:A:358:ILE:CD1	1:B:17:ARG:HH22	2.31	0.42
1:A:5:LEU:HB2	1:A:40:ILE:HD12	2.02	0.42
1:B:74:ILE:HD11	1:B:136:GLN:CG	2.50	0.42
1:A:96:LYS:HE2	1:B:217:ARG:O	2.19	0.42
1:A:316:ARG:HG3	1:A:319:LYS:CD	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:ALA:O	1:A:358:ILE:HG23	2.19	0.42
1:B:228:PHE:CE1	1:B:280:VAL:HG11	2.54	0.42
1:B:219:VAL:HG21	1:B:238:ALA:HA	2.02	0.42
1:B:263:VAL:HG12	1:B:270:LEU:HD22	2.01	0.42
1:A:48:LYS:O	1:A:50:LEU:HD13	2.19	0.42
1:B:94:ALA:HA	1:B:99:LEU:HB2	2.02	0.42
1:A:49:TRP:CH2	1:A:51:ALA:HA	2.55	0.42
1:B:43:VAL:HG12	1:B:49:TRP:HA	2.02	0.42
1:A:138:ALA:HB3	2:A:474:HOH:O	2.19	0.41
1:B:357:ALA:HB1	1:B:362:ARG:O	2.20	0.41
1:A:15:LEU:HG	1:A:42:ILE:CD1	2.48	0.41
1:B:230:TYR:CG	1:B:231:THR:N	2.88	0.41
1:B:302:PRO:N	2:B:664:HOH:O	2.52	0.41
1:A:190:MSE:HB2	1:A:240:MSE:HE3	2.03	0.41
1:A:303:LYS:C	1:A:305:VAL:H	2.24	0.41
1:B:302:PRO:O	1:B:303:LYS:C	2.59	0.41
1:A:95:GLN:HG3	1:A:96:LYS:N	2.36	0.41
1:B:308:LYS:O	1:B:310:GLN:N	2.50	0.41
1:B:5:LEU:HG	1:B:30:MSE:SE	2.71	0.41
1:A:225:LEU:HB3	1:A:297:ILE:HG12	2.03	0.41
1:B:371:ARG:HG2	1:B:372:GLN:N	2.36	0.40
1:A:239:LEU:HB2	1:A:268:LEU:HD13	2.03	0.40
1:A:74:ILE:O	1:A:74:ILE:CG1	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	393/396 (99%)	373 (95%)	14 (4%)	6 (2%)	8 4
1	B	393/396 (99%)	372 (95%)	15 (4%)	6 (2%)	8 4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	786/792 (99%)	745 (95%)	29 (4%)	12 (2%)	8 4

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	302	PRO
1	A	307	ASN
1	A	309	SER
1	B	304	PHE
1	B	305	VAL
1	A	313	GLY
1	B	311	LEU
1	A	314	ALA
1	B	302	PRO
1	B	303	LYS
1	B	314	ALA
1	A	305	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	317/320 (99%)	307 (97%)	10 (3%)	34 35
1	B	317/320 (99%)	309 (98%)	8 (2%)	42 45
All	All	634/640 (99%)	616 (97%)	18 (3%)	38 40

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	LYS
1	A	62	ARG
1	A	88	LYS
1	A	95	GLN
1	A	105	ILE
1	A	116	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	163	LYS
1	A	213	LEU
1	A	299	MSE
1	A	316	ARG
1	B	33	LYS
1	B	50	LEU
1	B	74	ILE
1	B	95	GLN
1	B	116	THR
1	B	267	LYS
1	B	316	ARG
1	B	359	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	GLN
1	A	200	HIS
1	A	221	ASN
1	A	253	GLN
1	A	261	GLN
1	A	369	GLN
1	B	46	GLN
1	B	136	GLN
1	B	198	HIS
1	B	200	HIS
1	B	226	ASN
1	B	253	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	386/396 (97%)	0.36	28 (7%) 22 21	11, 26, 46, 65	0
1	B	386/396 (97%)	-0.01	15 (3%) 44 42	11, 20, 34, 51	0
All	All	772/792 (97%)	0.18	43 (5%) 31 29	11, 22, 43, 65	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	343	LEU	6.5
1	A	311	LEU	5.4
1	B	313	GLY	5.3
1	B	315	CYS	5.2
1	A	313	GLY	5.2
1	B	314	ALA	4.5
1	B	304	PHE	4.4
1	A	42	ILE	4.3
1	A	314	ALA	4.2
1	A	309	SER	4.2
1	B	311	LEU	4.1
1	B	305	VAL	4.0
1	B	316	ARG	3.9
1	A	308	LYS	3.8
1	A	230	TYR	3.7
1	A	231	THR	3.7
1	A	341	SER	3.5
1	A	315	CYS	3.5
1	A	307	ASN	3.4
1	A	232	GLY	3.2
1	B	308	LYS	3.1
1	A	340	CYS	3.0
1	B	306	GLU	3.0
1	A	229	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	42	ILE	2.8
1	A	310	GLN	2.7
1	B	105	ILE	2.6
1	A	35	SER	2.6
1	A	161	VAL	2.5
1	B	307	ASN	2.5
1	A	2	SER	2.5
1	A	304	PHE	2.5
1	B	100	ASP	2.5
1	A	306	GLU	2.4
1	A	74	ILE	2.3
1	A	24	SER	2.3
1	A	305	VAL	2.2
1	A	302	PRO	2.2
1	A	358	ILE	2.2
1	A	271	SER	2.2
1	A	316	ARG	2.1
1	B	62	ARG	2.0
1	B	303	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.