



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2023 – 08:00 AM EDT

PDB ID : 6C0K  
Title : Crystal structure of HIV-1 K103N mutant reverse transcriptase in complex with non-nucleoside inhibitor K-5a2  
Authors : Yang, Y.; Nguyen, L.A.; Smithline, Z.B.; Steitz, T.A.  
Deposited on : 2018-01-01  
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	557	 12% 81% 18%
2	B	428	 16% 76% 19% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	DMS	B	501	-	-	X	-
6	SO4	B	506	-	-	-	X
7	EDO	A	623	-	-	-	X
7	EDO	B	510	-	-	X	-
7	EDO	B	511	-	-	X	-
7	EDO	B	513	-	-	X	-
7	EDO	B	520	-	-	X	X

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 9052 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	556	4612	2984	768	851	9	0	11	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P03366
A	0	VAL	-	expression tag	UNP P03366
A	103	ASN	LYS	engineered mutation	UNP P03366
A	172	ALA	LYS	engineered mutation	UNP P03366
A	173	ALA	LYS	engineered mutation	UNP P03366
A	280	SER	CYS	engineered mutation	UNP P03366


- Molecule 2 is a protein called Reverse transcriptase p51 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	412	3467	2260	572	628	7	0	7	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 3 is 4-[(4-{4-(4-cyano-2,6-dimethylphenoxy)thieno[3,2-d]pyrimidin-2-yl}amino)piperidin-1-yl)methyl]benzene-1-sulfonamide (three-letter code: K5A) (formula: C<sub>27</sub>H<sub>28</sub>N<sub>6</sub>O<sub>3</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			38	27	6	3	2		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	B	1	Total C O 8 4 4	0	1
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0

- Molecule 8 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	448	Total O 448 448	0	0
8	B	304	Total O 304 304	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Reverse transcriptase/ribonuclease H



- Molecule 2: Reverse transcriptase p51 subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	162.61Å 73.05Å 109.44Å 90.00° 100.47° 90.00°	Depositor
Resolution (Å)	48.95 – 1.96 48.95 – 1.96	Depositor EDS
% Data completeness (in resolution range)	97.6 (48.95-1.96) 97.7 (48.95-1.96)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.96 (at 1.95Å)	Xtrriage
Refinement program	PHENIX (1.12_2829)	Depositor
R, $R_{free}$	0.182 , 0.219 0.184 , 0.220	Depositor DCC
$R_{free}$ test set	4450 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.4	Xtrriage
Anisotropy	0.068	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 56.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	9052	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, EDO, DMS, MG, K5A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/4733	0.55	0/6434
2	B	0.45	0/3568	0.56	0/4847
All	All	0.44	0/8301	0.55	0/11281

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4612	0	4658	96	0
2	B	3467	0	3481	85	0
3	A	38	0	0	0	0
4	A	1	0	0	0	0
5	A	4	0	6	0	0
5	B	4	0	6	4	0
6	A	25	0	0	1	0
6	B	25	0	0	1	0
7	A	64	0	96	15	0
7	B	60	0	90	32	0
8	A	448	0	0	7	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	304	0	0	13	0
All	All	9052	0	8337	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:248:GLU:HB3	7:B:518:EDO:H22	1.35	1.09
1:A:534:ALA:HB1	7:B:513:EDO:H11	1.36	1.02
2:B:91:GLN:HG3	2:B:92:LEU:H	1.28	0.96
2:B:399[A]:GLU:OE2	7:B:510:EDO:H21	1.75	0.84
1:A:94:ILE:HG21	1:A:230:MET:HE2	1.60	0.83
2:B:248:GLU:HB3	7:B:518:EDO:C2	2.10	0.81
2:B:110:ASP:HB3	2:B:228:LEU:HD22	1.63	0.80
2:B:89:GLU:HG2	2:B:90:VAL:H	1.46	0.80
1:A:332:GLN:NE2	1:A:338[A]:THR:HG23	1.96	0.80
8:A:882:HOH:O	7:B:513:EDO:H21	1.82	0.79
2:B:399[A]:GLU:OE2	7:B:510:EDO:C2	2.31	0.79
2:B:66:LYS:HD3	2:B:358:ARG:HH22	1.48	0.77
7:B:515:EDO:H12	8:B:775:HOH:O	1.85	0.76
2:B:353:LYS:H	7:B:511:EDO:H11	1.50	0.76
1:A:534:ALA:HB1	7:B:513:EDO:C1	2.14	0.76
2:B:248:GLU:CB	7:B:518:EDO:H22	2.16	0.74
1:A:63:ILE:HB	1:A:72:ARG:HD3	1.70	0.73
7:B:520:EDO:H22	8:B:727:HOH:O	1.88	0.71
1:A:338[A]:THR:HG22	8:A:894:HOH:O	1.90	0.71
1:A:534:ALA:CB	7:B:513:EDO:H11	2.18	0.70
2:B:237:ASP:OD2	2:B:238:LYS:N	2.23	0.70
1:A:28:GLU:HG3	1:A:135:ILE:HD12	1.74	0.69
2:B:72:ARG:NH2	2:B:110:ASP:OD2	2.26	0.68
1:A:153:TRP:O	7:A:618:EDO:H21	1.94	0.67
2:B:239:TRP:HB3	2:B:350:LYS:HE2	1.76	0.67
2:B:72:ARG:NH1	8:B:602:HOH:O	2.23	0.67
2:B:94:ILE:HD11	2:B:161:GLN:OE1	1.94	0.66
2:B:110:ASP:HB3	2:B:228:LEU:CD2	2.25	0.65
1:A:406:TRP:N	7:A:617:EDO:H12	2.13	0.64
2:B:60[B]:VAL:HG12	2:B:75:VAL:HG22	1.80	0.64
2:B:352:GLY:HA2	7:B:511:EDO:H22	1.80	0.63
2:B:281:LYS:O	2:B:284:ARG:HG2	1.99	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:360:ALA:HB2	2:B:366:LYS:HD3	1.80	0.62
1:A:297:GLU:O	1:A:301:LEU:HD13	1.99	0.62
2:B:291:GLU:HA	7:B:516:EDO:H11	1.82	0.62
2:B:69:THR:HA	8:B:831:HOH:O	1.98	0.62
1:A:311:LYS:HG3	1:A:312:GLU:HG3	1.81	0.61
1:A:63:ILE:O	1:A:72:ARG:HG2	2.01	0.61
1:A:25:PRO:HA	8:A:984:HOH:O	2.00	0.60
2:B:228:LEU:HD23	8:B:628:HOH:O	2.00	0.60
1:A:372:VAL:HG11	1:A:411[A]:ILE:HD12	1.83	0.60
2:B:317:VAL:CG1	2:B:349:LEU:HD23	2.31	0.60
2:B:235:HIS:O	2:B:237:ASP:N	2.33	0.60
2:B:426[B]:TRP:HZ3	6:B:504:SO4:O1	1.85	0.59
2:B:91:GLN:HG3	2:B:92:LEU:N	2.09	0.59
1:A:273:GLY:HA2	1:A:338[A]:THR:HG21	1.84	0.59
2:B:101:LYS:O	2:B:236:PRO:HB2	2.03	0.59
2:B:107:THR:HA	2:B:232:TYR:O	2.02	0.59
1:A:63:ILE:HB	1:A:72:ARG:CG	2.33	0.58
2:B:235:HIS:C	2:B:237:ASP:H	2.06	0.58
1:A:184[B]:MET:CG	1:A:185:ASP:N	2.67	0.57
2:B:353:LYS:O	7:B:511:EDO:H11	2.04	0.57
1:A:63:ILE:HB	1:A:72:ARG:CD	2.34	0.57
1:A:135:ILE:HA	7:A:624:EDO:O1	2.04	0.57
2:B:236:PRO:HA	2:B:239:TRP:CE2	2.40	0.57
2:B:258:GLN:OE1	7:B:513:EDO:H12	2.05	0.56
1:A:543:GLY:HA3	2:B:283:LEU:O	2.06	0.56
2:B:89:GLU:HG2	2:B:90:VAL:N	2.18	0.56
1:A:353:LYS:H	7:A:613:EDO:C1	2.19	0.56
1:A:63:ILE:HD11	1:A:74:LEU:HD13	1.88	0.56
1:A:535:TRP:O	7:B:513:EDO:H22	2.05	0.56
1:A:101[B]:LYS:HD3	1:A:321:PRO:HG3	1.89	0.55
2:B:210:LEU:HD13	2:B:227:PHE:CD2	2.41	0.55
2:B:354:TYR:HB2	2:B:357:MET:HE2	1.88	0.55
1:A:73:LYS:NZ	6:A:605:SO4:O4	2.28	0.54
1:A:28:GLU:HG3	1:A:135:ILE:CD1	2.36	0.54
1:A:20[B]:LYS:HZ1	1:A:55:PRO:HB2	1.72	0.54
1:A:65:LYS:HB2	1:A:68:SER:HB2	1.88	0.54
1:A:528:LYS:NZ	7:A:615:EDO:H11	2.23	0.54
1:A:235:HIS:ND1	8:A:703:HOH:O	2.33	0.54
1:A:20[B]:LYS:NZ	1:A:55:PRO:HB2	2.22	0.54
1:A:406:TRP:H	7:A:617:EDO:H12	1.73	0.54
1:A:528:LYS:HE2	7:A:615:EDO:O1	2.07	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:PRO:CG	7:A:618:EDO:H11	2.38	0.53
1:A:277:ARG:NH1	7:A:620:EDO:O1	2.32	0.53
1:A:64:LYS:HE2	1:A:71:TRP:CZ2	2.43	0.53
2:B:319:TYR:OH	2:B:385:LYS:HE2	2.08	0.53
2:B:354:TYR:CD2	2:B:357:MET:HE1	2.43	0.53
2:B:402:TRP:HE1	7:B:510:EDO:H21	1.74	0.53
1:A:259:LYS:NZ	1:A:263:LYS:HE3	2.24	0.52
1:A:292:VAL:HG23	1:A:292:VAL:O	2.09	0.52
1:A:184[B]:MET:SD	1:A:185:ASP:N	2.75	0.52
1:A:353:LYS:O	7:A:613:EDO:H12	2.10	0.52
2:B:399[A]:GLU:OE2	7:B:510:EDO:O2	2.27	0.52
1:A:237:ASP:O	1:A:238:LYS:HD3	2.10	0.52
2:B:210:LEU:HD22	2:B:227:PHE:CZ	2.45	0.52
2:B:228:LEU:HG	2:B:230:MET:HG3	1.91	0.52
2:B:242:GLN:NE2	8:B:613:HOH:O	2.42	0.52
7:B:520:EDO:C2	8:B:727:HOH:O	2.53	0.52
1:A:58:THR:HG23	1:A:76:ASP:O	2.11	0.51
1:A:442:VAL:HB	1:A:481:ALA:HB1	1.93	0.51
2:B:228:LEU:O	2:B:229:TRP:HB3	2.10	0.51
1:A:516:GLU:HA	1:A:516:GLU:OE1	2.11	0.51
2:B:400:THR:HG23	7:B:520:EDO:H11	1.92	0.50
1:A:332:GLN:CD	1:A:338[A]:THR:HG23	2.31	0.50
1:A:271:TYR:OH	1:A:313:PRO:HA	2.11	0.50
1:A:528:LYS:HZ3	7:A:615:EDO:H11	1.76	0.50
2:B:270:ILE:HG12	2:B:346:PHE:HB3	1.92	0.50
1:A:64:LYS:HE2	1:A:71:TRP:CE2	2.46	0.50
1:A:353:LYS:H	7:A:613:EDO:H11	1.77	0.49
2:B:203:GLU:O	2:B:207:GLN:HG2	2.13	0.49
1:A:49:LYS:HG2	1:A:144:TYR:CE1	2.47	0.49
1:A:265:ASN:OD1	1:A:353:LYS:NZ	2.27	0.49
2:B:108:VAL:HG22	2:B:188:TYR:CD2	2.47	0.49
1:A:183:TYR:O	1:A:184[B]:MET:HB3	2.12	0.49
1:A:369:THR:HG23	1:A:411[A]:ILE:HD11	1.95	0.49
1:A:277:ARG:HE	7:A:620:EDO:H22	1.77	0.48
2:B:240:THR:O	2:B:350:LYS:HD2	2.13	0.48
2:B:162:SER:HB2	8:B:721:HOH:O	2.13	0.48
1:A:208:HIS:O	1:A:211:ARG:HG2	2.14	0.48
2:B:228:LEU:HD11	2:B:230:MET:CE	2.43	0.48
2:B:233:GLU:O	2:B:233:GLU:HG2	2.14	0.47
1:A:63:ILE:HG22	1:A:64:LYS:N	2.30	0.47
2:B:136:ASN:HB3	2:B:138:GLU:HG3	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:PRO:HG3	7:A:610:EDO:H22	1.96	0.47
1:A:441:TYR:O	1:A:457:TYR:HA	2.15	0.47
2:B:354:TYR:CB	2:B:357:MET:HE2	2.44	0.46
2:B:61:PHE:CZ	2:B:74:LEU:HD23	2.51	0.46
2:B:208:HIS:O	2:B:212:TRP:HD1	1.99	0.46
2:B:394:GLN:HG3	8:B:703:HOH:O	2.14	0.46
7:B:511:EDO:H21	8:B:613:HOH:O	2.16	0.46
1:A:108:VAL:HG22	1:A:188:TYR:CD2	2.51	0.46
1:A:253:THR:HG22	1:A:292:VAL:HG12	1.98	0.45
1:A:478:GLU:HG2	8:A:886:HOH:O	2.15	0.45
2:B:134:SER:H	7:B:514:EDO:C2	2.30	0.45
1:A:28:GLU:O	1:A:32:LYS:HG2	2.17	0.45
2:B:70:LYS:HE2	8:B:855:HOH:O	2.16	0.45
2:B:326[A]:ILE:O	2:B:341:ILE:HA	2.17	0.45
1:A:259:LYS:HZ2	1:A:263:LYS:HE3	1.80	0.45
2:B:193:LEU:HD12	2:B:197:GLN:HB3	1.98	0.45
1:A:41:MET:SD	1:A:73:LYS:HE2	2.57	0.45
2:B:175:ASN:OD1	2:B:201:LYS:HE3	2.16	0.45
1:A:23:GLN:HG2	1:A:133:PRO:HD3	1.99	0.45
1:A:162[B]:SER:OG	2:B:52:PRO:HG3	2.17	0.45
1:A:184[B]:MET:SD	1:A:185:ASP:HB2	2.57	0.45
2:B:425:LEU:O	2:B:428:GLN:HB2	2.17	0.44
2:B:193:LEU:HD23	2:B:193:LEU:N	2.33	0.44
2:B:210:LEU:HD22	2:B:227:PHE:CE2	2.53	0.44
2:B:421:PRO:HG3	7:B:507[A]:EDO:H12	2.00	0.44
1:A:65:LYS:HB3	1:A:65:LYS:HE2	1.81	0.44
1:A:5:ILE:HG12	1:A:167:ILE:HD11	1.99	0.43
1:A:246:LEU:HD22	1:A:260:LEU:HD12	1.99	0.43
1:A:379:SER:CB	1:A:387:PRO:HD3	2.48	0.43
2:B:24:TRP:CD2	7:B:510:EDO:H12	2.53	0.43
1:A:261:VAL:HG12	1:A:265:ASN:ND2	2.34	0.43
1:A:534:ALA:HB1	7:B:513:EDO:C2	2.48	0.43
2:B:240:THR:OG1	8:B:601:HOH:O	2.21	0.43
1:A:101[A]:LYS:HD3	1:A:321:PRO:HG3	2.00	0.43
5:B:501:DMS:H22	7:B:520:EDO:H12	2.00	0.43
2:B:184:MET:N	7:B:517:EDO:O2	2.44	0.43
1:A:281:LYS:O	1:A:284:ARG:HG3	2.18	0.43
2:B:258:GLN:OE1	7:B:513:EDO:C1	2.67	0.43
1:A:287:LYS:HE3	1:A:287:LYS:HB2	1.89	0.42
2:B:235:HIS:C	2:B:237:ASP:N	2.72	0.42
1:A:63:ILE:CD1	1:A:74:LEU:HD13	2.49	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:LEU:HG	1:A:302:GLU:OE1	2.19	0.42
1:A:308:GLU:O	1:A:311:LYS:HG2	2.18	0.42
2:B:184:MET:SD	7:B:517:EDO:H12	2.59	0.42
1:A:240:THR:OG1	1:A:241:VAL:N	2.52	0.42
1:A:248:GLU:HG3	8:A:851:HOH:O	2.19	0.42
1:A:374:LYS:HE3	8:A:1078:HOH:O	2.18	0.42
1:A:339:TYR:CZ	1:A:352:GLY:HA3	2.54	0.42
2:B:93:GLY:O	2:B:95:PRO:HD3	2.20	0.42
5:B:501:DMS:H22	7:B:520:EDO:H21	2.01	0.42
1:A:553:SER:O	1:A:554:ALA:HB3	2.20	0.42
1:A:466:VAL:HG21	1:A:551:LEU:HB3	2.02	0.41
2:B:228:LEU:HD11	2:B:230:MET:HE3	2.02	0.41
2:B:357:MET:CE	2:B:371:ALA:HB2	2.50	0.41
1:A:94:ILE:HD13	1:A:230:MET:CE	2.50	0.41
2:B:66:LYS:HD3	2:B:358:ARG:NH2	2.25	0.41
1:A:543:GLY:O	1:A:545:ASN:N	2.50	0.41
1:A:334:GLN:HB3	7:A:620:EDO:H22	2.01	0.41
2:B:103:LYS:HE3	2:B:179:VAL:HG23	2.01	0.41
2:B:336:GLN:HA	2:B:354:TYR:O	2.20	0.41
1:A:281:LYS:HE3	1:A:284:ARG:NH2	2.35	0.41
2:B:360:ALA:HB2	2:B:366:LYS:CD	2.48	0.41
5:B:501:DMS:H22	7:B:520:EDO:C2	2.51	0.41
1:A:380:ILE:CD1	5:B:501:DMS:H22	2.51	0.41
1:A:167:ILE:HG23	1:A:212:TRP:CZ3	2.56	0.41
1:A:242:GLN:HB3	1:A:243:PRO:HD2	2.03	0.40
1:A:475:GLN:HB3	1:A:501:TYR:CE2	2.56	0.40
2:B:201:LYS:HD3	2:B:201:LYS:HA	1.69	0.40
2:B:311:LYS:HE3	8:B:697:HOH:O	2.21	0.40
2:B:354:TYR:HD2	2:B:357:MET:HE1	1.86	0.40
1:A:405:TYR:CE2	1:A:407:GLN:HB2	2.57	0.40
2:B:94:ILE:HD11	2:B:161:GLN:CD	2.41	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	565/557 (101%)	542 (96%)	23 (4%)	0	100	100
2	B	415/428 (97%)	394 (95%)	20 (5%)	1 (0%)	47	38
All	All	980/985 (100%)	936 (96%)	43 (4%)	1 (0%)	51	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	236	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	506/495 (102%)	505 (100%)	1 (0%)	93	93
2	B	380/390 (97%)	377 (99%)	3 (1%)	81	80
All	All	886/885 (100%)	882 (100%)	4 (0%)	88	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	251	SER
2	B	193	LEU
2	B	227	PHE
2	B	232	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	235	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 1 is monoatomic - leaving 44 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	EDO	B	508	-	3,3,3	0.60	0	2,2,2	0.37	0
7	EDO	B	507[B]	-	3,3,3	0.51	0	2,2,2	0.23	0
7	EDO	B	520	-	3,3,3	0.46	0	2,2,2	0.34	0
5	DMS	B	501	-	3,3,3	0.66	0	3,3,3	1.11	0
7	EDO	A	615	-	3,3,3	0.47	0	2,2,2	0.37	0
7	EDO	B	515	-	3,3,3	0.44	0	2,2,2	0.38	0
7	EDO	A	613	-	3,3,3	0.42	0	2,2,2	0.35	0
7	EDO	B	513	-	3,3,3	0.42	0	2,2,2	0.26	0
6	SO4	A	604	-	4,4,4	0.13	0	6,6,6	0.10	0
6	SO4	B	504	-	4,4,4	0.14	0	6,6,6	0.08	0
6	SO4	A	608	-	4,4,4	0.14	0	6,6,6	0.25	0
7	EDO	A	610	-	3,3,3	0.50	0	2,2,2	0.20	0
7	EDO	B	509	-	3,3,3	0.57	0	2,2,2	0.22	0
7	EDO	B	518	-	3,3,3	0.42	0	2,2,2	0.25	0
7	EDO	A	616	-	3,3,3	0.44	0	2,2,2	0.35	0
7	EDO	A	611	-	3,3,3	0.46	0	2,2,2	0.36	0
6	SO4	A	606	-	4,4,4	0.14	0	6,6,6	0.24	0
7	EDO	A	624	-	3,3,3	0.34	0	2,2,2	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	EDO	B	507[A]	-	3,3,3	0.57	0	2,2,2	0.21	0
7	EDO	A	614	-	3,3,3	0.40	0	2,2,2	0.76	0
6	SO4	B	503	-	4,4,4	0.14	0	6,6,6	0.12	0
7	EDO	A	617	-	3,3,3	0.48	0	2,2,2	0.32	0
7	EDO	A	619	-	3,3,3	0.49	0	2,2,2	0.16	0
7	EDO	A	612	-	3,3,3	0.38	0	2,2,2	0.66	0
7	EDO	B	517	-	3,3,3	0.37	0	2,2,2	0.49	0
6	SO4	B	502	-	4,4,4	0.16	0	6,6,6	0.20	0
7	EDO	A	623	-	3,3,3	0.47	0	2,2,2	0.30	0
7	EDO	B	519	-	3,3,3	0.40	0	2,2,2	0.49	0
5	DMS	A	603	-	3,3,3	0.62	0	3,3,3	0.45	0
3	K5A	A	601	-	40,42,42	1.55	6 (15%)	50,61,61	2.47	15 (30%)
7	EDO	B	516	-	3,3,3	0.40	0	2,2,2	0.39	0
7	EDO	B	510	-	3,3,3	0.46	0	2,2,2	0.34	0
7	EDO	B	514	-	3,3,3	0.39	0	2,2,2	0.38	0
6	SO4	A	605	-	4,4,4	0.14	0	6,6,6	0.16	0
7	EDO	B	511	-	3,3,3	0.46	0	2,2,2	0.20	0
7	EDO	B	512	-	3,3,3	0.47	0	2,2,2	0.42	0
7	EDO	A	609	-	3,3,3	0.43	0	2,2,2	0.39	0
6	SO4	A	607	-	4,4,4	0.14	0	6,6,6	0.09	0
7	EDO	A	622	-	3,3,3	0.41	0	2,2,2	0.38	0
7	EDO	A	618	-	3,3,3	0.47	0	2,2,2	0.21	0
6	SO4	B	506	-	4,4,4	0.13	0	6,6,6	0.08	0
7	EDO	A	620	-	3,3,3	0.45	0	2,2,2	0.34	0
6	SO4	B	505	-	4,4,4	0.14	0	6,6,6	0.06	0
7	EDO	A	621	-	3,3,3	0.33	0	2,2,2	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	B	508	-	-	1/1/1/1	-
7	EDO	B	507[B]	-	-	1/1/1/1	-
7	EDO	B	520	-	-	0/1/1/1	-
7	EDO	A	615	-	-	1/1/1/1	-
7	EDO	B	515	-	-	1/1/1/1	-
7	EDO	A	613	-	-	0/1/1/1	-
7	EDO	B	513	-	-	0/1/1/1	-
7	EDO	A	610	-	-	0/1/1/1	-
7	EDO	B	509	-	-	1/1/1/1	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	B	518	-	-	0/1/1/1	-
7	EDO	A	616	-	-	0/1/1/1	-
7	EDO	A	611	-	-	0/1/1/1	-
7	EDO	A	624	-	-	1/1/1/1	-
7	EDO	B	507[A]	-	-	0/1/1/1	-
7	EDO	A	614	-	-	0/1/1/1	-
7	EDO	A	619	-	-	0/1/1/1	-
7	EDO	A	617	-	-	0/1/1/1	-
7	EDO	A	612	-	-	0/1/1/1	-
7	EDO	B	517	-	-	1/1/1/1	-
7	EDO	A	623	-	-	0/1/1/1	-
7	EDO	B	519	-	-	1/1/1/1	-
3	K5A	A	601	-	-	3/20/30/30	0/5/5/5
7	EDO	B	516	-	-	1/1/1/1	-
7	EDO	B	510	-	-	0/1/1/1	-
7	EDO	B	514	-	-	0/1/1/1	-
7	EDO	B	511	-	-	0/1/1/1	-
7	EDO	B	512	-	-	0/1/1/1	-
7	EDO	A	609	-	-	0/1/1/1	-
7	EDO	A	622	-	-	1/1/1/1	-
7	EDO	A	620	-	-	0/1/1/1	-
7	EDO	A	618	-	-	0/1/1/1	-
7	EDO	A	621	-	-	1/1/1/1	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	K5A	C18-N19	4.31	1.58	1.46
3	A	601	K5A	C14-N15	4.12	1.40	1.34
3	A	601	K5A	C12-N13	3.36	1.37	1.31
3	A	601	K5A	C14-N13	2.96	1.43	1.34
3	A	601	K5A	S25-N26	2.80	1.65	1.60
3	A	601	K5A	C24-S25	-2.32	1.73	1.77

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	K5A	C03-C04-C05	6.13	127.69	119.54
3	A	601	K5A	C20-N19-C18	5.85	124.07	111.06
3	A	601	K5A	C21-C20-N19	-5.34	102.75	113.12
3	A	601	K5A	C07-C04-C05	-5.29	112.50	119.54
3	A	601	K5A	C29-C24-C23	-5.03	113.42	120.44

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	K5A	C22-C23-C24	4.79	124.41	119.45
3	A	601	K5A	C17-C18-N19	4.66	118.34	111.11
3	A	601	K5A	C30-C29-C24	3.91	123.50	119.45
3	A	601	K5A	C23-C24-S25	3.69	125.09	119.73
3	A	601	K5A	C31-N19-C18	3.24	116.12	108.83
3	A	601	K5A	C01-C02-C10	3.03	125.71	120.82
3	A	601	K5A	O28-S25-C24	2.91	110.60	107.35
3	A	601	K5A	C01-C02-C03	-2.09	115.63	119.49
3	A	601	K5A	C20-N19-C31	-2.05	106.50	111.06
3	A	601	K5A	C32-C31-N19	2.01	114.23	111.11

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	601	K5A	C21-C20-N19-C18
7	A	615	EDO	O1-C1-C2-O2
7	A	621	EDO	O1-C1-C2-O2
7	A	624	EDO	O1-C1-C2-O2
7	B	507[B]	EDO	O1-C1-C2-O2
7	B	516	EDO	O1-C1-C2-O2
7	B	519	EDO	O1-C1-C2-O2
7	A	622	EDO	O1-C1-C2-O2
7	B	517	EDO	O1-C1-C2-O2
7	B	508	EDO	O1-C1-C2-O2
7	B	509	EDO	O1-C1-C2-O2
7	B	515	EDO	O1-C1-C2-O2
3	A	601	K5A	C29-C24-S25-O28
3	A	601	K5A	C23-C24-S25-O28

There are no ring outliers.

20 monomers are involved in 50 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	520	EDO	6	0
5	B	501	DMS	4	0
7	A	615	EDO	3	0
7	B	515	EDO	1	0
7	A	613	EDO	3	0
7	B	513	EDO	8	0
6	B	504	SO4	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	610	EDO	1	0
7	B	518	EDO	3	0
7	A	624	EDO	1	0
7	B	507[A]	EDO	1	0
7	A	617	EDO	2	0
7	B	517	EDO	2	0
7	B	516	EDO	1	0
7	B	510	EDO	5	0
7	B	514	EDO	1	0
6	A	605	SO4	1	0
7	B	511	EDO	4	0
7	A	618	EDO	2	0
7	A	620	EDO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	556/557 (99%)	0.75	65 (11%) <b>4</b> <b>7</b>	32, 54, 112, 211	0
2	B	412/428 (96%)	1.03	68 (16%) <b>1</b> <b>2</b>	31, 54, 134, 207	0
All	All	968/985 (98%)	0.87	133 (13%) <b>3</b> <b>4</b>	31, 54, 122, 211	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	67	ASP	21.9
2	B	90	VAL	14.6
2	B	92	LEU	9.8
1	A	68	SER	9.4
1	A	288	ALA	9.4
1	A	293	ILE	8.6
1	A	292	VAL	8.4
2	B	210	LEU	7.8
1	A	286	THR	7.7
2	B	4	PRO	7.5
2	B	212	TRP	7.3
1	A	289	LEU	7.2
1	A	66	LYS	7.1
2	B	5	ILE	7.0
2	B	197	GLN	7.0
1	A	227	PHE	7.0
2	B	229	TRP	6.8
1	A	285	GLY	6.5
2	B	89	GLU	6.4
1	A	294	PRO	6.0
1	A	254	VAL	5.9
2	B	88	TRP	5.9
1	A	65	LYS	5.8
1	A	223	LYS	5.6

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	301	LEU	5.6
2	B	359	GLY	5.4
1	A	92	LEU	5.3
2	B	239	TRP	5.2
1	A	290	THR	5.2
2	B	211	ARG	5.1
1	A	69	THR	5.1
2	B	227	PHE	5.0
2	B	91	GLN	4.9
2	B	230	MET	4.9
1	A	72	ARG	4.8
2	B	204	GLU	4.8
2	B	67	ASP	4.8
1	A	252	TRP	4.8
1	A	297	GLU	4.7
1	A	70	LYS	4.7
1	A	287	LYS	4.7
2	B	208	HIS	4.7
1	A	291	GLU	4.6
2	B	166	LYS	4.5
2	B	93	GLY	4.4
2	B	206	ARG	4.4
2	B	193	LEU	4.3
1	A	90	VAL	4.3
2	B	232	TYR	4.3
1	A	222	GLN	4.3
1	A	283	LEU	4.2
2	B	231	GLY	4.1
1	A	295	LEU	4.1
1	A	221	HIS	3.9
2	B	357	MET	3.9
2	B	203	GLU	3.9
2	B	199	ARG	3.9
2	B	358	ARG	3.9
2	B	173	LYS	3.8
2	B	200	THR	3.8
2	B	209	LEU	3.7
1	A	251	SER	3.7
1	A	257	ILE	3.7
2	B	69	THR	3.7
2	B	195	ILE	3.7
2	B	228	LEU	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	B	94	ILE	3.6
1	A	284	ARG	3.6
1	A	183	TYR	3.4
2	B	207	GLN	3.4
1	A	220	LYS	3.2
2	B	165	THR	3.2
1	A	546	GLU	3.2
2	B	284	ARG	3.2
1	A	215	THR	3.1
1	A	282	LEU	3.1
2	B	169	GLU	3.1
1	A	24	TRP	3.1
2	B	425	LEU	3.1
2	B	196	GLY	3.1
2	B	198	HIS	3.0
1	A	224	GLU	3.0
1	A	298	GLU	3.0
2	B	168	LEU	2.8
2	B	68	SER	2.8
2	B	238	LYS	2.8
2	B	171	PHE	2.8
1	A	244	ILE	2.7
2	B	240	THR	2.7
2	B	176	PRO	2.7
1	A	253	THR	2.7
1	A	260	LEU	2.6
2	B	205	LEU	2.6
1	A	217	PRO	2.6
2	B	70	LYS	2.6
1	A	255	ASN	2.6
2	B	356	ARG	2.6
2	B	202	ILE	2.6
2	B	361	HIS	2.5
2	B	201	LYS	2.5
1	A	63	ILE	2.5
1	A	246	LEU	2.5
2	B	87	PHE	2.5
1	A	228	LEU	2.4
1	A	279	LEU	2.4
2	B	95	PRO	2.4
1	A	311	LYS	2.4
1	A	406	TRP	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	258	GLN	2.4
2	B	372	VAL	2.3
2	B	272	PRO	2.3
1	A	114	ALA	2.3
1	A	51	GLY	2.2
1	A	410[A]	TRP	2.2
2	B	177	ASP	2.2
2	B	237	ASP	2.2
1	A	74	LEU	2.2
1	A	308	GLU	2.2
1	A	250	ASP	2.2
1	A	302	GLU	2.1
1	A	36	GLU	2.1
1	A	553	SER	2.1
2	B	65	LYS	2.1
2	B	368	LEU	2.1
2	B	241	VAL	2.1
1	A	247	PRO	2.1
2	B	233	GLU	2.1
1	A	281	LYS	2.1
1	A	548	VAL	2.1
2	B	158	ALA	2.1
2	B	281	LYS	2.1
1	A	543	GLY	2.0
2	B	325	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	EDO	B	512	4/4	0.45	0.29	89,90,90,93	0
7	EDO	A	623	4/4	0.48	0.71	118,119,119,120	0
7	EDO	B	511	4/4	0.66	0.31	85,85,85,86	0
7	EDO	A	618	4/4	0.66	0.22	96,97,97,98	0
4	MG	A	602	1/1	0.69	0.32	68,68,68,68	0
7	EDO	B	517	4/4	0.73	0.21	83,83,84,87	0
6	SO4	B	506	5/5	0.74	0.50	153,154,155,155	0
7	EDO	B	520	4/4	0.74	0.56	31,34,39,43	0
6	SO4	A	604	5/5	0.76	0.17	136,137,138,139	0
7	EDO	A	610	4/4	0.78	0.21	92,92,92,94	0
7	EDO	B	518	4/4	0.78	0.29	97,97,97,99	0
7	EDO	B	509	4/4	0.78	0.18	71,72,73,75	0
7	EDO	A	611	4/4	0.79	0.24	77,79,80,81	0
7	EDO	A	621	4/4	0.79	0.25	80,81,81,84	0
7	EDO	A	615	4/4	0.79	0.19	67,68,69,73	0
7	EDO	A	609	4/4	0.80	0.16	68,70,71,72	0
7	EDO	B	516	4/4	0.81	0.36	87,90,95,100	0
7	EDO	A	619	4/4	0.81	0.12	81,83,86,86	0
7	EDO	A	620	4/4	0.83	0.09	92,93,93,94	0
7	EDO	A	617	4/4	0.83	0.37	87,91,96,98	0
7	EDO	B	514	4/4	0.84	0.38	101,101,102,104	0
7	EDO	B	519	4/4	0.85	0.17	91,92,95,97	0
5	DMS	A	603	4/4	0.86	0.28	110,110,111,112	0
7	EDO	A	622	4/4	0.87	0.27	70,73,76,79	0
7	EDO	B	510	4/4	0.88	0.28	42,51,59,63	0
6	SO4	A	607	5/5	0.89	0.15	121,122,123,123	0
7	EDO	B	508	4/4	0.89	0.17	52,54,60,64	0
7	EDO	A	613	4/4	0.89	0.36	93,94,94,95	0
3	K5A	A	601	38/38	0.89	0.15	43,60,89,92	0
7	EDO	A	616	4/4	0.90	0.16	67,70,73,74	0
7	EDO	B	513	4/4	0.90	0.50	123,123,124,124	0
7	EDO	B	515	4/4	0.91	0.22	52,63,74,82	0
6	SO4	A	608	5/5	0.91	0.21	82,86,90,95	0
7	EDO	A	612	4/4	0.92	0.11	56,63,68,74	0
6	SO4	B	502	5/5	0.92	0.19	91,93,96,100	0
6	SO4	B	503	5/5	0.92	0.28	132,133,135,135	0
7	EDO	A	624	4/4	0.93	0.31	78,81,83,85	0
7	EDO	B	507[A]	4/4	0.94	0.22	44,46,47,47	4
7	EDO	B	507[B]	4/4	0.94	0.22	43,46,47,47	4
6	SO4	A	606	5/5	0.94	0.13	88,89,92,97	0
6	SO4	B	504	5/5	0.94	0.22	120,120,121,122	0
6	SO4	A	605	5/5	0.94	0.11	90,90,93,96	0
6	SO4	B	505	5/5	0.95	0.32	127,127,128,128	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	EDO	A	614	4/4	0.98	0.16	45,47,52,55	0
5	DMS	B	501	4/4	0.98	0.17	45,54,58,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.