



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 19, 2023 – 10:14 PM JST

PDB ID : 7C0C  
Title : Crystal structure of Azospirillum brasilense L-2-keto-3-deoxyarabonate dehydratase (apo form)  
Authors : Watanabe, Y.; Nobuchi, R.; Watanabe, S.  
Deposited on : 2020-05-01  
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	85% 9% 6%
1	B	320	2% 79% 16% 5%
1	C	320	1% 83% 11% 5%
1	D	320	2% 81% 13% 5%
1	E	320	2% 88% 7% 5%
1	F	320	1% 85% 10% 5%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	320	<p>% 84% 10% 5%</p>
1	H	320	<p>% 85% 9% 5%</p>
1	I	320	<p>14% 78% 17% 5%</p>
1	J	320	<p>18% 72% 23% 5%</p>
1	K	320	<p>44% 57% 36% 5%</p>
1	L	320	<p>26% 62% 31% 5%</p>

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 29770 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-2-keto-3-deoxyarabonate dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	302	2326	1468	420	427	11	0	0	0
1	B	304	2342	1477	424	430	11	0	0	0
1	C	303	2331	1471	421	428	11	0	0	0
1	D	303	2331	1471	421	428	11	0	0	0
1	E	304	2342	1477	424	430	11	0	0	0
1	F	304	2342	1477	424	430	11	0	0	0
1	G	303	2331	1471	421	428	11	0	0	0
1	H	303	2331	1471	421	428	11	0	0	0
1	I	304	2330	1471	418	430	11	0	0	0
1	J	304	2342	1477	424	430	11	0	0	0
1	K	303	2327	1469	420	427	11	0	0	0
1	L	303	2331	1471	421	428	11	0	0	0

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	expression tag	UNP Q1JUQ0
A	-9	ARG	-	expression tag	UNP Q1JUQ0
A	-8	GLY	-	expression tag	UNP Q1JUQ0
A	-7	SER	-	expression tag	UNP Q1JUQ0
A	-6	HIS	-	expression tag	UNP Q1JUQ0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	expression tag	UNP Q1JUQ0
A	-4	HIS	-	expression tag	UNP Q1JUQ0
A	-3	HIS	-	expression tag	UNP Q1JUQ0
A	-2	HIS	-	expression tag	UNP Q1JUQ0
A	-1	HIS	-	expression tag	UNP Q1JUQ0
A	0	GLY	-	expression tag	UNP Q1JUQ0
A	1	SER	-	expression tag	UNP Q1JUQ0
B	-10	MET	-	expression tag	UNP Q1JUQ0
B	-9	ARG	-	expression tag	UNP Q1JUQ0
B	-8	GLY	-	expression tag	UNP Q1JUQ0
B	-7	SER	-	expression tag	UNP Q1JUQ0
B	-6	HIS	-	expression tag	UNP Q1JUQ0
B	-5	HIS	-	expression tag	UNP Q1JUQ0
B	-4	HIS	-	expression tag	UNP Q1JUQ0
B	-3	HIS	-	expression tag	UNP Q1JUQ0
B	-2	HIS	-	expression tag	UNP Q1JUQ0
B	-1	HIS	-	expression tag	UNP Q1JUQ0
B	0	GLY	-	expression tag	UNP Q1JUQ0
B	1	SER	-	expression tag	UNP Q1JUQ0
C	-10	MET	-	expression tag	UNP Q1JUQ0
C	-9	ARG	-	expression tag	UNP Q1JUQ0
C	-8	GLY	-	expression tag	UNP Q1JUQ0
C	-7	SER	-	expression tag	UNP Q1JUQ0
C	-6	HIS	-	expression tag	UNP Q1JUQ0
C	-5	HIS	-	expression tag	UNP Q1JUQ0
C	-4	HIS	-	expression tag	UNP Q1JUQ0
C	-3	HIS	-	expression tag	UNP Q1JUQ0
C	-2	HIS	-	expression tag	UNP Q1JUQ0
C	-1	HIS	-	expression tag	UNP Q1JUQ0
C	0	GLY	-	expression tag	UNP Q1JUQ0
C	1	SER	-	expression tag	UNP Q1JUQ0
D	-10	MET	-	expression tag	UNP Q1JUQ0
D	-9	ARG	-	expression tag	UNP Q1JUQ0
D	-8	GLY	-	expression tag	UNP Q1JUQ0
D	-7	SER	-	expression tag	UNP Q1JUQ0
D	-6	HIS	-	expression tag	UNP Q1JUQ0
D	-5	HIS	-	expression tag	UNP Q1JUQ0
D	-4	HIS	-	expression tag	UNP Q1JUQ0
D	-3	HIS	-	expression tag	UNP Q1JUQ0
D	-2	HIS	-	expression tag	UNP Q1JUQ0
D	-1	HIS	-	expression tag	UNP Q1JUQ0
D	0	GLY	-	expression tag	UNP Q1JUQ0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	SER	-	expression tag	UNP Q1JUQ0
E	-10	MET	-	expression tag	UNP Q1JUQ0
E	-9	ARG	-	expression tag	UNP Q1JUQ0
E	-8	GLY	-	expression tag	UNP Q1JUQ0
E	-7	SER	-	expression tag	UNP Q1JUQ0
E	-6	HIS	-	expression tag	UNP Q1JUQ0
E	-5	HIS	-	expression tag	UNP Q1JUQ0
E	-4	HIS	-	expression tag	UNP Q1JUQ0
E	-3	HIS	-	expression tag	UNP Q1JUQ0
E	-2	HIS	-	expression tag	UNP Q1JUQ0
E	-1	HIS	-	expression tag	UNP Q1JUQ0
E	0	GLY	-	expression tag	UNP Q1JUQ0
E	1	SER	-	expression tag	UNP Q1JUQ0
F	-10	MET	-	expression tag	UNP Q1JUQ0
F	-9	ARG	-	expression tag	UNP Q1JUQ0
F	-8	GLY	-	expression tag	UNP Q1JUQ0
F	-7	SER	-	expression tag	UNP Q1JUQ0
F	-6	HIS	-	expression tag	UNP Q1JUQ0
F	-5	HIS	-	expression tag	UNP Q1JUQ0
F	-4	HIS	-	expression tag	UNP Q1JUQ0
F	-3	HIS	-	expression tag	UNP Q1JUQ0
F	-2	HIS	-	expression tag	UNP Q1JUQ0
F	-1	HIS	-	expression tag	UNP Q1JUQ0
F	0	GLY	-	expression tag	UNP Q1JUQ0
F	1	SER	-	expression tag	UNP Q1JUQ0
G	-10	MET	-	expression tag	UNP Q1JUQ0
G	-9	ARG	-	expression tag	UNP Q1JUQ0
G	-8	GLY	-	expression tag	UNP Q1JUQ0
G	-7	SER	-	expression tag	UNP Q1JUQ0
G	-6	HIS	-	expression tag	UNP Q1JUQ0
G	-5	HIS	-	expression tag	UNP Q1JUQ0
G	-4	HIS	-	expression tag	UNP Q1JUQ0
G	-3	HIS	-	expression tag	UNP Q1JUQ0
G	-2	HIS	-	expression tag	UNP Q1JUQ0
G	-1	HIS	-	expression tag	UNP Q1JUQ0
G	0	GLY	-	expression tag	UNP Q1JUQ0
G	1	SER	-	expression tag	UNP Q1JUQ0
H	-10	MET	-	expression tag	UNP Q1JUQ0
H	-9	ARG	-	expression tag	UNP Q1JUQ0
H	-8	GLY	-	expression tag	UNP Q1JUQ0
H	-7	SER	-	expression tag	UNP Q1JUQ0
H	-6	HIS	-	expression tag	UNP Q1JUQ0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	-5	HIS	-	expression tag	UNP Q1JUQ0
H	-4	HIS	-	expression tag	UNP Q1JUQ0
H	-3	HIS	-	expression tag	UNP Q1JUQ0
H	-2	HIS	-	expression tag	UNP Q1JUQ0
H	-1	HIS	-	expression tag	UNP Q1JUQ0
H	0	GLY	-	expression tag	UNP Q1JUQ0
H	1	SER	-	expression tag	UNP Q1JUQ0
I	-10	MET	-	expression tag	UNP Q1JUQ0
I	-9	ARG	-	expression tag	UNP Q1JUQ0
I	-8	GLY	-	expression tag	UNP Q1JUQ0
I	-7	SER	-	expression tag	UNP Q1JUQ0
I	-6	HIS	-	expression tag	UNP Q1JUQ0
I	-5	HIS	-	expression tag	UNP Q1JUQ0
I	-4	HIS	-	expression tag	UNP Q1JUQ0
I	-3	HIS	-	expression tag	UNP Q1JUQ0
I	-2	HIS	-	expression tag	UNP Q1JUQ0
I	-1	HIS	-	expression tag	UNP Q1JUQ0
I	0	GLY	-	expression tag	UNP Q1JUQ0
I	1	SER	-	expression tag	UNP Q1JUQ0
J	-10	MET	-	expression tag	UNP Q1JUQ0
J	-9	ARG	-	expression tag	UNP Q1JUQ0
J	-8	GLY	-	expression tag	UNP Q1JUQ0
J	-7	SER	-	expression tag	UNP Q1JUQ0
J	-6	HIS	-	expression tag	UNP Q1JUQ0
J	-5	HIS	-	expression tag	UNP Q1JUQ0
J	-4	HIS	-	expression tag	UNP Q1JUQ0
J	-3	HIS	-	expression tag	UNP Q1JUQ0
J	-2	HIS	-	expression tag	UNP Q1JUQ0
J	-1	HIS	-	expression tag	UNP Q1JUQ0
J	0	GLY	-	expression tag	UNP Q1JUQ0
J	1	SER	-	expression tag	UNP Q1JUQ0
K	-10	MET	-	expression tag	UNP Q1JUQ0
K	-9	ARG	-	expression tag	UNP Q1JUQ0
K	-8	GLY	-	expression tag	UNP Q1JUQ0
K	-7	SER	-	expression tag	UNP Q1JUQ0
K	-6	HIS	-	expression tag	UNP Q1JUQ0
K	-5	HIS	-	expression tag	UNP Q1JUQ0
K	-4	HIS	-	expression tag	UNP Q1JUQ0
K	-3	HIS	-	expression tag	UNP Q1JUQ0
K	-2	HIS	-	expression tag	UNP Q1JUQ0
K	-1	HIS	-	expression tag	UNP Q1JUQ0
K	0	GLY	-	expression tag	UNP Q1JUQ0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	SER	-	expression tag	UNP Q1JUQ0
L	-10	MET	-	expression tag	UNP Q1JUQ0
L	-9	ARG	-	expression tag	UNP Q1JUQ0
L	-8	GLY	-	expression tag	UNP Q1JUQ0
L	-7	SER	-	expression tag	UNP Q1JUQ0
L	-6	HIS	-	expression tag	UNP Q1JUQ0
L	-5	HIS	-	expression tag	UNP Q1JUQ0
L	-4	HIS	-	expression tag	UNP Q1JUQ0
L	-3	HIS	-	expression tag	UNP Q1JUQ0
L	-2	HIS	-	expression tag	UNP Q1JUQ0
L	-1	HIS	-	expression tag	UNP Q1JUQ0
L	0	GLY	-	expression tag	UNP Q1JUQ0
L	1	SER	-	expression tag	UNP Q1JUQ0

- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	178	Total O 178 178	0	0
2	B	112	Total O 112 112	0	0
2	C	123	Total O 123 123	0	0
2	D	140	Total O 140 140	0	0
2	E	228	Total O 228 228	0	0
2	F	199	Total O 199 199	0	0
2	G	192	Total O 192 192	0	0
2	H	238	Total O 238 238	0	0
2	I	116	Total O 116 116	0	0
2	J	83	Total O 83 83	0	0
2	K	93	Total O 93 93	0	0
2	L	62	Total O 62 62	0	0




### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase

Chain A: 





- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase

Chain B: 




- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase


Chain C: 




- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase

Chain D: 








- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase





- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase




- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase




- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase




- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase







- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase




- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase



- Molecule 1: L-2-keto-3-deoxyarabonate dehydratase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.39Å 81.81Å 144.42Å 85.47° 87.86° 75.62°	Depositor
Resolution (Å)	40.44 – 1.90 40.44 – 1.90	Depositor EDS
% Data completeness (in resolution range)	96.1 (40.44-1.90) 96.1 (40.44-1.90)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.43 (at 1.89Å)	Xtrriage
Refinement program	PHENIX 1.12_2829	Depositor
R, $R_{free}$	0.252 , 0.297 0.252 , 0.297	Depositor DCC
$R_{free}$ test set	12870 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.8	Xtrriage
Anisotropy	0.426	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 42.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	29770	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/2379	0.43	0/3236
1	B	0.25	0/2396	0.42	0/3258
1	C	0.25	0/2384	0.43	0/3243
1	D	0.25	0/2384	0.44	0/3243
1	E	0.26	0/2396	0.44	0/3258
1	F	0.26	0/2396	0.44	0/3258
1	G	0.25	0/2384	0.43	0/3243
1	H	0.26	0/2384	0.43	0/3243
1	I	0.25	0/2384	0.44	0/3244
1	J	0.27	0/2396	0.46	0/3258
1	K	0.28	0/2380	0.48	0/3238
1	L	0.26	0/2384	0.44	0/3243
All	All	0.26	0/28647	0.44	0/38965

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	K	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	K	190	ASP	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2326	0	2309	17	0
1	B	2342	0	2321	30	0
1	C	2331	0	2314	25	0
1	D	2331	0	2314	26	0
1	E	2342	0	2321	15	0
1	F	2342	0	2321	18	0
1	G	2331	0	2314	21	0
1	H	2331	0	2314	18	0
1	I	2330	0	2299	38	0
1	J	2342	0	2321	57	0
1	K	2327	0	2308	107	0
1	L	2331	0	2314	84	0
2	A	178	0	0	2	0
2	B	112	0	0	2	0
2	C	123	0	0	1	0
2	D	140	0	0	2	0
2	E	228	0	0	4	0
2	F	199	0	0	2	0
2	G	192	0	0	3	0
2	H	238	0	0	4	0
2	I	116	0	0	10	0
2	J	83	0	0	7	0
2	K	93	0	0	11	0
2	L	62	0	0	11	0
All	All	29770	0	27770	442	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 442 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:31:GLN:NE2	2:J:401:HOH:O	2.04	0.90
1:J:228:ILE:N	1:J:243:ARG:HH22	1.69	0.89
1:K:226:ARG:HE	1:K:230:GLU:HG3	1.40	0.85

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:110:MET:SD	1:L:143:GLN:NE2	2.48	0.85
1:I:248:LEU:HD12	1:L:248:LEU:HG	1.57	0.84

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/320 (94%)	294 (98%)	6 (2%)	0	100	100
1	B	302/320 (94%)	292 (97%)	10 (3%)	0	100	100
1	C	301/320 (94%)	294 (98%)	7 (2%)	0	100	100
1	D	301/320 (94%)	294 (98%)	7 (2%)	0	100	100
1	E	302/320 (94%)	295 (98%)	7 (2%)	0	100	100
1	F	302/320 (94%)	295 (98%)	7 (2%)	0	100	100
1	G	301/320 (94%)	293 (97%)	8 (3%)	0	100	100
1	H	301/320 (94%)	292 (97%)	9 (3%)	0	100	100
1	I	302/320 (94%)	293 (97%)	9 (3%)	0	100	100
1	J	302/320 (94%)	291 (96%)	11 (4%)	0	100	100
1	K	301/320 (94%)	288 (96%)	13 (4%)	0	100	100
1	L	301/320 (94%)	285 (95%)	16 (5%)	0	100	100
All	All	3616/3840 (94%)	3506 (97%)	110 (3%)	0	100	100

There are no Ramachandran outliers to report.



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	236/251 (94%)	236 (100%)	0	100	100
1	B	237/251 (94%)	233 (98%)	4 (2%)	60	57
1	C	236/251 (94%)	233 (99%)	3 (1%)	69	68
1	D	236/251 (94%)	233 (99%)	3 (1%)	69	68
1	E	237/251 (94%)	236 (100%)	1 (0%)	91	91
1	F	237/251 (94%)	236 (100%)	1 (0%)	91	91
1	G	236/251 (94%)	234 (99%)	2 (1%)	81	82
1	H	236/251 (94%)	235 (100%)	1 (0%)	91	91
1	I	235/251 (94%)	233 (99%)	2 (1%)	78	79
1	J	237/251 (94%)	233 (98%)	4 (2%)	60	57
1	K	235/251 (94%)	228 (97%)	7 (3%)	41	33
1	L	236/251 (94%)	230 (98%)	6 (2%)	47	41
All	All	2834/3012 (94%)	2800 (99%)	34 (1%)	71	70

5 of 34 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	10	ARG
1	L	22	ASP
1	L	268	ARG
1	G	10	ARG
1	F	268	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	K	90	GLN
1	K	114	HIS
1	L	55	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	302/320 (94%)	0.12	1 (0%) 94 94	16, 25, 34, 52	0
1	B	304/320 (95%)	0.31	5 (1%) 72 74	19, 31, 44, 59	0
1	C	303/320 (94%)	0.23	4 (1%) 77 79	17, 29, 41, 55	0
1	D	303/320 (94%)	0.25	6 (1%) 65 68	18, 29, 42, 62	0
1	E	304/320 (95%)	-0.07	5 (1%) 72 74	13, 20, 32, 53	0
1	F	304/320 (95%)	-0.07	3 (0%) 82 84	14, 21, 31, 48	0
1	G	303/320 (94%)	0.02	4 (1%) 77 79	17, 24, 35, 55	0
1	H	303/320 (94%)	-0.04	2 (0%) 87 88	14, 21, 30, 50	0
1	I	304/320 (95%)	1.02	45 (14%) 2 2	17, 38, 52, 71	0
1	J	304/320 (95%)	1.04	57 (18%) 1 1	17, 41, 58, 69	0
1	K	303/320 (94%)	2.08	141 (46%) 0 0	38, 48, 56, 67	0
1	L	303/320 (94%)	1.47	83 (27%) 0 0	30, 45, 55, 73	0
All	All	3640/3840 (94%)	0.53	356 (9%) 7 8	13, 28, 51, 73	0

The worst 5 of 356 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	308	ALA	9.3
1	K	251	ILE	7.4
1	K	181	LEU	7.3
1	D	308	ALA	6.4
1	K	46	LEU	6.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.