



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 09:52 pm GMT

PDB ID : 4C1M
Title : Myeloperoxidase in complex with the reversible inhibitor HX1
Authors : Forbes, L.V.; Sjogren, T.; Auchere, F.; Jenkins, D.W.; Thong, B.; Laughton, D.; Hemsley, P.; Pairaudeau, G.; Eriksson, H.; Unitt, J.F.; Kettle, A.J.
Deposited on : 2013-08-13
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	7193 (2.00-2.00)
Clashscore	122126	8267 (2.00-2.00)
Ramachandran outliers	120053	8166 (2.00-2.00)
Sidechain outliers	120020	8165 (2.00-2.00)
RSRZ outliers	108989	7011 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	108	 3% 82% 11% • 6%
1	B	108	 2% 84% 12% • •
2	C	467	 % 91% 9%
2	D	467	 6% 87% 12%

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 10168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called MYELOPEROXIDASE LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	102	Total 816	C 516	N 146	O 150	S 4	0	0	1
1	B	105	Total 838	C 529	N 149	O 155	S 5	0	0	1

- Molecule 2 is a protein called MYELOPEROXIDASE HEAVY CHAIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	467	Total 3733	C 2351	N 688	O 667	S 27	0	0	1
2	D	467	Total 3733	C 2351	N 688	O 667	S 27	0	0	1

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is 2-{{3,5-BIS(TRIFLUOROMETHYL)BENZYL}AMINO}-N-HYDROXY-6-OXO-1,6-DIHYDROPYRIMIDINE-5-CARBOXAMIDE (three-letter code: NIH) (formula: C₁₄H₁₀F₆N₄O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	F	N	O	0	0
			27	14	6	4	3		
4	B	1	Total	C	F	N	O	0	0
			27	14	6	4	3		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	D	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	D	1	Total Cl 1 1	0	0
8	C	1	Total Cl 1 1	0	0

- Molecule 9 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	C	1	Total C O 4 2 2	0	0
9	C	1	Total C O 4 2 2	0	0
9	D	1	Total C O 4 2 2	0	0
9	D	1	Total C O 4 2 2	0	0
9	D	1	Total C O 4 2 2	0	0

- Molecule 10 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	C	1	Total	C	N	O	0	0
			14	8	1	5		
10	C	1	Total	C	N	O	0	0
			14	8	1	5		
10	C	1	Total	C	N	O	0	0
			14	8	1	5		
10	C	1	Total	C	N	O	0	0
			14	8	1	5		
10	D	1	Total	C	N	O	0	0
			14	8	1	5		
10	D	1	Total	C	N	O	0	0
			14	8	1	5		
10	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 11 is BETA-D-MANNOSE (three-letter code: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	C	1	Total	C	O	0	0
			11	6	5		
11	D	1	Total	C	O	0	0
			11	6	5		

- Molecule 12 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	C	1	Total	C	O	0	0
			11	6	5		
12	C	1	Total	C	O	0	0
			11	6	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	D	1	Total C O 11 6 5	0	0
12	D	1	Total C O 11 6 5	0	0

- Molecule 13 is ALPHA-L-FUCOSE (three-letter code: FUC) (formula: C₆H₁₂O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	C	1	Total C O 10 6 4	0	0
13	D	1	Total C O 10 6 4	0	0



- Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	A	103	Total O 103 103	0	0
14	B	108	Total O 108 108	0	0
14	C	254	Total O 254 254	0	0
14	D	199	Total O 199 199	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: MYELOPEROXIDASE LIGHT CHAIN





- Molecule 1: MYELOPEROXIDASE LIGHT CHAIN



- Molecule 2: MYELOPEROXIDASE HEAVY CHAIN



- Molecule 2: MYELOPEROXIDASE HEAVY CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	111.28Å 63.44Å 92.38Å 90.00° 97.36° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 55.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	93.9 (50.00-2.00) 94.0 (55.00-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.60 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.222 , 0.278 0.226 , 0.280	Depositor DCC
R_{free} test set	4064 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	13.4	Xtrriage
Anisotropy	0.945	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	10168	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CSO, BMA, NAG, CL, SO4, CA, NIH, FUC, ACT, HEM, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.81	1/840 (0.1%)	0.87	1/1144 (0.1%)
1	B	0.73	0/863	0.82	0/1176
2	C	0.76	0/3811	0.79	0/5170
2	D	0.69	0/3811	0.74	1/5170 (0.0%)
All	All	0.73	1/9325 (0.0%)	0.78	2/12660 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	104	ALA	C-N	-5.02	1.22	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	510	ASP	CB-CG-OD1	5.79	123.51	118.30
1	A	94	ASP	CB-CG-OD2	-5.19	113.63	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	816	0	779	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	838	0	800	15	0
2	C	3733	0	3727	31	0
2	D	3733	0	3729	41	0
3	A	43	0	30	10	0
3	B	43	0	30	17	0
4	A	27	0	10	1	0
4	B	27	0	10	1	0
5	B	5	0	0	0	0
5	C	5	0	0	0	0
6	C	6	0	8	0	0
6	D	6	0	8	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	C	8	0	6	0	0
9	D	12	0	9	0	0
10	C	56	0	49	0	0
10	D	56	0	49	0	0
11	C	11	0	8	4	0
11	D	11	0	8	3	0
12	C	22	0	20	5	0
12	D	22	0	20	4	0
13	C	10	0	10	1	0
13	D	10	0	10	0	0
14	A	103	0	0	4	0
14	B	108	0	0	2	0
14	C	254	0	0	10	0
14	D	199	0	0	7	0
All	All	10168	0	9320	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:605:HEM:HBB1	2:D:243:MET:SD	1.57	1.44
1:A:94:ASP:OD2	3:A:605:HEM:CMD	1.64	1.44
3:A:605:HEM:CMB	2:C:242:GLU:OE2	1.69	1.37
3:B:605:HEM:CBB	2:D:243:MET:SD	2.13	1.35

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:605:HEM:HMB1	2:C:242:GLU:OE2	1.17	1.33
1:B:94:ASP:OD2	3:B:605:HEM:CMD	1.78	1.31
3:B:605:HEM:HMB1	2:D:242:GLU:OE2	1.45	1.15
3:B:605:HEM:CMB	2:D:242:GLU:OE2	1.98	1.11
3:B:605:HEM:HBB1	2:D:243:MET:CE	1.81	1.10
1:B:94:ASP:OD2	3:B:605:HEM:HMD1	0.87	1.04
1:A:94:ASP:OD2	3:A:605:HEM:HMD1	0.80	0.97
11:C:1642:BMA:O3	12:C:1644:MAN:H2	1.67	0.93
11:C:1642:BMA:H3	12:C:1643:MAN:H2	1.52	0.91
1:A:90:GLY:HA2	14:A:2093:HOH:O	1.74	0.88
3:A:605:HEM:HMB2	2:C:242:GLU:OE2	1.76	0.83
2:C:448:VAL:HA	14:C:2194:HOH:O	1.81	0.81
3:B:605:HEM:HBB1	2:D:243:MET:HE3	1.69	0.74
2:D:431:PRO:HB2	14:D:2145:HOH:O	1.86	0.74
3:A:605:HEM:C2B	2:C:242:GLU:OE2	2.39	0.74
1:B:94:ASP:CG	3:B:605:HEM:HMD1	1.99	0.73
1:A:93:LEU:HB3	14:A:2093:HOH:O	1.90	0.72
1:A:94:ASP:OD2	3:A:605:HEM:C2D	2.45	0.67
3:B:605:HEM:C2B	2:D:242:GLU:OE2	2.51	0.62
3:A:605:HEM:CBC	2:C:335:GLY:HA3	2.30	0.62
11:D:2642:BMA:H3	12:D:2643:MAN:O5	2.02	0.60
11:D:2642:BMA:C3	12:D:2643:MAN:O5	2.50	0.59
11:D:2642:BMA:O3	12:D:2643:MAN:H3	2.03	0.59
2:D:382:ARG:NH2	14:D:2130:HOH:O	2.34	0.57
3:B:605:HEM:CBB	2:D:243:MET:CE	2.70	0.57
3:A:605:HEM:HBC2	2:C:335:GLY:HA3	1.87	0.57
1:A:94:ASP:CG	3:A:605:HEM:CMD	2.68	0.57
1:A:83:SER:HB3	2:C:554:SER:O	2.05	0.56
3:B:605:HEM:HMB2	2:D:242:GLU:OE2	2.03	0.54
2:C:440:CYS:HG	2:C:497:CYS:HG	1.54	0.54
2:C:347:ASP:HB2	14:C:2159:HOH:O	2.08	0.53
2:C:205:ASP:HB2	2:C:210:LEU:HD21	1.91	0.53
2:C:200:ASN:HD22	2:C:203:PHE:H	1.55	0.53
2:D:205:ASP:HB2	2:D:210:LEU:HD21	1.90	0.53
1:B:64:VAL:HG13	1:B:68:ILE:HD12	1.91	0.52
3:B:605:HEM:CBB	2:D:243:MET:HE3	2.40	0.51
2:C:116:GLU:HG3	14:C:2015:HOH:O	2.10	0.51
2:D:576:ARG:NH2	14:D:2192:HOH:O	2.43	0.51
2:C:530:GLN:NE2	14:C:2222:HOH:O	2.43	0.50
2:C:454:VAL:HA	14:C:2198:HOH:O	2.10	0.50
1:A:64:VAL:HG13	1:A:68:ILE:HD12	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:10:ILE:HB	14:B:2019:HOH:O	2.10	0.50
11:C:1642:BMA:C3	12:C:1643:MAN:H2	2.31	0.50
2:C:377:ILE:HD12	2:C:381:LEU:HD11	1.93	0.49
4:A:606:NIH:O10	4:A:606:NIH:N8	2.43	0.49
1:B:6:LYS:H	1:B:6:LYS:HE2	1.78	0.49
2:C:393:ARG:HB2	2:C:396:GLN:HB2	1.94	0.49
1:B:94:ASP:OD2	3:B:605:HEM:C2D	2.62	0.49
2:C:200:ASN:ND2	2:C:203:PHE:H	2.10	0.49
2:D:563:ASN:HB3	14:D:2188:HOH:O	2.13	0.49
3:B:605:HEM:CBC	2:D:335:GLY:HA3	2.44	0.48
2:C:505:LYS:HE3	12:D:2644:MAN:O4	2.13	0.48
3:B:605:HEM:HBB2	3:B:605:HEM:HMB2	1.96	0.48
2:D:119:CYS:SG	2:D:143:CYS:SG	3.09	0.47
2:D:435:ALA:HB3	14:D:2145:HOH:O	2.14	0.47
1:B:94:ASP:CG	3:B:605:HEM:CMD	2.71	0.47
1:B:22:LEU:HB3	2:D:322:PRO:HD2	1.96	0.47
1:B:83:SER:HB3	2:D:554:SER:O	2.15	0.47
2:C:142:ASP:HB3	14:C:2038:HOH:O	2.15	0.46
2:D:123:PRO:HA	14:D:2016:HOH:O	2.16	0.46
4:B:606:NIH:H4	2:D:242:GLU:HG3	1.98	0.46
2:C:406:LEU:HD22	2:C:417:LEU:HB2	1.98	0.46
2:D:514:TRP:CE2	2:D:515:GLU:HG3	2.51	0.45
2:D:344:PHE:O	2:D:383:GLY:HA3	2.16	0.45
2:D:528:LEU:HD22	14:D:2091:HOH:O	2.16	0.45
2:D:271:TRP:CZ3	2:D:279:GLU:HG3	2.52	0.45
2:D:417:LEU:HB3	2:D:418:PRO:HD3	1.99	0.45
1:B:93:LEU:O	1:B:97:LEU:HG	2.16	0.45
2:C:241:SER:O	2:C:366:PHE:HA	2.17	0.45
14:B:2019:HOH:O	2:D:181:GLU:HG3	2.16	0.44
2:D:347:ASP:HB3	2:D:353:MET:HG3	1.99	0.44
1:A:40:GLY:HA3	1:B:20:PRO:HG2	1.99	0.44
2:D:507:ARG:HG3	2:D:513:TRP:CE2	2.51	0.44
2:D:378:ASP:HB2	2:D:379:PRO:HD3	1.99	0.44
1:B:68:ILE:HD13	2:D:464:LEU:HD23	1.99	0.44
1:A:93:LEU:HD23	14:A:2093:HOH:O	2.18	0.44
12:C:1644:MAN:H61	2:D:505:LYS:HE3	2.00	0.43
2:C:465:MET:HG2	14:C:2194:HOH:O	2.18	0.43
2:C:172:ASP:OD1	2:C:174:SER:HB3	2.19	0.43
2:C:393:ARG:HB3	2:C:393:ARG:HE	1.62	0.43
2:D:115:CYS:HB2	2:D:147:PHE:CZ	2.53	0.43
14:A:2004:HOH:O	2:C:282:LYS:HE3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:267:LEU:HD12	2:D:576:ARG:HB2	2.01	0.42
2:C:465:MET:CG	14:C:2194:HOH:O	2.67	0.42
2:C:491:VAL:HB	2:C:495:LEU:HB2	2.00	0.42
2:C:440:CYS:SG	2:C:497:CYS:SG	3.11	0.42
2:D:354:GLU:HB3	2:D:355:PRO:HA	2.00	0.42
1:B:1:CYS:HG	1:B:14:CYS:HG	1.67	0.42
2:D:330:ASN:O	2:D:333:ARG:HB2	2.20	0.42
2:C:549:ASN:HB3	14:C:2232:HOH:O	2.20	0.42
2:D:126:PHE:HB3	2:D:146:PHE:CD1	2.55	0.42
1:A:16:ASN:O	1:A:20:PRO:HA	2.19	0.41
2:D:219:ASP:HB3	2:D:222:LEU:HD12	2.02	0.41
1:B:83:SER:O	1:B:86:PHE:HB3	2.20	0.41
2:D:256:GLU:OE1	2:D:540:ASN:ND2	2.43	0.41
1:A:84:LEU:HA	1:A:84:LEU:HD12	1.88	0.40
13:C:1645:FUC:H5	14:C:2148:HOH:O	2.20	0.40
2:D:406:LEU:HB3	2:D:415:LEU:HB2	2.03	0.40
1:A:97:LEU:HD21	2:C:171:VAL:HG22	2.03	0.40
11:C:1642:BMA:H3	12:C:1643:MAN:C2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	100/108 (93%)	97 (97%)	3 (3%)	0	100	100
1	B	103/108 (95%)	100 (97%)	3 (3%)	0	100	100
2	C	464/467 (99%)	449 (97%)	15 (3%)	0	100	100
2	D	464/467 (99%)	452 (97%)	11 (2%)	1 (0%)	49	46
All	All	1131/1150 (98%)	1098 (97%)	32 (3%)	1 (0%)	53	51

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	578	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	87/93 (94%)	86 (99%)	1 (1%)	76	80
1	B	90/93 (97%)	88 (98%)	2 (2%)	55	58
2	C	410/411 (100%)	400 (98%)	10 (2%)	52	54
2	D	410/411 (100%)	399 (97%)	11 (3%)	48	49
All	All	997/1008 (99%)	973 (98%)	24 (2%)	52	54

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	B	6	LYS
1	B	54	ASN
2	C	175	MET
2	C	200	ASN
2	C	217	HIS
2	C	267	LEU
2	C	349	ARG
2	C	353	MET
2	C	408	GLU
2	C	466	GLU
2	C	523	GLN
2	C	576	ARG
2	D	175	MET
2	D	181	GLU
2	D	185	ARG
2	D	217	HIS
2	D	314	ARG
2	D	318	ASP
2	D	353	MET
2	D	363	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	523	GLN
2	D	544	THR
2	D	562	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	B	80	GLN
2	C	200	ASN
2	C	421	ASN
2	C	530	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CSO	C	150	2	4,6,7	1.12	1 (25%)	1,6,8	1.47	0
2	CSO	D	150	2	4,6,7	0.82	0	1,6,8	1.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	C	150	2	-	0/1/5/7	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	D	150	2	-	0/1/5/7	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	150	CSO	CA-C	2.02	1.52	1.50

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 4 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	A	605	2	27,50,50	1.34	6 (22%)	17,82,82	2.18	7 (41%)
4	NIH	A	606	-	28,28,28	1.40	3 (10%)	37,42,42	2.52	8 (21%)
5	SO4	B	1003	-	4,4,4	0.46	0	6,6,6	0.36	0
3	HEM	B	605	2	27,50,50	1.66	10 (37%)	17,82,82	1.85	6 (35%)
4	NIH	B	606	-	28,28,28	1.27	5 (17%)	37,42,42	2.47	9 (24%)
5	SO4	C	1581	-	4,4,4	0.41	0	6,6,6	0.45	0
9	ACT	C	1582	-	1,3,3	1.94	0	0,3,3	0.00	-
9	ACT	C	1583	-	1,3,3	1.60	0	0,3,3	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	NAG	C	1620	2	14,14,15	0.65	0	17,19,21	1.74	6 (35%)
10	NAG	C	1630	2	14,14,15	0.71	0	17,19,21	2.16	7 (41%)
10	NAG	C	1640	10,13,2	14,14,15	0.96	1 (7%)	17,19,21	2.81	6 (35%)
10	NAG	C	1641	11,10	14,14,15	1.29	2 (14%)	17,19,21	1.93	6 (35%)
11	BMA	C	1642	10,12	11,11,12	0.87	0	15,15,17	2.00	4 (26%)
12	MAN	C	1643	11	11,11,12	0.74	0	15,15,17	1.58	3 (20%)
12	MAN	C	1644	11	11,11,12	0.85	0	15,15,17	1.45	4 (26%)
13	FUC	C	1645	10	9,10,11	0.84	0	13,14,16	1.98	4 (30%)
6	GOL	C	631	-	5,5,5	0.30	0	5,5,5	0.44	0
9	ACT	D	1581	-	1,3,3	1.99	0	0,3,3	0.00	-
9	ACT	D	1582	-	1,3,3	1.17	0	0,3,3	0.00	-
9	ACT	D	1583	-	1,3,3	1.62	0	0,3,3	0.00	-
10	NAG	D	2620	2	14,14,15	0.52	0	17,19,21	1.43	3 (17%)
10	NAG	D	2630	2	14,14,15	0.60	0	17,19,21	1.51	4 (23%)
10	NAG	D	2640	10,13,2	14,14,15	0.56	0	17,19,21	1.65	5 (29%)
10	NAG	D	2641	11,10	14,14,15	1.18	2 (14%)	17,19,21	1.77	6 (35%)
11	BMA	D	2642	10,12	11,11,12	1.32	2 (18%)	15,15,17	2.13	6 (40%)
12	MAN	D	2643	11	11,11,12	1.04	1 (9%)	15,15,17	3.18	4 (26%)
12	MAN	D	2644	11	11,11,12	0.40	0	15,15,17	1.48	5 (33%)
13	FUC	D	2645	10	9,10,11	0.72	0	13,14,16	1.44	2 (15%)
6	GOL	D	631	-	5,5,5	0.38	0	5,5,5	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	605	2	-	0/6/54/54	0/0/8/8
4	NIH	A	606	-	-	0/23/23/23	0/2/2/2
5	SO4	B	1003	-	-	0/0/0/0	0/0/0/0
3	HEM	B	605	2	-	0/6/54/54	0/0/8/8
4	NIH	B	606	-	-	0/23/23/23	0/2/2/2
5	SO4	C	1581	-	-	0/0/0/0	0/0/0/0
9	ACT	C	1582	-	-	0/0/0/0	0/0/0/0
9	ACT	C	1583	-	-	0/0/0/0	0/0/0/0
10	NAG	C	1620	2	-	0/6/23/26	0/1/1/1
10	NAG	C	1630	2	-	0/6/23/26	0/1/1/1
10	NAG	C	1640	10,13,2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	C	1641	11,10	-	0/6/23/26	0/1/1/1
11	BMA	C	1642	10,12	-	0/2/19/22	1/1/1/1
12	MAN	C	1643	11	-	0/2/19/22	0/1/1/1
12	MAN	C	1644	11	-	0/2/19/22	0/1/1/1
13	FUC	C	1645	10	-	0/0/17/20	0/1/1/1
6	GOL	C	631	-	-	0/4/4/4	0/0/0/0
9	ACT	D	1581	-	-	0/0/0/0	0/0/0/0
9	ACT	D	1582	-	-	0/0/0/0	0/0/0/0
9	ACT	D	1583	-	-	0/0/0/0	0/0/0/0
10	NAG	D	2620	2	-	0/6/23/26	0/1/1/1
10	NAG	D	2630	2	-	0/6/23/26	0/1/1/1
10	NAG	D	2640	10,13,2	-	0/6/23/26	0/1/1/1
10	NAG	D	2641	11,10	-	0/6/23/26	0/1/1/1
11	BMA	D	2642	10,12	-	0/2/19/22	0/1/1/1
12	MAN	D	2643	11	-	0/2/19/22	0/1/1/1
12	MAN	D	2644	11	-	0/2/19/22	0/1/1/1
13	FUC	D	2645	10	-	0/0/17/20	0/1/1/1
6	GOL	D	631	-	-	0/4/4/4	0/0/0/0

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	C	1641	NAG	C2-N2	-3.04	1.41	1.46
4	B	606	NIH	C5-C7	-2.69	1.45	1.50
10	D	2641	NAG	O5-C1	-2.65	1.39	1.43
4	A	606	NIH	C5-C7	-2.62	1.45	1.50
10	C	1641	NAG	O5-C1	-2.40	1.39	1.43
10	D	2641	NAG	C2-N2	-2.37	1.42	1.46
10	C	1640	NAG	C1-C2	-2.36	1.49	1.52
3	B	605	HEM	C4B-NB	-2.35	1.31	1.36
11	D	2642	BMA	C2-C3	-2.33	1.49	1.52
3	B	605	HEM	C1D-ND	-2.23	1.31	1.36
3	B	605	HEM	C1A-NA	-2.11	1.31	1.36
4	B	606	NIH	C2-N3	-2.02	1.32	1.34
3	A	605	HEM	C4B-NB	-2.02	1.32	1.36
4	B	606	NIH	F25-C24	2.03	1.40	1.32
4	A	606	NIH	C7-N8	2.03	1.35	1.32
4	B	606	NIH	F22-C20	2.04	1.40	1.32
3	A	605	HEM	C4B-CHC	2.04	1.45	1.40
3	B	605	HEM	C4D-C3D	2.07	1.47	1.42
3	B	605	HEM	C1C-C2C	2.13	1.47	1.42
3	A	605	HEM	C1D-CHD	2.19	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	D	2643	MAN	C2-C3	2.19	1.55	1.52
4	B	606	NIH	F23-C20	2.20	1.40	1.32
3	A	605	HEM	CBC-CAC	2.22	1.44	1.29
3	A	605	HEM	CBB-CAB	2.35	1.45	1.29
3	A	605	HEM	C4D-C3D	2.51	1.48	1.42
3	B	605	HEM	CBB-CAB	2.72	1.47	1.29
3	B	605	HEM	CBC-CAC	2.78	1.47	1.29
3	B	605	HEM	C1D-CHD	2.83	1.47	1.40
3	B	605	HEM	C1B-C2B	2.90	1.49	1.42
3	B	605	HEM	C4A-CHB	2.94	1.48	1.40
11	D	2642	BMA	C4-C5	3.13	1.59	1.53
4	A	606	NIH	C2-N12	3.67	1.40	1.34

All (105) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	606	NIH	C5-C6-N1	-10.93	116.90	124.45
4	B	606	NIH	C5-C6-N1	-10.57	117.14	124.45
4	A	606	NIH	N3-C2-N1	-7.14	119.87	126.66
10	C	1640	NAG	O5-C1-C2	-6.91	101.97	111.52
4	B	606	NIH	N3-C2-N1	-4.89	122.01	126.66
11	C	1642	BMA	O2-C2-C3	-4.14	102.12	110.19
11	D	2642	BMA	O3-C3-C2	-4.01	102.57	110.04
10	D	2641	NAG	C4-C3-C2	-3.95	105.23	111.02
3	A	605	HEM	CBD-CAD-C3D	-3.66	105.49	112.47
3	B	605	HEM	CBD-CAD-C3D	-3.54	105.71	112.47
4	B	606	NIH	C5-C4-N3	-3.23	119.55	124.49
13	C	1645	FUC	C6-C5-C4	-3.19	107.57	113.06
10	C	1630	NAG	O5-C1-C2	-3.14	107.18	111.52
3	A	605	HEM	C4A-C3A-C2A	-3.14	104.81	107.00
4	B	606	NIH	F27-C24-C16	-3.10	105.93	112.94
10	C	1641	NAG	O4-C4-C5	-3.03	101.73	109.31
10	C	1630	NAG	C3-C4-C5	-2.95	104.96	110.24
10	C	1620	NAG	O5-C1-C2	-2.83	107.61	111.52
10	D	2630	NAG	O3-C3-C2	-2.78	103.43	109.39
10	D	2640	NAG	O4-C4-C3	-2.72	104.00	110.34
10	D	2620	NAG	O5-C5-C6	-2.71	102.85	107.15
10	C	1620	NAG	C1-C2-N2	-2.63	105.99	110.49
10	D	2630	NAG	C3-C4-C5	-2.60	105.59	110.24
11	D	2642	BMA	O5-C5-C6	-2.59	103.05	107.15
3	A	605	HEM	C1D-C2D-C3D	-2.57	105.21	107.00
3	B	605	HEM	C4A-C3A-C2A	-2.55	105.22	107.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	C	1645	FUC	O4-C4-C3	-2.54	104.41	110.34
4	A	606	NIH	C5-C4-N3	-2.52	120.63	124.49
10	C	1620	NAG	C4-C3-C2	-2.49	107.37	111.02
10	D	2640	NAG	O5-C1-C2	-2.48	108.10	111.52
10	D	2630	NAG	O5-C1-C2	-2.37	108.25	111.52
10	C	1640	NAG	O7-C7-C8	-2.37	117.79	122.07
12	C	1644	MAN	O5-C1-C2	-2.36	107.10	110.78
13	D	2645	FUC	C2-C3-C4	-2.33	106.82	110.87
3	B	605	HEM	CBA-CAA-C2A	-2.33	108.03	112.48
10	C	1641	NAG	O7-C7-C8	-2.32	117.87	122.07
11	D	2642	BMA	O4-C4-C3	-2.31	104.95	110.34
4	A	606	NIH	F26-C24-C16	-2.29	107.76	112.94
10	C	1630	NAG	O7-C7-C8	-2.28	117.95	122.07
4	B	606	NIH	C13-N12-C2	-2.26	120.10	123.26
4	B	606	NIH	C19-C18-C20	-2.23	116.52	119.58
3	A	605	HEM	CAA-CBA-CGA	-2.22	108.86	112.66
12	C	1644	MAN	O3-C3-C2	-2.18	105.98	110.04
10	C	1641	NAG	C4-C3-C2	-2.17	107.84	111.02
10	C	1620	NAG	O4-C4-C3	-2.13	105.38	110.34
10	D	2641	NAG	O4-C4-C5	-2.11	104.02	109.31
3	B	605	HEM	C1D-C2D-C3D	-2.10	105.53	107.00
10	C	1620	NAG	C2-N2-C7	-2.09	119.89	122.94
12	D	2644	MAN	C1-C2-C3	-2.09	107.01	109.66
10	D	2641	NAG	O5-C1-C2	-2.03	108.73	111.52
12	D	2644	MAN	O5-C1-C2	-2.02	107.63	110.78
10	D	2641	NAG	O5-C5-C6	2.03	110.37	107.15
10	D	2640	NAG	C8-C7-N2	2.05	119.69	116.10
12	D	2644	MAN	O3-C3-C4	2.07	115.17	110.34
10	D	2620	NAG	O5-C1-C2	2.07	114.38	111.52
11	D	2642	BMA	O5-C5-C4	2.07	115.86	110.83
12	D	2643	MAN	C2-C3-C4	2.09	114.49	110.87
4	B	606	NIH	C17-C18-C20	2.09	122.45	119.58
10	C	1630	NAG	O5-C5-C6	2.09	110.46	107.15
3	A	605	HEM	CMA-C3A-C2A	2.13	128.96	124.94
12	C	1644	MAN	C1-O5-C5	2.14	115.13	112.19
10	C	1630	NAG	O7-C7-N2	2.17	126.03	121.94
11	C	1642	BMA	C1-C2-C3	2.34	112.61	109.66
10	D	2641	NAG	C2-N2-C7	2.37	126.39	122.94
10	D	2630	NAG	O4-C4-C5	2.40	115.31	109.31
4	A	606	NIH	N12-C2-N3	2.40	120.75	117.23
10	D	2640	NAG	C1-C2-N2	2.41	114.61	110.49
3	B	605	HEM	CMB-C2B-C3B	2.41	129.28	124.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	C	1642	BMA	O2-C2-C1	2.43	114.08	109.17
12	D	2644	MAN	C1-O5-C5	2.50	115.62	112.19
12	D	2644	MAN	O2-C2-C1	2.50	114.22	109.17
12	C	1643	MAN	O5-C5-C6	2.59	111.25	107.15
10	D	2641	NAG	O3-C3-C2	2.59	114.94	109.39
12	C	1644	MAN	C1-C2-C3	2.70	113.08	109.66
10	C	1641	NAG	C2-N2-C7	2.76	126.97	122.94
10	D	2620	NAG	C1-O5-C5	2.83	116.09	112.19
4	A	606	NIH	O11-N8-C7	2.86	127.11	119.68
10	C	1640	NAG	C2-N2-C7	2.93	127.22	122.94
10	C	1641	NAG	O7-C7-N2	2.93	127.48	121.94
4	B	606	NIH	C6-N1-C2	3.08	120.69	115.18
13	D	2645	FUC	C3-C4-C5	3.09	114.50	109.72
10	C	1640	NAG	O7-C7-N2	3.10	127.80	121.94
12	C	1643	MAN	C1-C2-C3	3.23	113.74	109.66
11	C	1642	BMA	C1-O5-C5	3.23	116.63	112.19
10	C	1620	NAG	C1-O5-C5	3.24	116.65	112.19
4	B	606	NIH	C4-N3-C2	3.24	121.16	115.83
3	B	605	HEM	CMC-C2C-C3C	3.40	131.06	124.88
13	C	1645	FUC	C3-C4-C5	3.40	114.99	109.72
10	C	1630	NAG	O4-C4-C3	3.46	118.42	110.34
10	D	2640	NAG	C1-O5-C5	3.50	117.01	112.19
4	A	606	NIH	C6-N1-C2	3.52	121.49	115.18
11	D	2642	BMA	O4-C4-C5	3.57	118.25	109.31
10	C	1640	NAG	C1-O5-C5	3.60	117.14	112.19
4	A	606	NIH	C4-N3-C2	3.62	121.79	115.83
3	A	605	HEM	CMC-C2C-C3C	3.66	131.54	124.88
11	D	2642	BMA	C6-C5-C4	3.78	121.92	112.99
12	C	1643	MAN	C1-O5-C5	3.93	117.60	112.19
13	C	1645	FUC	O5-C5-C4	4.12	116.32	109.62
3	A	605	HEM	CMB-C2B-C3B	4.44	132.97	124.88
12	D	2643	MAN	C1-C2-C3	4.51	115.36	109.66
10	C	1641	NAG	C1-O5-C5	4.51	118.40	112.19
10	C	1630	NAG	C1-O5-C5	5.13	119.24	112.19
10	C	1640	NAG	C1-C2-N2	6.44	121.48	110.49
12	D	2643	MAN	O5-C5-C6	6.80	117.92	107.15
12	D	2643	MAN	C1-O5-C5	7.97	123.15	112.19

There are no chirality outliers.

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	C	1642	BMA	C1-C2-C3-C4-C5-O5

11 monomers are involved in 39 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	605	HEM	10	0
4	A	606	NIH	1	0
3	B	605	HEM	17	0
4	B	606	NIH	1	0
11	C	1642	BMA	4	0
12	C	1643	MAN	3	0
12	C	1644	MAN	2	0
13	C	1645	FUC	1	0
11	D	2642	BMA	3	0
12	D	2643	MAN	3	0
12	D	2644	MAN	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	102/108 (94%)	0.36	3 (2%) 51 51	4, 8, 21, 44	0
1	B	105/108 (97%)	0.34	2 (1%) 66 65	6, 11, 26, 35	0
2	C	466/467 (99%)	0.32	7 (1%) 73 72	3, 10, 24, 37	0
2	D	466/467 (99%)	0.52	26 (5%) 24 24	4, 15, 32, 42	0
All	All	1139/1150 (99%)	0.41	38 (3%) 46 46	3, 12, 29, 44	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	105	ALA	11.3
2	D	578	ALA	6.0
2	C	355	PRO	4.7
2	D	217	HIS	4.2
2	D	269	PRO	4.1
2	D	267	LEU	4.0
2	D	113	VAL	3.8
2	C	113	VAL	3.7
2	D	569	ALA	3.6
2	D	270	ARG	3.5
1	B	105	ALA	3.3
2	D	565	SER	3.3
2	D	579	SER	3.3
1	A	4	GLN	3.1
2	D	218	ASP	3.1
2	C	569	ALA	3.0
2	D	355	PRO	2.9
2	C	578	ALA	2.9
2	D	541	THR	2.8
2	C	216	LEU	2.8
2	D	568	PRO	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	190	MET	2.7
2	C	217	HIS	2.6
1	B	2	PRO	2.5
2	D	119	CYS	2.5
2	D	350	TYR	2.4
2	D	410	VAL	2.3
2	D	567	LEU	2.3
2	D	141	ALA	2.3
2	D	356	ASN	2.2
2	D	271	TRP	2.2
2	D	193	GLN	2.2
2	D	543	ILE	2.2
2	D	227	SER	2.2
2	D	185	ARG	2.1
2	C	549	ASN	2.1
1	A	5	ASP	2.1
2	D	262	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CSO	D	150	7/8	0.94	0.12	8,10,16,19	0
2	CSO	C	150	7/8	0.96	0.11	5,6,10,12	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
12	MAN	D	2643	11/12	0.42	0.33	36,43,46,46	0
9	ACT	D	1582	4/4	0.52	0.27	39,39,40,40	0
5	SO4	B	1003	5/5	0.60	0.40	29,29,31,31	5
12	MAN	D	2644	11/12	0.61	0.24	21,24,25,29	0
6	GOL	D	631	6/6	0.63	0.24	32,34,36,37	0
12	MAN	C	1643	11/12	0.70	0.26	36,42,46,48	0
11	BMA	D	2642	11/12	0.70	0.22	24,27,36,41	0
10	NAG	D	2630	14/15	0.71	0.20	31,34,36,37	0
11	BMA	C	1642	11/12	0.76	0.28	19,23,28,32	0
4	NIH	B	606	27/27	0.78	0.31	10,12,13,14	27
9	ACT	D	1581	4/4	0.78	0.22	22,27,27,28	0
13	FUC	D	2645	10/11	0.83	0.22	23,25,28,30	0
10	NAG	C	1630	14/15	0.83	0.16	19,21,24,25	0
10	NAG	D	2620	14/15	0.83	0.19	22,23,25,27	0
4	NIH	A	606	27/27	0.84	0.30	4,6,7,8	27
9	ACT	D	1583	4/4	0.85	0.14	34,34,34,36	0
6	GOL	C	631	6/6	0.86	0.19	35,39,41,46	0
9	ACT	C	1582	4/4	0.86	0.16	35,37,38,38	0
12	MAN	C	1644	11/12	0.87	0.13	24,25,27,28	0
13	FUC	C	1645	10/11	0.88	0.23	17,20,21,22	0
10	NAG	D	2641	14/15	0.89	0.14	9,11,13,17	0
9	ACT	C	1583	4/4	0.91	0.12	25,26,27,27	0
10	NAG	C	1640	14/15	0.92	0.14	10,11,14,15	0
10	NAG	C	1641	14/15	0.92	0.14	8,10,12,15	0
10	NAG	D	2640	14/15	0.92	0.14	10,12,13,17	0
10	NAG	C	1620	14/15	0.92	0.14	15,17,19,20	0
3	HEM	A	605	43/43	0.93	0.15	4,5,7,10	0
3	HEM	B	605	43/43	0.94	0.14	5,7,9,12	0
5	SO4	C	1581	5/5	0.95	0.16	34,34,36,37	0
7	CA	D	1579	1/1	0.99	0.07	7,7,7,7	0
7	CA	C	1579	1/1	0.99	0.06	4,4,4,4	0
8	CL	D	1580	1/1	0.99	0.13	6,6,6,6	0
8	CL	C	1580	1/1	1.00	0.13	4,4,4,4	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.