



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 20, 2019 – 02:35 PM EDT

PDB ID : 3C8V  
Title : Crystal structure of putative acetyltransferase (YP\_390128.1) from *Desulfovibrio desulfuricans* G20 at 2.28 Å resolution  
Authors : Joint Center for Structural Genomics (JCSG)  
Deposited on : 2008-02-13  
Resolution : 2.28 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.0 (224370), CSD as540be (2019)  
Xtriage (Phenix) : 1.13  
EDS : 2.3.2  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.3.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	6121 (2.30-2.26)
Clashscore	122126	6842 (2.30-2.26)
Ramachandran outliers	120053	6755 (2.30-2.26)
Sidechain outliers	120020	6755 (2.30-2.26)
RSRZ outliers	108989	5992 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	
1	B	496	
1	C	496	
1	D	496	

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 14949 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative acetyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	453	3533	2249	606	662	6	10	0	2	0
1	B	461	3594	2281	615	683	5	10	0	1	0
1	C	465	3567	2269	611	672	5	10	0	1	0
1	D	464	3590	2287	616	671	6	10	0	1	0

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MSE	-	LEADER SEQUENCE	UNP Q30V63
A	-17	GLY	-	LEADER SEQUENCE	UNP Q30V63
A	-16	SER	-	LEADER SEQUENCE	UNP Q30V63
A	-15	ASP	-	LEADER SEQUENCE	UNP Q30V63
A	-14	LYS	-	LEADER SEQUENCE	UNP Q30V63
A	-13	ILE	-	LEADER SEQUENCE	UNP Q30V63
A	-12	HIS	-	LEADER SEQUENCE	UNP Q30V63
A	-11	HIS	-	LEADER SEQUENCE	UNP Q30V63
A	-10	HIS	-	LEADER SEQUENCE	UNP Q30V63
A	-9	HIS	-	LEADER SEQUENCE	UNP Q30V63
A	-8	HIS	-	LEADER SEQUENCE	UNP Q30V63
A	-7	HIS	-	LEADER SEQUENCE	UNP Q30V63
A	-6	GLU	-	LEADER SEQUENCE	UNP Q30V63
A	-5	ASN	-	LEADER SEQUENCE	UNP Q30V63
A	-4	LEU	-	LEADER SEQUENCE	UNP Q30V63
A	-3	TYR	-	LEADER SEQUENCE	UNP Q30V63
A	-2	PHE	-	LEADER SEQUENCE	UNP Q30V63
A	-1	GLN	-	LEADER SEQUENCE	UNP Q30V63
A	0	GLY	-	LEADER SEQUENCE	UNP Q30V63
B	-18	MSE	-	LEADER SEQUENCE	UNP Q30V63
B	-17	GLY	-	LEADER SEQUENCE	UNP Q30V63

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	LEADER SEQUENCE	UNP Q30V63
B	-15	ASP	-	LEADER SEQUENCE	UNP Q30V63
B	-14	LYS	-	LEADER SEQUENCE	UNP Q30V63
B	-13	ILE	-	LEADER SEQUENCE	UNP Q30V63
B	-12	HIS	-	LEADER SEQUENCE	UNP Q30V63
B	-11	HIS	-	LEADER SEQUENCE	UNP Q30V63
B	-10	HIS	-	LEADER SEQUENCE	UNP Q30V63
B	-9	HIS	-	LEADER SEQUENCE	UNP Q30V63
B	-8	HIS	-	LEADER SEQUENCE	UNP Q30V63
B	-7	HIS	-	LEADER SEQUENCE	UNP Q30V63
B	-6	GLU	-	LEADER SEQUENCE	UNP Q30V63
B	-5	ASN	-	LEADER SEQUENCE	UNP Q30V63
B	-4	LEU	-	LEADER SEQUENCE	UNP Q30V63
B	-3	TYR	-	LEADER SEQUENCE	UNP Q30V63
B	-2	PHE	-	LEADER SEQUENCE	UNP Q30V63
B	-1	GLN	-	LEADER SEQUENCE	UNP Q30V63
B	0	GLY	-	LEADER SEQUENCE	UNP Q30V63
C	-18	MSE	-	LEADER SEQUENCE	UNP Q30V63
C	-17	GLY	-	LEADER SEQUENCE	UNP Q30V63
C	-16	SER	-	LEADER SEQUENCE	UNP Q30V63
C	-15	ASP	-	LEADER SEQUENCE	UNP Q30V63
C	-14	LYS	-	LEADER SEQUENCE	UNP Q30V63
C	-13	ILE	-	LEADER SEQUENCE	UNP Q30V63
C	-12	HIS	-	LEADER SEQUENCE	UNP Q30V63
C	-11	HIS	-	LEADER SEQUENCE	UNP Q30V63
C	-10	HIS	-	LEADER SEQUENCE	UNP Q30V63
C	-9	HIS	-	LEADER SEQUENCE	UNP Q30V63
C	-8	HIS	-	LEADER SEQUENCE	UNP Q30V63
C	-7	HIS	-	LEADER SEQUENCE	UNP Q30V63
C	-6	GLU	-	LEADER SEQUENCE	UNP Q30V63
C	-5	ASN	-	LEADER SEQUENCE	UNP Q30V63
C	-4	LEU	-	LEADER SEQUENCE	UNP Q30V63
C	-3	TYR	-	LEADER SEQUENCE	UNP Q30V63
C	-2	PHE	-	LEADER SEQUENCE	UNP Q30V63
C	-1	GLN	-	LEADER SEQUENCE	UNP Q30V63
C	0	GLY	-	LEADER SEQUENCE	UNP Q30V63
D	-18	MSE	-	LEADER SEQUENCE	UNP Q30V63
D	-17	GLY	-	LEADER SEQUENCE	UNP Q30V63
D	-16	SER	-	LEADER SEQUENCE	UNP Q30V63
D	-15	ASP	-	LEADER SEQUENCE	UNP Q30V63
D	-14	LYS	-	LEADER SEQUENCE	UNP Q30V63
D	-13	ILE	-	LEADER SEQUENCE	UNP Q30V63

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-12	HIS	-	LEADER SEQUENCE	UNP Q30V63
D	-11	HIS	-	LEADER SEQUENCE	UNP Q30V63
D	-10	HIS	-	LEADER SEQUENCE	UNP Q30V63
D	-9	HIS	-	LEADER SEQUENCE	UNP Q30V63
D	-8	HIS	-	LEADER SEQUENCE	UNP Q30V63
D	-7	HIS	-	LEADER SEQUENCE	UNP Q30V63
D	-6	GLU	-	LEADER SEQUENCE	UNP Q30V63
D	-5	ASN	-	LEADER SEQUENCE	UNP Q30V63
D	-4	LEU	-	LEADER SEQUENCE	UNP Q30V63
D	-3	TYR	-	LEADER SEQUENCE	UNP Q30V63
D	-2	PHE	-	LEADER SEQUENCE	UNP Q30V63
D	-1	GLN	-	LEADER SEQUENCE	UNP Q30V63
D	0	GLY	-	LEADER SEQUENCE	UNP Q30V63

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	3	Total Cl 3 3	0	0
2	A	3	Total Cl 3 3	0	0
2	D	4	Total Cl 4 4	0	0
2	C	2	Total Cl 2 2	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total Mg 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	183	Total O 183 183	0	0
5	B	132	Total O 132 132	0	0
5	C	93	Total O 93 93	0	0
5	D	132	Total O 132 132	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative acetyltransferase




- Molecule 1: Putative acetyltransferase





- Molecule 1: Putative acetyltransferase







● Molecule 1: Putative acetyltransferase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	249.62Å 249.62Å 104.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.06 – 2.28 48.04 – 2.28	Depositor EDS
% Data completeness (in resolution range)	95.1 (48.06-2.28) 95.1 (48.04-2.28)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.05 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.4.0067, PHENIX	Depositor
R, $R_{free}$	0.180 , 0.223 0.185 , 0.225	Depositor DCC
$R_{free}$ test set	5271 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.0	Xtrriage
Anisotropy	0.263	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 52.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.015 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	14949	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	0/3609	0.82	1/4865 (0.0%)
1	B	0.60	0/3670	0.80	0/4947
1	C	0.52	0/3640	0.80	0/4910
1	D	0.60	0/3667	0.81	2/4945 (0.0%)
All	All	0.60	0/14586	0.81	3/19667 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	25	ASP	CB-CG-OD1	5.40	123.16	118.30
1	A	14	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	D	449	PHE	CB-CG-CD1	5.16	124.41	120.80

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3533	0	3415	56	0
1	B	3594	0	3437	56	0
1	C	3567	0	3400	71	0
1	D	3590	0	3435	65	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	2	0	0	0	0
2	D	4	0	0	0	0
3	A	40	0	60	3	0
3	B	28	0	42	0	0
3	C	8	0	12	0	0
3	D	36	0	54	3	0
4	C	1	0	0	0	0
5	A	183	0	0	3	0
5	B	132	0	0	2	0
5	C	93	0	0	3	0
5	D	132	0	0	1	0
All	All	14949	0	13855	249	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (249) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:564:HOH:O	3:D:490:EDO:H11	1.59	1.01
1:B:240:GLU:HG3	1:B:241:ASP:N	1.75	0.99
1:B:283:GLN:O	1:B:300:GLU:HG2	1.61	0.98
1:B:85:ARG:NH1	1:B:87:ASP:OD2	2.00	0.95
1:B:310:GLU:O	1:B:311:ARG:HB2	1.71	0.89
1:C:238:ARG:HG3	1:C:238:ARG:HH11	1.40	0.84
1:D:85:ARG:CZ	1:D:300:GLU:HG2	2.11	0.81
1:B:240:GLU:CG	1:B:241:ASP:N	2.48	0.75
1:C:284:ARG:HH11	1:C:284:ARG:HG3	1.53	0.71
1:C:92:LYS:HG3	1:C:106:HIS:O	1.91	0.71
1:D:237:VAL:CG1	1:D:237:VAL:O	2.41	0.69
1:A:449:PHE:CD1	1:A:449:PHE:C	2.66	0.68
1:C:238:ARG:HG3	1:C:238:ARG:NH1	2.07	0.68
1:A:472:GLN:HB2	1:A:473:PRO:HD2	1.76	0.68
1:C:44:ALA:HB3	1:C:454:ILE:HG22	1.76	0.67
1:C:472:GLN:HB2	1:C:473:PRO:CD	2.25	0.67
1:A:472:GLN:HB2	1:A:473:PRO:CD	2.25	0.66
1:B:85:ARG:HH21	1:B:300:GLU:HG3	1.59	0.66
1:D:286:TYR:C	1:D:287:LEU:HD23	2.16	0.65
1:A:1:MSE:HE3	1:A:6:LEU:HD13	1.78	0.65

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:ARG:O	1:A:155:GLU:HA	1.96	0.64
1:B:472:GLN:HB2	1:B:473:PRO:CD	2.26	0.64
1:B:472:GLN:HB2	1:B:473:PRO:HD2	1.79	0.64
1:D:237:VAL:HG12	1:D:237:VAL:O	1.96	0.64
1:D:283:GLN:O	1:D:284:ARG:HB2	1.96	0.63
1:B:237:VAL:O	1:B:237:VAL:CG1	2.47	0.62
1:D:472:GLN:HB2	1:D:473:PRO:CD	2.30	0.62
1:D:54:VAL:O	1:D:473:PRO:HD3	2.00	0.62
1:D:85:ARG:NH2	1:D:300:GLU:HG2	2.15	0.61
1:B:85:ARG:NH2	1:B:300:GLU:HG3	2.15	0.61
1:C:85:ARG:CZ	1:C:300:GLU:HG2	2.30	0.61
1:C:226:CYS:HB2	1:C:227:PRO:CD	2.29	0.61
1:D:260:GLY:O	1:D:444:GLN:NE2	2.32	0.61
1:D:238:ARG:HH21	1:D:305:ILE:HD13	1.66	0.60
1:D:235:VAL:HG23	1:D:236:GLU:N	2.17	0.60
1:B:237:VAL:HG12	1:B:237:VAL:O	2.01	0.60
1:C:329:MSE:HE1	1:C:424:LYS:HZ3	1.67	0.60
1:D:262:SER:HB2	1:D:443:ALA:O	2.02	0.60
1:D:472:GLN:HB2	1:D:473:PRO:HD2	1.83	0.59
1:D:431:GLY:C	1:D:433:PHE:H	2.04	0.59
1:B:435:ASP:OD1	1:B:437:SER:N	2.36	0.59
1:A:237:VAL:CG1	1:A:237:VAL:O	2.51	0.58
1:C:226:CYS:HB2	1:C:227:PRO:HD2	1.85	0.58
1:C:284:ARG:NH1	1:C:284:ARG:HG3	2.19	0.58
1:A:426:ILE:HD11	3:A:490:EDO:H11	1.84	0.58
1:B:400:GLU:HG2	1:B:409:ARG:HG3	1.84	0.58
1:D:454:ILE:HG23	1:D:466:TYR:CE2	2.38	0.58
1:A:237:VAL:HG12	1:A:237:VAL:O	2.03	0.58
1:C:139:ARG:O	1:C:155:GLU:HA	2.04	0.57
1:C:44:ALA:HB3	1:C:454:ILE:CG2	2.33	0.57
1:D:330:ILE:N	1:D:330:ILE:HD12	2.19	0.57
1:A:69:LEU:HD11	1:A:449:PHE:CE2	2.40	0.56
1:D:204:LEU:HD23	1:D:204:LEU:C	2.25	0.56
1:C:202:ASP:O	1:C:409:ARG:NH2	2.36	0.56
1:C:400:GLU:HG2	1:C:409:ARG:HG3	1.87	0.56
1:D:287:LEU:HD23	1:D:287:LEU:N	2.20	0.56
1:D:13:ASP:O	1:D:17[B]:VAL:HG22	2.06	0.55
1:B:144:MSE:HB3	1:B:145:PRO:HD2	1.88	0.55
1:D:105:LEU:HG	1:D:134:GLU:HG3	1.89	0.55
1:B:4:LEU:HD23	1:B:36:HIS:HA	1.88	0.55
1:A:54:VAL:O	1:A:473:PRO:HD3	2.07	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:PHE:CE1	1:B:284:ARG:HA	2.42	0.54
1:C:101:LYS:C	1:C:102:MSE:HG3	2.26	0.54
1:C:338:LEU:HD22	1:C:360:ILE:HD12	1.89	0.54
1:A:310:GLU:O	1:A:311:ARG:HB2	2.08	0.54
1:C:237:VAL:CG1	1:C:237:VAL:O	2.56	0.54
1:D:44:ALA:HB3	1:D:454:ILE:HG22	1.88	0.54
1:D:292:MSE:HE3	1:D:296:SER:HB3	1.89	0.54
1:C:308:ARG:HD3	1:C:310:GLU:OE2	2.09	0.53
1:D:156:GLY:O	1:D:172:ASN:HA	2.08	0.53
1:B:144:MSE:HB3	1:B:145:PRO:CD	2.39	0.53
1:C:238:ARG:HD3	1:C:286:TYR:CZ	2.44	0.53
1:B:308:ARG:HD3	1:B:310:GLU:OE2	2.09	0.52
1:B:288:ASP:O	1:B:289:ASN:HB2	2.10	0.52
1:B:96:PHE:CZ	1:B:103:ILE:CB	2.93	0.52
1:D:235:VAL:CG2	1:D:236:GLU:N	2.73	0.52
1:A:461:ASP:N	1:A:462:PRO:CD	2.73	0.52
1:D:423:ILE:HG23	1:D:424:LYS:N	2.25	0.51
1:A:1:MSE:CE	1:A:6:LEU:HD13	2.39	0.51
1:C:438:GLU:CA	5:C:549:HOH:O	2.58	0.51
1:C:284:ARG:HH11	1:C:284:ARG:CG	2.21	0.51
1:D:139:ARG:O	1:D:155:GLU:HA	2.09	0.51
1:A:400:GLU:HG2	1:A:409:ARG:HG3	1.94	0.50
1:C:453:ILE:CG2	1:C:454:ILE:N	2.74	0.50
1:A:85:ARG:CZ	1:A:300:GLU:HG2	2.41	0.50
1:B:283:GLN:O	1:B:284:ARG:HB2	2.11	0.50
1:A:142:VAL:CG1	1:A:144:MSE:HE3	2.42	0.50
1:A:11:ILE:O	1:A:15:VAL:HG23	2.11	0.50
1:C:237:VAL:HG12	1:C:237:VAL:O	2.10	0.50
1:C:293:GLY:HA3	1:C:310:GLU:O	2.10	0.50
1:D:69:LEU:HD21	1:D:87:ASP:HB3	1.92	0.50
1:D:114:LYS:HD3	3:D:490:EDO:H21	1.94	0.50
1:D:241:ASP:OD2	1:D:270:LYS:NZ	2.45	0.50
1:A:322:ILE:HD12	1:A:322:ILE:N	2.27	0.49
1:B:96:PHE:CE1	1:B:103:ILE:CB	2.95	0.49
1:D:461:ASP:N	1:D:462:PRO:CD	2.75	0.49
1:B:300:GLU:O	1:B:301:ASN:HB2	2.12	0.49
1:A:449:PHE:C	1:A:449:PHE:HD1	2.14	0.48
1:C:14:ARG:NH1	1:C:115:ASP:OD2	2.46	0.48
1:C:137[A]:THR:CG2	1:C:139:ARG:HD3	2.44	0.48
1:D:310:GLU:HB2	1:D:327:GLY:O	2.13	0.48
1:A:144:MSE:HB3	1:A:145:PRO:CD	2.44	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:SER:HB3	1:A:77:SER:O	2.12	0.48
1:C:211:ASP:OD2	1:C:214:ILE:HG13	2.12	0.48
1:C:322:ILE:HD12	1:C:322:ILE:N	2.28	0.48
1:B:75:LEU:O	1:B:114:LYS:HA	2.14	0.48
1:B:54:VAL:O	1:B:473:PRO:HD3	2.14	0.48
1:C:85:ARG:NH2	1:C:300:GLU:HG2	2.27	0.48
1:A:235:VAL:HG23	1:A:236:GLU:N	2.29	0.48
1:D:300:GLU:O	1:D:301:ASN:HB2	2.12	0.48
1:A:192:GLU:HB3	1:A:193:PRO:CD	2.43	0.48
1:A:148:ASN:HB3	5:A:565:HOH:O	2.13	0.47
1:A:454:ILE:HG23	1:A:466:TYR:CE2	2.49	0.47
1:C:137[A]:THR:HG21	1:C:139:ARG:HD3	1.94	0.47
1:C:355:MSE:HB3	1:C:356:PRO:HD2	1.96	0.47
1:C:85:ARG:NH1	1:C:283:GLN:OE1	2.47	0.47
1:C:117:PHE:O	1:C:118:LEU:HD23	2.14	0.47
1:C:453:ILE:HG22	1:C:454:ILE:N	2.28	0.47
1:C:88:GLU:OE2	1:C:124:HIS:CE1	2.68	0.47
1:A:375:TRP:CH2	1:A:406:MSE:HE3	2.49	0.47
1:B:139:ARG:O	1:B:155:GLU:HA	2.15	0.47
1:B:161:SER:O	1:B:162:PHE:HB2	2.15	0.47
1:A:33:GLN:O	1:A:34:THR:C	2.53	0.47
1:C:472:GLN:HB2	1:C:473:PRO:HD2	1.96	0.47
1:C:286:TYR:C	1:C:287:LEU:HD23	2.35	0.47
1:C:356:PRO:O	1:C:357:HIS:HB2	2.15	0.47
1:B:417:ASP:O	1:B:421:LYS:HB2	2.15	0.46
1:C:330:ILE:HD12	1:C:330:ILE:N	2.30	0.46
1:D:394:PHE:O	1:D:412:GLY:HA3	2.15	0.46
1:B:355:MSE:HB3	1:B:356:PRO:HD2	1.97	0.46
1:B:461:ASP:HB3	1:B:462:PRO:HD3	1.97	0.46
1:C:461:ASP:N	1:C:462:PRO:CD	2.79	0.46
1:D:262:SER:CB	1:D:443:ALA:O	2.63	0.46
1:D:4:LEU:HD23	1:D:36:HIS:HA	1.97	0.46
1:C:208:TYR:CG	1:C:209:SER:N	2.83	0.46
1:A:204:LEU:C	1:A:204:LEU:HD23	2.36	0.46
1:B:209:SER:HB3	5:B:577:HOH:O	2.16	0.46
1:A:92:LYS:HG2	1:A:93:GLY:N	2.30	0.46
1:B:88:GLU:OE1	1:B:125:SER:HA	2.16	0.45
1:C:101:LYS:O	1:C:102:MSE:HG3	2.17	0.45
1:C:456:PRO:HB3	1:C:466:TYR:CE1	2.51	0.45
1:B:124:HIS:CD2	1:B:125:SER:H	2.35	0.45
1:B:318:GLY:HA3	1:B:335:ASN:OD1	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:288:ASP:O	1:D:289:ASN:HB2	2.16	0.45
1:B:449:PHE:C	1:B:449:PHE:CD1	2.89	0.45
1:B:194:GLY:HA3	1:B:215:LEU:HD22	1.98	0.45
1:D:6:LEU:O	1:D:10:ARG:HG2	2.17	0.45
1:C:96:PHE:CB	5:C:541:HOH:O	2.65	0.45
1:D:152:SER:HB3	1:D:168:SER:O	2.17	0.45
1:A:241:ASP:O	1:A:245:VAL:HG23	2.17	0.45
1:A:300:GLU:HB2	1:A:317:HIS:CE1	2.51	0.45
1:C:124:HIS:CG	1:C:125:SER:H	2.33	0.45
1:D:431:GLY:C	1:D:433:PHE:N	2.69	0.45
1:D:106:HIS:ND1	3:D:488:EDO:H12	2.32	0.45
1:D:292:MSE:HE3	1:D:296:SER:CB	2.47	0.44
1:A:85:ARG:NE	1:A:300:GLU:HG2	2.32	0.44
1:A:393:GLU:OE1	1:A:396:LYS:NZ	2.39	0.44
1:B:114:LYS:O	1:B:139:ARG:HA	2.16	0.44
1:C:307:SER:HB3	1:C:324:ALA:O	2.18	0.44
1:C:454:ILE:HG23	1:C:466:TYR:CE2	2.52	0.44
1:D:15:VAL:HG21	1:D:142:VAL:HG23	1.99	0.44
1:A:152:SER:HB3	1:A:168:SER:O	2.17	0.44
1:A:461:ASP:N	1:A:462:PRO:HD2	2.32	0.44
1:B:461:ASP:N	1:B:462:PRO:HD2	2.32	0.44
1:C:109:GLU:HA	1:C:134:GLU:O	2.17	0.44
1:C:232:MSE:O	1:C:235:VAL:HG22	2.18	0.44
1:C:4:LEU:HD12	1:C:4:LEU:O	2.18	0.44
1:C:420:LYS:O	1:C:424:LYS:HB2	2.18	0.44
1:D:208:TYR:CG	1:D:209:SER:N	2.86	0.44
1:A:75:LEU:O	1:A:114:LYS:HA	2.18	0.44
1:C:284:ARG:HD2	1:C:284:ARG:HA	1.80	0.44
1:B:135:GLU:HG2	1:B:137:THR:HG23	1.99	0.44
1:C:206:PHE:CE2	1:C:406:MSE:HE2	2.53	0.43
1:D:124:HIS:CG	1:D:125:SER:H	2.36	0.43
1:D:318:GLY:O	1:D:320:LYS:NZ	2.44	0.43
1:B:330:ILE:HD12	1:B:330:ILE:N	2.32	0.43
1:C:231:LEU:HD23	1:C:231:LEU:HA	1.83	0.43
1:A:204:LEU:HD12	5:A:606:HOH:O	2.18	0.43
1:C:33:GLN:O	1:C:34:THR:C	2.56	0.43
1:D:114:LYS:O	1:D:139:ARG:HA	2.17	0.43
1:B:85:ARG:NE	1:B:300:GLU:OE2	2.51	0.43
1:D:192:GLU:O	1:D:195:GLN:HG2	2.19	0.43
1:B:226:CYS:HB2	1:B:227:PRO:HD2	2.01	0.43
1:D:126:ASN:O	1:D:151:GLY:HA2	2.19	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:LEU:HD11	1:A:449:PHE:CZ	2.54	0.43
1:A:286:TYR:C	1:A:287:LEU:HD23	2.39	0.43
1:A:426:ILE:HD11	3:A:490:EDO:C1	2.47	0.43
1:B:235:VAL:HG23	1:B:236:GLU:N	2.35	0.42
1:C:273:THR:HG23	1:C:290:ALA:O	2.19	0.42
1:D:192:GLU:HB3	1:D:193:PRO:CD	2.49	0.42
1:D:330:ILE:N	1:D:330:ILE:CD1	2.82	0.42
1:A:144:MSE:HB3	1:A:145:PRO:HD2	2.00	0.42
1:A:192:GLU:O	1:A:195:GLN:HG2	2.19	0.42
1:D:297:ASN:HB3	1:D:314:VAL:HG22	2.00	0.42
1:A:299:GLN:O	1:A:300:GLU:C	2.58	0.42
1:A:420:LYS:O	1:A:424:LYS:HB2	2.19	0.42
1:A:454:ILE:HG23	1:A:466:TYR:HE2	1.85	0.42
1:A:71:ARG:HB3	1:A:110:VAL:HG12	2.01	0.42
1:B:297:ASN:ND2	1:B:297:ASN:C	2.72	0.42
1:A:283:GLN:O	1:A:284:ARG:HB2	2.19	0.42
1:A:330:ILE:HD12	1:A:330:ILE:N	2.35	0.42
1:B:33:GLN:O	1:B:34:THR:C	2.57	0.42
1:D:293:GLY:HA3	1:D:310:GLU:O	2.20	0.42
1:A:245:VAL:HG12	1:A:245:VAL:O	2.18	0.42
1:B:217:LYS:NZ	5:B:617:HOH:O	2.52	0.42
1:C:454:ILE:HD11	1:C:469:ILE:HD13	2.01	0.42
1:D:378:ILE:HA	1:D:383:ASP:HB3	2.02	0.42
1:B:401:VAL:HG12	1:B:402:THR:N	2.35	0.41
1:B:95:HIS:HB3	1:B:102:MSE:HG3	2.01	0.41
1:D:226:CYS:HB2	1:D:227:PRO:CD	2.49	0.41
1:D:442:HIS:C	1:D:444:GLN:H	2.23	0.41
1:A:266:TYR:HB2	1:A:283:GLN:HB3	2.01	0.41
1:A:297:ASN:OD1	1:A:297:ASN:C	2.59	0.41
1:C:75:LEU:O	1:C:114:LYS:HA	2.20	0.41
1:C:136:PHE:C	1:C:136:PHE:CD1	2.93	0.41
1:D:454:ILE:HG23	1:D:466:TYR:HE2	1.84	0.41
1:A:426:ILE:O	1:A:430:ASN:CB	2.69	0.41
1:B:356:PRO:O	1:B:357:HIS:HB2	2.20	0.41
1:B:420:LYS:O	1:B:424:LYS:HB2	2.20	0.41
1:B:435:ASP:C	1:B:435:ASP:OD1	2.58	0.41
1:D:440:THR:HG22	1:D:440:THR:O	2.20	0.41
1:B:104:PRO:HG2	1:B:106:HIS:CE1	2.55	0.41
1:C:97:VAL:HG22	1:C:102:MSE:HG2	2.02	0.41
1:C:226:CYS:CB	1:C:227:PRO:CD	2.96	0.41
1:C:46:TYR:HB2	1:C:56:PHE:CE2	2.55	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:45:PHE:HA	1:D:452:ASN:O	2.21	0.41
1:B:192:GLU:HB3	1:B:193:PRO:CD	2.51	0.41
1:A:334:PHE:CZ	3:A:490:EDO:H21	2.56	0.41
1:C:117:PHE:C	1:C:118:LEU:HD23	2.42	0.41
1:C:144:MSE:HB3	1:C:145:PRO:CD	2.51	0.41
1:C:308:ARG:C	1:C:309:LEU:HD12	2.41	0.41
1:D:277:GLU:O	1:D:294:LYS:HA	2.21	0.41
1:C:58:PHE:O	1:C:468:THR:HA	2.21	0.40
1:D:284:ARG:NH2	5:D:613:HOH:O	2.53	0.40
1:B:55:HIS:HB3	1:B:71:ARG:HG2	2.02	0.40
1:A:245:VAL:HG21	1:A:268:VAL:HG22	2.02	0.40
1:A:300:GLU:O	1:A:301:ASN:HB2	2.21	0.40
1:A:453:ILE:HG22	1:A:454:ILE:N	2.36	0.40
1:B:355:MSE:HE2	1:B:355:MSE:HB3	1.99	0.40
1:C:305:ILE:C	1:C:307:SER:N	2.73	0.40
1:C:377:TYR:C	1:C:378:ILE:HG13	2.42	0.40
1:D:142:VAL:CG1	1:D:144:MSE:HE3	2.51	0.40
1:D:423:ILE:CG2	1:D:424:LYS:N	2.83	0.40
1:D:461:ASP:N	1:D:462:PRO:HD2	2.35	0.40
1:D:465:MSE:HB3	1:D:465:MSE:HE3	2.00	0.40
1:B:287:LEU:N	1:B:287:LEU:HD23	2.37	0.40
1:C:206:PHE:C	1:C:206:PHE:CD1	2.95	0.40
1:D:19:LEU:HD23	1:D:19:LEU:HA	1.88	0.40
1:C:133:PRO:HD2	5:C:503:HOH:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	449/496 (90%)	433 (96%)	13 (3%)	3 (1%)	24 27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	454/496 (92%)	436 (96%)	17 (4%)	1 (0%)	49 60
1	C	458/496 (92%)	437 (95%)	20 (4%)	1 (0%)	49 60
1	D	459/496 (92%)	440 (96%)	18 (4%)	1 (0%)	49 60
All	All	1820/1984 (92%)	1746 (96%)	68 (4%)	6 (0%)	43 52

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	311	ARG
1	A	311	ARG
1	A	429	GLU
1	C	219	ILE
1	A	64	ALA
1	D	334	PHE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	376/408 (92%)	370 (98%)	6 (2%)	65 79
1	B	382/408 (94%)	375 (98%)	7 (2%)	62 76
1	C	372/408 (91%)	362 (97%)	10 (3%)	48 63
1	D	377/408 (92%)	370 (98%)	7 (2%)	60 74
All	All	1507/1632 (92%)	1477 (98%)	30 (2%)	58 73

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	136	PHE
1	A	243	GLU
1	A	283	GLN
1	A	302	CYS
1	A	343	SER

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	369	PRO
1	B	131	GLU
1	B	136	PHE
1	B	155	GLU
1	B	240	GLU
1	B	406	MSE
1	B	421	LYS
1	B	459	ASP
1	C	52	ASP
1	C	60	ASN
1	C	131	GLU
1	C	136	PHE
1	C	212	LYS
1	C	284	ARG
1	C	302	CYS
1	C	406	MSE
1	C	407	THR
1	C	424	LYS
1	D	60	ASN
1	D	136	PHE
1	D	302	CYS
1	D	329	MSE
1	D	344	SER
1	D	406	MSE
1	D	449	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	475	ASN
1	B	106	HIS
1	C	22	GLN
1	D	458	GLN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 13 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	EDO	A	481	-	3,3,3	0.60	0	2,2,2	0.14	0
3	EDO	A	482	-	3,3,3	0.48	0	2,2,2	0.22	0
3	EDO	A	483	-	3,3,3	0.55	0	2,2,2	0.08	0
3	EDO	A	484	-	3,3,3	0.52	0	2,2,2	0.56	0
3	EDO	A	485	-	3,3,3	0.59	0	2,2,2	0.17	0
3	EDO	A	486	-	3,3,3	0.56	0	2,2,2	0.19	0
3	EDO	A	487	-	3,3,3	0.69	0	2,2,2	0.45	0
3	EDO	A	488	-	3,3,3	0.41	0	2,2,2	0.54	0
3	EDO	A	489	-	3,3,3	0.43	0	2,2,2	0.39	0
3	EDO	A	490	-	3,3,3	0.50	0	2,2,2	0.14	0
3	EDO	B	481	-	3,3,3	0.51	0	2,2,2	0.23	0
3	EDO	B	482	-	3,3,3	0.86	0	2,2,2	0.29	0
3	EDO	B	483	-	3,3,3	0.51	0	2,2,2	0.15	0
3	EDO	B	484	-	3,3,3	0.48	0	2,2,2	0.40	0
3	EDO	B	485	-	3,3,3	0.53	0	2,2,2	0.24	0
3	EDO	B	486	-	3,3,3	0.48	0	2,2,2	0.30	0
3	EDO	B	487	-	3,3,3	0.57	0	2,2,2	0.20	0
3	EDO	C	481	-	3,3,3	0.47	0	2,2,2	0.16	0
3	EDO	C	482	-	3,3,3	0.53	0	2,2,2	0.32	0
3	EDO	D	482	-	3,3,3	0.65	0	2,2,2	0.02	0
3	EDO	D	483	-	3,3,3	0.54	0	2,2,2	0.28	0
3	EDO	D	484	-	3,3,3	0.67	0	2,2,2	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	D	485	-	3,3,3	0.57	0	2,2,2	0.21	0
3	EDO	D	486	-	3,3,3	0.55	0	2,2,2	0.18	0
3	EDO	D	487	-	3,3,3	0.47	0	2,2,2	0.32	0
3	EDO	D	488	-	3,3,3	0.56	0	2,2,2	0.36	0
3	EDO	D	489	-	3,3,3	0.53	0	2,2,2	0.06	0
3	EDO	D	490	-	3,3,3	0.54	0	2,2,2	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	481	-	-	1/1/1/1	-
3	EDO	A	482	-	-	0/1/1/1	-
3	EDO	A	483	-	-	0/1/1/1	-
3	EDO	A	484	-	-	1/1/1/1	-
3	EDO	A	485	-	-	1/1/1/1	-
3	EDO	A	486	-	-	1/1/1/1	-
3	EDO	A	487	-	-	1/1/1/1	-
3	EDO	A	488	-	-	0/1/1/1	-
3	EDO	A	489	-	-	1/1/1/1	-
3	EDO	A	490	-	-	1/1/1/1	-
3	EDO	B	481	-	-	1/1/1/1	-
3	EDO	B	482	-	-	1/1/1/1	-
3	EDO	B	483	-	-	0/1/1/1	-
3	EDO	B	484	-	-	0/1/1/1	-
3	EDO	B	485	-	-	1/1/1/1	-
3	EDO	B	486	-	-	1/1/1/1	-
3	EDO	B	487	-	-	1/1/1/1	-
3	EDO	C	481	-	-	0/1/1/1	-
3	EDO	C	482	-	-	0/1/1/1	-
3	EDO	D	482	-	-	0/1/1/1	-
3	EDO	D	483	-	-	0/1/1/1	-
3	EDO	D	484	-	-	1/1/1/1	-
3	EDO	D	485	-	-	1/1/1/1	-
3	EDO	D	486	-	-	1/1/1/1	-
3	EDO	D	487	-	-	1/1/1/1	-
3	EDO	D	488	-	-	1/1/1/1	-
3	EDO	D	489	-	-	1/1/1/1	-
3	EDO	D	490	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	490	EDO	O1-C1-C2-O2
3	D	488	EDO	O1-C1-C2-O2
3	D	490	EDO	O1-C1-C2-O2
3	B	482	EDO	O1-C1-C2-O2
3	A	486	EDO	O1-C1-C2-O2
3	A	489	EDO	O1-C1-C2-O2
3	B	487	EDO	O1-C1-C2-O2
3	A	481	EDO	O1-C1-C2-O2
3	D	485	EDO	O1-C1-C2-O2
3	B	485	EDO	O1-C1-C2-O2
3	B	481	EDO	O1-C1-C2-O2
3	A	485	EDO	O1-C1-C2-O2
3	A	487	EDO	O1-C1-C2-O2
3	D	484	EDO	O1-C1-C2-O2
3	D	489	EDO	O1-C1-C2-O2
3	A	484	EDO	O1-C1-C2-O2
3	D	486	EDO	O1-C1-C2-O2
3	D	487	EDO	O1-C1-C2-O2
3	B	486	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	490	EDO	3	0
3	D	488	EDO	1	0
3	D	490	EDO	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	443/496 (89%)	0.08	10 (2%) 60 66	36, 46, 68, 94	0
1	B	451/496 (90%)	0.28	17 (3%) 40 46	34, 47, 68, 91	0
1	C	455/496 (91%)	0.40	43 (9%) 8 10	34, 47, 66, 96	0
1	D	454/496 (91%)	0.34	26 (5%) 24 29	36, 47, 74, 94	0
All	All	1803/1984 (90%)	0.27	96 (5%) 26 32	34, 47, 69, 96	0

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	257	SER	9.5
1	A	257	SER	6.9
1	B	257	SER	6.9
1	C	104	PRO	5.4
1	C	248	SER	4.9
1	C	391	PHE	4.8
1	B	97	VAL	4.6
1	C	412	GLY	4.6
1	C	249	GLY	4.3
1	B	96	PHE	4.3
1	C	247	ALA	4.3
1	C	394	PHE	4.2
1	C	448	ASN	4.1
1	B	245	VAL	3.9
1	C	43	TYR	3.9
1	A	447	LYS	3.9
1	C	250	HIS	3.9
1	C	373	LEU	3.9
1	C	399	GLY	3.9
1	C	401	VAL	3.9
1	C	396	LYS	3.8

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	202	ASP	3.8
1	C	413	GLY	3.8
1	D	394	PHE	3.7
1	C	370	ALA	3.7
1	C	411	LYS	3.7
1	D	261	ALA	3.7
1	D	246	PHE	3.6
1	A	260	GLY	3.6
1	D	259	SER	3.5
1	C	103	ILE	3.5
1	D	443	ALA	3.3
1	B	93	GLY	3.3
1	C	414	PRO	3.2
1	C	389	ILE	3.2
1	A	258	ALA	3.2
1	D	260	GLY	3.2
1	A	266	TYR	3.0
1	B	95	HIS	3.0
1	C	410	GLY	2.9
1	B	104	PRO	2.9
1	A	36	HIS	2.9
1	A	0	GLY	2.9
1	D	397	VAL	2.9
1	C	366	LEU	2.9
1	D	341	SER	2.8
1	B	246	PHE	2.8
1	B	341	SER	2.8
1	C	397	VAL	2.8
1	D	279	VAL	2.8
1	C	409	ARG	2.8
1	D	392	GLU	2.7
1	D	442	HIS	2.7
1	C	392	GLU	2.7
1	C	395	ALA	2.7
1	C	416	LEU	2.7
1	C	204	LEU	2.7
1	D	340	GLY	2.7
1	A	33	GLN	2.7
1	D	343	SER	2.6
1	D	389	ILE	2.6
1	B	103	ILE	2.6
1	D	267	ALA	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	34	THR	2.5
1	A	43	TYR	2.5
1	C	398	ASP	2.5
1	A	429	GLU	2.5
1	D	410	GLY	2.5
1	B	202	ASP	2.4
1	B	92	LYS	2.4
1	C	244	GLU	2.4
1	B	106	HIS	2.3
1	B	244	GLU	2.3
1	C	246	PHE	2.3
1	C	386	ALA	2.3
1	C	93	GLY	2.2
1	C	408	PHE	2.2
1	C	106	HIS	2.2
1	C	390	SER	2.2
1	D	342	GLU	2.2
1	D	275	ILE	2.2
1	C	0	GLY	2.2
1	D	345	PRO	2.2
1	B	343	SER	2.2
1	D	396	LYS	2.1
1	D	433	PHE	2.1
1	C	384	LEU	2.1
1	D	437	SER	2.1
1	B	365	PRO	2.1
1	C	203	GLU	2.1
1	D	434	PHE	2.1
1	D	113	ILE	2.1
1	C	393	GLU	2.1
1	D	370	ALA	2.0
1	C	400	GLU	2.0
1	B	270	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CL	C	479	1/1	0.68	0.26	94,94,94,94	0
3	EDO	D	482	4/4	0.81	0.22	50,51,53,61	0
3	EDO	B	485	4/4	0.83	0.24	64,65,67,68	0
3	EDO	D	484	4/4	0.84	0.23	71,76,76,77	0
3	EDO	B	486	4/4	0.85	0.57	80,82,87,87	0
3	EDO	A	486	4/4	0.88	0.31	65,67,72,73	0
3	EDO	A	481	4/4	0.88	0.24	66,74,75,77	0
3	EDO	B	482	4/4	0.88	0.16	45,51,52,58	0
3	EDO	A	489	4/4	0.89	0.21	66,71,72,72	0
3	EDO	D	488	4/4	0.89	0.18	47,52,52,54	0
3	EDO	D	487	4/4	0.89	0.36	77,78,79,79	0
3	EDO	D	490	4/4	0.90	0.24	37,46,49,55	0
3	EDO	A	490	4/4	0.90	0.21	55,58,59,63	0
2	CL	B	480	1/1	0.90	0.06	74,74,74,74	0
3	EDO	A	487	4/4	0.91	0.19	58,58,60,62	0
3	EDO	D	489	4/4	0.92	0.15	68,69,69,73	0
3	EDO	B	481	4/4	0.92	0.18	44,46,46,49	0
2	CL	D	478	1/1	0.92	0.08	61,61,61,61	0
3	EDO	B	487	4/4	0.92	0.16	65,71,74,78	0
3	EDO	D	485	4/4	0.92	0.15	60,60,63,64	0
2	CL	B	479	1/1	0.93	0.10	67,67,67,67	0
2	CL	D	481	1/1	0.93	0.07	72,72,72,72	0
3	EDO	C	481	4/4	0.94	0.41	49,50,51,51	0
2	CL	A	480	1/1	0.94	0.07	67,67,67,67	0
3	EDO	A	483	4/4	0.94	0.22	40,43,44,49	0
2	CL	C	478	1/1	0.94	0.06	76,76,76,76	0
3	EDO	A	488	4/4	0.95	0.11	42,46,50,51	0
3	EDO	B	484	4/4	0.95	0.12	58,58,58,62	0
3	EDO	C	482	4/4	0.95	0.24	58,59,61,61	0
3	EDO	D	486	4/4	0.95	0.27	52,54,54,55	0
2	CL	A	478	1/1	0.96	0.10	71,71,71,71	0
3	EDO	A	485	4/4	0.96	0.27	45,56,59,61	0
3	EDO	A	482	4/4	0.96	0.09	43,45,46,54	0
3	EDO	A	484	4/4	0.97	0.17	33,34,42,44	0
3	EDO	D	483	4/4	0.97	0.07	44,49,51,56	0
2	CL	D	480	1/1	0.97	0.07	59,59,59,59	0
4	MG	C	480	1/1	0.97	0.10	44,44,44,44	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EDO	B	483	4/4	0.97	0.07	41,47,51,56	0
2	CL	B	478	1/1	0.98	0.06	43,43,43,43	0
2	CL	D	479	1/1	0.98	0.06	40,40,40,40	0
2	CL	A	479	1/1	1.00	0.05	33,33,33,33	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.