



wwPDB EM Validation Summary Report ⓘ

Dec 3, 2024 – 10:23 AM EST

PDB ID : 9CAS
EMDB ID : EMD-45402
Title : Bat SARS-like Coronavirus RsSHC014 Spike Protein
Authors : Acreman, C.M.; McLellan, J.S.
Deposited on : 2024-06-17
Resolution : 3.10 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1271	 66% 11% 23%
1	B	1271	 67% 10% 23%
1	C	1271	 66% 11% 23%

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 45023 atoms, of which 22251 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	A	975	15009	4847	7419	1270	1433	40	0	0
1	B	974	14999	4845	7413	1269	1432	40	0	0
1	C	976	15015	4850	7419	1271	1435	40	0	0

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1192	GLY	-	expression tag	UNP U5WLK5
A	1193	SER	-	expression tag	UNP U5WLK5
A	1194	GLY	-	expression tag	UNP U5WLK5
A	1195	TYR	-	expression tag	UNP U5WLK5
A	1196	ILE	-	expression tag	UNP U5WLK5
A	1197	PRO	-	expression tag	UNP U5WLK5
A	1198	GLU	-	expression tag	UNP U5WLK5
A	1199	ALA	-	expression tag	UNP U5WLK5
A	1200	PRO	-	expression tag	UNP U5WLK5
A	1201	ARG	-	expression tag	UNP U5WLK5
A	1202	ASP	-	expression tag	UNP U5WLK5
A	1203	GLY	-	expression tag	UNP U5WLK5
A	1204	GLN	-	expression tag	UNP U5WLK5
A	1205	ALA	-	expression tag	UNP U5WLK5
A	1206	TYR	-	expression tag	UNP U5WLK5
A	1207	VAL	-	expression tag	UNP U5WLK5
A	1208	ARG	-	expression tag	UNP U5WLK5
A	1209	LYS	-	expression tag	UNP U5WLK5
A	1210	ASP	-	expression tag	UNP U5WLK5
A	1211	GLY	-	expression tag	UNP U5WLK5
A	1212	GLU	-	expression tag	UNP U5WLK5
A	1213	TRP	-	expression tag	UNP U5WLK5
A	1214	VAL	-	expression tag	UNP U5WLK5
A	1215	LEU	-	expression tag	UNP U5WLK5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1216	LEU	-	expression tag	UNP U5WLK5
A	1217	SER	-	expression tag	UNP U5WLK5
A	1218	THR	-	expression tag	UNP U5WLK5
A	1219	PHE	-	expression tag	UNP U5WLK5
A	1220	LEU	-	expression tag	UNP U5WLK5
A	1221	GLY	-	expression tag	UNP U5WLK5
A	1222	ARG	-	expression tag	UNP U5WLK5
A	1223	SER	-	expression tag	UNP U5WLK5
A	1224	LEU	-	expression tag	UNP U5WLK5
A	1225	GLU	-	expression tag	UNP U5WLK5
A	1226	VAL	-	expression tag	UNP U5WLK5
A	1227	LEU	-	expression tag	UNP U5WLK5
A	1228	PHE	-	expression tag	UNP U5WLK5
A	1229	GLN	-	expression tag	UNP U5WLK5
A	1230	GLY	-	expression tag	UNP U5WLK5
A	1231	PRO	-	expression tag	UNP U5WLK5
A	1232	GLY	-	expression tag	UNP U5WLK5
A	1233	HIS	-	expression tag	UNP U5WLK5
A	1234	HIS	-	expression tag	UNP U5WLK5
A	1235	HIS	-	expression tag	UNP U5WLK5
A	1236	HIS	-	expression tag	UNP U5WLK5
A	1237	HIS	-	expression tag	UNP U5WLK5
A	1238	HIS	-	expression tag	UNP U5WLK5
A	1239	HIS	-	expression tag	UNP U5WLK5
A	1240	HIS	-	expression tag	UNP U5WLK5
A	1241	SER	-	expression tag	UNP U5WLK5
A	1242	ALA	-	expression tag	UNP U5WLK5
A	1243	TRP	-	expression tag	UNP U5WLK5
A	1244	SER	-	expression tag	UNP U5WLK5
A	1245	HIS	-	expression tag	UNP U5WLK5
A	1246	PRO	-	expression tag	UNP U5WLK5
A	1247	GLN	-	expression tag	UNP U5WLK5
A	1248	PHE	-	expression tag	UNP U5WLK5
A	1249	GLU	-	expression tag	UNP U5WLK5
A	1250	LYS	-	expression tag	UNP U5WLK5
A	1251	GLY	-	expression tag	UNP U5WLK5
A	1252	GLY	-	expression tag	UNP U5WLK5
A	1253	GLY	-	expression tag	UNP U5WLK5
A	1254	SER	-	expression tag	UNP U5WLK5
A	1255	GLY	-	expression tag	UNP U5WLK5
A	1256	GLY	-	expression tag	UNP U5WLK5
A	1257	GLY	-	expression tag	UNP U5WLK5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1258	GLY	-	expression tag	UNP U5WLK5
A	1259	SER	-	expression tag	UNP U5WLK5
A	1260	GLY	-	expression tag	UNP U5WLK5
A	1261	GLY	-	expression tag	UNP U5WLK5
A	1262	SER	-	expression tag	UNP U5WLK5
A	1263	ALA	-	expression tag	UNP U5WLK5
A	1264	TRP	-	expression tag	UNP U5WLK5
A	1265	SER	-	expression tag	UNP U5WLK5
A	1266	HIS	-	expression tag	UNP U5WLK5
A	1267	PRO	-	expression tag	UNP U5WLK5
A	1268	GLN	-	expression tag	UNP U5WLK5
A	1269	PHE	-	expression tag	UNP U5WLK5
A	1270	GLU	-	expression tag	UNP U5WLK5
A	1271	LYS	-	expression tag	UNP U5WLK5
B	1192	GLY	-	expression tag	UNP U5WLK5
B	1193	SER	-	expression tag	UNP U5WLK5
B	1194	GLY	-	expression tag	UNP U5WLK5
B	1195	TYR	-	expression tag	UNP U5WLK5
B	1196	ILE	-	expression tag	UNP U5WLK5
B	1197	PRO	-	expression tag	UNP U5WLK5
B	1198	GLU	-	expression tag	UNP U5WLK5
B	1199	ALA	-	expression tag	UNP U5WLK5
B	1200	PRO	-	expression tag	UNP U5WLK5
B	1201	ARG	-	expression tag	UNP U5WLK5
B	1202	ASP	-	expression tag	UNP U5WLK5
B	1203	GLY	-	expression tag	UNP U5WLK5
B	1204	GLN	-	expression tag	UNP U5WLK5
B	1205	ALA	-	expression tag	UNP U5WLK5
B	1206	TYR	-	expression tag	UNP U5WLK5
B	1207	VAL	-	expression tag	UNP U5WLK5
B	1208	ARG	-	expression tag	UNP U5WLK5
B	1209	LYS	-	expression tag	UNP U5WLK5
B	1210	ASP	-	expression tag	UNP U5WLK5
B	1211	GLY	-	expression tag	UNP U5WLK5
B	1212	GLU	-	expression tag	UNP U5WLK5
B	1213	TRP	-	expression tag	UNP U5WLK5
B	1214	VAL	-	expression tag	UNP U5WLK5
B	1215	LEU	-	expression tag	UNP U5WLK5
B	1216	LEU	-	expression tag	UNP U5WLK5
B	1217	SER	-	expression tag	UNP U5WLK5
B	1218	THR	-	expression tag	UNP U5WLK5
B	1219	PHE	-	expression tag	UNP U5WLK5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1220	LEU	-	expression tag	UNP U5WLK5
B	1221	GLY	-	expression tag	UNP U5WLK5
B	1222	ARG	-	expression tag	UNP U5WLK5
B	1223	SER	-	expression tag	UNP U5WLK5
B	1224	LEU	-	expression tag	UNP U5WLK5
B	1225	GLU	-	expression tag	UNP U5WLK5
B	1226	VAL	-	expression tag	UNP U5WLK5
B	1227	LEU	-	expression tag	UNP U5WLK5
B	1228	PHE	-	expression tag	UNP U5WLK5
B	1229	GLN	-	expression tag	UNP U5WLK5
B	1230	GLY	-	expression tag	UNP U5WLK5
B	1231	PRO	-	expression tag	UNP U5WLK5
B	1232	GLY	-	expression tag	UNP U5WLK5
B	1233	HIS	-	expression tag	UNP U5WLK5
B	1234	HIS	-	expression tag	UNP U5WLK5
B	1235	HIS	-	expression tag	UNP U5WLK5
B	1236	HIS	-	expression tag	UNP U5WLK5
B	1237	HIS	-	expression tag	UNP U5WLK5
B	1238	HIS	-	expression tag	UNP U5WLK5
B	1239	HIS	-	expression tag	UNP U5WLK5
B	1240	HIS	-	expression tag	UNP U5WLK5
B	1241	SER	-	expression tag	UNP U5WLK5
B	1242	ALA	-	expression tag	UNP U5WLK5
B	1243	TRP	-	expression tag	UNP U5WLK5
B	1244	SER	-	expression tag	UNP U5WLK5
B	1245	HIS	-	expression tag	UNP U5WLK5
B	1246	PRO	-	expression tag	UNP U5WLK5
B	1247	GLN	-	expression tag	UNP U5WLK5
B	1248	PHE	-	expression tag	UNP U5WLK5
B	1249	GLU	-	expression tag	UNP U5WLK5
B	1250	LYS	-	expression tag	UNP U5WLK5
B	1251	GLY	-	expression tag	UNP U5WLK5
B	1252	GLY	-	expression tag	UNP U5WLK5
B	1253	GLY	-	expression tag	UNP U5WLK5
B	1254	SER	-	expression tag	UNP U5WLK5
B	1255	GLY	-	expression tag	UNP U5WLK5
B	1256	GLY	-	expression tag	UNP U5WLK5
B	1257	GLY	-	expression tag	UNP U5WLK5
B	1258	GLY	-	expression tag	UNP U5WLK5
B	1259	SER	-	expression tag	UNP U5WLK5
B	1260	GLY	-	expression tag	UNP U5WLK5
B	1261	GLY	-	expression tag	UNP U5WLK5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1262	SER	-	expression tag	UNP U5WLK5
B	1263	ALA	-	expression tag	UNP U5WLK5
B	1264	TRP	-	expression tag	UNP U5WLK5
B	1265	SER	-	expression tag	UNP U5WLK5
B	1266	HIS	-	expression tag	UNP U5WLK5
B	1267	PRO	-	expression tag	UNP U5WLK5
B	1268	GLN	-	expression tag	UNP U5WLK5
B	1269	PHE	-	expression tag	UNP U5WLK5
B	1270	GLU	-	expression tag	UNP U5WLK5
B	1271	LYS	-	expression tag	UNP U5WLK5
C	1192	GLY	-	expression tag	UNP U5WLK5
C	1193	SER	-	expression tag	UNP U5WLK5
C	1194	GLY	-	expression tag	UNP U5WLK5
C	1195	TYR	-	expression tag	UNP U5WLK5
C	1196	ILE	-	expression tag	UNP U5WLK5
C	1197	PRO	-	expression tag	UNP U5WLK5
C	1198	GLU	-	expression tag	UNP U5WLK5
C	1199	ALA	-	expression tag	UNP U5WLK5
C	1200	PRO	-	expression tag	UNP U5WLK5
C	1201	ARG	-	expression tag	UNP U5WLK5
C	1202	ASP	-	expression tag	UNP U5WLK5
C	1203	GLY	-	expression tag	UNP U5WLK5
C	1204	GLN	-	expression tag	UNP U5WLK5
C	1205	ALA	-	expression tag	UNP U5WLK5
C	1206	TYR	-	expression tag	UNP U5WLK5
C	1207	VAL	-	expression tag	UNP U5WLK5
C	1208	ARG	-	expression tag	UNP U5WLK5
C	1209	LYS	-	expression tag	UNP U5WLK5
C	1210	ASP	-	expression tag	UNP U5WLK5
C	1211	GLY	-	expression tag	UNP U5WLK5
C	1212	GLU	-	expression tag	UNP U5WLK5
C	1213	TRP	-	expression tag	UNP U5WLK5
C	1214	VAL	-	expression tag	UNP U5WLK5
C	1215	LEU	-	expression tag	UNP U5WLK5
C	1216	LEU	-	expression tag	UNP U5WLK5
C	1217	SER	-	expression tag	UNP U5WLK5
C	1218	THR	-	expression tag	UNP U5WLK5
C	1219	PHE	-	expression tag	UNP U5WLK5
C	1220	LEU	-	expression tag	UNP U5WLK5
C	1221	GLY	-	expression tag	UNP U5WLK5
C	1222	ARG	-	expression tag	UNP U5WLK5
C	1223	SER	-	expression tag	UNP U5WLK5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1224	LEU	-	expression tag	UNP U5WLK5
C	1225	GLU	-	expression tag	UNP U5WLK5
C	1226	VAL	-	expression tag	UNP U5WLK5
C	1227	LEU	-	expression tag	UNP U5WLK5
C	1228	PHE	-	expression tag	UNP U5WLK5
C	1229	GLN	-	expression tag	UNP U5WLK5
C	1230	GLY	-	expression tag	UNP U5WLK5
C	1231	PRO	-	expression tag	UNP U5WLK5
C	1232	GLY	-	expression tag	UNP U5WLK5
C	1233	HIS	-	expression tag	UNP U5WLK5
C	1234	HIS	-	expression tag	UNP U5WLK5
C	1235	HIS	-	expression tag	UNP U5WLK5
C	1236	HIS	-	expression tag	UNP U5WLK5
C	1237	HIS	-	expression tag	UNP U5WLK5
C	1238	HIS	-	expression tag	UNP U5WLK5
C	1239	HIS	-	expression tag	UNP U5WLK5
C	1240	HIS	-	expression tag	UNP U5WLK5
C	1241	SER	-	expression tag	UNP U5WLK5
C	1242	ALA	-	expression tag	UNP U5WLK5
C	1243	TRP	-	expression tag	UNP U5WLK5
C	1244	SER	-	expression tag	UNP U5WLK5
C	1245	HIS	-	expression tag	UNP U5WLK5
C	1246	PRO	-	expression tag	UNP U5WLK5
C	1247	GLN	-	expression tag	UNP U5WLK5
C	1248	PHE	-	expression tag	UNP U5WLK5
C	1249	GLU	-	expression tag	UNP U5WLK5
C	1250	LYS	-	expression tag	UNP U5WLK5
C	1251	GLY	-	expression tag	UNP U5WLK5
C	1252	GLY	-	expression tag	UNP U5WLK5
C	1253	GLY	-	expression tag	UNP U5WLK5
C	1254	SER	-	expression tag	UNP U5WLK5
C	1255	GLY	-	expression tag	UNP U5WLK5
C	1256	GLY	-	expression tag	UNP U5WLK5
C	1257	GLY	-	expression tag	UNP U5WLK5
C	1258	GLY	-	expression tag	UNP U5WLK5
C	1259	SER	-	expression tag	UNP U5WLK5
C	1260	GLY	-	expression tag	UNP U5WLK5
C	1261	GLY	-	expression tag	UNP U5WLK5
C	1262	SER	-	expression tag	UNP U5WLK5
C	1263	ALA	-	expression tag	UNP U5WLK5
C	1264	TRP	-	expression tag	UNP U5WLK5
C	1265	SER	-	expression tag	UNP U5WLK5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1266	HIS	-	expression tag	UNP U5WLK5
C	1267	PRO	-	expression tag	UNP U5WLK5
C	1268	GLN	-	expression tag	UNP U5WLK5
C	1269	PHE	-	expression tag	UNP U5WLK5
C	1270	GLU	-	expression tag	UNP U5WLK5
C	1271	LYS	-	expression tag	UNP U5WLK5

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein



- Molecule 1: Spike glycoprotein

LEU	GLU	LYS	V1051	T842	S702	T568
GLU	ILE	GLN	E1055	L847	V709	D573
VAL	ASP	ASP	F1068	M852	S718	I574
LEU	ARG	LEU	K1069	L877	V719	S578
PHE	LEU	ASN	E1075	Q878	M723	F579
LEU	VAL	GLU	T1099	Y879	Y724	V582
GLY	ALA	ALA	T1100	M885	Q745	Y599
PRO	ASN	ASN	D1101	A913	L750	Q600
GLY	LEU	ASN	M1102	E917	V607	P608
PRO	ASN	GLU	D1110	Q918	P608	
HIS	GLU	LEU	N1118	E919	L616	THR
HIS	LEU	ILE	T1119	T922	THR	PRO
HIS	ASP	ASP	L1124	T923	PRO	SER
HIS	LEU	GLN		T924	TRP	SER
HIS	GLU	LEU		L928	TRP	TRP
HIS	GLU	GLY		L931	ARG	ARG
SER	GLY	LYS		V934	V622	V623
ALA	TYR	ASP		L949	V624	S624
ALA	GLY	SER		V959	N627	
TRP	LEU	PHE		L967	Q631	
SER	GLU	GLY		D968	T632	
HIS	LEU	LEU		E971	G635	
GLN	GLY	ASP		A972	G635	
GLY	TYR	ILE		E973	I651	
GLY	ILE	PRO		Y976	I657	
GLY	PRO	ASP		I980	H662	
GLY	GLY	THR		L987	T663	
GLY	GLY	SER		Q988	V664	
SER	ALA	PRO		T989	SER	
SER	GLY	GLN		Y990	SER	
ALA	GLY	ALA		Y991	LEU	
TRP	GLY	TYR		K1011	GLN	
ALA	ILE	ASP		F1025	GLN	
TRP	VAL	VAL		L1032	LEU	
ALA	ARG	ASP		P1036	ARG	
TRP	LYS	LEU		Q1037	ARG	
HIS	ASP	GLY		V1044	GLN	
PRO	GLY	ILE			I697	
GLN	GLY	GLY			P698	
GLM	VAL	LEU				
PHE	LEU	LEU				
GLU	SER	SER				
LYS	THR	ALA				
	PHE	ALA				
	LEU	ASP				
	GLY	THR				
	LEU	VAL				
	GLY	VAL				
	ARG	ASN				
	SER	ILE				
		GLY				
		ILE				
		ALA				
		ASN				
		ALA				
		ARG				
		ASP				
		ASP				
		GLY				
		ILE				
		SER				
		GLY				
		ILE				
		ALA				
		ASN				
		ALA				
		ARG				
		ASP				
		THR				
		VAL				
		VAL				
		ASN				
		ILE				
		ARG				
		GLN				
		ILE				
		GLN				
		SER				

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	76442	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.458	Depositor
Minimum map value	-1.044	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.026	Depositor
Recommended contour level	0.18	Depositor
Map size (Å)	481.28, 481.28, 481.28	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.94, 0.94, 0.94	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/7753	0.49	0/10532
1	B	0.28	0/7749	0.49	0/10527
1	C	0.28	0/7759	0.49	0/10540
All	All	0.28	0/23261	0.49	0/31599

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7590	7419	7426	92	0
1	B	7586	7413	7423	83	0
1	C	7596	7419	7431	93	0
All	All	22772	22251	22280	244	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 244 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:PHE:O	1:A:252:ALA:N	2.07	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:ASN:O	1:A:431:SER:OG	1.95	0.83
1:C:427:ASN:O	1:C:431:SER:OG	1.97	0.82
1:B:427:ASN:O	1:B:431:SER:OG	1.98	0.80
1:C:49:ARG:O	1:C:271:GLY:N	2.17	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	947/1271 (74%)	907 (96%)	40 (4%)	0	100	100
1	B	946/1271 (74%)	911 (96%)	35 (4%)	0	100	100
1	C	948/1271 (75%)	909 (96%)	39 (4%)	0	100	100
All	All	2841/3813 (74%)	2727 (96%)	114 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	846/1099 (77%)	829 (98%)	17 (2%)	50	74
1	B	846/1099 (77%)	834 (99%)	12 (1%)	62	81
1	C	847/1099 (77%)	830 (98%)	17 (2%)	50	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2539/3297 (77%)	2493 (98%)	46 (2%)	54 76

5 of 46 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	922	THR
1	C	371	SER
1	C	50	SER
1	C	322	ASN
1	C	446	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	159	ASN
1	B	628	ASN
1	B	896	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-45402. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 272




Y Index: 264




Z Index: 305


6.3.2 Raw map



X Index: 251



Y Index: 264




Z Index: 296


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.18. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 167 nm^3 ; this corresponds to an approximate mass of 151 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.89	7.51	3.92
Unmasked-calculated*	3.87	7.45	3.91


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 3.89 differs from the reported value 3.1 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.87 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-45402 and PDB model 9CAS. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.18 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.18).









9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.18) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8560	 0.5470
A	 0.8610	 0.5470
B	 0.8600	 0.5470
C	 0.8600	 0.5470

