



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 02:28 pm BST

PDB ID : 1CDD
Title : STRUCTURES OF APO AND COMPLEXED ESCHERICHIA COLI
GLYCINAMIDE RIBONUCLEOTIDE TRANSFORMYLASE
Authors : Almassy, R.J.; Janson, C.A.; Kan, C.-C.; Hostomska, Z.
Deposited on : 1992-05-15
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	212	
1	B	212	

2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 2918 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	189	1454	921	255	273	5	0	0	0
1	B	189	1454	921	255	273	5	0	0	0

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	A	1	5	4	1	0	0
2	B	1	5	4	1	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE

Chain A: 



- Molecule 1: PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	140.90Å 97.60Å 102.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.80 8.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) ((Not available)-2.80) 91.2 (8.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.82Å)	Xtrriage
Refinement program	PROLSQ, X-PLOR	Depositor
R, R_{free}	0.225 , (Not available) 0.207 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	48.3	Xtrriage
Anisotropy	0.545	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 77.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2918	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.03	1/1485 (0.1%)	1.93	44/2017 (2.2%)
1	B	1.07	1/1485 (0.1%)	2.19	59/2017 (2.9%)
All	All	1.05	2/2970 (0.1%)	2.06	103/4034 (2.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0
1	B	1	1
All	All	2	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	148	VAL	CA-CB	5.48	1.66	1.54
1	B	9	GLY	CA-C	5.11	1.60	1.51

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	212	GLU	CB-CA-C	17.36	145.11	110.40
1	B	64	ARG	NE-CZ-NH2	-12.80	113.90	120.30
1	B	210	ALA	CA-C-N	-10.66	93.75	117.20
1	B	209	ALA	N-CA-C	9.92	137.78	111.00
1	A	188	ARG	NE-CZ-NH2	-9.71	115.44	120.30
1	B	208	TYR	CB-CG-CD1	9.69	126.81	121.00
1	B	210	ALA	N-CA-C	9.63	137.01	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	134	THR	CA-CB-CG2	-9.37	99.28	112.40
1	B	134	THR	CA-CB-CG2	9.30	125.43	112.40
1	B	204	PRO	CA-N-CD	-9.10	98.76	111.50
1	B	208	TYR	CB-CG-CD2	-9.03	115.58	121.00
1	B	38	ALA	O-C-N	-8.67	108.83	122.70
1	A	64	ARG	NE-CZ-NH2	-8.53	116.03	120.30
1	B	133	GLY	C-N-CA	8.31	142.48	121.70
1	B	109	PRO	N-CA-C	8.27	133.60	112.10
1	B	38	ALA	CA-C-N	8.24	135.33	117.20
1	A	31	ARG	NE-CZ-NH1	8.24	124.42	120.30
1	A	183	TRP	CD1-CG-CD2	8.22	112.87	106.30
1	B	109	PRO	CA-C-N	-7.89	100.42	116.20
1	B	32	ALA	CB-CA-C	-7.87	98.30	110.10
1	A	133	GLY	CA-C-N	-7.83	99.98	117.20
1	B	90	ARG	NE-CZ-NH1	7.73	124.16	120.30
1	A	197	TRP	CE2-CD2-CG	-7.71	101.13	107.30
1	B	133	GLY	CA-C-N	-7.71	100.25	117.20
1	B	162	GLU	CA-C-N	-7.47	100.75	117.20
1	B	39	ASP	CB-CA-C	-7.43	95.53	110.40
1	B	134	THR	CA-CB-OG1	-7.43	93.40	109.00
1	A	77	MET	CA-CB-CG	7.37	125.83	113.30
1	B	183	TRP	CE2-CD2-CG	-7.31	101.45	107.30
1	B	10	ASN	CA-C-N	7.31	130.81	116.20
1	B	211	ASP	N-CA-C	7.29	130.68	111.00
1	B	183	TRP	CD1-CG-CD2	7.28	112.12	106.30
1	B	82	VAL	CB-CA-C	-7.25	97.63	111.40
1	A	134	THR	N-CA-C	7.24	130.55	111.00
1	A	47	ARG	NE-CZ-NH1	7.24	123.92	120.30
1	B	69	ARG	NE-CZ-NH1	7.24	123.92	120.30
1	B	188	ARG	NE-CZ-NH2	-7.16	116.72	120.30
1	A	141	ASP	N-CA-C	7.09	130.14	111.00
1	A	134	THR	CA-C-N	-6.86	102.12	117.20
1	A	183	TRP	CE2-CD2-CG	-6.84	101.83	107.30
1	B	183	TRP	CG-CD2-CE3	6.83	140.05	133.90
1	B	45	ARG	NE-CZ-NH1	6.73	123.66	120.30
1	B	39	ASP	N-CA-CB	6.72	122.69	110.60
1	B	31	ARG	CA-CB-CG	6.69	128.12	113.40
1	A	69	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	B	212	GLU	N-CA-C	-6.65	93.05	111.00
1	A	18	ILE	CB-CG1-CD1	-6.65	95.29	113.90
1	A	197	TRP	CD1-CG-CD2	6.64	111.61	106.30
1	A	53	THR	CA-CB-OG1	-6.54	95.27	109.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	158	ALA	N-CA-C	6.42	128.35	111.00
1	A	78	TYR	CB-CG-CD1	-6.38	117.17	121.00
1	B	88	PHE	CA-C-N	6.33	131.12	117.20
1	A	133	GLY	C-N-CA	6.30	137.45	121.70
1	B	133	GLY	O-C-N	6.28	132.74	122.70
1	B	33	VAL	CA-CB-CG2	-6.26	101.50	110.90
1	B	197	TRP	CE2-CD2-CG	-6.22	102.32	107.30
1	B	209	ALA	N-CA-CB	-6.21	101.40	110.10
1	A	1	MET	CA-C-N	6.18	130.79	117.20
1	A	141	ASP	CA-C-N	6.16	130.74	117.20
1	A	201	GLN	CB-CA-C	-6.15	98.10	110.40
1	A	61	PHE	N-CA-C	6.12	127.51	111.00
1	A	53	THR	CA-CB-CG2	6.10	120.94	112.40
1	A	208	TYR	CB-CG-CD2	-6.09	117.34	121.00
1	A	197	TRP	NE1-CE2-CZ2	-6.07	123.72	130.40
1	A	90	ARG	CB-CG-CD	6.07	127.38	111.60
1	A	141	ASP	O-C-N	-6.06	113.00	122.70
1	B	67	TYR	CB-CG-CD2	-5.97	117.42	121.00
1	B	31	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	B	100	TYR	CB-CG-CD1	-5.90	117.46	121.00
1	A	25	LYS	CA-CB-CG	-5.88	100.46	113.40
1	A	1	MET	O-C-N	-5.86	113.33	122.70
1	A	69	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	B	5	VAL	CG1-CB-CG2	-5.74	101.72	110.90
1	A	197	TRP	CG-CD2-CE3	5.68	139.01	133.90
1	B	134	THR	CA-C-N	-5.67	104.72	117.20
1	A	36	ASN	OD1-CG-ND2	-5.66	108.89	121.90
1	B	210	ALA	CA-C-O	5.64	131.94	120.10
1	A	148	VAL	CA-CB-CG2	5.58	119.28	110.90
1	B	210	ALA	CB-CA-C	-5.53	101.81	110.10
1	B	157	PHE	CA-C-N	-5.51	105.08	117.20
1	A	95	ALA	N-CA-CB	5.49	117.79	110.10
1	A	202	ARG	CB-CG-CD	-5.45	97.43	111.60
1	A	1	MET	CA-CB-CG	5.43	122.54	113.30
1	B	56	LEU	O-C-N	-5.42	114.02	122.70
1	A	36	ASN	CB-CG-ND2	5.41	129.69	116.70
1	B	7	ILE	CB-CA-C	-5.35	100.90	111.60
1	B	6	LEU	CA-CB-CG	5.30	127.50	115.30
1	B	136	VAL	CG1-CB-CG2	-5.30	102.42	110.90
1	A	1	MET	CB-CG-SD	5.29	128.25	112.40
1	B	97	VAL	CG1-CB-CG2	-5.27	102.47	110.90
1	B	9	GLY	N-CA-C	5.24	126.20	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	90	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	B	197	TRP	CD1-CG-CD2	5.23	110.48	106.30
1	A	197	TRP	CB-CG-CD1	-5.22	120.21	127.00
1	A	52	ALA	CB-CA-C	-5.17	102.35	110.10
1	B	169	VAL	CA-CB-CG1	-5.13	103.21	110.90
1	B	204	PRO	CA-CB-CG	-5.12	94.28	104.00
1	A	144	ASP	N-CA-C	5.08	124.72	111.00
1	B	59	SER	N-CA-CB	5.07	118.11	110.50
1	B	33	VAL	CA-CB-CG1	5.06	118.48	110.90
1	A	202	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	B	67	TYR	CB-CG-CD1	5.03	124.02	121.00
1	B	143	LEU	N-CA-CB	-5.01	100.37	110.40

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	212	GLU	CA
1	B	212	GLU	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	204	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1454	0	1434	44	0
1	B	1454	0	1434	52	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
All	All	2918	0	2868	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:GLY:HA2	1:A:45:ARG:HG3	1.52	0.89
1:B:15:GLN:HG2	1:B:45:ARG:HD3	1.65	0.79
1:A:138:PHE:HB2	1:A:147:PRO:HG2	1.69	0.75
1:A:43:LEU:HD22	1:A:53:THR:HG23	1.70	0.73
1:A:54:HIS:HD2	1:B:54:HIS:HD2	1.36	0.73
1:B:33:VAL:HG23	1:B:51:ILE:HD11	1.71	0.73
1:B:10:ASN:HD21	1:B:45:ARG:HH21	1.39	0.70
1:B:54:HIS:HE1	1:B:78:TYR:OH	1.75	0.69
1:B:1:MET:HA	1:B:28:GLY:HA2	1.75	0.68
1:B:10:ASN:HD21	1:B:45:ARG:NH2	1.92	0.67
1:B:13:ASN:HD21	1:B:173:GLU:HB3	1.60	0.66
1:A:54:HIS:HE1	1:A:78:TYR:OH	1.83	0.62
1:B:3:ILE:HD11	1:B:26:ILE:HD11	1.82	0.61
1:B:155:PRO:HB2	1:B:168:ARG:HH12	1.65	0.61
1:B:134:THR:HG23	1:B:176:ILE:HD11	1.83	0.61
1:B:30:VAL:HG22	1:B:51:ILE:HD13	1.84	0.60
1:A:8:SER:HB2	1:A:87:GLY:O	2.03	0.59
1:A:134:THR:HG21	1:A:173:GLU:HG2	1.86	0.58
1:B:150:LEU:HD22	1:B:176:ILE:HB	1.85	0.57
1:B:136:VAL:HG11	1:B:180:VAL:HG11	1.87	0.56
1:B:5:VAL:HG13	1:B:33:VAL:HG22	1.88	0.56
1:A:4:VAL:HG21	1:A:75:ILE:HG23	1.88	0.56
1:A:43:LEU:HD22	1:A:53:THR:CG2	2.36	0.56
1:B:155:PRO:HB2	1:B:168:ARG:NH1	2.21	0.55
1:B:10:ASN:ND2	1:B:45:ARG:HH21	2.03	0.55
1:B:1:MET:HA	1:B:28:GLY:CA	2.36	0.54
1:A:95:ALA:O	1:A:99:HIS:HB2	2.07	0.54
1:B:7:ILE:O	1:B:35:SER:HA	2.08	0.53
1:A:138:PHE:O	1:A:146:GLY:HA3	2.09	0.53
1:B:104:LEU:HD13	1:B:139:VAL:HB	1.92	0.52
1:B:188:ARG:HD2	1:B:199:ASP:OD1	2.10	0.52
1:A:106:ASN:ND2	1:A:107:ILE:H	2.08	0.52
1:A:44:GLU:HB2	1:B:47:ARG:HH11	1.75	0.52
1:A:134:THR:CG2	1:A:173:GLU:HG2	2.40	0.51
1:A:156:VAL:HG23	1:A:165:ILE:HD11	1.91	0.51
1:A:44:GLU:HB2	1:B:47:ARG:NH1	2.26	0.51
1:B:153:LYS:HD2	1:B:153:LYS:O	2.11	0.50
1:A:88:PHE:CE2	1:A:90:ARG:HB3	2.46	0.50
1:B:177:TYR:HB3	1:B:178:PRO:HD3	1.93	0.50
1:A:83:VAL:HG11	1:A:100:TYR:CD1	2.46	0.49
1:B:150:LEU:CD2	1:B:176:ILE:HB	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:ILE:O	1:B:57:ILE:HG13	2.10	0.49
1:B:11:GLY:H	1:B:45:ARG:HE	1.61	0.49
1:A:54:HIS:HD2	1:B:54:HIS:CD2	2.25	0.49
1:B:204:PRO:O	1:B:206:GLN:N	2.47	0.48
1:A:197:TRP:CZ3	1:A:202:ARG:HB2	2.49	0.48
1:B:166:THR:O	1:B:169:VAL:HG22	2.14	0.48
1:B:188:ARG:O	1:B:198:LEU:HD12	2.13	0.48
1:A:97:VAL:HG23	1:A:98:SER:N	2.28	0.48
1:B:2:ASN:HD21	1:B:31:ARG:HH11	1.61	0.48
1:A:106:ASN:HD22	1:A:107:ILE:H	1.61	0.48
1:B:149:ILE:HG21	1:B:189:LEU:HD21	1.96	0.48
1:B:10:ASN:HA	1:B:41:PHE:HB3	1.95	0.48
1:A:198:LEU:HB3	1:A:199:ASP:H	1.58	0.48
1:A:1:MET:HA	1:A:28:GLY:HA2	1.96	0.47
1:B:7:ILE:HG13	1:B:35:SER:HB2	1.97	0.47
1:B:77:MET:HE2	1:B:78:TYR:CE2	2.50	0.46
1:B:37:LYS:HD3	1:B:37:LYS:HA	1.60	0.46
1:A:4:VAL:HG13	1:A:80:PRO:HB3	1.98	0.46
1:A:6:LEU:HD13	1:A:83:VAL:HG23	1.99	0.45
1:B:190:LYS:HB3	1:B:190:LYS:HE2	1.70	0.45
1:A:93:SER:O	1:A:97:VAL:HG22	2.17	0.45
1:A:72:ILE:HG23	1:A:100:TYR:OH	2.17	0.45
1:A:77:MET:HE1	1:B:70:GLU:CD	2.38	0.44
1:B:172:GLN:O	1:B:176:ILE:HG12	2.18	0.44
1:B:134:THR:HG22	1:B:152:ALA:HB3	1.99	0.44
1:A:18:ILE:HD13	1:A:18:ILE:HG21	1.80	0.43
1:A:54:HIS:CD2	1:B:54:HIS:HD2	2.25	0.43
1:A:72:ILE:HG12	1:A:100:TYR:HE2	1.84	0.43
1:A:108:HIS:HA	1:A:109:PRO:HD3	1.74	0.43
1:A:91:ILE:HD13	1:A:91:ILE:HG21	1.70	0.43
1:B:36:ASN:ND2	1:B:90:ARG:HB2	2.34	0.43
1:A:183:TRP:CE3	1:A:198:LEU:HD11	2.54	0.42
1:B:15:GLN:O	1:B:18:ILE:HG12	2.19	0.42
1:A:183:TRP:CZ3	1:A:198:LEU:HD11	2.54	0.42
1:A:108:HIS:O	1:A:134:THR:HA	2.19	0.42
1:A:197:TRP:N	1:A:197:TRP:CD1	2.87	0.42
1:A:1:MET:HA	1:A:28:GLY:CA	2.49	0.42
1:A:77:MET:HE1	1:B:70:GLU:OE1	2.18	0.42
1:B:67:TYR:CD1	1:B:67:TYR:C	2.93	0.42
1:B:15:GLN:HG2	1:B:45:ARG:HH11	1.85	0.42
1:B:18:ILE:HD12	1:B:49:ALA:HB2	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:MET:HE3	1:A:77:MET:HB3	1.79	0.41
1:B:15:GLN:CG	1:B:45:ARG:HH11	2.34	0.41
1:B:67:TYR:HE1	1:B:71:LEU:HD22	1.85	0.41
1:A:190:LYS:HE3	1:A:190:LYS:HB2	1.89	0.40
1:A:107:ILE:HG13	1:A:108:HIS:N	2.36	0.40
1:A:207:GLY:O	1:A:208:TYR:HB3	2.21	0.40
1:B:149:ILE:HD13	1:B:189:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	187/212 (88%)	158 (84%)	19 (10%)	10 (5%)	2	6
1	B	187/212 (88%)	145 (78%)	23 (12%)	19 (10%)	0	1
All	All	374/424 (88%)	303 (81%)	42 (11%)	29 (8%)	1	2

All (29) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	134	THR
1	A	210	ALA
1	B	32	ALA
1	B	38	ALA
1	B	40	ALA
1	B	158	ALA
1	B	204	PRO
1	B	207	GLY
1	B	209	ALA
1	B	211	ASP
1	A	95	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	101	ALA
1	A	186	ASP
1	A	193	GLU
1	A	208	TYR
1	B	163	ASP
1	B	134	THR
1	B	162	GLU
1	B	210	ALA
1	A	24	ASN
1	B	39	ASP
1	B	208	TYR
1	B	27	LYS
1	B	31	ARG
1	B	164	ASP
1	B	199	ASP
1	A	58	ALA
1	B	9	GLY
1	A	133	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	151/171 (88%)	120 (80%)	31 (20%)	1 3
1	B	151/171 (88%)	116 (77%)	35 (23%)	1 2
All	All	302/342 (88%)	236 (78%)	66 (22%)	1 3

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	23	THR
1	A	24	ASN
1	A	27	LYS
1	A	36	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	48	GLN
1	A	55	THR
1	A	57	ILE
1	A	64	ARG
1	A	77	MET
1	A	83	VAL
1	A	89	MET
1	A	90	ARG
1	A	98	SER
1	A	106	ASN
1	A	107	ILE
1	A	134	THR
1	A	136	VAL
1	A	140	THR
1	A	142	GLU
1	A	143	LEU
1	A	153	LYS
1	A	168	ARG
1	A	176	ILE
1	A	177	TYR
1	A	190	LYS
1	A	191	MET
1	A	198	LEU
1	A	201	GLN
1	A	206	GLN
1	A	211	ASP
1	B	6	LEU
1	B	13	ASN
1	B	25	LYS
1	B	26	ILE
1	B	29	THR
1	B	30	VAL
1	B	35	SER
1	B	39	ASP
1	B	47	ARG
1	B	48	GLN
1	B	51	ILE
1	B	55	THR
1	B	82	VAL
1	B	84	VAL
1	B	89	MET
1	B	104	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	109	PRO
1	B	134	THR
1	B	142	GLU
1	B	151	GLN
1	B	153	LYS
1	B	157	PHE
1	B	161	SER
1	B	164	ASP
1	B	165	ILE
1	B	177	TYR
1	B	179	LEU
1	B	180	VAL
1	B	192	HIS
1	B	194	ASN
1	B	201	GLN
1	B	204	PRO
1	B	205	PRO
1	B	208	TYR
1	B	212	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	HIS
1	A	106	ASN
1	B	2	ASN
1	B	10	ASN
1	B	13	ASN
1	B	54	HIS
1	B	106	ASN
1	B	137	HIS
1	B	151	GLN
1	B	206	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	B	221	-	4,4,4	2.92	1 (25%)	6,6,6	1.45	1 (16%)
2	PO4	A	221	-	4,4,4	2.83	1 (25%)	6,6,6	0.63	0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	221	PO4	P-O4	-5.45	1.38	1.54
2	A	221	PO4	P-O4	-5.32	1.38	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	221	PO4	O3-P-O2	2.46	115.86	107.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	189/212 (89%)	-0.98	1 (0%) 91 88	8, 29, 66, 122	0
1	B	189/212 (89%)	-0.60	7 (3%) 41 31	6, 31, 93, 146	0
All	All	378/424 (89%)	-0.79	8 (2%) 63 54	6, 30, 81, 146	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	159	GLY	8.8
1	B	158	ALA	8.2
1	B	160	ASP	4.8
1	B	161	SER	4.7
1	A	211	ASP	3.6
1	B	162	GLU	3.5
1	B	157	PHE	3.4
1	B	163	ASP	3.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	B	221	5/5	0.98	0.11	40,42,50,56	0
2	PO4	A	221	5/5	0.99	0.06	29,33,34,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.