



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2024 – 01:30 pm GMT

PDB ID : 8CFX  
Title : Crystal structure of S-adenosyl-L-homocysteine hydrolase from *P. aeruginosa* in complex with F2X-Entry library fragment H06  
Authors : Malecki, P.H.; Gawel, M.; Stepniewska, M.; Brzezinski, K.  
Deposited on : 2023-02-03  
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*




The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	 5% 94% 5%
1	B	472	 8% 93% 5%
1	C	472	 7% 92% 5%
1	D	472	 9% 95% 5%
1	G	472	 5% 93% 5%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	H	472	 9% 92% 6% •
1	I	472	 3% 93% 5% •
1	J	472	 9% 92% 5% ••

## 2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 32060 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	462	3578	2255	619	681	23	0	3	0
1	B	461	3571	2251	618	680	22	0	3	0
1	C	462	3584	2259	619	683	23	0	4	0
1	D	463	3597	2268	622	684	23	0	5	0
1	G	461	3573	2252	618	680	23	0	3	0
1	H	461	3560	2244	616	678	22	0	1	0
1	I	461	3579	2256	618	682	23	0	4	0
1	J	461	3573	2252	618	680	23	0	3	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9I685
A	-1	ASN	-	expression tag	UNP Q9I685
A	0	ALA	-	expression tag	UNP Q9I685
B	-2	SER	-	expression tag	UNP Q9I685
B	-1	ASN	-	expression tag	UNP Q9I685
B	0	ALA	-	expression tag	UNP Q9I685
C	-2	SER	-	expression tag	UNP Q9I685
C	-1	ASN	-	expression tag	UNP Q9I685
C	0	ALA	-	expression tag	UNP Q9I685
D	-2	SER	-	expression tag	UNP Q9I685
D	-1	ASN	-	expression tag	UNP Q9I685
D	0	ALA	-	expression tag	UNP Q9I685
G	-2	SER	-	expression tag	UNP Q9I685

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-1	ASN	-	expression tag	UNP Q9I685
G	0	ALA	-	expression tag	UNP Q9I685
H	-2	SER	-	expression tag	UNP Q9I685
H	-1	ASN	-	expression tag	UNP Q9I685
H	0	ALA	-	expression tag	UNP Q9I685
I	-2	SER	-	expression tag	UNP Q9I685
I	-1	ASN	-	expression tag	UNP Q9I685
I	0	ALA	-	expression tag	UNP Q9I685
J	-2	SER	-	expression tag	UNP Q9I685
J	-1	ASN	-	expression tag	UNP Q9I685
J	0	ALA	-	expression tag	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	I	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	J	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is ADENINE (three-letter code: ADE) (formula: C<sub>5</sub>H<sub>5</sub>N<sub>5</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C N	0	0
			10	5 5		
3	B	1	Total	C N	0	0
			10	5 5		
3	C	1	Total	C N	0	0
			10	5 5		
3	D	1	Total	C N	0	0
			10	5 5		
3	G	1	Total	C N	0	0
			10	5 5		
3	H	1	Total	C N	0	0
			10	5 5		
3	I	1	Total	C N	0	0
			10	5 5		
3	J	1	Total	C N	0	0
			10	5 5		

- Molecule 4 is ethyl (E)-3-(4-aminophenyl)prop-2-enoate (three-letter code: UID) (formula:  $C_{11}H_{13}NO_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	Total 14	C 11	N 1	O 2	0	0
4	C	1	Total 14	C 11	N 1	O 2	0	0
4	D	1	Total 14	C 11	N 1	O 2	0	0
4	G	1	Total 14	C 11	N 1	O 2	0	0
4	I	1	Total 14	C 11	N 1	O 2	0	0
4	J	1	Total 14	C 11	N 1	O 2	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1	0	0
5	B	1	Total K 1	0	0
5	C	1	Total K 1	0	0
5	D	1	Total K 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0
5	I	1	Total K 1 1	0	0
5	J	1	Total K 1 1	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O P 5 4 1	0	0
6	A	1	Total O P 5 4 1	0	0
6	A	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total O P 5 4 1	0	0
6	C	1	Total O P 5 4 1	0	0


Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
6	C	1	5	4	1	0	0
6	D	1	5	4	1	0	0
6	D	1	5	4	1	0	0
6	D	1	5	4	1	0	0
6	D	1	5	4	1	0	0
6	G	1	5	4	1	0	0
6	G	1	5	4	1	0	0
6	G	1	5	4	1	0	0
6	G	1	5	4	1	0	0
6	G	1	5	4	1	0	0
6	H	1	5	4	1	0	0
6	H	1	5	4	1	0	0
6	I	1	5	4	1	0	0
6	I	1	5	4	1	0	0
6	I	1	5	4	1	0	0
6	J	1	5	4	1	0	0
6	J	1	5	4	1	0	0
6	J	1	5	4	1	0	0
6	J	1	5	4	1	0	0

- Molecule 7 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	1	Total	C	O	S	0	0
			4	2	1	1		
7	C	1	Total	C	O	S	0	0
			4	2	1	1		
7	D	1	Total	C	O	S	0	0
			4	2	1	1		
7	I	1	Total	C	O	S	0	0
			4	2	1	1		
7	I	1	Total	C	O	S	0	0
			4	2	1	1		
7	J	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	376	Total	O	0	4
			380	380		
8	B	325	Total	O	0	9
			334	334		
8	C	318	Total	O	0	1
			319	319		
8	D	345	Total	O	0	6
			351	351		
8	G	341	Total	O	0	8
			349	349		
8	H	322	Total	O	0	9
			331	331		

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
8	I	366	Total 371	O 371	0	5
8	J	327	Total 332	O 332	0	5


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase





- Molecule 1: Adenosylhomocysteinase








• Molecule 1: Adenosylhomocysteinase





• Molecule 1: Adenosylhomocysteinase



• Molecule 1: Adenosylhomocysteinase



• Molecule 1: Adenosylhomocysteinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	109.57Å 103.99Å 176.09Å 90.00° 99.58° 90.00°	Depositor
Resolution (Å)	35.94 – 1.98 48.07 – 1.98	Depositor EDS
% Data completeness (in resolution range)	99.5 (35.94-1.98) 99.6 (48.07-1.98)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.24 (at 1.98Å)	Xtrriage
Refinement program	PHENIX 1.19.2-4158	Depositor
R, $R_{free}$	0.168 , 0.203 0.168 , 0.203	Depositor DCC
$R_{free}$ test set	1001 reflections (0.37%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.5	Xtrriage
Anisotropy	0.195	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 51.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	32060	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.44 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7345e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, DMS, UID, ADE, NAD, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/3644	0.52	1/4926 (0.0%)
1	B	0.29	0/3640	0.52	0/4921
1	C	0.28	0/3653	0.50	0/4938
1	D	0.29	0/3664	0.51	1/4953 (0.0%)
1	G	0.28	0/3639	0.51	0/4919
1	H	0.28	0/3623	0.52	0/4898
1	I	0.29	0/3648	0.52	0/4931
1	J	0.29	0/3639	0.52	0/4919
All	All	0.29	0/29150	0.51	2/39405 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	373	LEU	CA-CB-CG	5.32	127.54	115.30
1	A	373	LEU	CA-CB-CG	5.04	126.90	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3578	0	3584	9	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3571	0	3579	11	0
1	C	3584	0	3590	14	0
1	D	3597	0	3605	7	0
1	G	3573	0	3579	12	0
1	H	3560	0	3565	13	0
1	I	3579	0	3585	11	0
1	J	3573	0	3579	15	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
2	G	44	0	26	0	0
2	H	44	0	26	0	0
2	I	44	0	26	2	0
2	J	44	0	26	0	0
3	A	10	0	4	0	0
3	B	10	0	4	0	0
3	C	10	0	4	0	0
3	D	10	0	4	0	0
3	G	10	0	4	0	0
3	H	10	0	4	0	0
3	I	10	0	4	0	0
3	J	10	0	4	0	0
4	A	14	0	0	1	0
4	C	14	0	0	1	0
4	D	14	0	0	1	0
4	G	14	0	0	1	0
4	I	14	0	0	1	0
4	J	14	0	0	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
6	A	15	0	0	1	0
6	B	15	0	0	0	0
6	C	10	0	0	0	0
6	D	20	0	0	0	0
6	G	25	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	10	0	0	0	0
6	I	15	0	0	0	0
6	J	20	0	0	0	0
7	C	8	0	12	0	0
7	D	4	0	6	0	0
7	I	8	0	12	0	0
7	J	4	0	6	0	0
8	A	380	0	0	1	0
8	B	334	0	0	2	0
8	C	319	0	0	1	0
8	D	351	0	0	0	0
8	G	349	0	0	1	0
8	H	331	0	0	1	0
8	I	371	0	0	3	0
8	J	332	0	0	1	0
All	All	32060	0	28942	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:57[A]:LEU:HB3	1:D:143:LEU:HD21	1.77	0.66
1:A:153:GLN:NE2	8:A:601:HOH:O	2.29	0.65
1:G:189:ASN:HA	1:G:194:LYS:HD2	1.79	0.64
1:D:400:HIS:HB2	4:D:504:UID:C09	2.30	0.62
1:I:126:LYS:NZ	8:I:601:HOH:O	2.32	0.62
1:C:424:PRO:HD2	1:C:427:LEU:HD12	1.83	0.60
1:G:410:PRO:HD2	1:G:413:GLU:HB2	1.84	0.59
1:B:189:ASN:HA	1:B:194:LYS:HD2	1.85	0.57
1:J:189:ASN:HA	1:J:194:LYS:HD2	1.87	0.55
1:C:189:ASN:HA	1:C:194:LYS:HD2	1.87	0.55
1:C:204:ARG:HA	1:C:239:SER:HB2	1.89	0.54
1:J:204:ARG:HA	1:J:239:SER:HB2	1.88	0.54
1:J:400:HIS:HB2	4:J:504:UID:C14	2.38	0.54
1:I:400:HIS:HB2	4:I:505:UID:C09	2.38	0.53
1:B:160:GLY:HA3	1:B:401:LEU:HD13	1.91	0.51
1:H:189:ASN:HA	1:H:194:LYS:HD2	1.91	0.51
1:A:400:HIS:HB2	4:A:503:UID:C14	2.41	0.51
1:C:8:ALA:N	8:C:606:HOH:O	2.43	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:ASN:HA	1:A:194:LYS:HD2	1.93	0.50
1:I:149:LYS:NZ	8:I:604:HOH:O	2.44	0.50
1:J:118:TRP:O	1:J:122:GLN:HG2	2.11	0.50
1:I:373:LEU:HD23	2:I:501:NAD:N7N	2.27	0.50
1:H:204:ARG:HA	1:H:239:SER:HB2	1.93	0.50
1:D:160:GLY:HA3	1:D:401:LEU:HD13	1.96	0.48
1:H:197:ASN:HA	1:H:201:TYR:HD2	1.79	0.48
1:D:204:ARG:HA	1:D:239:SER:HB2	1.94	0.48
1:B:204:ARG:NH1	8:B:604:HOH:O	2.45	0.48
1:J:283:ILE:HG13	1:J:307:ASN:HB3	1.96	0.47
1:J:182:LYS:HE3	1:J:182:LYS:HA	1.97	0.47
1:I:153:GLN:HB3	8:I:836:HOH:O	2.15	0.47
1:I:204:ARG:HA	1:I:239:SER:HB2	1.97	0.46
1:G:171:ARG:O	1:G:175:MET:HG3	2.14	0.46
1:A:232:VAL:HG12	1:A:297:THR:HB	1.98	0.45
1:H:43:ARG:NH2	8:H:602:HOH:O	2.49	0.45
1:B:454:ILE:HG13	1:B:456:VAL:HG22	1.98	0.45
1:G:43:ARG:NH2	8:G:607:HOH:O	2.47	0.45
1:B:42:ARG:O	1:B:46:ALA:HB2	2.17	0.45
1:C:290:LYS:HB3	1:C:290:LYS:HE3	1.64	0.45
1:G:323:HIS:HA	1:G:373:LEU:HD21	1.98	0.45
1:J:189:ASN:O	1:J:195:SER:HB3	2.16	0.45
1:J:62:MET:HB3	1:J:90:THR:HG23	1.98	0.45
1:G:204:ARG:HA	1:G:239:SER:HB2	1.99	0.45
1:J:121:GLU:OE1	1:J:151:TYR:OH	2.23	0.45
1:H:134:ASN:HA	1:H:158:ILE:HA	1.99	0.45
1:C:400:HIS:HB2	4:C:505:UID:C09	2.47	0.45
1:B:290:LYS:HB3	1:B:290:LYS:HE3	1.72	0.45
1:I:424:PRO:HD2	1:I:427:LEU:HD12	1.99	0.44
1:C:232:VAL:HG12	1:C:297:THR:HB	1.99	0.44
1:C:283:ILE:HG13	1:C:307:ASN:HB3	1.99	0.44
1:H:55:LYS:NZ	1:H:132:ASP:OD2	2.40	0.44
1:G:189:ASN:O	1:G:195:SER:HB3	2.17	0.44
1:B:204:ARG:HA	1:B:239:SER:HB2	2.00	0.44
1:C:55:LYS:HD2	1:C:132:ASP:O	2.18	0.44
1:H:451:ALA:HB1	1:H:456:VAL:O	2.18	0.44
1:G:118:TRP:O	1:G:122:GLN:HG2	2.19	0.43
1:A:323:HIS:HA	1:A:373:LEU:HD21	2.01	0.43
1:G:290:LYS:HB2	1:G:290:LYS:HE3	1.81	0.43
1:A:204:ARG:HA	1:A:239:SER:HB2	2.00	0.43
1:B:404:GLN:OE1	1:B:417:ARG:HG2	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:TRP:O	1:C:122:GLN:HG2	2.19	0.43
1:J:219:LEU:O	1:J:245:MET:HG2	2.19	0.43
1:J:413:GLU:OE2	1:J:417:ARG:NH1	2.52	0.42
1:G:45:TYR:OH	4:G:503:UID:N12	2.52	0.42
1:H:373:LEU:HG	1:H:376:LEU:HD12	2.01	0.42
1:C:322:GLY:HA3	1:C:327:GLU:OE2	2.19	0.42
1:I:197:ASN:HA	1:I:201:TYR:HD2	1.84	0.42
1:B:113:GLU:OE2	1:B:372:ARG:NH2	2.52	0.42
1:G:283:ILE:HG13	1:G:307:ASN:HB3	2.02	0.42
1:J:57:LEU:HB3	1:J:143:LEU:HD21	2.02	0.42
1:C:87:ILE:HG22	1:C:116:TYR:HB2	2.01	0.42
2:I:501:NAD:H6N	2:I:501:NAD:H2D	1.87	0.42
1:I:318:VAL:HG12	1:I:328:ILE:HD13	2.02	0.41
1:D:161:ILE:O	1:D:185:ALA:HA	2.21	0.41
1:H:42:ARG:O	1:H:46:ALA:HB2	2.21	0.41
1:H:118:TRP:O	1:H:122:GLN:HG2	2.20	0.41
1:A:314:LYS:HG3	6:A:505:PO4:O2	2.21	0.41
1:G:468:ARG:HB2	1:J:196:LYS:HE3	2.03	0.41
1:J:449:LYS:HD3	8:J:777:HOH:O	2.20	0.41
1:A:283:ILE:HG13	1:A:307:ASN:HB3	2.03	0.41
1:D:159:HIS:CE1	1:D:407:ALA:HB3	2.55	0.41
1:J:337:TRP:CD1	1:J:351:ARG:HA	2.56	0.41
1:H:219:LEU:O	1:H:245:MET:HG2	2.21	0.41
1:C:134:ASN:HA	1:C:158:ILE:HA	2.01	0.41
1:D:232:VAL:HG12	1:D:297:THR:HB	2.03	0.41
1:A:401:LEU:HD23	1:A:401:LEU:HA	1.95	0.40
1:B:197:ASN:HA	1:B:201:TYR:HD2	1.86	0.40
1:H:171:ARG:O	1:H:175:MET:HG3	2.20	0.40
1:I:219:LEU:O	1:I:245:MET:HG2	2.21	0.40
8:B:627:HOH:O	1:C:196:LYS:HD3	2.20	0.40
1:I:203:CYS:SG	1:I:232:VAL:HG13	2.62	0.40
1:B:155:LEU:HA	1:B:158:ILE:HD12	2.03	0.40
1:H:197:ASN:HA	1:H:201:TYR:CD2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/472 (98%)	452 (98%)	11 (2%)	0	100	100
1	B	462/472 (98%)	453 (98%)	9 (2%)	0	100	100
1	C	464/472 (98%)	451 (97%)	12 (3%)	1 (0%)	47	38
1	D	466/472 (99%)	454 (97%)	12 (3%)	0	100	100
1	G	462/472 (98%)	452 (98%)	10 (2%)	0	100	100
1	H	460/472 (98%)	448 (97%)	12 (3%)	0	100	100
1	I	463/472 (98%)	452 (98%)	10 (2%)	1 (0%)	47	38
1	J	462/472 (98%)	450 (97%)	12 (3%)	0	100	100
All	All	3702/3776 (98%)	3612 (98%)	88 (2%)	2 (0%)	51	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	61	HIS
1	I	61	HIS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/385 (99%)	377 (99%)	3 (1%)	81	80
1	B	380/385 (99%)	376 (99%)	4 (1%)	73	70
1	C	381/385 (99%)	379 (100%)	2 (0%)	88	87

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	382/385 (99%)	377 (99%)	5 (1%)	69	64
1	G	380/385 (99%)	377 (99%)	3 (1%)	81	80
1	H	378/385 (98%)	373 (99%)	5 (1%)	69	64
1	I	381/385 (99%)	376 (99%)	5 (1%)	69	64
1	J	380/385 (99%)	375 (99%)	5 (1%)	69	64
All	All	3042/3080 (99%)	3010 (99%)	32 (1%)	76	70

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	149	LYS
1	A	354	LYS
1	A	417	ARG
1	B	121	GLU
1	B	354	LYS
1	B	400	HIS
1	B	417	ARG
1	C	196	LYS
1	C	335	LYS
1	D	57[A]	LEU
1	D	57[B]	LEU
1	D	174	ASP
1	D	182	LYS
1	D	373	LEU
1	G	166	THR
1	G	354	LYS
1	G	417	ARG
1	H	149	LYS
1	H	153	GLN
1	H	217	HIS
1	H	354	LYS
1	H	373	LEU
1	I	196	LYS
1	I	217	HIS
1	I	220	SER
1	I	335	LYS
1	I	459	GLU
1	J	57	LEU
1	J	117	GLU
1	J	174	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	J	182	LYS
1	J	417	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 62 ligands modelled in this entry, 8 are monoatomic - leaving 54 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	PO4	A	507	-	4,4,4	0.79	0	6,6,6	0.48	0
3	ADE	A	502	-	9,11,11	1.01	1 (11%)	7,15,15	1.08	0
6	PO4	C	507	-	4,4,4	0.81	0	6,6,6	0.73	0
2	NAD	I	501	-	42,48,48	0.52	0	50,73,73	0.68	1 (2%)
6	PO4	D	507	-	4,4,4	0.95	0	6,6,6	0.43	0
6	PO4	B	506	-	4,4,4	0.85	0	6,6,6	0.51	0
2	NAD	H	501	-	42,48,48	0.54	0	50,73,73	0.68	1 (2%)
4	UID	D	504	-	14,14,14	2.21	7 (50%)	17,17,17	1.29	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	DMS	J	503	-	3,3,3	0.68	0	3,3,3	0.68	0
7	DMS	C	504	-	3,3,3	0.73	0	3,3,3	0.52	0
6	PO4	G	509	-	4,4,4	0.89	0	6,6,6	0.60	0
6	PO4	B	505	-	4,4,4	0.93	0	6,6,6	0.52	0
6	PO4	I	508	-	4,4,4	0.81	0	6,6,6	0.55	0
3	ADE	B	502	-	9,11,11	0.99	0	7,15,15	1.11	1 (14%)
4	UID	C	505	-	14,14,14	2.12	7 (50%)	17,17,17	1.41	1 (5%)
6	PO4	J	509	-	4,4,4	0.98	0	6,6,6	0.41	0
6	PO4	J	506	-	4,4,4	0.92	0	6,6,6	0.52	0
6	PO4	A	506	-	4,4,4	0.94	0	6,6,6	0.52	0
6	PO4	I	509	-	4,4,4	0.95	0	6,6,6	0.47	0
2	NAD	C	501	-	42,48,48	0.56	0	50,73,73	0.68	1 (2%)
7	DMS	D	503	-	3,3,3	0.68	0	3,3,3	0.55	0
3	ADE	J	502	-	9,11,11	0.92	0	7,15,15	1.10	0
6	PO4	B	504	-	4,4,4	0.83	0	6,6,6	0.49	0
6	PO4	J	507	-	4,4,4	0.81	0	6,6,6	0.53	0
2	NAD	G	501	-	42,48,48	0.56	0	50,73,73	0.69	1 (2%)
7	DMS	C	503	-	3,3,3	0.66	0	3,3,3	0.50	0
6	PO4	D	506	-	4,4,4	0.87	0	6,6,6	0.48	0
6	PO4	G	506	-	4,4,4	0.89	0	6,6,6	0.50	0
2	NAD	D	501	-	42,48,48	0.53	0	50,73,73	0.69	1 (2%)
6	PO4	G	507	-	4,4,4	1.03	0	6,6,6	0.42	0
6	PO4	D	509	-	4,4,4	0.93	0	6,6,6	0.35	0
6	PO4	G	508	-	4,4,4	0.93	0	6,6,6	0.57	0
7	DMS	I	503	-	3,3,3	0.66	0	3,3,3	0.45	0
3	ADE	G	502	-	9,11,11	1.01	1 (11%)	7,15,15	1.10	1 (14%)
6	PO4	G	505	-	4,4,4	0.81	0	6,6,6	0.45	0
6	PO4	H	504	-	4,4,4	0.97	0	6,6,6	0.40	0
7	DMS	I	504	-	3,3,3	0.69	0	3,3,3	0.58	0
3	ADE	C	502	-	9,11,11	0.89	0	7,15,15	1.09	0
3	ADE	D	502	-	9,11,11	0.99	1 (11%)	7,15,15	1.09	0
4	UID	A	503	-	14,14,14	2.18	6 (42%)	17,17,17	1.45	2 (11%)
6	PO4	J	508	-	4,4,4	0.92	0	6,6,6	0.50	0
2	NAD	J	501	-	42,48,48	0.55	0	50,73,73	0.71	1 (2%)
6	PO4	H	505	-	4,4,4	0.90	0	6,6,6	0.24	0
2	NAD	A	501	-	42,48,48	0.52	0	50,73,73	0.72	1 (2%)
6	PO4	D	508	-	4,4,4	0.79	0	6,6,6	0.41	0
2	NAD	B	501	-	42,48,48	0.53	0	50,73,73	0.71	1 (2%)
4	UID	J	504	-	14,14,14	2.10	6 (42%)	17,17,17	1.20	2 (11%)
6	PO4	C	508	-	4,4,4	0.93	0	6,6,6	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ADE	H	502	-	9,11,11	1.06	0	7,15,15	1.06	0
6	PO4	I	507	-	4,4,4	0.86	0	6,6,6	0.54	0
4	UID	G	503	-	14,14,14	2.05	6 (42%)	17,17,17	1.53	2 (11%)
6	PO4	A	505	-	4,4,4	0.98	0	6,6,6	0.43	0
4	UID	I	505	-	14,14,14	2.26	7 (50%)	17,17,17	1.39	3 (17%)
3	ADE	I	502	-	9,11,11	1.07	1 (11%)	7,15,15	1.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADE	A	502	-	-	-	0/2/2/2
2	NAD	I	501	-	-	5/26/62/62	0/5/5/5
2	NAD	H	501	-	-	5/26/62/62	0/5/5/5
4	UID	D	504	-	-	2/8/8/8	0/1/1/1
4	UID	C	505	-	-	0/8/8/8	0/1/1/1
3	ADE	B	502	-	-	-	0/2/2/2
2	NAD	C	501	-	-	5/26/62/62	0/5/5/5
3	ADE	J	502	-	-	-	0/2/2/2
2	NAD	G	501	-	-	5/26/62/62	0/5/5/5
2	NAD	D	501	-	-	5/26/62/62	0/5/5/5
3	ADE	G	502	-	-	-	0/2/2/2
3	ADE	C	502	-	-	-	0/2/2/2
3	ADE	D	502	-	-	-	0/2/2/2
4	UID	A	503	-	-	3/8/8/8	0/1/1/1
2	NAD	J	501	-	-	5/26/62/62	0/5/5/5
2	NAD	A	501	-	-	5/26/62/62	0/5/5/5
2	NAD	B	501	-	-	5/26/62/62	0/5/5/5
4	UID	J	504	-	-	0/8/8/8	0/1/1/1
3	ADE	H	502	-	-	-	0/2/2/2
4	UID	G	503	-	-	0/8/8/8	0/1/1/1
4	UID	I	505	-	-	5/8/8/8	0/1/1/1
3	ADE	I	502	-	-	-	0/2/2/2

All (43) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	505	UID	O03-C04	4.25	1.44	1.34
4	D	504	UID	O03-C04	4.18	1.44	1.34
4	A	503	UID	O03-C04	4.01	1.44	1.34
4	C	505	UID	O03-C04	3.89	1.43	1.34
4	J	504	UID	O03-C04	3.89	1.43	1.34
4	D	504	UID	C08-C07	3.86	1.58	1.47
4	A	503	UID	C08-C07	3.80	1.58	1.47
4	I	505	UID	C08-C07	3.79	1.58	1.47
4	J	504	UID	C08-C07	3.64	1.58	1.47
4	G	503	UID	O03-C04	3.62	1.43	1.34
4	C	505	UID	C08-C07	3.60	1.58	1.47
4	G	503	UID	C08-C07	3.44	1.57	1.47
4	A	503	UID	C11-N12	3.23	1.49	1.38
4	G	503	UID	C11-N12	3.22	1.49	1.38
4	D	504	UID	C11-N12	3.21	1.49	1.38
4	C	505	UID	C11-N12	3.21	1.49	1.38
4	I	505	UID	C11-N12	3.20	1.49	1.38
4	J	504	UID	C11-N12	3.12	1.49	1.38
4	I	505	UID	C06-C07	2.98	1.40	1.33
4	I	505	UID	C06-C04	2.80	1.54	1.48
4	A	503	UID	C06-C07	2.78	1.40	1.33
4	D	504	UID	C06-C04	2.70	1.54	1.48
4	J	504	UID	C06-C07	2.68	1.40	1.33
4	D	504	UID	C06-C07	2.64	1.39	1.33
4	G	503	UID	C06-C07	2.52	1.39	1.33
4	C	505	UID	C06-C07	2.51	1.39	1.33
4	A	503	UID	C06-C04	2.50	1.54	1.48
4	J	504	UID	C06-C04	2.45	1.53	1.48
4	C	505	UID	C06-C04	2.41	1.53	1.48
4	G	503	UID	C06-C04	2.40	1.53	1.48
4	C	505	UID	O03-C02	-2.33	1.39	1.46
4	G	503	UID	O03-C02	-2.29	1.39	1.46
4	D	504	UID	C14-C13	2.25	1.42	1.38
4	J	504	UID	O03-C02	-2.24	1.39	1.46
4	I	505	UID	C14-C13	2.20	1.42	1.38
3	G	502	ADE	C4-N9	2.16	1.38	1.34
3	D	502	ADE	C4-N9	2.12	1.38	1.34
3	A	502	ADE	C4-N9	2.12	1.38	1.34
4	I	505	UID	O03-C02	-2.09	1.39	1.46
4	C	505	UID	C14-C13	2.06	1.42	1.38
4	D	504	UID	O03-C02	-2.02	1.40	1.46
4	A	503	UID	O03-C02	-2.02	1.40	1.46
3	I	502	ADE	C4-N9	2.01	1.38	1.34

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	505	UID	C08-C07-C06	-4.23	117.24	126.91
4	G	503	UID	C08-C07-C06	-4.07	117.60	126.91
4	I	505	UID	O03-C04-C06	3.91	121.94	111.55
4	A	503	UID	C08-C07-C06	-3.59	118.70	126.91
4	D	504	UID	O03-C04-C06	3.40	120.60	111.55
4	A	503	UID	O03-C04-C06	3.33	120.41	111.55
4	G	503	UID	O03-C04-C06	2.74	118.84	111.55
4	I	505	UID	C08-C07-C06	-2.57	121.02	126.91
2	D	501	NAD	C5A-C6A-N6A	2.51	124.17	120.35
4	J	504	UID	C07-C06-C04	-2.46	114.77	122.26
2	C	501	NAD	C5A-C6A-N6A	2.44	124.05	120.35
2	A	501	NAD	C5A-C6A-N6A	2.37	123.95	120.35
2	B	501	NAD	C5A-C6A-N6A	2.35	123.93	120.35
2	H	501	NAD	C5A-C6A-N6A	2.31	123.86	120.35
2	G	501	NAD	C5A-C6A-N6A	2.31	123.86	120.35
2	J	501	NAD	C5A-C6A-N6A	2.31	123.86	120.35
4	D	504	UID	C08-C07-C06	-2.17	121.94	126.91
2	I	501	NAD	C5A-C6A-N6A	2.14	123.60	120.35
4	J	504	UID	O03-C04-C06	2.10	117.14	111.55
3	G	502	ADE	C5-C6-N6	2.09	123.53	120.35
3	B	502	ADE	C5-C6-N6	2.08	123.51	120.35
4	I	505	UID	O03-C04-O05	-2.05	118.41	122.93

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C2N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N
2	B	501	NAD	C2D-C1D-N1N-C2N
2	B	501	NAD	C2D-C1D-N1N-C6N
2	C	501	NAD	O4D-C1D-N1N-C2N
2	C	501	NAD	O4D-C1D-N1N-C6N
2	C	501	NAD	C2D-C1D-N1N-C2N
2	C	501	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
2	G	501	NAD	O4D-C1D-N1N-C2N
2	G	501	NAD	O4D-C1D-N1N-C6N
2	G	501	NAD	C2D-C1D-N1N-C2N
2	G	501	NAD	C2D-C1D-N1N-C6N
2	H	501	NAD	O4D-C1D-N1N-C2N
2	H	501	NAD	O4D-C1D-N1N-C6N
2	H	501	NAD	C2D-C1D-N1N-C2N
2	H	501	NAD	C2D-C1D-N1N-C6N
2	I	501	NAD	O4D-C1D-N1N-C2N
2	I	501	NAD	O4D-C1D-N1N-C6N
2	I	501	NAD	C2D-C1D-N1N-C2N
2	I	501	NAD	C2D-C1D-N1N-C6N
2	J	501	NAD	O4D-C1D-N1N-C2N
2	J	501	NAD	O4D-C1D-N1N-C6N
2	J	501	NAD	C2D-C1D-N1N-C2N
2	J	501	NAD	C2D-C1D-N1N-C6N
4	I	505	UID	C06-C04-O03-C02
4	I	505	UID	O05-C04-O03-C02
4	D	504	UID	C06-C04-O03-C02
4	D	504	UID	O05-C04-O03-C02
4	I	505	UID	O03-C04-C06-C07
4	A	503	UID	C06-C04-O03-C02
4	A	503	UID	O05-C04-O03-C02
4	I	505	UID	O05-C04-C06-C07
2	D	501	NAD	O4B-C4B-C5B-O5B
4	I	505	UID	C01-C02-O03-C04
4	A	503	UID	C01-C02-O03-C04
2	H	501	NAD	O4B-C4B-C5B-O5B
2	I	501	NAD	O4B-C4B-C5B-O5B
2	A	501	NAD	O4B-C4B-C5B-O5B
2	B	501	NAD	O4B-C4B-C5B-O5B
2	C	501	NAD	O4B-C4B-C5B-O5B
2	G	501	NAD	O4B-C4B-C5B-O5B
2	J	501	NAD	O4B-C4B-C5B-O5B

There are no ring outliers.

8 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	501	NAD	2	0


*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	504	UID	1	0
4	C	505	UID	1	0
4	A	503	UID	1	0
4	J	504	UID	1	0
4	G	503	UID	1	0
6	A	505	PO4	1	0
4	I	505	UID	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	462/472 (97%)	0.11	23 (4%) 28 31	22, 30, 47, 97	0
1	B	461/472 (97%)	0.37	39 (8%) 10 12	21, 34, 53, 68	0
1	C	462/472 (97%)	0.42	32 (6%) 16 18	26, 37, 56, 94	0
1	D	463/472 (98%)	0.44	42 (9%) 9 10	22, 35, 54, 92	0
1	G	461/472 (97%)	0.08	25 (5%) 25 28	23, 31, 47, 72	0
1	H	461/472 (97%)	0.39	44 (9%) 8 9	22, 33, 56, 79	0
1	I	461/472 (97%)	0.24	16 (3%) 44 46	23, 32, 46, 72	0
1	J	461/472 (97%)	0.49	41 (8%) 9 10	23, 34, 54, 85	0
All	All	3692/3776 (97%)	0.32	262 (7%) 16 17	21, 33, 53, 97	0

All (262) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	415	ALA	8.1
1	H	411	ALA	7.9
1	D	412	ALA	7.5
1	B	412	ALA	6.8
1	J	412	ALA	6.7
1	A	8	ALA	6.6
1	D	8	ALA	6.5
1	C	356	GLY	6.4
1	J	415	ALA	5.8
1	D	354	LYS	5.7
1	H	410	PRO	5.6
1	J	411	ALA	5.5
1	C	46	ALA	4.9
1	H	9	GLY	4.8
1	H	417	ARG	4.6
1	D	355	ASP	4.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	J	417	ARG	4.5
1	D	411	ALA	4.5
1	D	357	PHE	4.4
1	J	410	PRO	4.4
1	D	409	LEU	4.3
1	H	412	ALA	4.2
1	G	355	ASP	4.1
1	D	129	GLN	4.1
1	D	410	PRO	4.0
1	G	410	PRO	4.0
1	H	178	ASN	4.0
1	D	356	GLY	4.0
1	H	10	PHE	3.9
1	B	232	VAL	3.9
1	B	416	LYS	3.8
1	G	411	ALA	3.8
1	C	158	ILE	3.7
1	B	356	GLY	3.6
1	B	355	ASP	3.6
1	A	355	ASP	3.6
1	J	355	ASP	3.6
1	D	152	PRO	3.6
1	C	9	GLY	3.6
1	J	219	LEU	3.6
1	J	153	GLN	3.5
1	J	183	VAL	3.5
1	C	10	PHE	3.5
1	B	240	LEU	3.5
1	B	357	PHE	3.5
1	J	240	LEU	3.4
1	A	354	LYS	3.4
1	H	413	GLU	3.4
1	I	9	GLY	3.4
1	D	359	ALA	3.4
1	A	240	LEU	3.4
1	D	201	TYR	3.4
1	C	353	GLY	3.4
1	D	7	PRO	3.4
1	B	247	VAL	3.4
1	I	153	GLN	3.3
1	B	177	LYS	3.3
1	D	335	LYS	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	I	240	LEU	3.3
1	I	48	GLN	3.3
1	D	416	LYS	3.3
1	G	409	LEU	3.3
1	J	352	THR	3.3
1	C	335	LYS	3.2
1	B	155	LEU	3.2
1	C	118	TRP	3.1
1	A	264	GLY	3.1
1	J	9	GLY	3.1
1	I	357	PHE	3.1
1	G	9	GLY	3.1
1	D	153	GLN	3.1
1	H	180	THR	3.1
1	G	265	PHE	3.1
1	J	354	LYS	3.1
1	A	278	GLY	3.1
1	B	203	CYS	3.0
1	B	236	SER	3.0
1	J	414	LYS	3.0
1	G	356	GLY	3.0
1	J	155	LEU	3.0
1	J	207	LEU	3.0
1	H	175	MET	3.0
1	D	415	ALA	3.0
1	B	415	ALA	2.9
1	B	235	GLY	2.9
1	C	352	THR	2.9
1	A	359	ALA	2.9
1	C	357	PHE	2.9
1	B	179	GLY	2.9
1	I	218	LEU	2.9
1	B	406	TYR	2.9
1	J	265	PHE	2.9
1	C	355	ASP	2.8
1	H	201	TYR	2.8
1	H	414	LYS	2.8
1	G	359	ALA	2.8
1	D	417	ARG	2.8
1	H	153	GLN	2.8
1	D	192	VAL	2.8
1	A	9	GLY	2.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	244	GLY	2.8
1	J	353	GLY	2.8
1	B	153	GLN	2.8
1	H	359	ALA	2.7
1	J	182	LYS	2.7
1	J	118	TRP	2.7
1	B	201	TYR	2.7
1	D	179	GLY	2.7
1	B	219	LEU	2.7
1	I	356	GLY	2.7
1	J	10	PHE	2.7
1	J	151	TYR	2.7
1	D	182	LYS	2.7
1	J	247	VAL	2.7
1	D	246	ILE	2.7
1	H	407	ALA	2.7
1	H	179	GLY	2.7
1	J	180	THR	2.7
1	I	355	ASP	2.6
1	A	265	PHE	2.6
1	I	201	TYR	2.6
1	B	181	LEU	2.6
1	C	219	LEU	2.6
1	B	156	GLU	2.6
1	G	415	ALA	2.6
1	B	124	ILE	2.6
1	D	386	ILE	2.6
1	C	415	ALA	2.6
1	H	238	GLN	2.6
1	H	355	ASP	2.6
1	J	360	HIS	2.6
1	I	335	LYS	2.6
1	C	129	GLN	2.6
1	D	338	ALA	2.6
1	C	74	VAL	2.6
1	H	264	GLY	2.6
1	C	411	ALA	2.5
1	H	241	ARG	2.5
1	G	413	GLU	2.5
1	H	48	GLN	2.5
1	J	235	GLY	2.5
1	G	357	PHE	2.5

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	260	ALA	2.5
1	H	246	ILE	2.5
1	A	129	GLN	2.5
1	C	180	THR	2.5
1	H	156	GLU	2.5
1	H	237	SER	2.5
1	H	247	VAL	2.5
1	I	331	ALA	2.5
1	B	9	GLY	2.5
1	G	354	LYS	2.5
1	B	246	ILE	2.5
1	C	125	LEU	2.5
1	H	157	ARG	2.5
1	B	264	GLY	2.4
1	I	47	GLY	2.4
1	A	10	PHE	2.4
1	D	9	GLY	2.4
1	D	353	GLY	2.4
1	H	46	ALA	2.4
1	C	192	VAL	2.4
1	A	357	PHE	2.4
1	A	232	VAL	2.4
1	G	247	VAL	2.4
1	B	152	PRO	2.4
1	H	240	LEU	2.4
1	A	229	TYR	2.4
1	D	261	CYS	2.4
1	C	153	GLN	2.4
1	B	207	LEU	2.4
1	D	218	LEU	2.4
1	J	409	LEU	2.4
1	B	265	PHE	2.4
1	D	265	PHE	2.4
1	H	406	TYR	2.4
1	C	183	VAL	2.4
1	J	407	ALA	2.3
1	H	244	GLY	2.3
1	B	241	ARG	2.3
1	H	386	ILE	2.3
1	H	357	PHE	2.3
1	J	358	ASP	2.3
1	J	177	LYS	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	238	GLN	2.3
1	A	262	MET	2.3
1	G	262	MET	2.3
1	D	155	LEU	2.3
1	B	130	PRO	2.3
1	D	177	LYS	2.3
1	A	239	SER	2.3
1	J	237	SER	2.3
1	D	349	ILE	2.3
1	A	410	PRO	2.3
1	B	409	LEU	2.3
1	B	239	SER	2.3
1	C	201	TYR	2.3
1	C	407	ALA	2.3
1	I	354	LYS	2.2
1	H	242	GLN	2.2
1	C	332	PHE	2.2
1	C	133	ALA	2.2
1	H	226	VAL	2.2
1	I	337	TRP	2.2
1	B	410	PRO	2.2
1	J	13	TYR	2.2
1	G	237	SER	2.2
1	A	353	GLY	2.2
1	H	232	VAL	2.2
1	J	146	ILE	2.2
1	G	241	ARG	2.2
1	G	129	GLN	2.2
1	J	416	LYS	2.2
1	H	203	CYS	2.2
1	C	241	ARG	2.2
1	B	413	GLU	2.2
1	B	238	GLN	2.2
1	A	201	TYR	2.2
1	A	244	GLY	2.2
1	B	157	ARG	2.2
1	C	43	ARG	2.2
1	J	246	ILE	2.1
1	D	413	GLU	2.1
1	I	412	ALA	2.1
1	C	238	GLN	2.1
1	J	201	TYR	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	232	VAL	2.1
1	D	178	ASN	2.1
1	H	218	LEU	2.1
1	J	238	GLN	2.1
1	D	469	TYR	2.1
1	G	229	TYR	2.1
1	C	234	LYS	2.1
1	J	357	PHE	2.1
1	H	260	ALA	2.1
1	J	100	ALA	2.1
1	H	239	SER	2.1
1	J	339	TRP	2.1
1	H	192	VAL	2.1
1	B	256	CYS	2.1
1	I	246	ILE	2.1
1	G	219	LEU	2.1
1	G	240	LEU	2.1
1	G	238	GLN	2.1
1	J	335	LYS	2.1
1	D	237	SER	2.1
1	G	234	LYS	2.1
1	C	262	MET	2.0
1	B	229	TYR	2.0
1	B	226	VAL	2.0
1	D	247	VAL	2.0
1	G	235	GLY	2.0
1	D	240	LEU	2.0
1	A	237	SER	2.0
1	H	229	TYR	2.0
1	C	235	GLY	2.0
1	D	21	ALA	2.0
1	G	255	ILE	2.0
1	H	207	LEU	2.0
1	H	418	LEU	2.0
1	G	239	SER	2.0
1	C	280	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	UID	C	505	14/14	0.71	0.37	39,48,54,60	0
7	DMS	J	503	4/4	0.76	0.26	34,36,42,59	4
4	UID	I	505	14/14	0.78	0.31	39,44,50,50	0
4	UID	A	503	14/14	0.79	0.23	40,48,59,60	0
4	UID	D	504	14/14	0.81	0.29	45,51,54,59	0
4	UID	J	504	14/14	0.84	0.30	46,50,52,53	0
7	DMS	I	504	4/4	0.85	0.17	38,40,56,68	0
7	DMS	C	504	4/4	0.85	0.18	38,41,54,60	0
6	PO4	G	505	5/5	0.90	0.23	49,53,58,62	0
7	DMS	D	503	4/4	0.92	0.13	32,40,52,64	0
4	UID	G	503	14/14	0.92	0.30	38,45,57,59	0
6	PO4	B	505	5/5	0.92	0.17	35,35,41,41	5
3	ADE	C	502	10/10	0.93	0.10	30,33,36,38	0
6	PO4	I	509	5/5	0.93	0.15	35,38,45,46	5
6	PO4	B	506	5/5	0.94	0.13	35,36,36,45	0
6	PO4	G	507	5/5	0.94	0.17	36,37,41,44	5
6	PO4	C	508	5/5	0.94	0.19	43,44,47,52	5
6	PO4	J	506	5/5	0.94	0.17	39,40,43,44	5
6	PO4	J	509	5/5	0.95	0.15	38,39,43,44	5
6	PO4	A	505	5/5	0.95	0.18	40,41,45,47	5
2	NAD	C	501	44/44	0.95	0.10	26,32,36,36	0
3	ADE	I	502	10/10	0.95	0.13	26,28,29,29	0
3	ADE	J	502	10/10	0.95	0.13	33,34,34,34	0
6	PO4	I	508	5/5	0.96	0.09	30,36,39,43	0
2	NAD	H	501	44/44	0.96	0.10	22,27,31,32	0
6	PO4	C	507	5/5	0.96	0.12	32,39,43,46	0
3	ADE	D	502	10/10	0.96	0.12	29,31,31,33	0
6	PO4	D	507	5/5	0.96	0.14	39,41,43,46	5
2	NAD	I	501	44/44	0.96	0.09	21,27,30,33	0
3	ADE	A	502	10/10	0.96	0.10	22,25,26,29	0
6	PO4	H	504	5/5	0.96	0.14	34,38,41,41	5
2	NAD	A	501	44/44	0.97	0.11	21,26,30,31	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NAD	B	501	44/44	0.97	0.12	24,28,31,32	0
6	PO4	J	507	5/5	0.97	0.17	36,41,45,48	0
6	PO4	J	508	5/5	0.97	0.09	35,36,40,48	0
3	ADE	G	502	10/10	0.97	0.10	25,28,30,31	0
6	PO4	G	509	5/5	0.97	0.07	32,32,34,47	0
6	PO4	A	507	5/5	0.97	0.09	28,32,39,43	0
6	PO4	H	505	5/5	0.97	0.08	33,37,38,48	0
6	PO4	D	506	5/5	0.97	0.16	45,46,49,51	0
3	ADE	H	502	10/10	0.98	0.10	29,31,32,33	0
6	PO4	D	508	5/5	0.98	0.12	41,43,49,50	0
6	PO4	D	509	5/5	0.98	0.09	37,39,39,46	0
3	ADE	B	502	10/10	0.98	0.11	28,30,32,33	0
2	NAD	G	501	44/44	0.98	0.12	23,26,29,30	0
6	PO4	G	508	5/5	0.98	0.08	33,36,38,39	0
7	DMS	C	503	4/4	0.98	0.23	50,56,59,61	0
2	NAD	J	501	44/44	0.98	0.10	23,28,31,33	0
2	NAD	D	501	44/44	0.98	0.10	21,26,31,32	0
7	DMS	I	503	4/4	0.98	0.18	39,46,48,50	0
6	PO4	A	506	5/5	0.98	0.15	31,38,40,40	0
6	PO4	I	507	5/5	0.98	0.19	34,37,39,39	0
5	K	C	506	1/1	0.99	0.06	28,28,28,28	0
6	PO4	G	506	5/5	0.99	0.16	38,40,47,47	0
5	K	G	504	1/1	0.99	0.09	26,26,26,26	0
5	K	J	505	1/1	0.99	0.11	27,27,27,27	0
6	PO4	B	504	5/5	0.99	0.11	39,40,43,47	0
5	K	H	503	1/1	1.00	0.08	28,28,28,28	0
5	K	I	506	1/1	1.00	0.09	26,26,26,26	0
5	K	A	504	1/1	1.00	0.09	23,23,23,23	0
5	K	D	505	1/1	1.00	0.10	28,28,28,28	0
5	K	B	503	1/1	1.00	0.09	28,28,28,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around UID C 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around UID I 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around UID A 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around UID D 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around UID J 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around UID G 503:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around NAD C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD H 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD I 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD G 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD J 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.