



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2024 – 03:58 pm GMT

PDB ID : 8CFY  
Title : Crystal structure of S-adenosyl-L-homocysteine hydrolase from *P. aeruginosa* in complex with F2X-Entry library fragment H08  
Authors : Malecki, P.H.; Gawel, M.; Stepniewska, M.; Brzezinski, K.  
Deposited on : 2023-02-03  
Resolution : 1.88 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	
1	B	472	
1	C	472	
1	D	472	
1	G	472	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	H	472	 5% 93% 5% •
1	I	472	 2% 92% 6% •
1	J	472	 4% 92% 6% •

## 2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 32191 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	462	Total 3578	C 2255	N 619	O 681	S 23	0	3	0
1	B	461	Total 3571	C 2251	N 618	O 680	S 22	0	3	0
1	C	462	Total 3584	C 2259	N 619	O 683	S 23	0	4	0
1	D	463	Total 3597	C 2268	N 622	O 684	S 23	0	5	0
1	G	461	Total 3573	C 2252	N 618	O 680	S 23	0	3	0
1	H	461	Total 3560	C 2244	N 616	O 678	S 22	0	1	0
1	I	461	Total 3579	C 2256	N 618	O 682	S 23	0	4	0
1	J	461	Total 3565	C 2247	N 617	O 679	S 22	0	2	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9I685
A	-1	ASN	-	expression tag	UNP Q9I685
A	0	ALA	-	expression tag	UNP Q9I685
B	-2	SER	-	expression tag	UNP Q9I685
B	-1	ASN	-	expression tag	UNP Q9I685
B	0	ALA	-	expression tag	UNP Q9I685
C	-2	SER	-	expression tag	UNP Q9I685
C	-1	ASN	-	expression tag	UNP Q9I685
C	0	ALA	-	expression tag	UNP Q9I685
D	-2	SER	-	expression tag	UNP Q9I685
D	-1	ASN	-	expression tag	UNP Q9I685
D	0	ALA	-	expression tag	UNP Q9I685
G	-2	SER	-	expression tag	UNP Q9I685

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-1	ASN	-	expression tag	UNP Q9I685
G	0	ALA	-	expression tag	UNP Q9I685
H	-2	SER	-	expression tag	UNP Q9I685
H	-1	ASN	-	expression tag	UNP Q9I685
H	0	ALA	-	expression tag	UNP Q9I685
I	-2	SER	-	expression tag	UNP Q9I685
I	-1	ASN	-	expression tag	UNP Q9I685
I	0	ALA	-	expression tag	UNP Q9I685
J	-2	SER	-	expression tag	UNP Q9I685
J	-1	ASN	-	expression tag	UNP Q9I685
J	0	ALA	-	expression tag	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	I	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	J	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is ADENINE (three-letter code: ADE) (formula: C<sub>5</sub>H<sub>5</sub>N<sub>5</sub>).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C N	0	0
			10	5 5		
3	B	1	Total	C N	0	0
			10	5 5		
3	C	1	Total	C N	0	0
			10	5 5		
3	D	1	Total	C N	0	0
			10	5 5		
3	G	1	Total	C N	0	0
			10	5 5		
3	H	1	Total	C N	0	0
			10	5 5		
3	I	1	Total	C N	0	0
			10	5 5		
3	J	1	Total	C N	0	0
			10	5 5		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total K 1 1	0	0
4	B	1	Total K 1 1	0	0
4	C	1	Total K 1 1	0	0
4	D	1	Total K 1 1	0	0
4	G	1	Total K 1 1	0	0
4	H	1	Total K 1 1	0	0
4	I	1	Total K 1 1	0	0
4	J	1	Total K 1 1	0	0

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O P 5 4 1	0	0
5	A	1	Total O P 5 4 1	0	0
5	A	1	Total O P 5 4 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	C	1	Total	O	P	0	0
			5	4	1		
5	C	1	Total	O	P	0	0
			5	4	1		
5	C	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		
5	G	1	Total	O	P	0	0
			5	4	1		
5	G	1	Total	O	P	0	0
			5	4	1		
5	G	1	Total	O	P	0	0
			5	4	1		
5	G	1	Total	O	P	0	0
			5	4	1		
5	G	1	Total	O	P	0	0
			5	4	1		
5	H	1	Total	O	P	0	0
			5	4	1		
5	H	1	Total	O	P	0	0
			5	4	1		
5	I	1	Total	O	P	0	0
			5	4	1		
5	I	1	Total	O	P	0	0
			5	4	1		
5	I	1	Total	O	P	0	0
			5	4	1		
5	I	1	Total	O	P	0	0
			5	4	1		
5	J	1	Total	O	P	0	0
			5	4	1		


*Continued on next page...*



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	J	1	Total O P 5 4 1	0	0
5	J	1	Total O P 5 4 1	0	0

- Molecule 6 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C O S 4 2 1 1	0	0
6	C	1	Total C O S 4 2 1 1	0	0
6	D	1	Total C O S 4 2 1 1	0	0
6	I	1	Total C O S 4 2 1 1	0	0
6	I	1	Total C O S 4 2 1 1	0	0
6	J	1	Total C O S 4 2 1 1	0	0

- Molecule 7 is {N}-methyl- {N}-[(1-methylpyrazol-4-yl)methyl]cyclohexanecarboxamide (three-letter code: UIV) (formula: C<sub>13</sub>H<sub>21</sub>N<sub>3</sub>O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	H	1	Total	C	N	O	0	0
			17	13	3	1		
7	H	1	Total	C	N	O	0	0
			17	13	3	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	402	Total	O	0	8
			410	410		
8	B	358	Total	O	0	7
			365	365		
8	C	340	Total	O	0	5
			345	345		
8	D	382	Total	O	0	4
			386	386		
8	G	362	Total	O	0	9
			371	371		
8	H	334	Total	O	0	8
			342	342		
8	I	376	Total	O	0	7
			383	383		
8	J	349	Total	O	0	5
			354	354		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase









- Molecule 1: Adenosylhomocysteinase





- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	109.08Å 103.19Å 175.39Å 90.00° 99.55° 90.00°	Depositor
Resolution (Å)	42.61 – 1.88 49.51 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.7 (42.61-1.88) 99.8 (49.51-1.88)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.14 (at 1.88Å)	Xtrriage
Refinement program	PHENIX 1.19.2-4158	Depositor
R, $R_{free}$	0.174 , 0.209 0.174 , 0.210	Depositor DCC
$R_{free}$ test set	1019 reflections (0.33%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.0	Xtrriage
Anisotropy	0.082	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 46.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	32191	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 58.26 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0990e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, UIV, K, PO4, NAD, ADE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/3644	0.57	0/4926
1	B	0.39	0/3640	0.57	0/4921
1	C	0.36	0/3653	0.54	0/4938
1	D	0.38	0/3664	0.56	0/4953
1	G	0.39	0/3639	0.57	0/4919
1	H	0.38	0/3623	0.56	0/4898
1	I	0.40	0/3648	0.57	0/4931
1	J	0.37	0/3631	0.56	0/4909
All	All	0.38	0/29142	0.56	0/39395

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3578	0	3584	11	0
1	B	3571	0	3579	17	0
1	C	3584	0	3590	16	0
1	D	3597	0	3605	11	0
1	G	3573	0	3579	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	3560	0	3565	9	0
1	I	3579	0	3585	14	0
1	J	3565	0	3571	13	0
2	A	44	0	26	0	0
2	B	44	0	26	1	0
2	C	44	0	26	0	0
2	D	44	0	26	1	0
2	G	44	0	26	0	0
2	H	44	0	26	0	0
2	I	44	0	26	1	0
2	J	44	0	26	1	0
3	A	10	0	4	0	0
3	B	10	0	4	0	0
3	C	10	0	4	0	0
3	D	10	0	4	0	0
3	G	10	0	4	0	0
3	H	10	0	4	0	0
3	I	10	0	4	0	0
3	J	10	0	4	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
5	A	15	0	0	1	0
5	B	15	0	0	1	0
5	C	15	0	0	0	0
5	D	15	0	0	1	0
5	G	25	0	0	1	0
5	H	10	0	0	0	0
5	I	20	0	0	0	0
5	J	15	0	0	0	0
6	B	4	0	6	0	0
6	C	4	0	6	0	0
6	D	4	0	6	0	0
6	I	8	0	12	0	0
6	J	4	0	6	0	0
7	H	34	0	0	0	0
8	A	410	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	365	0	0	4	0
8	C	345	0	0	3	0
8	D	386	0	0	0	0
8	G	371	0	0	1	0
8	H	342	0	0	1	0
8	I	383	0	0	4	0
8	J	354	0	0	1	0
All	All	32191	0	28934	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:189:ASN:HA	1:G:194:LYS:HD2	1.79	0.62
1:I:153:GLN:HB3	8:I:849:HOH:O	2.03	0.58
1:A:314:LYS:HG3	5:A:504:PO4:O2	2.04	0.56
1:I:204:ARG:HA	1:I:239:SER:HB2	1.87	0.56
1:B:189:ASN:HA	1:B:194:LYS:HD2	1.87	0.56
1:J:204:ARG:HA	1:J:239:SER:HB2	1.88	0.55
1:D:57[A]:LEU:HB3	1:D:143:LEU:HD21	1.88	0.55
1:B:351:ARG:NH2	5:B:506:PO4:O1	2.41	0.53
1:H:197:ASN:HA	1:H:201:TYR:HD2	1.73	0.53
1:I:126:LYS:NZ	8:I:601:HOH:O	2.42	0.53
1:C:232:VAL:HG12	1:C:297:THR:HB	1.91	0.52
1:B:160:GLY:HA3	1:B:401:LEU:HD13	1.92	0.52
1:C:283:ILE:HG13	1:C:307:ASN:HB3	1.92	0.51
1:J:189:ASN:HA	1:J:194:LYS:HD2	1.91	0.51
1:C:196:LYS:HG2	8:C:629:HOH:O	2.09	0.51
1:I:189:ASN:HA	1:I:194:LYS:HD2	1.93	0.51
1:D:204:ARG:HA	1:D:239:SER:HB2	1.92	0.50
1:A:204:ARG:HA	1:A:239:SER:HB2	1.93	0.50
1:J:57:LEU:HB3	1:J:143:LEU:HD21	1.94	0.50
1:C:160:GLY:HA3	1:C:401:LEU:HD13	1.94	0.49
1:B:232:VAL:HG12	1:B:297:THR:HB	1.95	0.48
1:B:42:ARG:O	1:B:46:ALA:HB2	2.13	0.48
1:B:354:LYS:HD3	8:B:609:HOH:O	2.14	0.48
1:B:283:ILE:HG13	1:B:307:ASN:HB3	1.96	0.47
1:J:227:ILE:HG21	1:J:303:VAL:HB	1.95	0.47
1:I:373:LEU:HD23	2:I:501:NAD:N7N	2.30	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:424:PRO:HD2	1:D:427:LEU:HD12	1.97	0.46
1:C:149:LYS:NZ	8:C:610:HOH:O	2.48	0.46
1:C:322:GLY:HA3	1:C:327:GLU:OE2	2.14	0.46
1:B:177:LYS:NZ	8:B:607:HOH:O	2.49	0.46
1:C:196:LYS:HE3	1:C:196:LYS:HB2	1.45	0.46
1:C:196:LYS:HZ2	1:C:469:TYR:HB2	1.81	0.46
1:C:290:LYS:HB3	1:C:290:LYS:HE3	1.73	0.46
1:I:182:LYS:HE2	8:I:785:HOH:O	2.16	0.46
1:B:290:LYS:HB3	1:B:290:LYS:HE3	1.82	0.46
1:J:160:GLY:HA3	1:J:401:LEU:HD13	1.98	0.46
1:B:323:HIS:HA	1:B:373:LEU:HD23	1.97	0.46
1:D:373:LEU:HD23	2:D:501:NAD:N7N	2.30	0.46
1:H:56:ILE:HB	1:H:80:VAL:HG12	1.97	0.46
1:J:290:LYS:HB2	1:J:290:LYS:HE3	1.64	0.45
1:A:87:ILE:HG22	1:A:116:TYR:HB2	1.99	0.45
1:B:87:ILE:HG22	1:B:116:TYR:HB2	1.98	0.45
1:G:409:LEU:HB3	1:G:413:GLU:HB2	1.99	0.45
1:A:323:HIS:HA	1:A:373:LEU:HD21	1.99	0.45
1:H:204:ARG:HA	1:H:239:SER:HB2	1.98	0.45
1:C:56:ILE:HB	1:C:80:VAL:HG12	1.98	0.45
1:J:197:ASN:HA	1:J:201:TYR:HD2	1.82	0.45
1:C:55:LYS:HD2	1:C:132:ASP:O	2.17	0.45
1:G:171:ARG:O	1:G:175:MET:HG3	2.16	0.45
2:B:501:NAD:H8A	8:B:757:HOH:O	2.17	0.45
1:C:315:ARG:NH1	1:C:362:ASP:HB2	2.32	0.45
1:I:149:LYS:NZ	8:I:605:HOH:O	2.49	0.45
1:H:208:ASN:OD1	1:H:209:ASP:N	2.50	0.44
1:J:87:ILE:HG22	1:J:116:TYR:HB2	1.99	0.44
1:C:204:ARG:HA	1:C:239:SER:HB2	2.00	0.44
1:H:148:HIS:HD2	8:H:676:HOH:O	1.99	0.44
1:I:31:ALA:O	1:I:35:MET:HG3	2.16	0.44
8:B:623:HOH:O	1:C:196:LYS:HD3	2.16	0.44
1:C:8:ALA:N	8:C:613:HOH:O	2.49	0.44
1:D:171:ARG:O	1:D:175:MET:HG3	2.17	0.44
1:J:181:LEU:O	1:J:418:LEU:HD21	2.17	0.44
1:D:413:GLU:O	1:D:417:ARG:HG2	2.18	0.43
1:B:145:GLU:HG2	1:B:149:LYS:HE2	2.00	0.43
1:D:120:ILE:HG21	1:D:146:ILE:HD12	2.00	0.43
1:I:160:GLY:HA3	1:I:401:LEU:HD13	2.00	0.43
1:G:118:TRP:O	1:G:122:GLN:HG2	2.19	0.43
1:G:193:THR:HG22	1:J:258[A]:MET:SD	2.58	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:283:ILE:HG13	1:G:307:ASN:HB3	2.00	0.43
1:A:189:ASN:HA	1:A:194:LYS:HD2	2.00	0.43
1:G:43:ARG:NH2	8:G:616:HOH:O	2.51	0.43
1:A:124:ILE:HG23	1:A:154:MET:SD	2.58	0.43
1:A:283:ILE:HG13	1:A:307:ASN:HB3	2.01	0.43
1:G:322:GLY:HA3	1:G:327:GLU:OE2	2.18	0.43
1:I:404:GLN:OE1	1:I:417:ARG:HD3	2.18	0.42
1:D:351:ARG:NH2	5:D:505:PO4:O4	2.53	0.42
1:D:451:ALA:HB1	1:D:456:VAL:O	2.19	0.42
1:J:43:ARG:NH2	8:J:617:HOH:O	2.52	0.42
1:B:98:ILE:HD13	1:B:98:ILE:HA	1.93	0.42
1:G:468:ARG:HB2	1:J:196:LYS:HE3	2.02	0.41
1:I:283:ILE:HG13	1:I:307:ASN:HB3	2.00	0.41
1:D:56:ILE:HG12	1:D:135:MET:HB2	2.00	0.41
1:H:219:LEU:O	1:H:245:MET:HG2	2.20	0.41
1:B:454:ILE:HG13	1:B:456:VAL:HG22	2.01	0.41
1:G:87:ILE:HG22	1:G:116:TYR:HB2	2.03	0.41
1:G:189:ASN:O	1:G:195:SER:HB3	2.20	0.41
1:I:197:ASN:HA	1:I:201:TYR:HD2	1.86	0.41
1:A:193:THR:HG22	1:D:258[A]:MET:SD	2.61	0.41
1:B:233:GLY:HA2	1:B:297:THR:HG21	2.03	0.41
1:G:323:HIS:HA	1:G:373:LEU:HD21	2.02	0.41
1:I:206:SER:HB2	1:I:375:ASN:HB2	2.02	0.41
1:G:219:LEU:O	1:G:245:MET:HG2	2.21	0.41
1:H:118:TRP:O	1:H:122:GLN:HG2	2.21	0.41
1:A:149:LYS:HE2	1:A:149:LYS:HB2	1.80	0.41
1:J:124:ILE:HG23	1:J:154:MET:SD	2.61	0.41
1:A:134:ASN:HA	1:A:158:ILE:HA	2.03	0.40
1:G:409:LEU:HD11	1:G:417:ARG:CZ	2.51	0.40
1:H:44:LYS:HD3	1:H:44:LYS:HA	1.90	0.40
1:B:45:TYR:CD2	1:B:50:PRO:HG3	2.56	0.40
1:H:42:ARG:O	1:H:46:ALA:HB2	2.22	0.40
1:B:425:LYS:HE2	1:B:425:LYS:HB2	1.96	0.40
1:C:98:ILE:HD13	1:C:98:ILE:HA	1.93	0.40
1:I:429:GLU:OE1	1:I:461:PRO:HA	2.22	0.40
1:A:197:ASN:HA	1:A:201:TYR:HD2	1.86	0.40
1:G:360:HIS:HE2	5:G:505:PO4:P	2.44	0.40
2:J:501:NAD:H2D	2:J:501:NAD:H6N	1.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/472 (98%)	451 (97%)	11 (2%)	1 (0%)	47	37
1	B	462/472 (98%)	453 (98%)	9 (2%)	0	100	100
1	C	464/472 (98%)	453 (98%)	10 (2%)	1 (0%)	47	37
1	D	466/472 (99%)	454 (97%)	12 (3%)	0	100	100
1	G	462/472 (98%)	453 (98%)	9 (2%)	0	100	100
1	H	460/472 (98%)	450 (98%)	9 (2%)	1 (0%)	47	37
1	I	463/472 (98%)	454 (98%)	8 (2%)	1 (0%)	47	37
1	J	461/472 (98%)	448 (97%)	12 (3%)	1 (0%)	47	37
All	All	3701/3776 (98%)	3616 (98%)	80 (2%)	5 (0%)	51	41

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	61	HIS
1	J	61	HIS
1	A	373	LEU
1	C	61	HIS
1	I	61	HIS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/385 (99%)	376 (99%)	4 (1%)	73	70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	380/385 (99%)	374 (98%)	6 (2%)	62	56
1	C	381/385 (99%)	378 (99%)	3 (1%)	81	80
1	D	382/385 (99%)	376 (98%)	6 (2%)	62	56
1	G	380/385 (99%)	378 (100%)	2 (0%)	88	88
1	H	378/385 (98%)	371 (98%)	7 (2%)	57	49
1	I	381/385 (99%)	378 (99%)	3 (1%)	81	80
1	J	379/385 (98%)	373 (98%)	6 (2%)	62	56
All	All	3041/3080 (99%)	3004 (99%)	37 (1%)	71	67

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	165	THR
1	A	280	GLU
1	A	354	LYS
1	A	417	ARG
1	B	44	LYS
1	B	121	GLU
1	B	166	THR
1	B	354	LYS
1	B	373	LEU
1	B	417	ARG
1	C	42	ARG
1	C	196	LYS
1	C	421	GLU
1	D	57[A]	LEU
1	D	57[B]	LEU
1	D	174	ASP
1	D	182	LYS
1	D	251	GLU
1	D	354	LYS
1	G	149	LYS
1	G	417	ARG
1	H	43	ARG
1	H	149	LYS
1	H	153	GLN
1	H	166	THR
1	H	217	HIS
1	H	354	LYS
1	H	373	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	I	196	LYS
1	I	335	LYS
1	I	449	LYS
1	J	57	LEU
1	J	121	GLU
1	J	166	THR
1	J	174	ASP
1	J	182	LYS
1	J	417	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	I	336	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 58 ligands modelled in this entry, 8 are monoatomic - leaving 50 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PO4	I	507	-	4,4,4	0.63	0	6,6,6	0.50	0
5	PO4	G	504	-	4,4,4	0.87	0	6,6,6	0.61	0
5	PO4	D	507	-	4,4,4	0.76	0	6,6,6	0.62	0
5	PO4	D	506	-	4,4,4	0.70	0	6,6,6	0.68	0
5	PO4	C	505	-	4,4,4	0.78	0	6,6,6	0.61	0
3	ADE	G	502	-	9,11,11	0.91	0	7,15,15	1.14	1 (14%)
5	PO4	A	504	-	4,4,4	1.10	0	6,6,6	0.66	0
5	PO4	C	507	-	4,4,4	0.98	0	6,6,6	0.22	0
5	PO4	J	506	-	4,4,4	0.79	0	6,6,6	0.84	0
6	DMS	J	503	-	3,3,3	0.77	0	3,3,3	0.97	0
6	DMS	I	503	-	3,3,3	0.67	0	3,3,3	0.27	0
2	NAD	D	501	-	42,48,48	0.52	0	50,73,73	0.75	1 (2%)
3	ADE	A	502	-	9,11,11	1.03	1 (11%)	7,15,15	1.06	0
6	DMS	C	503	-	3,3,3	0.70	0	3,3,3	0.56	0
5	PO4	B	505	-	4,4,4	0.75	0	6,6,6	0.86	0
5	PO4	C	506	-	4,4,4	0.73	0	6,6,6	1.00	0
5	PO4	G	507	-	4,4,4	0.91	0	6,6,6	0.79	0
2	NAD	C	501	-	42,48,48	0.52	0	50,73,73	0.78	2 (4%)
2	NAD	J	501	-	42,48,48	0.53	0	50,73,73	0.77	1 (2%)
5	PO4	J	507	-	4,4,4	1.02	0	6,6,6	0.55	0
6	DMS	B	503	-	3,3,3	0.80	0	3,3,3	0.61	0
7	UIV	H	504	-	16,18,18	3.29	8 (50%)	22,24,24	2.01	5 (22%)
5	PO4	I	509	-	4,4,4	0.81	0	6,6,6	0.60	0
5	PO4	D	505	-	4,4,4	0.93	0	6,6,6	0.63	0
2	NAD	H	501	-	42,48,48	0.56	0	50,73,73	0.81	2 (4%)
6	DMS	D	503	-	3,3,3	0.73	0	3,3,3	0.87	0
5	PO4	B	506	-	4,4,4	0.85	0	6,6,6	0.63	0
6	DMS	I	504	-	3,3,3	0.70	0	3,3,3	0.88	0
5	PO4	H	507	-	4,4,4	0.75	0	6,6,6	0.32	0
2	NAD	G	501	-	42,48,48	0.59	0	50,73,73	0.75	2 (4%)
2	NAD	B	501	-	42,48,48	0.56	0	50,73,73	0.81	2 (4%)
5	PO4	G	505	-	4,4,4	0.72	0	6,6,6	0.88	0
3	ADE	B	502	-	9,11,11	0.99	1 (11%)	7,15,15	1.15	0
3	ADE	D	502	-	9,11,11	0.95	1 (11%)	7,15,15	1.16	1 (14%)
5	PO4	A	506	-	4,4,4	0.72	0	6,6,6	0.64	0
5	PO4	I	508	-	4,4,4	0.75	0	6,6,6	0.99	0
5	PO4	I	506	-	4,4,4	0.93	0	6,6,6	0.66	0
5	PO4	H	506	-	4,4,4	0.93	0	6,6,6	0.70	0
2	NAD	A	501	-	42,48,48	0.55	0	50,73,73	0.85	2 (4%)
5	PO4	G	506	-	4,4,4	1.04	0	6,6,6	0.85	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ADE	I	502	-	9,11,11	1.03	0	7,15,15	1.07	1 (14%)
5	PO4	B	507	-	4,4,4	0.84	0	6,6,6	0.79	0
5	PO4	G	508	-	4,4,4	0.72	0	6,6,6	1.01	0
7	UIV	H	503	-	16,18,18	3.31	7 (43%)	22,24,24	2.13	9 (40%)
3	ADE	H	502	-	9,11,11	1.02	1 (11%)	7,15,15	1.10	1 (14%)
3	ADE	J	502	-	9,11,11	0.94	0	7,15,15	1.10	0
3	ADE	C	502	-	9,11,11	0.89	0	7,15,15	1.09	0
5	PO4	J	505	-	4,4,4	0.89	0	6,6,6	0.67	0
2	NAD	I	501	-	42,48,48	0.55	0	50,73,73	0.80	2 (4%)
5	PO4	A	505	-	4,4,4	0.84	0	6,6,6	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	H	501	-	-	5/26/62/62	0/5/5/5
2	NAD	A	501	-	-	5/26/62/62	0/5/5/5
2	NAD	D	501	-	-	5/26/62/62	0/5/5/5
3	ADE	A	502	-	-	-	0/2/2/2
3	ADE	I	502	-	-	-	0/2/2/2
2	NAD	G	501	-	-	5/26/62/62	0/5/5/5
7	UIV	H	503	-	-	0/10/20/20	0/2/2/2
2	NAD	B	501	-	-	5/26/62/62	0/5/5/5
3	ADE	H	502	-	-	-	0/2/2/2
2	NAD	C	501	-	-	5/26/62/62	0/5/5/5
2	NAD	J	501	-	-	5/26/62/62	0/5/5/5
7	UIV	H	504	-	-	0/10/20/20	0/2/2/2
3	ADE	D	502	-	-	-	0/2/2/2
3	ADE	C	502	-	-	-	0/2/2/2
3	ADE	B	502	-	-	-	0/2/2/2
3	ADE	G	502	-	-	-	0/2/2/2
3	ADE	J	502	-	-	-	0/2/2/2
2	NAD	I	501	-	-	5/26/62/62	0/5/5/5

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	H	503	UIV	C10-N02	7.52	1.48	1.35

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	H	504	UIV	C10-N02	7.38	1.48	1.35
7	H	504	UIV	C13-C12	-6.14	1.37	1.53
7	H	503	UIV	C13-C12	-5.94	1.37	1.53
7	H	503	UIV	C17-C12	4.94	1.65	1.53
7	H	504	UIV	C14-C13	4.86	1.65	1.53
7	H	503	UIV	C14-C13	4.78	1.65	1.53
7	H	504	UIV	C17-C12	4.68	1.65	1.53
7	H	503	UIV	C16-C17	-2.91	1.45	1.53
7	H	504	UIV	C16-C17	-2.87	1.45	1.53
3	B	502	ADE	C4-N3	-2.28	1.34	1.37
7	H	503	UIV	C09-N07	-2.26	1.33	1.35
3	A	502	ADE	C4-N9	2.21	1.38	1.34
7	H	504	UIV	C01-N02	2.14	1.53	1.45
3	D	502	ADE	C4-N9	2.12	1.38	1.34
7	H	504	UIV	C09-N07	-2.06	1.33	1.35
7	H	503	UIV	C14-C15	-2.06	1.43	1.51
7	H	504	UIV	C03-C04	2.02	1.55	1.51
3	H	502	ADE	C4-N3	-2.01	1.34	1.37

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	H	504	UIV	C08-N07-N06	4.81	126.16	120.50
7	H	503	UIV	C08-N07-N06	4.67	126.00	120.50
7	H	504	UIV	C05-N06-N07	4.59	109.01	104.23
7	H	503	UIV	C05-N06-N07	4.46	108.87	104.23
7	H	504	UIV	C09-N07-N06	-4.01	108.07	111.56
7	H	503	UIV	C09-N07-N06	-3.42	108.58	111.56
7	H	503	UIV	C17-C12-C13	3.19	116.70	109.97
7	H	503	UIV	C14-C13-C12	2.66	116.36	111.33
2	B	501	NAD	PN-O3-PA	-2.51	124.21	132.83
7	H	504	UIV	C15-C16-C17	2.47	116.44	111.42
2	D	501	NAD	C5A-C6A-N6A	2.41	124.02	120.35
2	H	501	NAD	PN-O3-PA	-2.40	124.59	132.83
7	H	503	UIV	C12-C10-N02	2.37	121.37	118.76
2	A	501	NAD	C5A-C6A-N6A	2.35	123.92	120.35
2	B	501	NAD	C5A-C6A-N6A	2.33	123.89	120.35
2	G	501	NAD	C5A-C6A-N6A	2.33	123.89	120.35
2	I	501	NAD	C5A-C6A-N6A	2.32	123.88	120.35
2	G	501	NAD	PN-O3-PA	-2.32	124.88	132.83
2	I	501	NAD	PN-O3-PA	-2.29	124.98	132.83
2	C	501	NAD	PN-O3-PA	-2.27	125.03	132.83

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	NAD	C5A-C6A-N6A	2.27	123.81	120.35
3	D	502	ADE	C5-C6-N6	2.20	123.70	120.35
7	H	503	UIV	C15-C16-C17	2.20	115.90	111.42
2	H	501	NAD	C5A-C6A-N6A	2.17	123.64	120.35
2	A	501	NAD	PN-O3-PA	-2.14	125.47	132.83
2	J	501	NAD	C5A-C6A-N6A	2.12	123.57	120.35
3	G	502	ADE	C5-C6-N6	2.12	123.57	120.35
7	H	504	UIV	C17-C12-C13	2.09	114.39	109.97
7	H	503	UIV	C04-C03-N02	-2.08	108.97	112.98
7	H	503	UIV	C16-C15-C14	2.07	117.56	111.18
3	I	502	ADE	C5-C6-N6	2.01	123.41	120.35
3	H	502	ADE	C5-C6-N6	2.01	123.40	120.35

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C2N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N
2	B	501	NAD	C2D-C1D-N1N-C2N
2	B	501	NAD	C2D-C1D-N1N-C6N
2	C	501	NAD	O4D-C1D-N1N-C2N
2	C	501	NAD	O4D-C1D-N1N-C6N
2	C	501	NAD	C2D-C1D-N1N-C2N
2	C	501	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
2	G	501	NAD	O4D-C1D-N1N-C2N
2	G	501	NAD	O4D-C1D-N1N-C6N
2	G	501	NAD	C2D-C1D-N1N-C2N
2	G	501	NAD	C2D-C1D-N1N-C6N
2	H	501	NAD	O4D-C1D-N1N-C2N
2	H	501	NAD	O4D-C1D-N1N-C6N
2	H	501	NAD	C2D-C1D-N1N-C2N
2	H	501	NAD	C2D-C1D-N1N-C6N
2	I	501	NAD	O4D-C1D-N1N-C2N

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	I	501	NAD	O4D-C1D-N1N-C6N
2	I	501	NAD	C2D-C1D-N1N-C2N
2	I	501	NAD	C2D-C1D-N1N-C6N
2	J	501	NAD	O4D-C1D-N1N-C2N
2	J	501	NAD	O4D-C1D-N1N-C6N
2	J	501	NAD	C2D-C1D-N1N-C2N
2	J	501	NAD	C2D-C1D-N1N-C6N
2	C	501	NAD	O4B-C4B-C5B-O5B
2	A	501	NAD	O4B-C4B-C5B-O5B
2	H	501	NAD	O4B-C4B-C5B-O5B
2	I	501	NAD	O4B-C4B-C5B-O5B
2	B	501	NAD	O4B-C4B-C5B-O5B
2	D	501	NAD	O4B-C4B-C5B-O5B
2	G	501	NAD	O4B-C4B-C5B-O5B
2	J	501	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


8 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	504	PO4	1	0
2	D	501	NAD	1	0
2	J	501	NAD	1	0
5	D	505	PO4	1	0
5	B	506	PO4	1	0
2	B	501	NAD	1	0
5	G	505	PO4	1	0
2	I	501	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	462/472 (97%)	-0.20	16 (3%) 44 45	21, 29, 45, 84	0
1	B	461/472 (97%)	-0.12	12 (2%) 56 57	21, 31, 48, 67	0
1	C	462/472 (97%)	-0.02	16 (3%) 44 45	24, 35, 56, 94	0
1	D	463/472 (98%)	-0.12	19 (4%) 37 39	21, 32, 50, 77	0
1	G	461/472 (97%)	-0.20	13 (2%) 53 54	22, 30, 45, 72	0
1	H	461/472 (97%)	-0.06	22 (4%) 30 32	21, 32, 58, 82	0
1	I	461/472 (97%)	-0.25	9 (1%) 65 67	21, 30, 45, 69	0
1	J	461/472 (97%)	0.01	18 (3%) 39 41	22, 32, 53, 84	0
All	All	3692/3776 (97%)	-0.12	125 (3%) 45 46	21, 31, 51, 94	0

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	8	ALA	7.0
1	A	8	ALA	6.6
1	H	9	GLY	5.2
1	D	7	PRO	5.1
1	H	415	ALA	4.8
1	C	8	ALA	4.7
1	J	9	GLY	4.5
1	D	9	GLY	4.4
1	C	10	PHE	4.4
1	H	10	PHE	4.4
1	G	355	ASP	4.2
1	J	415	ALA	4.1
1	J	412	ALA	3.9
1	C	9	GLY	3.8
1	G	9	GLY	3.8
1	D	354	LYS	3.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	412	ALA	3.5
1	J	411	ALA	3.5
1	J	151	TYR	3.5
1	C	356	GLY	3.4
1	D	129	GLN	3.4
1	A	240	LEU	3.4
1	H	411	ALA	3.4
1	D	355	ASP	3.4
1	A	355	ASP	3.3
1	J	219	LEU	3.2
1	B	240	LEU	3.2
1	G	410	PRO	3.2
1	G	240	LEU	3.1
1	A	9	GLY	3.1
1	H	180	THR	3.0
1	B	219	LEU	3.0
1	J	240	LEU	3.0
1	I	9	GLY	3.0
1	C	129	GLN	2.9
1	B	247	VAL	2.9
1	C	196	LYS	2.9
1	I	240	LEU	2.8
1	J	246	ILE	2.8
1	C	46	ALA	2.8
1	H	219	LEU	2.7
1	C	355	ASP	2.7
1	G	411	ALA	2.7
1	J	153	GLN	2.7
1	J	265	PHE	2.7
1	J	355	ASP	2.7
1	J	247	VAL	2.6
1	B	153	GLN	2.6
1	D	153	GLN	2.6
1	C	335	LYS	2.6
1	G	335	LYS	2.6
1	B	9	GLY	2.6
1	C	240	LEU	2.5
1	J	417	ARG	2.5
1	H	417	ARG	2.5
1	J	118	TRP	2.5
1	D	359	ALA	2.5
1	H	46	ALA	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	114	GLU	2.5
1	J	207	LEU	2.5
1	J	10	PHE	2.4
1	A	219	LEU	2.4
1	B	246	ILE	2.4
1	H	246	ILE	2.4
1	G	354	LYS	2.4
1	I	218	LEU	2.4
1	J	218	LEU	2.4
1	A	239	SER	2.4
1	H	241	ARG	2.4
1	A	278	GLY	2.4
1	H	413	GLU	2.4
1	B	241	ARG	2.3
1	D	218	LEU	2.3
1	H	43	ARG	2.3
1	D	246	ILE	2.3
1	I	246	ILE	2.3
1	H	410	PRO	2.3
1	D	244	GLY	2.3
1	I	355	ASP	2.3
1	D	240	LEU	2.3
1	D	152	PRO	2.3
1	A	218	LEU	2.3
1	B	114	GLU	2.3
1	D	265	PHE	2.2
1	D	219	LEU	2.2
1	H	218	LEU	2.2
1	I	356	GLY	2.2
1	G	265	PHE	2.2
1	G	239	SER	2.2
1	H	157	ARG	2.2
1	H	247	VAL	2.2
1	A	244	GLY	2.2
1	D	356	GLY	2.2
1	C	241	ARG	2.2
1	B	355	ASP	2.2
1	A	335	LYS	2.2
1	J	158	ILE	2.2
1	H	240	LEU	2.2
1	A	265	PHE	2.2
1	G	247	VAL	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	247	VAL	2.1
1	H	121	GLU	2.1
1	C	118	TRP	2.1
1	C	357	PHE	2.1
1	H	11	THR	2.1
1	H	153	GLN	2.1
1	G	10	PHE	2.1
1	A	354	LYS	2.1
1	H	114	GLU	2.1
1	I	201	TYR	2.1
1	A	10	PHE	2.1
1	A	247	VAL	2.1
1	G	207	LEU	2.1
1	G	219	LEU	2.1
1	A	412	ALA	2.0
1	C	43	ARG	2.0
1	B	201	TYR	2.0
1	A	264	GLY	2.0
1	B	265	PHE	2.0
1	C	133	ALA	2.0
1	C	238	GLN	2.0
1	I	48	GLN	2.0
1	H	149	LYS	2.0
1	B	239	SER	2.0
1	I	239	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	DMS	J	503	4/4	0.76	0.22	37,38,42,66	0
7	UIV	H	503	17/17	0.86	0.12	35,38,46,46	0
6	DMS	I	504	4/4	0.88	0.18	37,39,40,59	0
7	UIV	H	504	17/17	0.88	0.16	33,38,45,46	0
5	PO4	B	506	5/5	0.90	0.13	35,37,38,38	5
5	PO4	G	504	5/5	0.91	0.28	47,49,50,55	0
6	DMS	B	503	4/4	0.91	0.15	35,38,42,50	0
5	PO4	J	505	5/5	0.93	0.14	39,39,41,42	5
6	DMS	D	503	4/4	0.93	0.13	29,34,42,52	0
5	PO4	C	505	5/5	0.94	0.16	40,43,46,49	0
5	PO4	I	509	5/5	0.94	0.10	35,36,39,42	5
5	PO4	D	505	5/5	0.94	0.12	37,38,40,40	5
5	PO4	B	507	5/5	0.95	0.10	29,31,32,33	0
5	PO4	A	506	5/5	0.95	0.08	26,26,30,35	0
5	PO4	G	506	5/5	0.95	0.13	36,36,39,40	5
5	PO4	H	506	5/5	0.95	0.13	33,34,37,38	5
3	ADE	J	502	10/10	0.96	0.10	31,31,32,32	0
5	PO4	C	506	5/5	0.96	0.12	31,33,36,41	0
5	PO4	J	506	5/5	0.96	0.08	31,32,37,43	0
5	PO4	J	507	5/5	0.96	0.13	37,38,42,44	5
5	PO4	C	507	5/5	0.96	0.14	40,40,44,45	5
5	PO4	A	504	5/5	0.96	0.13	36,39,39,40	5
3	ADE	C	502	10/10	0.96	0.07	29,31,34,35	0
3	ADE	D	502	10/10	0.96	0.09	28,28,29,29	0
3	ADE	I	502	10/10	0.96	0.09	26,29,30,32	0
5	PO4	I	507	5/5	0.96	0.12	36,38,41,44	0
5	PO4	D	506	5/5	0.97	0.11	38,39,44,46	0
5	PO4	H	507	5/5	0.97	0.07	34,35,38,40	0
5	PO4	D	507	5/5	0.97	0.07	32,34,36,41	0
5	PO4	I	508	5/5	0.97	0.09	27,30,34,35	0
2	NAD	C	501	44/44	0.97	0.08	25,29,32,34	0
3	ADE	G	502	10/10	0.97	0.08	25,26,27,28	0
5	PO4	G	508	5/5	0.97	0.07	27,29,33,39	0
2	NAD	J	501	44/44	0.98	0.07	24,27,29,31	0
3	ADE	A	502	10/10	0.98	0.08	22,24,24,26	0
3	ADE	B	502	10/10	0.98	0.09	26,28,29,29	0
2	NAD	B	501	44/44	0.98	0.08	22,25,27,28	0
6	DMS	C	503	4/4	0.98	0.16	43,49,50,50	0
2	NAD	A	501	44/44	0.98	0.08	21,24,28,28	0
2	NAD	D	501	44/44	0.98	0.07	22,24,27,29	0
3	ADE	H	502	10/10	0.98	0.07	27,28,30,31	0
2	NAD	H	501	44/44	0.98	0.07	21,25,27,28	0
2	NAD	I	501	44/44	0.98	0.06	21,24,27,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	PO4	G	507	5/5	0.99	0.05	31,34,35,35	0
4	K	C	504	1/1	0.99	0.06	28,28,28,28	0
5	PO4	B	505	5/5	0.99	0.10	37,38,41,43	0
4	K	G	503	1/1	0.99	0.09	26,26,26,26	0
5	PO4	I	506	5/5	0.99	0.15	34,37,39,40	0
6	DMS	I	503	4/4	0.99	0.09	35,38,41,44	0
4	K	J	504	1/1	0.99	0.10	26,26,26,26	0
2	NAD	G	501	44/44	0.99	0.09	23,25,27,29	0
5	PO4	G	505	5/5	0.99	0.12	35,37,41,41	0
5	PO4	A	505	5/5	0.99	0.11	32,36,37,37	0
4	K	A	503	1/1	1.00	0.07	23,23,23,23	0
4	K	D	504	1/1	1.00	0.06	25,25,25,25	0
4	K	B	504	1/1	1.00	0.07	25,25,25,25	0
4	K	H	505	1/1	1.00	0.08	25,25,25,25	0
4	K	I	505	1/1	1.00	0.09	27,27,27,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around UIV H 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD J 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around NAD H 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD I 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.