



Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2024 – 12:59 pm BST

PDB ID : 8CFZ
Title : Crystal structure of S-adenosyl-L-homocysteine hydrolase from *P. aeruginosa* in complex with F2X-Entry library fragment H09
Authors : Malecki, P.H.; Gawel, M.; Stepniewska, M.; Brzezinski, K.
Deposited on : 2023-02-03
Resolution : 1.77 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	9185 (1.80-1.76)
Clashscore	141614	10184 (1.80-1.76)
Ramachandran outliers	138981	10051 (1.80-1.76)
Sidechain outliers	138945	10050 (1.80-1.76)
RSRZ outliers	127900	9032 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	 4% 91% 7%
1	B	472	 % 92% 6%
1	C	472	 9% 90% 7%
1	D	472	 3% 92%
1	H	472	 8% 92% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	472	
1	J	472	
1	K	472	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	K	504	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 33061 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	464	Total 3638	C 2294	N 629	O 692	S 23	0	10	0
1	B	461	Total 3598	C 2269	N 623	O 683	S 23	0	7	0
1	C	461	Total 3606	C 2273	N 625	O 685	S 23	0	8	0
1	D	461	Total 3610	C 2276	N 625	O 686	S 23	0	9	0
1	H	461	Total 3613	C 2277	N 625	O 688	S 23	0	9	0
1	I	461	Total 3608	C 2276	N 623	O 686	S 23	0	9	0
1	J	461	Total 3601	C 2271	N 624	O 683	S 23	0	7	0
1	K	461	Total 3616	C 2280	N 625	O 688	S 23	0	10	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9I685
A	-1	ASN	-	expression tag	UNP Q9I685
A	0	ALA	-	expression tag	UNP Q9I685
B	-2	SER	-	expression tag	UNP Q9I685
B	-1	ASN	-	expression tag	UNP Q9I685
B	0	ALA	-	expression tag	UNP Q9I685
C	-2	SER	-	expression tag	UNP Q9I685
C	-1	ASN	-	expression tag	UNP Q9I685
C	0	ALA	-	expression tag	UNP Q9I685
D	-2	SER	-	expression tag	UNP Q9I685
D	-1	ASN	-	expression tag	UNP Q9I685
D	0	ALA	-	expression tag	UNP Q9I685
H	-2	SER	-	expression tag	UNP Q9I685

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-1	ASN	-	expression tag	UNP Q9I685
H	0	ALA	-	expression tag	UNP Q9I685
I	-2	SER	-	expression tag	UNP Q9I685
I	-1	ASN	-	expression tag	UNP Q9I685
I	0	ALA	-	expression tag	UNP Q9I685
J	-2	SER	-	expression tag	UNP Q9I685
J	-1	ASN	-	expression tag	UNP Q9I685
J	0	ALA	-	expression tag	UNP Q9I685
K	-2	SER	-	expression tag	UNP Q9I685
K	-1	ASN	-	expression tag	UNP Q9I685
K	0	ALA	-	expression tag	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
			Total	C	N	O			P	
2	A	1	Total	44	21	7	14	2	0	0
2	B	1	Total	44	21	7	14	2	0	0
2	C	1	Total	44	21	7	14	2	0	0
2	D	1	Total	44	21	7	14	2	0	0
2	H	1	Total	44	21	7	14	2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	I	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	J	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	K	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is ADENINE (three-letter code: ADE) (formula: C₅H₅N₅).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C N	0	0
			10	5 5		
3	B	1	Total	C N	0	0
			10	5 5		
3	C	1	Total	C N	0	0
			10	5 5		
3	D	1	Total	C N	0	0
			10	5 5		
3	H	1	Total	C N	0	0
			10	5 5		
3	I	1	Total	C N	0	0
			10	5 5		
3	J	1	Total	C N	0	0
			10	5 5		
3	K	1	Total	C N	0	0
			10	5 5		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O P 5 4 1	0	0
4	A	1	Total O P 5 4 1	0	0
4	A	1	Total O P 5 4 1	0	0
4	A	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0
4	C	1	Total O P 5 4 1	0	0
4	C	1	Total O P 5 4 1	0	0
4	C	1	Total O P 5 4 1	0	0
4	C	1	Total O P 5 4 1	0	0
4	D	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total O P 5 4 1	0	0
4	D	1	Total O P 5 4 1	0	0
4	D	1	Total O P 5 4 1	0	0
4	H	1	Total O P 5 4 1	0	0
4	H	1	Total O P 5 4 1	0	0
4	H	1	Total O P 5 4 1	0	0
4	H	1	Total O P 5 4 1	0	0
4	I	1	Total O P 5 4 1	0	0
4	I	1	Total O P 5 4 1	0	0
4	I	1	Total O P 5 4 1	0	0
4	J	1	Total O P 5 4 1	0	0
4	J	1	Total O P 5 4 1	0	0
4	J	1	Total O P 5 4 1	0	0
4	J	1	Total O P 5 4 1	0	0
4	K	1	Total O P 5 4 1	0	0
4	K	1	Total O P 5 4 1	0	0
4	K	1	Total O P 5 4 1	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0
5	I	1	Total K 1 1	0	0
5	J	1	Total K 1 1	0	0
5	K	1	Total K 1 1	0	0

- Molecule 6 is 1-[2,4-bis(fluoranyl)phenyl]-2-(3,4-dihydro-1,2,4-triazol-2-yl)ethanon e (three-letter code: A1H8H) (formula: C₁₀H₉F₂N₃O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total C F N O 32 20 4 6 2	0	1
6	D	1	Total C F N O 32 20 4 6 2	0	1
6	I	1	Total C F N O 32 20 4 6 2	0	1
6	K	1	Total C F N O 32 20 4 6 2	0	1

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	J	1	Total C O 6 3 3	0	0
7	J	1	Total C O 6 3 3	0	0
7	J	1	Total C O 6 3 3	0	0
7	J	1	Total C O 6 3 3	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	407	Total O 422 422	0	16
8	B	456	Total O 474 474	0	18
8	C	379	Total O 393 393	0	15
8	D	444	Total O 459 459	0	14
8	H	331	Total O 347 347	0	18
8	I	437	Total O 456 456	0	21
8	J	406	Total O 425 425	0	21

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	K	438	Total 453	O 453	0	16


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase



- Molecule 1: Adenosylhomocysteinase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	111.07Å 210.80Å 111.50Å 90.00° 105.83° 90.00°	Depositor
Resolution (Å)	43.42 – 1.77 48.53 – 1.77	Depositor EDS
% Data completeness (in resolution range)	98.2 (43.42-1.77) 98.2 (48.53-1.77)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.17 (at 1.77Å)	Xtrriage
Refinement program	PHENIX 1.21_5207	Depositor
R, R_{free}	0.170 , 0.192 0.170 , 0.192	Depositor DCC
R_{free} test set	1082 reflections (0.23%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtrriage
Anisotropy	0.290	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 58.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.105 for l,-k,h	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	33061	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ADE, K, NAD, GOL, PO4, A1H8H

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.87	1/3717 (0.0%)	0.80	4/5025 (0.1%)
1	B	0.93	1/3673 (0.0%)	0.80	3/4964 (0.1%)
1	C	0.83	0/3681	0.77	1/4975 (0.0%)
1	D	0.89	1/3688 (0.0%)	0.78	1/4985 (0.0%)
1	H	0.79	1/3688 (0.0%)	0.73	0/4985
1	I	0.86	0/3689	0.79	1/4986 (0.0%)
1	J	0.84	1/3673 (0.0%)	0.78	1/4963 (0.0%)
1	K	0.87	0/3697	0.79	2/4997 (0.0%)
All	All	0.86	5/29506 (0.0%)	0.78	13/39880 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	354	LYS	CE-NZ	-5.48	1.35	1.49
1	A	467	TYR	CD2-CE2	5.45	1.47	1.39
1	B	469	TYR	CD1-CE1	5.33	1.47	1.39
1	J	229	TYR	CE2-CZ	5.28	1.45	1.38
1	D	420	VAL	CB-CG1	5.24	1.63	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	428	ASP	CB-CG-OD1	6.48	124.13	118.30
1	A	209	ASP	CB-CG-OD1	5.65	123.39	118.30
1	I	428	ASP	CB-CG-OD1	5.46	123.22	118.30
1	B	465	ASP	CB-CG-OD1	5.44	123.19	118.30
1	D	373	LEU	CB-CG-CD1	-5.34	101.92	111.00
1	C	428	ASP	CB-CG-OD1	5.30	123.07	118.30
1	K	209	ASP	CB-CG-OD1	5.27	123.04	118.30
1	A	373	LEU	CB-CG-CD1	-5.22	102.12	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	428	ASP	CB-CG-OD1	5.12	122.91	118.30
1	A	372	ARG	NE-CZ-NH1	5.08	122.84	120.30
1	A	362	ASP	CB-CG-OD1	5.07	122.87	118.30
1	B	12	ASP	CB-CG-OD1	5.05	122.84	118.30
1	J	428	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3638	0	3656	18	0
1	B	3598	0	3615	17	0
1	C	3606	0	3620	21	0
1	D	3610	0	3627	13	0
1	H	3613	0	3624	13	0
1	I	3608	0	3628	11	0
1	J	3601	0	3619	22	0
1	K	3616	0	3633	14	0
2	A	44	0	26	0	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	0	0
2	H	44	0	26	0	0
2	I	44	0	26	1	0
2	J	44	0	26	0	0
2	K	44	0	26	0	0
3	A	10	0	4	0	0
3	B	10	0	4	0	0
3	C	10	0	4	0	0
3	D	10	0	4	0	0
3	H	10	0	4	0	0
3	I	10	0	4	0	0
3	J	10	0	4	0	0
3	K	10	0	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	20	0	0	0	0
4	B	20	0	0	1	0
4	C	20	0	0	2	0
4	D	20	0	0	0	0
4	H	20	0	0	1	0
4	I	15	0	0	0	0
4	J	20	0	0	0	0
4	K	15	0	0	5	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
6	C	32	0	0	0	0
6	D	32	0	0	0	0
6	I	32	0	0	0	0
6	K	32	0	0	0	0
7	J	24	0	32	1	0
8	A	422	0	0	7	0
8	B	474	0	0	4	0
8	C	393	0	0	4	0
8	D	459	0	0	2	0
8	H	347	0	0	3	0
8	I	456	0	0	3	0
8	J	425	0	0	2	0
8	K	453	0	0	3	0
All	All	33061	0	29294	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:360:HIS:HE2	4:K:504:PO4:P	2.12	0.72
1:J:241[B]:ARG:HD2	8:J:829:HOH:O	1.92	0.68
1:D:406:TYR:HA	1:D:409:LEU:HD22	1.77	0.67
1:A:241[B]:ARG:HD2	8:A:847:HOH:O	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:241[B]:ARG:HD2	8:K:854:HOH:O	1.98	0.64
1:I:241[B]:ARG:HD2	8:I:855:HOH:O	1.97	0.64
1:C:459:GLU:OE2	1:J:43:ARG:NH1	2.31	0.64
1:D:241[B]:ARG:HD2	8:D:870:HOH:O	1.99	0.63
1:J:41:LEU:HG	7:J:504:GOL:H11	1.78	0.63
1:J:277:ASP:HB2	1:J:282:SER:HB3	1.82	0.61
1:B:241[B]:ARG:HD2	8:B:914:HOH:O	2.00	0.61
1:K:149:LYS:NZ	8:K:602:HOH:O	2.33	0.61
1:C:241[B]:ARG:HD2	8:C:746:HOH:O	1.98	0.61
1:J:241[B]:ARG:NH2	1:J:263:ASP:O	2.31	0.60
1:J:360:HIS:NE2	4:K:504:PO4:O4	2.32	0.60
1:C:277:ASP:HB2	1:C:282:SER:HB3	1.82	0.60
1:D:283:ILE:HG13	1:D:307:ASN:HB3	1.85	0.59
1:C:433:LEU:HG	1:C:437:LYS:HE3	1.84	0.59
1:J:410:PRO:HG2	1:J:413:GLU:HG2	1.83	0.59
1:B:323:HIS:HA	1:B:373:LEU:HD21	1.85	0.59
1:B:223[B]:GLN:OE1	1:B:290:LYS:HE2	2.03	0.58
1:A:400:HIS:HE1	8:A:876:HOH:O	1.87	0.57
1:B:417:ARG:NE	8:B:601:HOH:O	2.37	0.57
1:H:113:GLU:O	1:H:117:GLU:HG2	2.05	0.56
1:I:225:LEU:HB3	1:I:294[B]:ILE:HG12	1.88	0.55
1:C:241[B]:ARG:HD3	1:C:265:PHE:CE1	2.42	0.54
1:A:182:LYS:NZ	8:A:601:HOH:O	2.30	0.54
8:I:908:HOH:O	1:J:170:HIS:HE1	1.89	0.54
1:J:426:LYS:HE3	8:J:618:HOH:O	2.08	0.53
1:C:373:LEU:HD22	2:C:502:NAD:N7N	2.23	0.53
1:D:149:LYS:NZ	8:D:604:HOH:O	2.41	0.53
1:H:373:LEU:HD12	8:H:785:HOH:O	2.09	0.53
1:H:404:GLN:NE2	8:H:603:HOH:O	2.42	0.52
1:D:153:GLN:H	1:D:153:GLN:CD	2.12	0.52
1:A:14:LYS:HG2	1:A:108:TRP:CZ3	2.44	0.52
1:I:373:LEU:HD22	2:I:501:NAD:N7N	2.24	0.52
1:C:25:ARG:NH1	4:C:504:PO4:O2	2.41	0.52
1:A:196:LYS:HE3	1:D:468:ARG:HB2	1.90	0.51
1:K:283:ILE:HG13	1:K:307:ASN:HB3	1.93	0.51
1:K:157:ARG:NH1	8:K:604:HOH:O	2.39	0.50
1:A:429:GLU:OE1	1:A:461:PRO:HA	2.12	0.50
1:B:433:LEU:HG	1:B:437:LYS:HE2	1.93	0.50
1:A:43:ARG:NH2	8:A:607:HOH:O	2.46	0.49
1:C:283:ILE:HG13	1:C:307:ASN:HB3	1.94	0.49
1:H:241[B]:ARG:HD2	8:H:841:HOH:O	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:318:VAL:HG12	1:A:328:ILE:HD13	1.95	0.49
1:A:48:GLN:NE2	8:A:605:HOH:O	2.43	0.49
1:I:241[B]:ARG:NH1	1:I:263:ASP:O	2.36	0.48
1:C:113:GLU:O	1:C:117:GLU:HG2	2.13	0.48
1:I:149:LYS:NZ	8:I:605:HOH:O	2.45	0.48
1:J:340:GLU:HB2	1:J:357:PHE:CZ	2.48	0.48
1:K:406:TYR:HA	1:K:409:LEU:HD22	1.96	0.48
1:B:400:HIS:HE1	8:B:925:HOH:O	1.94	0.48
1:H:241[B]:ARG:NH1	1:H:263:ASP:O	2.38	0.48
1:I:204:ARG:HA	1:I:239:SER:HB2	1.96	0.47
1:B:468:ARG:HB2	1:C:196:LYS:HE3	1.96	0.47
1:C:277:ASP:HB3	1:C:279:THR:H	1.78	0.47
1:J:277:ASP:HB3	1:J:279:THR:H	1.78	0.47
1:A:241[B]:ARG:HD3	1:A:265:PHE:CE1	2.49	0.47
1:H:56:ILE:HB	1:H:80:VAL:HG12	1.96	0.46
1:B:118:TRP:O	1:B:122:GLN:HG2	2.16	0.46
1:H:283:ILE:HG13	1:H:307:ASN:HB3	1.98	0.46
1:J:55:LYS:HB3	1:J:131:TRP:CH2	2.50	0.46
1:H:241[B]:ARG:HD3	1:H:265:PHE:CE1	2.51	0.46
1:A:360:HIS:HE2	4:B:503:PO4:P	2.39	0.46
1:J:287:LEU:O	1:J:290:LYS:HG2	2.16	0.46
1:B:225:LEU:HB3	1:B:294[B]:ILE:HG12	1.97	0.46
1:A:241[B]:ARG:NH1	1:A:263:ASP:O	2.48	0.45
1:K:232:VAL:HG12	1:K:297:THR:HB	1.97	0.45
1:K:28:LEU:O	1:K:32:GLU:HG3	2.16	0.45
1:H:148:HIS:CE1	1:H:175:MET:HE1	2.51	0.45
1:K:429:GLU:OE1	1:K:461:PRO:HA	2.16	0.45
1:H:61:HIS:CE1	1:H:85:CYS:SG	3.10	0.44
1:D:134:ASN:HA	1:D:158[A]:ILE:HD13	1.99	0.44
1:H:155:LEU:HD23	1:H:158[B]:ILE:HD12	2.00	0.44
1:H:351:ARG:NH2	4:H:504:PO4:O1	2.50	0.44
1:K:204:ARG:HA	1:K:239:SER:HB2	1.98	0.44
1:D:290:LYS:HB2	1:D:290:LYS:HE3	1.66	0.44
1:J:426:LYS:HA	1:J:426:LYS:HD2	1.78	0.44
1:D:241[B]:ARG:HD3	1:D:265:PHE:CE1	2.53	0.43
1:B:322:GLY:O	1:B:373:LEU:HD23	2.17	0.43
1:J:48:GLN:OE1	1:J:48:GLN:N	2.52	0.43
1:C:449:LYS:HD3	8:C:743:HOH:O	2.18	0.43
1:C:351:ARG:NH2	4:C:505:PO4:O3	2.52	0.43
1:C:318:VAL:HG12	1:C:328:ILE:HD13	2.01	0.42
1:K:314:LYS:HG3	4:K:505:PO4:O4	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:290:LYS:HB3	1:C:290:LYS:HE3	1.84	0.42
1:I:145:GLU:OE2	1:I:149:LYS:NZ	2.38	0.42
1:A:134:ASN:HA	1:A:158[A]:ILE:HD13	2.02	0.42
1:J:175:MET:HB3	1:J:175:MET:HE2	1.83	0.42
1:C:322:GLY:O	1:C:373:LEU:HD23	2.19	0.42
1:J:424:PRO:HD2	1:J:427:LEU:HD12	2.01	0.42
1:A:373:LEU:HD12	8:A:826:HOH:O	2.18	0.42
1:B:189:ASN:HA	1:B:194:LYS:HD2	2.01	0.42
1:K:195:SER:O	1:K:199:ASN:HB2	2.20	0.42
1:C:170:HIS:CE1	8:C:855:HOH:O	2.73	0.42
1:J:241[B]:ARG:HD3	1:J:265:PHE:CE1	2.55	0.42
1:D:232:VAL:HG12	1:D:297:THR:HB	2.01	0.42
1:I:459[B]:GLU:H	1:I:459[B]:GLU:HG3	1.64	0.42
1:J:360:HIS:NE2	4:K:504:PO4:O2	2.53	0.42
1:B:373:LEU:HD22	2:B:501:NAD:N7N	2.35	0.42
1:H:160:GLY:HA3	1:H:401:LEU:HD13	2.01	0.42
1:K:405:LYS:O	1:K:409:LEU:HD13	2.20	0.42
1:I:315:ARG:NH1	1:I:362:ASP:HB2	2.35	0.41
1:C:124:ILE:HG23	1:C:154:MET:SD	2.61	0.41
1:K:25:ARG:NH1	4:K:504:PO4:O3	2.48	0.41
1:C:170:HIS:HE1	8:C:855:HOH:O	2.02	0.41
1:B:291:ILE:HG21	1:B:294[B]:ILE:HG13	2.01	0.41
1:A:87:ILE:HG22	1:A:116:TYR:HB2	2.02	0.41
1:C:161:ILE:O	1:C:185:ALA:HA	2.20	0.41
1:I:192:VAL:HG13	1:I:196:LYS:HG3	2.03	0.41
1:A:118:TRP:O	1:A:122:GLN:HG2	2.21	0.41
1:A:153:GLN:O	1:A:157:ARG:NH1	2.54	0.41
1:B:241[B]:ARG:HD3	1:B:265:PHE:CE1	2.55	0.41
1:B:149:LYS:HE2	8:B:881:HOH:O	2.20	0.41
1:B:429:GLU:OE1	1:B:461:PRO:HA	2.21	0.41
1:D:154:MET:O	1:D:158[A]:ILE:HG12	2.21	0.41
1:I:429:GLU:OE1	1:I:461:PRO:HA	2.21	0.41
1:D:114:GLU:H	1:D:114:GLU:CD	2.24	0.40
1:J:195:SER:O	1:J:199:ASN:HB2	2.21	0.40
1:A:335:LYS:HD2	8:A:801:HOH:O	2.21	0.40
1:K:134:ASN:HA	1:K:158[A]:ILE:HD13	2.04	0.40
1:B:409:LEU:HA	1:B:409:LEU:HD23	1.81	0.40
1:C:62:MET:HB3	1:C:90:THR:HG23	2.03	0.40
1:D:429:GLU:OE1	1:D:461:PRO:HA	2.20	0.40
1:J:283:ILE:HG13	1:J:307:ASN:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	472/472 (100%)	461 (98%)	10 (2%)	1 (0%)	47	32
1	B	466/472 (99%)	455 (98%)	10 (2%)	1 (0%)	47	32
1	C	467/472 (99%)	458 (98%)	9 (2%)	0	100	100
1	D	468/472 (99%)	457 (98%)	10 (2%)	1 (0%)	47	32
1	H	468/472 (99%)	456 (97%)	12 (3%)	0	100	100
1	I	468/472 (99%)	457 (98%)	10 (2%)	1 (0%)	47	32
1	J	466/472 (99%)	455 (98%)	10 (2%)	1 (0%)	47	32
1	K	469/472 (99%)	459 (98%)	9 (2%)	1 (0%)	47	32
All	All	3744/3776 (99%)	3658 (98%)	80 (2%)	6 (0%)	47	32

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	K	61	HIS
1	A	61	HIS
1	B	61	HIS
1	D	61	HIS
1	I	61	HIS
1	J	61	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	389/385 (101%)	385 (99%)	4 (1%)	76	68
1	B	384/385 (100%)	382 (100%)	2 (0%)	88	86
1	C	385/385 (100%)	379 (98%)	6 (2%)	62	51
1	D	386/385 (100%)	378 (98%)	8 (2%)	53	38
1	H	386/385 (100%)	381 (99%)	5 (1%)	69	59
1	I	386/385 (100%)	379 (98%)	7 (2%)	59	45
1	J	384/385 (100%)	374 (97%)	10 (3%)	46	29
1	K	387/385 (100%)	383 (99%)	4 (1%)	76	68
All	All	3087/3080 (100%)	3041 (98%)	46 (2%)	65	53

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	174	ASP
1	A	177	LYS
1	A	251	GLU
1	A	354	LYS
1	B	251	GLU
1	B	417	ARG
1	C	14	LYS
1	C	42	ARG
1	C	145	GLU
1	C	174	ASP
1	C	194	LYS
1	C	277	ASP
1	D	149	LYS
1	D	153	GLN
1	D	355	ASP
1	D	373	LEU
1	D	409	LEU
1	D	417	ARG
1	D	449	LYS
1	D	459	GLU
1	H	52	LYS
1	H	149	LYS
1	H	157	ARG
1	H	166[A]	THR
1	H	166[B]	THR
1	I	52	LYS
1	I	196	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	335	LYS
1	I	417	ARG
1	I	421	GLU
1	I	459[A]	GLU
1	I	459[B]	GLU
1	J	14	LYS
1	J	42	ARG
1	J	44	LYS
1	J	48	GLN
1	J	121	GLU
1	J	132	ASP
1	J	145	GLU
1	J	157	ARG
1	J	373	LEU
1	J	426	LYS
1	K	153	GLN
1	K	290	LYS
1	K	373	LEU
1	K	417	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 66 ligands modelled in this entry, 8 are monoatomic - leaving 58 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	I	505	-	4,4,4	0.80	0	6,6,6	0.94	0
4	PO4	B	503	-	4,4,4	1.58	1 (25%)	6,6,6	1.19	1 (16%)
2	NAD	H	501	-	42,48,48	0.67	0	50,73,73	0.96	3 (6%)
3	ADE	I	502	-	9,11,11	1.61	3 (33%)	7,15,15	0.94	0
4	PO4	H	504	-	4,4,4	0.74	0	6,6,6	1.22	0
2	NAD	D	501	-	42,48,48	0.71	1 (2%)	50,73,73	0.74	0
4	PO4	K	506	-	4,4,4	1.21	0	6,6,6	1.31	1 (16%)
4	PO4	D	503	-	4,4,4	0.77	0	6,6,6	1.21	0
2	NAD	K	502	-	42,48,48	0.65	0	50,73,73	0.92	4 (8%)
4	PO4	J	508	-	4,4,4	1.29	0	6,6,6	1.25	1 (16%)
3	ADE	D	502	-	9,11,11	0.87	0	7,15,15	1.10	0
4	PO4	H	503	-	4,4,4	0.43	0	6,6,6	1.36	1 (16%)
4	PO4	J	507	-	4,4,4	1.12	0	6,6,6	0.70	0
6	A1H8H	C	501[B]	-	17,17,17	0.86	1 (5%)	19,23,23	1.59	2 (10%)
3	ADE	K	503	-	9,11,11	1.04	1 (11%)	7,15,15	1.19	1 (14%)
4	PO4	B	504	-	4,4,4	1.33	1 (25%)	6,6,6	1.72	2 (33%)
3	ADE	A	502	-	9,11,11	1.66	2 (22%)	7,15,15	1.19	1 (14%)
4	PO4	H	506	-	4,4,4	0.80	0	6,6,6	0.87	0
6	A1H8H	I	507[A]	-	17,17,17	0.91	1 (5%)	19,23,23	1.60	2 (10%)
4	PO4	D	505	-	4,4,4	1.18	1 (25%)	6,6,6	0.74	0
6	A1H8H	D	508[B]	-	17,17,17	0.83	1 (5%)	19,23,23	1.56	2 (10%)
6	A1H8H	K	501[A]	-	17,17,17	0.84	1 (5%)	19,23,23	1.62	2 (10%)
4	PO4	C	506	-	4,4,4	1.33	0	6,6,6	0.86	0
4	PO4	K	505	-	4,4,4	1.07	0	6,6,6	1.43	2 (33%)
4	PO4	J	509	-	4,4,4	0.56	0	6,6,6	1.60	1 (16%)
4	PO4	I	503	-	4,4,4	0.85	0	6,6,6	1.42	1 (16%)
4	PO4	A	506	-	4,4,4	0.84	0	6,6,6	1.04	0
3	ADE	J	502	-	9,11,11	1.73	3 (33%)	7,15,15	0.99	0
2	NAD	A	501	-	42,48,48	0.84	0	50,73,73	0.96	2 (4%)
7	GOL	J	504	-	5,5,5	0.74	0	5,5,5	1.09	0
4	PO4	B	506	-	4,4,4	0.86	0	6,6,6	0.99	0
4	PO4	C	504	-	4,4,4	1.00	0	6,6,6	1.17	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	A	504	-	4,4,4	1.56	1 (25%)	6,6,6	1.06	0
4	PO4	C	507	-	4,4,4	1.17	0	6,6,6	1.38	1 (16%)
4	PO4	B	505	-	4,4,4	1.30	1 (25%)	6,6,6	0.95	0
3	ADE	B	502	-	9,11,11	1.39	2 (22%)	7,15,15	1.00	0
6	A1H8H	C	501[A]	-	17,17,17	0.87	1 (5%)	19,23,23	1.65	2 (10%)
3	ADE	C	503	-	9,11,11	1.63	3 (33%)	7,15,15	1.22	1 (14%)
4	PO4	C	505	-	4,4,4	1.34	1 (25%)	6,6,6	1.29	0
2	NAD	I	501	-	42,48,48	0.72	0	50,73,73	0.83	1 (2%)
4	PO4	D	506	-	4,4,4	0.76	0	6,6,6	0.79	0
3	ADE	H	502	-	9,11,11	0.99	1 (11%)	7,15,15	1.23	1 (14%)
6	A1H8H	I	507[B]	-	17,17,17	0.86	1 (5%)	19,23,23	1.64	3 (15%)
2	NAD	J	501	-	42,48,48	0.78	1 (2%)	50,73,73	0.97	4 (8%)
4	PO4	H	505	-	4,4,4	1.01	0	6,6,6	1.14	1 (16%)
7	GOL	J	503	-	5,5,5	0.80	0	5,5,5	0.95	0
7	GOL	J	506	-	5,5,5	0.65	0	5,5,5	0.85	0
2	NAD	C	502	-	42,48,48	0.73	0	50,73,73	0.99	4 (8%)
4	PO4	A	503	-	4,4,4	0.73	0	6,6,6	1.55	2 (33%)
4	PO4	I	504	-	4,4,4	1.03	0	6,6,6	1.14	0
4	PO4	D	504	-	4,4,4	0.41	0	6,6,6	2.17	3 (50%)
4	PO4	J	510	-	4,4,4	0.98	0	6,6,6	1.05	0
4	PO4	A	505	-	4,4,4	1.57	1 (25%)	6,6,6	1.02	0
6	A1H8H	D	508[A]	-	17,17,17	0.84	1 (5%)	19,23,23	1.56	2 (10%)
6	A1H8H	K	501[B]	-	17,17,17	0.87	1 (5%)	19,23,23	1.54	2 (10%)
4	PO4	K	504	-	4,4,4	1.40	1 (25%)	6,6,6	1.15	0
2	NAD	B	501	-	42,48,48	0.77	0	50,73,73	0.89	2 (4%)
7	GOL	J	505	-	5,5,5	1.07	0	5,5,5	1.65	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	H	501	-	-	5/26/62/62	0/5/5/5
3	ADE	I	502	-	-	-	0/2/2/2
2	NAD	D	501	-	-	5/26/62/62	0/5/5/5
2	NAD	K	502	-	-	5/26/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	A1H8H	C	501[B]	-	-	4/7/15/15	0/2/2/2
3	ADE	D	502	-	-	-	0/2/2/2
6	A1H8H	I	507[A]	-	-	3/7/15/15	0/2/2/2
3	ADE	K	503	-	-	-	0/2/2/2
3	ADE	A	502	-	-	-	0/2/2/2
6	A1H8H	D	508[B]	-	-	0/7/15/15	0/2/2/2
6	A1H8H	K	501[A]	-	-	4/7/15/15	0/2/2/2
3	ADE	J	502	-	-	-	0/2/2/2
2	NAD	A	501	-	-	5/26/62/62	0/5/5/5
7	GOL	J	504	-	-	3/4/4/4	-
3	ADE	B	502	-	-	-	0/2/2/2
6	A1H8H	C	501[A]	-	-	3/7/15/15	0/2/2/2
3	ADE	C	503	-	-	-	0/2/2/2
2	NAD	I	501	-	-	5/26/62/62	0/5/5/5
6	A1H8H	I	507[B]	-	-	6/7/15/15	0/2/2/2
3	ADE	H	502	-	-	-	0/2/2/2
2	NAD	J	501	-	-	5/26/62/62	0/5/5/5
7	GOL	J	503	-	-	0/4/4/4	-
7	GOL	J	506	-	-	2/4/4/4	-
2	NAD	C	502	-	-	5/26/62/62	0/5/5/5
6	A1H8H	K	501[B]	-	-	0/7/15/15	0/2/2/2
6	A1H8H	D	508[A]	-	-	0/7/15/15	0/2/2/2
2	NAD	B	501	-	-	5/26/62/62	0/5/5/5
7	GOL	J	505	-	-	2/4/4/4	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	ADE	C4-N9	3.86	1.41	1.34
3	J	502	ADE	C2-N3	3.45	1.37	1.32
6	I	507[A]	A1H8H	N1-N3	-3.23	1.36	1.40
3	J	502	ADE	C4-N3	-3.17	1.32	1.37
6	K	501[B]	A1H8H	N1-N3	-3.12	1.36	1.40
3	I	502	ADE	C4-N9	3.11	1.40	1.34
6	C	501[A]	A1H8H	N1-N3	-3.10	1.36	1.40
6	I	507[B]	A1H8H	N1-N3	-3.05	1.36	1.40
6	C	501[B]	A1H8H	N1-N3	-3.00	1.36	1.40
6	K	501[A]	A1H8H	N1-N3	-2.98	1.36	1.40
3	I	502	ADE	C4-N3	-2.93	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	503	ADE	C4-N9	2.91	1.40	1.34
6	D	508[B]	A1H8H	N1-N3	-2.91	1.36	1.40
6	D	508[A]	A1H8H	N1-N3	-2.83	1.36	1.40
4	A	504	PO4	P-O3	-2.67	1.46	1.54
3	B	502	ADE	C4-N9	2.57	1.39	1.34
3	C	503	ADE	C4-N3	-2.56	1.33	1.37
4	K	504	PO4	P-O3	-2.51	1.47	1.54
3	A	502	ADE	C4-N3	-2.34	1.33	1.37
4	C	505	PO4	P-O3	-2.33	1.47	1.54
3	K	503	ADE	C4-N9	2.32	1.39	1.34
3	H	502	ADE	C4-N9	2.31	1.39	1.34
4	B	504	PO4	P-O1	2.31	1.56	1.50
4	B	503	PO4	P-O2	-2.29	1.47	1.54
2	D	501	NAD	O7N-C7N	2.29	1.28	1.24
4	A	505	PO4	P-O2	-2.25	1.47	1.54
2	J	501	NAD	C7N-N7N	2.23	1.37	1.33
3	B	502	ADE	C2-N3	2.11	1.35	1.32
3	I	502	ADE	C2-N3	2.10	1.35	1.32
3	C	503	ADE	C2-N3	2.08	1.35	1.32
4	B	505	PO4	P-O2	-2.05	1.48	1.54
4	D	505	PO4	P-O4	-2.05	1.48	1.54
3	J	502	ADE	C4-N9	2.04	1.38	1.34

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	501[A]	A1H8H	C1-N1-C2	5.89	124.80	113.49
6	K	501[B]	A1H8H	C1-N1-C2	5.83	124.69	113.49
6	D	508[B]	A1H8H	C1-N1-C2	5.72	124.48	113.49
6	K	501[A]	A1H8H	C1-N1-C2	5.71	124.45	113.49
6	I	507[B]	A1H8H	C1-N1-C2	5.59	124.22	113.49
6	I	507[A]	A1H8H	C1-N1-C2	5.58	124.21	113.49
6	C	501[B]	A1H8H	C1-N1-C2	5.54	124.14	113.49
6	D	508[A]	A1H8H	C1-N1-C2	5.22	123.51	113.49
4	D	504	PO4	O4-P-O3	3.08	117.84	107.97
2	B	501	NAD	PN-O3-PA	-2.98	122.61	132.83
7	J	505	GOL	O3-C3-C2	-2.96	96.00	110.20
4	J	509	PO4	O2-P-O1	-2.89	100.32	110.89
4	B	504	PO4	O4-P-O2	-2.87	98.76	107.97
6	I	507[B]	A1H8H	N2-C2-N1	-2.77	96.46	103.58
6	K	501[A]	A1H8H	N2-C2-N1	-2.76	96.48	103.58
4	D	504	PO4	O2-P-O1	-2.68	101.09	110.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	502	NAD	O4B-C1B-C2B	-2.64	103.07	106.93
2	J	501	NAD	O2A-PA-O1A	2.62	125.20	112.24
6	D	508[B]	A1H8H	N2-C2-N1	-2.62	96.85	103.58
4	C	507	PO4	O4-P-O3	2.61	116.35	107.97
6	K	501[B]	A1H8H	N2-C2-N1	-2.61	96.88	103.58
6	I	507[B]	A1H8H	C4-C1-N1	-2.60	108.97	112.00
6	D	508[A]	A1H8H	N2-C2-N1	-2.59	96.92	103.58
6	C	501[B]	A1H8H	N2-C2-N1	-2.58	96.95	103.58
3	C	503	ADE	C5-C6-N6	2.55	124.23	120.35
4	I	503	PO4	O2-P-O1	-2.54	101.60	110.89
4	K	505	PO4	O4-P-O2	-2.54	99.82	107.97
6	C	501[A]	A1H8H	N2-C2-N1	-2.51	97.14	103.58
6	I	507[A]	A1H8H	N2-C2-N1	-2.50	97.15	103.58
2	K	502	NAD	O3D-C3D-C4D	-2.47	103.90	111.05
4	D	504	PO4	O4-P-O1	-2.45	101.94	110.89
2	C	502	NAD	C5A-C6A-N6A	2.44	124.07	120.35
3	H	502	ADE	C5-C6-N6	2.43	124.05	120.35
4	B	504	PO4	O4-P-O3	2.37	115.58	107.97
2	C	502	NAD	O4B-C1B-C2B	-2.35	103.49	106.93
4	C	504	PO4	O4-P-O2	2.35	115.52	107.97
4	H	503	PO4	O2-P-O1	-2.35	102.30	110.89
2	A	501	NAD	O4B-C1B-C2B	-2.35	103.50	106.93
4	K	505	PO4	O4-P-O3	2.34	115.49	107.97
2	C	502	NAD	PN-O3-PA	-2.33	124.85	132.83
2	J	501	NAD	C5A-C6A-N6A	2.30	123.85	120.35
3	K	503	ADE	C5-C6-N6	2.28	123.82	120.35
2	I	501	NAD	C5A-C6A-N6A	2.27	123.80	120.35
2	J	501	NAD	PN-O3-PA	-2.26	125.07	132.83
2	K	502	NAD	O5B-C5B-C4B	-2.25	101.23	108.99
4	A	503	PO4	O2-P-O1	-2.25	102.66	110.89
3	A	502	ADE	C5-C6-N6	2.24	123.76	120.35
2	J	501	NAD	C2N-N1N-C1D	-2.24	114.16	119.14
2	K	502	NAD	C5A-C6A-N6A	2.23	123.74	120.35
4	A	503	PO4	O3-P-O2	2.22	115.11	107.97
2	H	501	NAD	PN-O3-PA	-2.21	125.23	132.83
2	C	502	NAD	O2A-PA-O1A	2.17	122.96	112.24
2	H	501	NAD	O2A-PA-O1A	2.17	122.96	112.24
2	A	501	NAD	C5A-C6A-N6A	2.14	123.60	120.35
4	B	503	PO4	O3-P-O2	2.13	114.80	107.97
4	J	508	PO4	O4-P-O1	-2.08	103.28	110.89
2	H	501	NAD	C5A-C6A-N6A	2.06	123.48	120.35
4	K	506	PO4	O3-P-O2	-2.03	101.45	107.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	505	PO4	O4-P-O2	-2.02	101.47	107.97
2	B	501	NAD	O3D-C3D-C4D	-2.01	105.23	111.05

There are no chirality outliers.

All (67) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C2N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N
2	B	501	NAD	C2D-C1D-N1N-C2N
2	B	501	NAD	C2D-C1D-N1N-C6N
2	C	502	NAD	O4D-C1D-N1N-C2N
2	C	502	NAD	O4D-C1D-N1N-C6N
2	C	502	NAD	C2D-C1D-N1N-C2N
2	C	502	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
2	H	501	NAD	O4D-C1D-N1N-C2N
2	H	501	NAD	O4D-C1D-N1N-C6N
2	H	501	NAD	C2D-C1D-N1N-C2N
2	H	501	NAD	C2D-C1D-N1N-C6N
2	I	501	NAD	O4D-C1D-N1N-C2N
2	I	501	NAD	O4D-C1D-N1N-C6N
2	I	501	NAD	C2D-C1D-N1N-C2N
2	I	501	NAD	C2D-C1D-N1N-C6N
2	J	501	NAD	O4D-C1D-N1N-C2N
2	J	501	NAD	O4D-C1D-N1N-C6N
2	J	501	NAD	C2D-C1D-N1N-C2N
2	J	501	NAD	C2D-C1D-N1N-C6N
2	K	502	NAD	O4D-C1D-N1N-C2N
2	K	502	NAD	O4D-C1D-N1N-C6N
2	K	502	NAD	C2D-C1D-N1N-C2N
2	K	502	NAD	C2D-C1D-N1N-C6N
6	C	501[A]	A1H8H	C1-C4-C5-C10
6	C	501[A]	A1H8H	C1-C4-C5-C6
6	C	501[B]	A1H8H	C4-C1-N1-N3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	501[B]	A1H8H	C1-C4-C5-C10
6	C	501[B]	A1H8H	C1-C4-C5-C6
6	I	507[A]	A1H8H	C1-C4-C5-C10
6	I	507[A]	A1H8H	C1-C4-C5-C6
6	I	507[B]	A1H8H	N1-C1-C4-O1
6	I	507[B]	A1H8H	N1-C1-C4-C5
6	I	507[B]	A1H8H	C1-C4-C5-C10
6	I	507[B]	A1H8H	C1-C4-C5-C6
6	I	507[B]	A1H8H	O1-C4-C5-C6
6	K	501[A]	A1H8H	C1-C4-C5-C10
6	K	501[A]	A1H8H	C1-C4-C5-C6
6	K	501[A]	A1H8H	O1-C4-C5-C6
7	J	504	GOL	C1-C2-C3-O3
7	J	505	GOL	C1-C2-C3-O3
7	J	506	GOL	C1-C2-C3-O3
7	J	506	GOL	O2-C2-C3-O3
7	J	504	GOL	O2-C2-C3-O3
6	C	501[A]	A1H8H	O1-C4-C5-C6
6	C	501[B]	A1H8H	O1-C4-C5-C6
6	I	507[A]	A1H8H	O1-C4-C5-C6
7	J	504	GOL	O1-C1-C2-O2
6	I	507[B]	A1H8H	O1-C4-C5-C10
7	J	505	GOL	O2-C2-C3-O3
6	K	501[A]	A1H8H	O1-C4-C5-C10
2	I	501	NAD	O4B-C4B-C5B-O5B
2	C	502	NAD	O4B-C4B-C5B-O5B
2	H	501	NAD	O4B-C4B-C5B-O5B
2	J	501	NAD	O4B-C4B-C5B-O5B
2	A	501	NAD	O4B-C4B-C5B-O5B
2	B	501	NAD	O4B-C4B-C5B-O5B
2	D	501	NAD	O4B-C4B-C5B-O5B
2	K	502	NAD	O4B-C4B-C5B-O5B

There are no ring outliers.

10 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	503	PO4	1	0
4	H	504	PO4	1	0
4	K	505	PO4	1	0
7	J	504	GOL	1	0
4	C	504	PO4	1	0



Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	505	PO4	1	0
2	I	501	NAD	1	0
2	C	502	NAD	1	0
4	K	504	PO4	4	0
2	B	501	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	464/472 (98%)	-0.06	20 (4%) 35 33	17, 28, 51, 88	0
1	B	461/472 (97%)	-0.31	3 (0%) 87 88	18, 25, 42, 67	0
1	C	461/472 (97%)	0.22	42 (9%) 9 8	17, 30, 55, 94	0
1	D	461/472 (97%)	-0.14	12 (2%) 56 55	19, 27, 44, 76	0
1	H	461/472 (97%)	0.32	40 (8%) 10 9	19, 33, 63, 98	0
1	I	461/472 (97%)	-0.10	14 (3%) 50 48	19, 27, 44, 79	0
1	J	461/472 (97%)	0.03	15 (3%) 46 45	17, 29, 53, 86	0
1	K	461/472 (97%)	-0.18	8 (1%) 70 70	19, 27, 43, 55	0
All	All	3691/3776 (97%)	-0.03	154 (4%) 36 34	17, 28, 51, 98	0

All (154) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	412	ALA	7.5
1	H	412	ALA	6.8
1	H	9	GLY	6.7
1	A	412	ALA	5.9
1	A	409	LEU	5.6
1	C	9	GLY	5.4
1	I	355	ASP	5.3
1	C	10	PHE	5.0
1	C	416	LYS	4.7
1	B	9	GLY	4.7
1	J	411	ALA	4.7
1	A	413	GLU	4.7
1	C	413	GLU	4.5
1	J	10	PHE	4.5
1	H	10	PHE	4.5
1	A	411	ALA	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	410	PRO	4.5
1	K	9	GLY	4.4
1	H	413	GLU	4.4
1	D	355	ASP	4.4
1	J	412	ALA	4.3
1	C	177	LYS	4.3
1	H	411	ALA	4.3
1	H	416	LYS	4.3
1	C	411	ALA	4.3
1	J	410	PRO	4.3
1	H	118	TRP	4.1
1	C	410	PRO	4.1
1	H	415	ALA	4.0
1	C	409	LEU	4.0
1	A	416	LYS	4.0
1	H	155	LEU	3.9
1	A	46	ALA	3.9
1	C	415	ALA	3.8
1	A	6	THR	3.8
1	C	118	TRP	3.8
1	J	9	GLY	3.8
1	J	413	GLU	3.8
1	A	407	ALA	3.7
1	H	410	PRO	3.7
1	H	11	THR	3.6
1	A	8	ALA	3.6
1	H	129	GLN	3.6
1	H	46	ALA	3.6
1	H	13	TYR	3.6
1	I	335	LYS	3.5
1	K	279	THR	3.5
1	C	157	ARG	3.5
1	I	353	GLY	3.5
1	C	13	TYR	3.4
1	K	283	ILE	3.3
1	H	409	LEU	3.3
1	B	10	PHE	3.3
1	C	178	ASN	3.3
1	A	45	TYR	3.2
1	I	352	THR	3.2
1	A	9	GLY	3.2
1	H	177	LYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	404	GLN	3.1
1	C	407	ALA	3.1
1	C	11	THR	3.0
1	J	177	LYS	3.0
1	B	355	ASP	3.0
1	C	417	ARG	3.0
1	I	9	GLY	3.0
1	C	176	LEU	2.9
1	C	240	LEU	2.9
1	A	47	GLY	2.9
1	J	11	THR	2.8
1	D	240	LEU	2.8
1	H	418	LEU	2.8
1	J	409	LEU	2.8
1	H	407	ALA	2.8
1	C	158[A]	ILE	2.8
1	H	179	GLY	2.8
1	C	201	TYR	2.7
1	H	127	ASP	2.7
1	C	418	LEU	2.7
1	J	415	ALA	2.7
1	A	417	ARG	2.7
1	C	151	TYR	2.7
1	H	178	ASN	2.7
1	H	404	GLN	2.7
1	A	414	LYS	2.6
1	D	356	GLY	2.6
1	D	357	PHE	2.6
1	H	402	PHE	2.6
1	D	219	LEU	2.6
1	H	157	ARG	2.6
1	A	240	LEU	2.6
1	C	46	ALA	2.6
1	A	415	ALA	2.5
1	H	120	ILE	2.5
1	H	174	ASP	2.5
1	K	281	ALA	2.5
1	C	47	GLY	2.5
1	D	129	GLN	2.5
1	C	149	LYS	2.5
1	H	19	THR	2.5
1	C	244	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	10	PHE	2.4
1	J	106	PHE	2.4
1	C	219	LEU	2.4
1	J	277	ASP	2.4
1	H	406	TYR	2.4
1	I	356	GLY	2.4
1	H	124	ILE	2.4
1	I	354	LYS	2.4
1	C	180	THR	2.4
1	A	157	ARG	2.4
1	D	201	TYR	2.4
1	K	278	GLY	2.4
1	K	459[A]	GLU	2.4
1	J	129	GLN	2.4
1	C	179	GLY	2.3
1	C	125	LEU	2.3
1	H	181	LEU	2.3
1	C	129	GLN	2.3
1	I	357	PHE	2.3
1	I	201	TYR	2.3
1	D	218	LEU	2.3
1	I	358	ASP	2.3
1	D	354	LYS	2.3
1	K	275	ILE	2.3
1	C	153	GLN	2.3
1	I	129	GLN	2.3
1	H	43	ARG	2.2
1	J	417	ARG	2.2
1	H	180	THR	2.2
1	H	240	LEU	2.2
1	H	158[A]	ILE	2.2
1	C	131	TRP	2.2
1	J	416	LYS	2.2
1	H	218	LEU	2.2
1	A	43	ARG	2.2
1	C	406	TYR	2.2
1	C	181	LEU	2.2
1	H	355	ASP	2.2
1	C	207	LEU	2.1
1	H	278	GLY	2.1
1	D	359	ALA	2.1
1	H	417	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	414	LYS	2.1
1	A	7	PRO	2.1
1	I	240	LEU	2.1
1	I	114	GLU	2.1
1	D	281	ALA	2.0
1	C	247	VAL	2.0
1	C	204	ARG	2.0
1	D	352	THR	2.0
1	K	277	ASP	2.0
1	C	114	GLU	2.0
1	C	128	GLY	2.0
1	H	264	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	A1H8H	C	501[A]	16/16	0.87	0.17	28,32,36,38	16
6	A1H8H	C	501[B]	16/16	0.87	0.17	28,32,35,35	16
6	A1H8H	I	507[A]	16/16	0.89	0.16	27,29,31,33	16
6	A1H8H	I	507[B]	16/16	0.89	0.16	29,30,42,42	16
6	A1H8H	K	501[A]	16/16	0.89	0.15	34,35,41,43	16
6	A1H8H	K	501[B]	16/16	0.89	0.15	32,35,40,41	16
7	GOL	J	504	6/6	0.90	0.14	44,46,53,53	0
7	GOL	J	505	6/6	0.91	0.10	32,33,38,39	0
7	GOL	J	506	6/6	0.91	0.14	32,34,41,55	0
4	PO4	C	505	5/5	0.92	0.15	35,37,41,48	5
4	PO4	C	507	5/5	0.92	0.11	29,30,39,45	5

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PO4	H	506	5/5	0.92	0.18	54,55,61,66	0
4	PO4	A	506	5/5	0.92	0.12	44,45,50,53	5
4	PO4	H	504	5/5	0.93	0.14	36,40,44,46	5
6	A1H8H	D	508[A]	16/16	0.93	0.13	25,31,35,36	16
6	A1H8H	D	508[B]	16/16	0.93	0.13	29,33,37,37	16
3	ADE	H	502	10/10	0.93	0.10	28,31,34,35	0
4	PO4	D	506	5/5	0.93	0.13	40,40,48,49	5
4	PO4	A	504	5/5	0.94	0.12	32,34,39,43	5
4	PO4	A	505	5/5	0.94	0.12	27,29,36,42	5
4	PO4	D	505	5/5	0.94	0.11	38,42,46,49	5
3	ADE	A	502	10/10	0.94	0.08	20,24,25,25	0
4	PO4	B	505	5/5	0.94	0.13	34,34,47,50	5
4	PO4	H	505	5/5	0.94	0.13	32,33,42,45	5
4	PO4	J	510	5/5	0.95	0.10	41,41,46,47	5
4	PO4	K	505	5/5	0.95	0.18	41,43,45,49	5
4	PO4	K	506	5/5	0.95	0.13	25,27,30,39	0
4	PO4	B	506	5/5	0.95	0.19	46,52,60,63	0
7	GOL	J	503	6/6	0.95	0.13	35,40,50,53	0
4	PO4	C	506	5/5	0.95	0.08	37,46,49,49	5
4	PO4	I	505	5/5	0.95	0.29	51,52,65,66	0
4	PO4	J	508	5/5	0.95	0.09	32,34,35,43	5
3	ADE	J	502	10/10	0.96	0.10	22,23,26,26	0
4	PO4	K	504	5/5	0.96	0.11	24,31,37,40	5
3	ADE	C	503	10/10	0.96	0.08	23,24,27,28	0
4	PO4	B	503	5/5	0.96	0.09	24,33,36,38	5
4	PO4	J	507	5/5	0.97	0.07	29,36,38,39	0
3	ADE	B	502	10/10	0.97	0.10	18,21,22,23	0
3	ADE	I	502	10/10	0.97	0.09	20,22,24,24	0
4	PO4	H	503	5/5	0.97	0.16	45,45,48,50	0
2	NAD	D	501	44/44	0.97	0.07	20,24,28,30	0
3	ADE	K	503	10/10	0.97	0.10	18,21,22,23	0
4	PO4	B	504	5/5	0.97	0.11	21,21,25,31	5
4	PO4	I	504	5/5	0.97	0.09	25,26,35,36	5
4	PO4	D	504	5/5	0.97	0.10	23,25,33,35	0
4	PO4	C	504	5/5	0.98	0.10	36,41,45,45	0
2	NAD	K	502	44/44	0.98	0.06	21,26,30,32	0
4	PO4	A	503	5/5	0.98	0.11	33,37,40,40	0
2	NAD	B	501	44/44	0.98	0.06	19,22,24,26	0
2	NAD	C	502	44/44	0.98	0.05	19,23,26,29	0
4	PO4	J	509	5/5	0.98	0.07	26,26,30,33	5
2	NAD	A	501	44/44	0.98	0.06	16,21,25,28	0
3	ADE	D	502	10/10	0.98	0.13	21,22,24,24	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAD	H	501	44/44	0.98	0.06	19,24,28,31	0
2	NAD	I	501	44/44	0.98	0.07	20,24,27,29	0
2	NAD	J	501	44/44	0.98	0.06	17,22,25,27	0
4	PO4	I	503	5/5	0.99	0.06	23,25,30,32	5
4	PO4	D	503	5/5	0.99	0.06	28,29,34,38	0
5	K	H	507	1/1	0.99	0.06	27,27,27,27	0
5	K	J	511	1/1	0.99	0.05	22,22,22,22	0
5	K	C	508	1/1	1.00	0.06	24,24,24,24	0
5	K	D	507	1/1	1.00	0.09	22,22,22,22	0
5	K	A	507	1/1	1.00	0.07	22,22,22,22	0
5	K	I	506	1/1	1.00	0.08	21,21,21,21	0
5	K	B	507	1/1	1.00	0.07	20,20,20,20	0
5	K	K	507	1/1	1.00	0.07	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around A1H8H C 501 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1H8H I 507 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around A1H8H I 507 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1H8H K 501 (A):**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around A1H8H D 508 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD K 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAD H 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD I 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.