

Full wwPDB X-ray Structure Validation Report (i)

Jan 22, 2024 - 04:55 pm GMT

PDB ID	:	8CGP
Title	:	Insulin regulated aminopeptidase (IRAP) in complex with an allosteric aryl
		sulfonamide inhibitor
Authors	:	Mpakali, A.; Stratikos, E.; Giastas, P.
Deposited on	:	2023-02-06
Resolution	:	2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	873	% 8 1%	17%	•
1	В	873	.% 78 %	20%	••
2	С	6	50% 50%		_
3	D	2	100%		
3	Е	2	100%		



Mol	Chain	Length	Qua	lity of chain
3	F	2	50%	50%
3	G	2		100%
3	J	2	50%	50%
3	К	2		100%
3	R	2	50%	50%
3	S	2		100%
3	U	2	50%	50%
4	Н	5	20%	80%
5	Ι	5	40%	60%
6	L	3	67%	33%
6	Ν	3	33%	67%
6	0	3		100%
6	Q	3	33%	67%
6	Т	3	33%	67%
7	М	6	50%	50%
8	Р	6	33%	67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density	
13	PEG	А	1107	-	-	-	Х	
3	NAG	F	2	-	-	-	Х	
3	NAG	J	2	-	-	-	Х	
6	NAG	0	2	-	-	-	Х	
6	BMA	0	3	-	-	-	Х	
9	NAG	В	1104	-	-	-	Х	



8CGP

2 Entry composition (i)

There are 15 unique types of molecules in this entry. The entry contains 15164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Leucyl-cystinyl aminopeptidase, pregnancy serum form.

Mol	Chain	Residues		Α	toms		ZeroOcc	AltConf	Trace	
1	А	857	Total 6972	C 4513	N 1140	O 1292	S 27	0	4	0
1	В	859	Total 7003	C 4538	N 1143	O 1294	S 28	0	7	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1026	ARG	-	expression tag	UNP Q9UIQ6
А	1027	THR	-	expression tag	UNP Q9UIQ6
В	1026	ARG	-	expression tag	UNP Q9UIQ6
В	1027	THR	-	expression tag	UNP Q9UIQ6

• Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	A	4ton	ns		ZeroOcc	AltConf	Trace
2	С	6	Total 72	C 40	N 2	O 30	0	0	0

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	l	Aton	ns		ZeroOcc	AltConf	Trace
3	а	2	Total	С	Ν	0	0	0	0
5	D	2	28	16	2	10	0	0	0
3	F	9	Total	С	Ν	0	0	0	0
0		2	28	16	2	10	0	0	0
3	Б	9	Total	С	Ν	0	0	0	0
5	Ľ	Δ	28	16	2	10	0	0	0
3	C	9	Total	С	Ν	0	0	0	0
5	0 G		28	16	2	10	0	0	0
3	Т	9	Total	С	Ν	0	0	0	0
0	0	2	28	16	2	10	0	0	0
3	K	9	Total	С	Ν	Ο	0	0	0
0	17	2	28	16	2	10	0	0	0
3	B	9	Total	С	Ν	0	0	0	0
0	10		28	16	2	10	0	0	0
3	S	9	Total	С	Ν	0	0	0	0
	U U		28	16	2	10	0		U
3	II	2	Total	С	Ν	0	0	0	0
	U	<u>ک</u>	28	16	2	10			U

• Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyran ose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	Н	5	Total 61	С 34	N 2	O 25	0	0	0

• Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	A	tom	ıs		ZeroOcc	AltConf	Trace
5	Ι	5	Total 61	C 34	N 2	O 25	0	0	0



• Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
6	L	3	Total C N O 39 22 2 15	0	0	0
6	Ν	3	Total C N O 39 22 2 15	0	0	0
6	О	3	Total C N O 39 22 2 15	0	0	0
6	Q	3	Total C N O 39 22 2 15	0	0	0
6	Т	3	Total C N O 39 22 2 15	0	0	0

• Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
7	М	6	Total 72	C 40	N 2	O 30	0	0	0

• Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyran ose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
8	Р	6	Total 72	C 40	N 2	O 30	0	0	0



• Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	1	Total C N O 14 8 1 5	0	0
9	А	1	Total C N O 14 8 1 5	0	0
9	А	1	Total C N O 14 8 1 5	0	0
9	В	1	Total C N O 14 8 1 5	0	0
9	В	1	Total C N O 14 8 1 5	0	0
9	В	1	Total C N O 14 8 1 5	0	0
9	В	1	Total C N O 14 8 1 5	0	0

• Molecule 10 is D-MALATE (three-letter code: MLT) (formula: $C_4H_6O_5$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 9 4 5 \end{array}$	0	0
10	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 9 4 5 \end{array}$	0	0

• Molecule 11 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	А	1	Total Zn 1 1	0	0
11	В	1	Total Zn 1 1	0	0

• Molecule 12 is 4-bromanyl-5-chloranyl- $\{N\}-[3-(1 \{H\}-1,2,3,4-tetrazol-5-yl)phenyl]$ thiophene -2-sulfonamide (three-letter code: UKG) (formula: $C_{11}H_7BrClN_5O_2S_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues			Atc	\mathbf{ms}				ZeroOcc	AltConf
10	10 1	1	Total	Br	С	Cl	Ν	0	S	0	0
12 F	A	1	22	1	11	1	5	2	2	0	
10	В	D 1	Total	Br	С	Cl	Ν	0	S	0	0
12	D	1	22	1	11	1	5	2	2	0	0

• Molecule 13 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	А	1	Total C 7 4	O 3	0	0



Continued from previous page...

Mol	Chain	Residues	Ato	\mathbf{ms}		ZeroOcc	AltConf
13	В	1	Total 7	C 4	O 3	0	0

• Molecule 14 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
14	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
14	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
14	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 15 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	А	125	Total O 125 125	0	0
15	В	87	Total O 87 87	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Leucyl-cystinyl aminopeptidase, pregnancy serum form



884 (1991) 901 (1995) 903 (1995) 903 (1995) 903 (1995) 922 (1995) 923 (111) 929 (1710) 929 (1711) 929 (1711) 929 (1711) 929 (1711) 920 (1711) 920 (1711) 920 (1711) 921 (1711) 921 (1712) 931 (1712) 9

• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:	50%	50%	
NAG1 NAG2 BMA3 MAN4 MAN5 MAN6			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta	-D-glucopyranose-(1-4)-2-acetamic	lo-2-deoxy-beta-D-gluc
Chain D:		100%	•
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta	-D-glucopyranose-(1-4)-2-acetamic	lo-2-deoxy-beta-D-gluc
Chain E:		100%	
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta	-D-glucopyranose-(1-4)-2-acetamic	lo-2-deoxy-beta-D-gluc
Chain F:	50%	50%	

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose

Chain G:

100%

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



Chain J:	50%	50%	
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-l	D-glucopyranose-(1-4)-2-acetamid	lo-2-deoxy-beta-D-gluc
Chain K:	1	00%	•
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-l	D-glucopyranose-(1-4)-2-acetamid	lo-2-deoxy-beta-D-gluc
Chain R:	50%	50%	
NAG2 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-l	D-glucopyranose-(1-4)-2-acetamid	lo-2-deoxy-beta-D-gluc
Chain S:	10	00%	
NAG 1 NAG 2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-l	D-glucopyranose-(1-4)-2-acetamid	lo-2-deoxy-beta-D-gluc
Chain U:	50%	50%	•
NAG1 NAG2			
• Molecule 4: se-(1-4)-2-ace nose	alpha-D-mannopyranose-(1 etamido-2-deoxy-beta-D-gluc	-6)-alpha-D-mannopyranose-(1-6) opyranose-(1-4)-2-acetamido-2-de)-beta-D-mannopyrano eoxy-beta-D-glucopyra
Chain H:	20%	80%	
NAG1 NAG2 BMA3 MAN4 MAN5			
• Molecule 5: se-(1-4)-2-ace	alpha-D-mannopyranose-(1- etamido-2-deoxy-beta-D-gluc	-3)-[alpha-D-mannopyranose-(1-6] opyranose-(1-4)-2-acetamido-2-de)]beta-D-mannopyrano eoxy-beta-D-glucopyra

Chain I: 40% 60%



NAG1 NAG2 BMA3 MAN4 MAN5 MAN5

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:	67%	33%

NAG1 NAG2 BMA3

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:	33%	67%

NAG1 NAG2 BMA3

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-de
oxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-de
oxy-beta-D-glucopyranose

Chain O:	100%
MAC1 MAC2 BMA3	

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

010		
Unain Q:	33%	67%
•		

NAG1 NAG2 BMA3

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:	33%	67%	
NAG1 NAG2 BMA3			

 $\label{eq:mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]} beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy$

Chain M:

50%

50%

NAG1 NAG2 BMA3 MAN4 MAN5 MAN5 MAN6



 $\label{eq:mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]} beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2$

Chain P: 33% 67%





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	73.44Å 119.07Å 141.64Å	Deperitor
a, b, c, α , β , γ	90.00° 102.77° 90.00°	Depositor
$\mathbf{P}_{\text{ascolution}}(\hat{\mathbf{A}})$	45.79 - 2.62	Depositor
Resolution (A)	45.79 - 2.60	EDS
% Data completeness	89.0 (45.79-2.62)	Depositor
(in resolution range)	89.0 (45.79-2.60)	EDS
R _{merge}	0.09	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.75 (at 2.61 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.17.1_3660, PHENIX 1.17.1_3660	Depositor
D D.	0.170 , 0.231	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.169 , 0.231	DCC
R_{free} test set	3231 reflections $(4.96%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	44.0	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 55.9	EDS
L-test for twinning ²	$< L > = 0.49, < L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.020 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15164	wwPDB-VP
Average B, all atoms $(Å^2)$	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, NAG, ZN, EDO, BMA, MAN, UKG, MLT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles	
Mol Chain		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.47	0/7153	0.61	0/9695
1	В	0.46	1/7197~(0.0%)	0.62	0/9759
All	All	0.47	1/14350~(0.0%)	0.61	0/19454

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
1	В	395	GLU	CG-CD	5.96	1.60	1.51

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6972	0	6872	105	0
1	В	7003	0	6890	110	1
2	С	72	0	61	0	0
3	D	28	0	25	1	0
3	Е	28	0	25	1	0
3	F	28	0	25	0	0
3	G	28	0	25	0	0
3	J	28	0	25	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	Κ	28	0	25	0	0
3	R	28	0	25	0	0
3	S	28	0	25	0	0
3	U	28	0	25	0	0
4	Н	61	0	52	0	0
5	Ι	61	0	52	0	0
6	L	39	0	34	1	0
6	Ν	39	0	34	1	0
6	0	39	0	34	0	0
6	Q	39	0	34	0	0
6	Т	39	0	34	0	0
7	М	72	0	61	0	0
8	Р	72	0	61	0	0
9	А	42	0	39	0	0
9	В	56	0	52	0	0
10	А	9	0	4	2	0
10	В	9	0	4	1	0
11	А	1	0	0	0	0
11	В	1	0	0	0	0
12	А	22	0	0	1	0
12	В	22	0	0	0	0
13	А	7	0	10	0	0
13	В	7	0	10	0	0
14	А	12	0	18	0	0
14	В	4	0	6	0	0
15	А	125	0	0	0	0
15	В	87	0	0	0	0
All	All	15164	0	14587	214	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:914:LEU:HD11	1:A:951:LYS:HD2	1.17	1.10
1:A:951:LYS:HE2	1:A:955:LYS:HG3	1.48	0.94
1:A:591:ASP:O	1:A:595:GLU:OE2	1.93	0.86
1:A:914:LEU:CD1	1:A:951:LYS:HD2	2.04	0.83
1:A:809:THR:HG23	1:A:811:GLU:H	1.42	0.82
1:A:904:ARG:NH1	1:B:901:GLU:OE2	2.13	0.80



ðugp	8	CGP	
------	---	-----	--

	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:526:SER:OG	1:A:1002:GLU:HG2	1.82	0.80
1:B:526:SER:HB2	1:B:1002:GLU:HG3	1.63	0.79
1:A:914:LEU:HD11	1:A:951:LYS:CD	2.09	0.74
1:B:329:SER:O	1:B:416:LYS:NZ	2.17	0.72
1:B:658:TYR:CZ	1:B:670:SER:HB3	2.25	0.71
1:A:591:ASP:C	1:A:595:GLU:OE2	2.28	0.71
1:B:220:THR:HG22	1:B:231:GLN:HE21	1.54	0.71
1:B:621:VAL:HG21	1:B:692:VAL:HG21	1.73	0.69
1:B:870:THR:HG23	1:B:873:GLY:H	1.57	0.69
1:A:951:LYS:O	1:A:951:LYS:HD3	1.93	0.69
1:A:951:LYS:HD3	1:A:951:LYS:C	2.12	0.69
1:B:339:LEU:HD11	1:B:345:GLN:HB2	1.73	0.68
1:B:278:SER:OG	1:B:287:LYS:O	2.11	0.67
1:B:220:THR:CG2	1:B:231:GLN:NE2	2.59	0.66
1:B:957:PRO:HG2	1:B:960:SER:HB3	1.78	0.66
1:B:600:THR:HB	1:B:601:LEU:HD23	1.78	0.66
1:A:951:LYS:CE	1:A:955:LYS:HG3	2.26	0.64
1:A:813:THR:OG1	1:A:816:MET:HG3	1.98	0.64
1:A:657:SER:HB2	1:A:694:ILE:HD12	1.80	0.64
1:B:220:THR:HG22	1:B:231:GLN:NE2	2.13	0.64
1:B:569:GLN:O	1:B:573:VAL:HG23	1.98	0.63
1:A:807:THR:OG1	1:A:809:THR:HG22	1.99	0.63
1:B:1008[A]:GLN:OE1	1:B:1012:GLN:NE2	2.27	0.63
1:A:780:GLU:OE2	1:B:904:ARG:NH2	2.33	0.62
1:A:951:LYS:HE2	1:A:955:LYS:CG	2.25	0.61
1:A:951:LYS:CE	1:A:955:LYS:HE2	2.30	0.61
1:B:376:THR:HG21	1:B:412:TYR:HD2	1.65	0.60
1:B:526:SER:HB2	1:B:1002:GLU:CG	2.32	0.60
1:B:843:PHE:HB2	1:B:863:VAL:HG13	1.84	0.60
1:A:813:THR:H	1:A:816:MET:HE2	1.66	0.59
1:A:167:ARG:HD3	1:A:479:TRP:CH2	2.37	0.59
1:A:876:PHE:CZ	1:A:880:LYS:NZ	2.65	0.58
1:A:880:LYS:HA	1:A:883:SER:HB3	1.85	0.58
1:B:416:LYS:HE3	1:B:418:ASP:OD2	2.03	0.57
1:A:847:MET:HE2	1:A:872:LYS:HE2	1.86	0.57
1:A:995:PHE:O	1:A:1001:GLN:NE2	2.37	0.57
1:A:794[B]:ARG:NH1	1:A:1024:TRP:O	2.38	0.57
1:A:492:PHE:HZ	1:A:560:LYS:HD3	1.71	0.56
1:A:318:LYS:HG2	1:A:347:GLU:HG3	1.87	0.56
1:A:811:GLU:O	1:A:820:ARG:NH2	2.39	0.55
1:B:992:GLU:OE2	1:B:996:ARG:NH1	2.39	0.55



0	$\alpha \alpha$	D
0	UG	Г

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:432:ASN:HB2	1:B:435:LEU:O	2.06	0.55
1:B:613:GLN:OE1	1:B:650:TYR:HB2	2.06	0.54
1:A:929:ARG:HD2	1:A:965:ASN:OD1	2.07	0.54
1:B:319:ILE:HD11	1:B:361:PHE:HB2	1.90	0.54
1:A:936:PRO:HA	1:B:903:VAL:HG21	1.89	0.53
1:B:550:PHE:O	1:B:554:SER:HB2	2.07	0.53
1:A:216:ILE:HD12	1:A:234:ILE:CD1	2.39	0.53
1:A:219:VAL:HG11	1:A:245:ILE:HD12	1.89	0.53
1:A:362:ILE:HD13	1:A:422:ILE:HD11	1.89	0.53
1:A:452:MET:O	1:A:452:MET:HG3	2.08	0.53
1:B:333:LYS:HD2	1:B:346:ASP:CG	2.29	0.53
1:B:194:VAL:HG11	1:B:304:PRO:HD2	1.89	0.53
1:A:427:ALA:HB1	10:A:1104:MLT:C1	2.39	0.53
1:A:807:THR:O	1:A:820:ARG:HD3	2.09	0.53
1:B:563:LEU:O	1:B:567:VAL:HB	2.09	0.53
1:A:430:MET:HB3	1:A:437:THR:HG22	1.92	0.52
1:A:405:GLN:HG2	1:A:411:GLN:HA	1.92	0.52
1:B:438:PHE:HD2	1:B:442:THR:HG22	1.74	0.52
1:A:777:ASN:O	1:A:781:LYS:HG2	2.10	0.51
1:B:593:PHE:HB3	1:B:603:VAL:HG21	1.92	0.51
1:A:175:LEU:HB2	1:A:197:SER:OG	2.11	0.51
1:B:626:LYS:HG2	1:B:686:GLU:HG3	1.91	0.51
1:B:1014:MET:HG3	1:B:1018:LEU:HD22	1.91	0.51
1:A:960:SER:O	1:A:964:GLN:HG3	2.10	0.51
1:A:857:THR:HA	1:A:860:MET:HE2	1.93	0.51
1:B:173:VAL:HG13	1:B:201:LEU:CD1	2.40	0.51
1:B:929[A]:ARG:HE	1:B:965:ASN:ND2	2.08	0.51
1:A:455:ARG:O	1:A:459:THR:HG22	2.11	0.51
1:B:579:HIS:CG	1:B:584:ILE:HD12	2.45	0.51
1:A:478:LYS:HG3	1:A:583:SER:HB3	1.91	0.50
1:A:219:VAL:HG13	1:A:261:ILE:HG13	1.93	0.50
1:A:634:ARG:HG2	1:A:636:PHE:HD2	1.76	0.50
1:B:921:THR:HG21	1:B:955:LYS:HD3	1.93	0.50
1:B:630:ILE:HG21	1:B:656:LEU:HD11	1.94	0.50
1:B:400:LEU:HD23	1:B:501:ILE:HD11	1.94	0.50
1:A:904:ARG:NH2	1:B:780:GLU:OE2	2.43	0.50
1:B:405:GLN:HG2	1:B:411:GLN:HA	1.94	0.50
1:B:184:ASN:HB3	1:B:187:SER:HB2	1.94	0.50
1:B:526:SER:CB	1:B:1002:GLU:HG3	2.38	0.50
1:B:1020:SER:HB2	1:B:1024[B]:TRP:CZ2	2.47	0.50
1:A:538:GLU:CD	1:A:538:GLU:H	2.15	0.49



ðugp	8	CGP	
------	---	-----	--

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:564:SER:HB3	1:A:567:VAL:H	1.77	0.49
1:A:295:GLU:HG3	1:A:357:TYR:CD1	2.47	0.49
1:B:369:LEU:HD22	1:B:390:VAL:HG23	1.95	0.49
1:B:494:GLU:O	1:B:498:LEU:HG	2.13	0.49
1:A:216:ILE:HD12	1:A:234:ILE:HD13	1.95	0.49
1:A:723:LEU:O	1:A:728:ARG:NH1	2.46	0.49
1:A:776:TYR:CD1	1:A:788:ALA:HB1	2.47	0.49
1:A:551:LYS:O	1:A:555:LEU:HD13	2.12	0.49
1:A:175:LEU:HD13	6:L:1:NAG:H62	1.95	0.48
1:B:283:SER:HB2	1:B:285:GLU:HG3	1.96	0.48
1:B:483:LEU:O	1:B:483:LEU:HG	2.13	0.48
1:A:425:PHE:CZ	1:A:437:THR:HG23	2.49	0.48
6:N:2:NAG:H5	6:N:3:BMA:O2	2.13	0.48
1:B:413:PRO:HG2	1:B:414:LEU:CD1	2.43	0.48
1:B:784:TYR:CE2	1:B:1018:LEU:HD21	2.49	0.47
1:A:621:VAL:HG22	1:A:630:ILE:CD1	2.44	0.47
1:A:750:PHE:HB3	1:A:794[A]:ARG:HH22	1.80	0.47
1:B:628:LEU:HD12	1:B:628:LEU:HA	1.71	0.47
1:B:813:THR:O	1:B:817:ARG:HG3	2.14	0.47
1:A:813:THR:H	1:A:816:MET:CE	2.28	0.47
1:B:628:LEU:HB3	1:B:681:ILE:HB	1.96	0.47
1:A:526:SER:OG	1:A:1002:GLU:CG	2.59	0.46
1:B:318:LYS:HE3	1:B:347:GLU:HB2	1.97	0.46
1:B:515:ARG:O	1:B:519:MET:HG3	2.14	0.46
3:D:1:NAG:H62	3:D:2:NAG:C1	2.45	0.46
1:B:597:THR:HG21	1:B:601:LEU:HD21	1.98	0.46
1:B:477:MET:SD	1:B:486:ASN:ND2	2.88	0.46
1:A:495:TYR:CD1	1:A:511:PHE:HB2	2.50	0.46
1:B:558:MET:HG2	1:B:655:PRO:HG2	1.97	0.46
1:A:567:VAL:HG13	1:A:596:VAL:HG12	1.97	0.46
1:B:800:GLN:O	1:B:804:GLN:HG3	2.13	0.46
1:B:1024[A]:TRP:CE3	1:B:1025:LEU:HG	2.50	0.46
1:A:476:THR:O	1:A:583:SER:HA	2.16	0.46
1:B:160:LEU:HD23	1:B:161:PHE:O	2.15	0.45
1:A:575:TYR:OH	1:A:584:ILE:HD13	2.16	0.45
1:B:376:THR:HG22	1:B:414:LEU:O	2.16	0.45
1:A:426:GLU:O	1:A:439:ARG:NH1	2.48	0.45
1:A:504:GLU:H	1:A:504:GLU:CD	2.13	0.45
1:A:735:ILE:HG12	1:A:749:ALA:HA	1.97	0.45
1:A:542:GLU:O	1:A:542:GLU:HG3	2.17	0.45
1:B:161:PHE:CG	1:B:237:TYR:HB2	2.52	0.45



8	CGP	
\circ	COL	

	At arra 9	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:1018:LEU:HD12	1:B:1018:LEU:HA	1.76	0.45
1:A:590:TRP:CZ3	1:A:607:MET:HG3	2.52	0.45
1:B:280:THR:HG22	1:B:284:ASN:HA	1.99	0.45
1:B:495:TYR:CD1	1:B:511:PHE:HB2	2.52	0.45
1:A:921:THR:HG21	1:A:955:LYS:HD2	1.97	0.44
1:B:427:ALA:O	1:B:439:ARG:HD2	2.17	0.44
1:A:549:TYR:OH	10:A:1104:MLT:H31	2.18	0.44
1:A:747:LYS:HB2	1:A:1024:TRP:CZ2	2.53	0.44
1:A:593:PHE:O	1:A:597:THR:HG23	2.18	0.44
1:B:995:PHE:O	1:B:1001:GLN:NE2	2.46	0.44
1:A:813:THR:HG23	1:A:816:MET:HE2	2.00	0.44
1:B:440:GLU:HB3	1:B:444:LEU:HD12	1.98	0.44
1:B:489:PHE:HE2	1:B:589:LEU:CD1	2.31	0.43
1:B:617:PRO:HG2	1:B:700:TYR:HB3	2.01	0.43
1:A:847:MET:HE1	1:A:872:LYS:HG2	2.01	0.43
1:A:593:PHE:HB3	1:A:603:VAL:HG21	2.00	0.43
1:A:876:PHE:CE1	1:A:880:LYS:NZ	2.85	0.43
1:B:286:LYS:NZ	1:B:288:TYR:OH	2.37	0.43
1:B:519:MET:HG2	1:B:699:TYR:CE1	2.54	0.43
1:B:776:TYR:CD2	1:B:788:ALA:HB1	2.54	0.43
1:A:321:ARG:NH1	1:A:325:TYR:O	2.52	0.43
1:B:413:PRO:HG2	1:B:414:LEU:HD12	2.01	0.43
1:B:618:LEU:HB2	1:B:635:PHE:HD1	1.83	0.43
1:A:691:LYS:HE2	1:A:731:LEU:HG	2.00	0.43
1:A:1016:LYS:HE3	1:A:1016:LYS:HB3	1.74	0.43
1:B:298:ALA:O	1:B:301:SER:OG	2.28	0.42
1:B:880:LYS:O	1:B:884:ILE:HG23	2.19	0.42
1:A:843:PHE:HB2	1:A:863:VAL:HG13	2.00	0.42
1:B:354:MET:HB3	1:B:433:TRP:CZ3	2.53	0.42
3:E:1:NAG:H61	3:E:2:NAG:N2	2.34	0.42
1:B:931:VAL:HG12	1:B:941:ALA:HB2	2.02	0.42
1:B:387:ILE:O	1:B:390:VAL:HG22	2.20	0.42
1:B:689:TRP:HB3	1:B:711:ALA:HB1	2.02	0.42
1:A:874:TRP:CE2	1:A:897:LEU:HD22	2.55	0.42
1:A:429:ALA:HA	1:A:437:THR:O	2.20	0.42
1:A:544:PHE:HB3	12:A:1106:UKG:BR18	2.75	0.42
1:A:567:VAL:HG13	1:A:596:VAL:CG1	2.50	0.42
1:A:925:SER:O	1:A:929:ARG:HG3	2.19	0.42
1:B:660:THR:O	1:B:667:LYS:HA	2.20	0.42
1:A:183:PRO:HA	1:A:190:PHE:CB	2.50	0.42
1:B:397:THR:HG23	1:B:466:LEU:HD11	2.02	0.42



0	$\alpha \alpha$	D
0	UG	Г

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:489:PHE:HE2	1:B:589:LEU:HD11	1.84	0.42
1:B:489:PHE:CE2	1:B:589:LEU:HD11	2.55	0.42
1:B:559:LEU:HD23	1:B:559:LEU:HA	1.80	0.42
1:B:763:ALA:HB3	1:B:764:PRO:HD3	2.01	0.42
1:A:210:HIS:HB2	1:A:305:CYS:O	2.20	0.41
1:A:855:LEU:HD12	1:A:855:LEU:HA	1.89	0.41
1:B:571:ALA:HB2	1:B:596:VAL:HG21	2.02	0.41
1:B:793:THR:HG22	1:B:797:LYS:HE2	2.02	0.41
1:A:352:VAL:O	1:A:354:MET:HG2	2.20	0.41
1:B:442:THR:CG2	1:B:461:ILE:HG21	2.51	0.41
1:B:436:LEU:HD21	1:B:466:LEU:HD23	2.02	0.41
1:A:210:HIS:O	1:A:304:PRO:HA	2.21	0.41
1:B:209:LEU:HD12	1:B:209:LEU:HA	1.96	0.41
1:B:929[B]:ARG:HE	1:B:965:ASN:ND2	2.19	0.41
1:A:165:GLN:HE21	1:A:165:GLN:HB2	1.71	0.41
1:A:796:PHE:HB2	1:A:832:LEU:HD13	2.03	0.41
1:B:287:LYS:HA	1:B:287:LYS:HD2	1.78	0.41
1:B:876:PHE:CZ	1:B:880:LYS:HE2	2.56	0.41
1:B:894:LEU:HD21	1:B:923:LYS:HB3	2.02	0.41
1:A:604:LYS:HE3	1:A:604:LYS:HB2	1.58	0.41
1:A:789:SER:HA	1:A:792:VAL:HG22	2.02	0.41
1:B:159:LYS:HG2	1:B:160:LEU:H	1.85	0.41
1:B:220:THR:CG2	1:B:231:GLN:HE22	2.31	0.41
1:B:351:SER:OG	1:B:352:VAL:O	2.38	0.41
1:B:427:ALA:HB1	10:B:1105:MLT:C1	2.51	0.41
1:B:584:ILE:CG1	1:B:588:ASP:HB2	2.51	0.41
1:A:884:ILE:HD12	1:A:889:GLU:OE1	2.20	0.41
1:B:251:LEU:HD12	1:B:257:TYR:CG	2.56	0.41
1:B:612:LEU:HD23	1:B:612:LEU:HA	1.89	0.41
1:A:190:PHE:HD2	1:A:267:ILE:HG13	1.86	0.40
1:A:435:LEU:HD12	1:A:435:LEU:HA	1.93	0.40
1:A:951:LYS:CE	1:A:955:LYS:CG	2.92	0.40
1:B:658:TYR:CE2	1:B:670:SER:HB3	2.56	0.40
1:B:695:ASN:HB3	1:B:726:LYS:HE3	2.04	0.40
1:B:1023:TRP:O	1:B:1026:ARG:HG3	2.21	0.40
1:A:769:LEU:HA	1:A:769:LEU:HD23	1.85	0.40
1:A:821:SER:O	1:A:825:GLU:HB2	2.21	0.40
1:B:331:MET:HG3	1:B:351:SER:HA	2.02	0.40
1:A:621:VAL:HG22	1:A:630:ILE:HD12	2.03	0.40
1:A:761:HIS:O	1:A:764:PRO:HD2	2.21	0.40
1:A:617:PRO:HG2	1:A:700:TYR:HB3	2.04	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:895:GLU:HB2	1:A:926:PHE:HZ	1.86	0.40
1:B:416:LYS:HE3	1:B:418:ASP:CG	2.42	0.40
1:B:747:LYS:HB2	1:B:1024[B]:TRP:CZ2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
1:B:323:GLU:OE2	$1:B:666:SER:OG[2_555]$	2.15	0.05

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	855/873~(98%)	822 (96%)	33 (4%)	0	100	100
1	В	860/873~(98%)	830 (96%)	29 (3%)	1 (0%)	51	74
All	All	1715/1746~(98%)	1652 (96%)	62 (4%)	1 (0%)	51	74

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	598	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Percentiles		
1	А	764/782~(98%)	750~(98%)	14 (2%)	59 79	
1	В	767/782~(98%)	748 (98%)	19 (2%)	47 71	
All	All	1531/1564~(98%)	1498 (98%)	33 (2%)	53 74	

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	191	ARG
1	А	272	TYR
1	А	336	SER
1	А	386	LYS
1	А	416	LYS
1	А	433	TRP
1	А	477	MET
1	А	489	PHE
1	А	535	GLN
1	А	666	SER
1	А	794[A]	ARG
1	А	794[B]	ARG
1	А	951	LYS
1	А	1026	ARG
1	В	160	LEU
1	В	180	SER
1	В	197	SER
1	В	351	SER
1	В	433	TRP
1	В	477	MET
1	В	489	PHE
1	В	503	LYS
1	В	574	LEU
1	В	586	SER
1	В	601	LEU
1	В	634	ARG
1	В	666	SER
1	В	672	SER
1	В	755	TYR
1	В	785	MET
1	В	815	SER
1	В	992	GLU
1	В	1026	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:



Mol	Chain	Res	Type
1	А	165	GLN
1	А	805	GLN
1	В	231	GLN
1	В	486	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

61 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	Bo	Bond lengths			Bond angles			
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2		
2	NAG	С	1	2,1	14,14,15	0.33	0	17,19,21	0.63	0		
2	NAG	С	2	2	14,14,15	0.38	0	17,19,21	0.68	0		
2	BMA	С	3	2	11,11,12	0.93	0	$15,\!15,\!17$	0.72	0		
2	MAN	С	4	2	11,11,12	0.78	0	$15,\!15,\!17$	1.50	2 (13%)		
2	MAN	С	5	2	11,11,12	1.41	2 (18%)	15,15,17	1.16	1 (6%)		
2	MAN	С	6	2	11,11,12	1.26	2 (18%)	15,15,17	1.79	3 (20%)		
3	NAG	D	1	1,3	14,14,15	1.12	1 (7%)	17,19,21	1.01	0		
3	NAG	D	2	3	14,14,15	0.39	0	17,19,21	1.04	1 (5%)		
3	NAG	Е	1	1,3	14,14,15	0.52	0	17,19,21	0.60	0		
3	NAG	E	2	3	14,14,15	0.58	0	17,19,21	0.41	0		
3	NAG	F	1	1,3	14,14,15	1.20	1 (7%)	17,19,21	1.00	1 (5%)		
3	NAG	F	2	3	14,14,15	0.44	0	17,19,21	0.62	0		
3	NAG	G	1	1,3	14,14,15	0.82	1 (7%)	17,19,21	0.93	0		
3	NAG	G	2	3	14,14,15	0.39	0	17,19,21	0.68	1 (5%)		



Mal	T a	Chain	Dag	T :1-	Bo	Bond lengths		Bond angles		
NIOI	Туре	Chain	Res	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
4	NAG	Н	1	1,4	14,14,15	0.84	1 (7%)	$17,\!19,\!21$	0.75	0
4	NAG	Н	2	4	14,14,15	0.43	0	17,19,21	0.51	0
4	BMA	Н	3	4	11,11,12	0.85	1 (9%)	$15,\!15,\!17$	1.06	1 (6%)
4	MAN	Н	4	4	11,11,12	1.29	1 (9%)	$15,\!15,\!17$	1.23	2 (13%)
4	MAN	Н	5	4	11,11,12	1.83	3 (27%)	$15,\!15,\!17$	1.30	2 (13%)
5	NAG	Ι	1	5,1	14,14,15	0.60	0	17,19,21	0.60	0
5	NAG	Ι	2	5	14,14,15	0.63	0	17,19,21	0.42	0
5	BMA	Ι	3	5	11,11,12	1.08	1 (9%)	$15,\!15,\!17$	1.29	1 (6%)
5	MAN	Ι	4	5	11,11,12	1.69	2 (18%)	$15,\!15,\!17$	1.49	2 (13%)
5	MAN	Ι	5	5	11,11,12	1.71	3 (27%)	$15,\!15,\!17$	1.37	2 (13%)
3	NAG	J	1	1,3	14,14,15	0.24	0	17,19,21	0.44	0
3	NAG	J	2	3	14,14,15	0.52	0	$17,\!19,\!21$	0.79	1 (5%)
3	NAG	K	1	1,3	14,14,15	0.58	1 (7%)	17,19,21	0.49	0
3	NAG	K	2	3	14,14,15	1.31	1 (7%)	17,19,21	0.93	1 (5%)
6	NAG	L	1	1,6	14,14,15	1.34	1 (7%)	17,19,21	1.01	1 (5%)
6	NAG	L	2	6	14,14,15	0.54	0	17,19,21	1.38	2 (11%)
6	BMA	L	3	6	11,11,12	1.69	5 (45%)	$15,\!15,\!17$	0.90	1 (6%)
7	NAG	М	1	7,1	14,14,15	0.43	0	17,19,21	0.64	0
7	NAG	М	2	7	14,14,15	0.24	0	17,19,21	0.57	0
7	BMA	М	3	7	11,11,12	0.73	0	15, 15, 17	0.91	0
7	MAN	М	4	7	11,11,12	0.98	0	$15,\!15,\!17$	1.36	2 (13%)
7	MAN	М	5	7	11,11,12	1.71	2 (18%)	$15,\!15,\!17$	1.51	2 (13%)
7	MAN	М	6	7	11,11,12	1.52	3 (27%)	$15,\!15,\!17$	1.46	4 (26%)
6	NAG	Ν	1	1,6	14,14,15	1.00	1 (7%)	17,19,21	0.59	0
6	NAG	Ν	2	6	14,14,15	0.85	1 (7%)	17,19,21	0.83	0
6	BMA	Ν	3	6	11,11,12	2.89	3 (27%)	$15,\!15,\!17$	2.03	4 (26%)
6	NAG	Ο	1	1,6	14,14,15	0.63	1 (7%)	$17,\!19,\!21$	1.28	2 (11%)
6	NAG	0	2	6	14,14,15	0.20	0	17,19,21	0.75	1 (5%)
6	BMA	0	3	6	11,11,12	1.10	1 (9%)	$15,\!15,\!17$	0.88	0
8	NAG	Р	1	1,8	14,14,15	0.49	0	17,19,21	0.62	0
8	NAG	Р	2	8	14,14,15	0.29	0	17,19,21	0.55	0
8	BMA	P	3	8	11,11,12	0.79	0	$15,\!15,\!17$	1.41	1 (6%)
8	MAN	Р	4	8	11,11,12	0.84	0	15, 15, 17	1.43	2 (13%)
8	MAN	Р	5	8	11,11,12	1.22	1 (9%)	15,15,17	1.80	3 (20%)
8	MAN	Р	6	8	11,11,12	1.31	2 (18%)	$15,\!15,\!17$	0.97	0
6	NAG	Q	1	1,6	14,14,15	0.55	0	17,19,21	0.58	0
6	NAG	Q	2	6	14,14,15	0.67	1 (7%)	17,19,21	0.63	0



Mal	l Type Chain Bes Lin		Tink	Bo	ond leng	$_{\rm ths}$	Bond angles			
WIOI	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	BMA	Q	3	6	11,11,12	1.72	5 (45%)	$15,\!15,\!17$	1.04	1 (6%)
3	NAG	R	1	1,3	14,14,15	0.34	0	17,19,21	0.52	0
3	NAG	R	2	3	14,14,15	0.82	1(7%)	17,19,21	0.94	1(5%)
3	NAG	S	1	1,3	14,14,15	0.53	0	17,19,21	0.72	0
3	NAG	S	2	3	14,14,15	0.51	0	17,19,21	0.54	0
6	NAG	Т	1	1,6	14,14,15	0.61	0	17,19,21	1.06	2 (11%)
6	NAG	Т	2	6	14,14,15	0.25	0	17,19,21	0.78	0
6	BMA	Т	3	6	11,11,12	0.82	0	$15,\!15,\!17$	1.07	2 (13%)
3	NAG	U	1	1,3	14,14,15	0.55	0	17,19,21	1.43	4 (23%)
3	NAG	U	2	3	14,14,15	0.39	0	17,19,21	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	С	2	2	-	0/6/23/26	0/1/1/1
2	BMA	С	3	2	-	0/2/19/22	0/1/1/1
2	MAN	С	4	2	-	2/2/19/22	0/1/1/1
2	MAN	С	5	2	-	2/2/19/22	0/1/1/1
2	MAN	С	6	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	NAG	Е	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	Е	2	3	-	0/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	1/6/23/26	0/1/1/1
3	NAG	G	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
4	NAG	Н	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	Н	2	4	-	0/6/23/26	0/1/1/1
4	BMA	Н	3	4	-	2/2/19/22	0/1/1/1
4	MAN	Н	4	4	-	2/2/19/22	0/1/1/1
4	MAN	Н	5	4	-	0/2/19/22	0/1/1/1
5	NAG	Ι	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	Ι	2	5	-	2/6/23/26	0/1/1/1
5	BMA	Ι	3	5	-	2/2/19/22	0/1/1/1



8CGP
0001

OOnu	nucu jio	ni previou	is puye	• • •			
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MAN	Ι	4	5	-	2/2/19/22	0/1/1/1
5	MAN	Ι	5	5	-	0/2/19/22	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	4/6/23/26	0/1/1/1
3	NAG	K	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	0/6/23/26	0/1/1/1
6	NAG	L	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	L	2	6	-	1/6/23/26	0/1/1/1
6	BMA	L	3	6	-	2/2/19/22	0/1/1/1
7	NAG	М	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	М	2	7	-	2/6/23/26	0/1/1/1
7	BMA	М	3	7	-	0/2/19/22	0/1/1/1
7	MAN	М	4	7	-	2/2/19/22	0/1/1/1
7	MAN	М	5	7	-	0/2/19/22	0/1/1/1
7	MAN	М	6	7	-	0/2/19/22	0/1/1/1
6	NAG	Ν	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	N	2	6	-	2/6/23/26	0/1/1/1
6	BMA	N	3	6	-	0/2/19/22	0/1/1/1
6	NAG	Ο	1	1,6	-	4/6/23/26	0/1/1/1
6	NAG	0	2	6	-	0/6/23/26	0/1/1/1
6	BMA	0	3	6	-	0/2/19/22	0/1/1/1
8	NAG	Р	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	Р	2	8	-	2/6/23/26	0/1/1/1
8	BMA	Р	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Р	4	8	-	2/2/19/22	0/1/1/1
8	MAN	Р	5	8	-	2/2/19/22	1/1/1/1
8	MAN	Р	6	8	-	2/2/19/22	0/1/1/1
6	NAG	Q	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	0/6/23/26	0/1/1/1
6	BMA	Q	3	6	-	1/2/19/22	0/1/1/1
3	NAG	R	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	3/6/23/26	0/1/1/1
3	NAG	S	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
6	NAG	Т	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	Т	2	6	-	4/6/23/26	0/1/1/1
6	BMA	Т	3	6	-	0/2/19/22	0/1/1/1
3	NAG	U	1	1,3	-	1/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	Ν	3	BMA	C1-C2	6.92	1.68	1.52
6	Ν	3	BMA	C2-C3	5.23	1.60	1.52
6	L	1	NAG	O5-C1	-4.81	1.36	1.43
3	Κ	2	NAG	O5-C1	-4.31	1.36	1.43
3	F	1	NAG	O5-C1	-4.24	1.36	1.43
3	D	1	NAG	O5-C1	-4.06	1.37	1.43
5	Ι	4	MAN	C1-C2	4.00	1.61	1.52
7	М	5	MAN	C4-C3	3.83	1.62	1.52
5	Ι	5	MAN	C2-C3	3.64	1.57	1.52
6	Ν	1	NAG	O5-C1	-3.61	1.37	1.43
4	Н	5	MAN	C2-C3	3.41	1.57	1.52
7	М	6	MAN	O5-C5	3.08	1.49	1.43
6	Q	3	BMA	C4-C3	3.04	1.60	1.52
4	Н	5	MAN	O5-C5	3.01	1.49	1.43
6	Ν	3	BMA	C4-C3	2.99	1.59	1.52
4	Н	4	MAN	O5-C5	2.88	1.49	1.43
6	L	3	BMA	C2-C3	2.80	1.56	1.52
6	Ν	2	NAG	C1-C2	2.74	1.56	1.52
2	С	6	MAN	C1-C2	2.73	1.58	1.52
7	М	6	MAN	C4-C3	2.71	1.59	1.52
7	М	5	MAN	C4-C5	2.69	1.58	1.53
5	Ι	5	MAN	C1-C2	2.68	1.58	1.52
3	R	2	NAG	C1-C2	2.60	1.56	1.52
3	G	1	NAG	O5-C1	-2.55	1.39	1.43
6	Q	3	BMA	C4-C5	2.53	1.58	1.53
5	Ι	4	MAN	C2-C3	2.40	1.56	1.52
4	Н	3	BMA	C1-C2	2.40	1.57	1.52
5	Ι	3	BMA	C4-C3	2.38	1.58	1.52
2	С	5	MAN	C4-C5	2.31	1.57	1.53
8	Р	6	MAN	C2-C3	2.31	1.55	1.52
6	L	3	BMA	C1-C2	2.29	1.57	1.52
6	Q	3	BMA	O5-C1	2.29	1.47	1.43
6	Q	3	BMA	C1-C2	2.28	1.57	1.52
2	С	5	MAN	C4-C3	2.27	1.58	1.52
4	Н	1	NAG	O5-C1	-2.27	1.40	1.43
5	Ι	5	MAN	C4-C3	2.21	1.58	1.52
4	Н	5	MAN	C4-C5	2.21	1.57	1.53



0001

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	М	6	MAN	C4-C5	2.19	1.57	1.53
8	Р	5	MAN	C1-C2	2.19	1.57	1.52
6	Q	2	NAG	O5-C1	2.16	1.47	1.43
6	L	3	BMA	C4-C3	2.14	1.57	1.52
6	0	1	NAG	C1-C2	2.14	1.55	1.52
6	0	3	BMA	O5-C5	2.14	1.47	1.43
6	L	3	BMA	O5-C5	2.12	1.47	1.43
8	Р	6	MAN	O5-C5	2.11	1.47	1.43
3	Κ	1	NAG	O5-C1	-2.08	1.40	1.43
2	С	6	MAN	O5-C5	2.04	1.47	1.43
6	L	3	BMA	C4-C5	2.03	1.57	1.53
6	Q	3	BMA	O5-C5	2.02	1.47	1.43

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
8	Р	5	MAN	C1-O5-C5	5.21	119.25	112.19
6	L	2	NAG	C2-N2-C7	4.46	129.25	122.90
2	С	6	MAN	C1-O5-C5	4.26	117.96	112.19
5	Ι	4	MAN	C1-O5-C5	3.93	117.52	112.19
6	N	3	BMA	C1-C2-C3	3.93	114.49	109.67
6	Ν	3	BMA	O2-C2-C1	3.78	116.89	109.15
8	Р	4	MAN	C1-O5-C5	3.72	117.23	112.19
4	Н	5	MAN	C1-O5-C5	3.71	117.22	112.19
2	С	4	MAN	C1-O5-C5	3.59	117.05	112.19
6	0	1	NAG	C1-O5-C5	3.57	117.03	112.19
8	Р	3	BMA	C1-O5-C5	3.55	117.00	112.19
6	Ν	3	BMA	C2-C3-C4	3.41	116.79	110.89
3	U	1	NAG	C1-O5-C5	3.35	116.73	112.19
7	М	5	MAN	O2-C2-C3	-3.22	103.68	110.14
6	0	1	NAG	O4-C4-C3	3.06	117.43	110.35
8	Р	5	MAN	O5-C1-C2	2.99	115.38	110.77
2	С	6	MAN	O2-C2-C3	-2.99	104.16	110.14
2	С	6	MAN	O5-C1-C2	2.97	115.36	110.77
3	U	1	NAG	C2-N2-C7	2.92	127.06	122.90
3	D	2	NAG	C1-O5-C5	-2.87	108.30	112.19
7	М	5	MAN	C1-O5-C5	2.84	116.05	112.19
7	М	4	MAN	C1-O5-C5	2.82	116.01	112.19
5	Ι	5	MAN	C2-C3-C4	2.81	115.76	110.89
7	М	6	MAN	O2-C2-C3	-2.78	104.58	110.14
6	Т	1	NAG	$C\overline{2-N2-C7}$	2.76	126.84	122.90
5	Ι	4	MAN	C1-C2-C3	2.73	113.02	109.67



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	R	2	NAG	C1-O5-C5	2.73	115.89	112.19
4	Н	4	MAN	C1-O5-C5	2.71	115.86	112.19
5	Ι	3	BMA	O5-C5-C6	2.66	111.38	107.20
7	М	6	MAN	C3-C4-C5	2.63	114.93	110.24
7	М	6	MAN	C1-O5-C5	2.63	115.75	112.19
3	F	1	NAG	C4-C3-C2	2.62	114.86	111.02
3	U	1	NAG	O5-C5-C6	-2.59	103.15	107.20
3	J	2	NAG	C1-O5-C5	2.58	115.68	112.19
4	Н	4	MAN	O2-C2-C3	-2.52	105.09	110.14
5	Ι	5	MAN	C1-C2-C3	2.51	112.75	109.67
3	Κ	2	NAG	C4-C3-C2	2.49	114.67	111.02
8	Р	4	MAN	C2-C3-C4	2.38	115.02	110.89
6	Т	3	BMA	C1-O5-C5	2.36	115.39	112.19
6	0	2	NAG	C1-O5-C5	2.34	115.37	112.19
2	С	4	MAN	O2-C2-C3	-2.31	105.50	110.14
7	М	4	MAN	O3-C3-C2	2.31	114.42	109.99
6	L	2	NAG	C1-O5-C5	2.23	115.21	112.19
6	Q	3	BMA	O5-C5-C6	2.20	110.65	107.20
6	L	3	BMA	O5-C5-C6	2.16	110.59	107.20
6	L	1	NAG	C1-C2-N2	2.14	114.14	110.49
8	Р	5	MAN	C1-C2-C3	2.13	112.28	109.67
3	G	2	NAG	C1-O5-C5	2.12	115.07	112.19
6	Ν	3	BMA	O2-C2-C3	-2.11	105.92	110.14
6	Т	3	BMA	O2-C2-C3	-2.09	105.95	110.14
6	Т	1	NAG	C1-C2-N2	2.06	114.01	110.49
4	Н	3	BMA	O2-C2-C1	2.06	113.36	109.15
4	Н	5	MAN	O3-C3-C2	2.05	113.92	109.99
7	М	6	MAN	O2-C2-C1	2.04	113.32	109.15
2	С	5	MAN	O2-C2-C1	2.04	113.32	109.15
3	U	1	NAG	O4-C4-C5	-2.02	104.28	109.30

There are no chirality outliers.

All (73) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	L	2	NAG	C3-C2-N2-C7
2	С	4	MAN	O5-C5-C6-O6
4	Н	4	MAN	O5-C5-C6-O6
6	L	3	BMA	O5-C5-C6-O6
3	U	2	NAG	O5-C5-C6-O6
3	R	2	NAG	C4-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6



Mol	Chain	Res	Type	Atoms
5	Ι	3	BMA	O5-C5-C6-O6
8	Р	4	MAN	O5-C5-C6-O6
3	U	2	NAG	C4-C5-C6-O6
6	Т	2	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
4	Н	4	MAN	C4-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
4	Н	1	NAG	O5-C5-C6-O6
6	N	1	NAG	O5-C5-C6-O6
5	Ι	2	NAG	O5-C5-C6-O6
2	С	4	MAN	C4-C5-C6-O6
2	С	6	MAN	O5-C5-C6-O6
6	L	3	BMA	C4-C5-C6-O6
6	Т	1	NAG	C1-C2-N2-C7
5	Ι	3	BMA	C4-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
5	Ι	2	NAG	C4-C5-C6-O6
3	J	2	NAG	C8-C7-N2-C2
3	J	2	NAG	O7-C7-N2-C2
6	Ν	2	NAG	C8-C7-N2-C2
6	Ν	2	NAG	O7-C7-N2-C2
6	0	1	NAG	C8-C7-N2-C2
6	0	1	NAG	O7-C7-N2-C2
3	S	2	NAG	O5-C5-C6-O6
6	Ν	1	NAG	C4-C5-C6-O6
8	Р	5	MAN	O5-C5-C6-O6
3	S	2	NAG	C4-C5-C6-O6
7	М	1	NAG	C4-C5-C6-O6
2	C	5	MAN	O5-C5-C6-O6
5	Ι	4	MAN	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
5	Ι	4	MAN	C4-C5-C6-O6
8	Р	4	MAN	C4-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
8	Р	6	MAN	O5-C5-C6-O6
2	C	6	MAN	C4-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
8	Р	2	NAG	O5-C5-C6-O6
8	Р	2	NAG	C4-C5-C6-O6
6	Т	2	NAG	C4-C5-C6-O6
4	Н	3	BMA	C4-C5-C6-O6
7	М	1	NAG	O5-C5-C6-O6



Mol	Chain	Res	Type	Atoms
4	Н	1	NAG	C4-C5-C6-O6
4	Н	3	BMA	O5-C5-C6-O6
6	0	1	NAG	C4-C5-C6-O6
7	М	4	MAN	C4-C5-C6-O6
3	R	2	NAG	C3-C2-N2-C7
7	М	2	NAG	O5-C5-C6-O6
6	0	1	NAG	O5-C5-C6-O6
6	Q	3	BMA	C4-C5-C6-O6
7	М	2	NAG	C4-C5-C6-O6
6	L	1	NAG	C1-C2-N2-C7
3	G	2	NAG	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	S	1	NAG	C3-C2-N2-C7
3	U	1	NAG	C3-C2-N2-C7
7	М	4	MAN	O5-C5-C6-O6
4	Н	1	NAG	C1-C2-N2-C7
8	Р	5	MAN	C4-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
8	Р	6	MAN	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
2	С	5	MAN	C4-C5-C6-O6
6	L	1	NAG	C3-C2-N2-C7
6	Т	2	NAG	C3-C2-N2-C7
6	Т	2	NAG	C1-C2-N2-C7

Continued from previous page...

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	Р	5	MAN	C1-C2-C3-C4-C5-O5

7 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	2	NAG	1	0
6	L	1	NAG	1	0
3	Е	1	NAG	1	0
6	N	3	BMA	1	0
3	Е	2	NAG	1	0
3	D	1	NAG	1	0
6	N	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,





bond angles, torsion angles, and ring geometry for oligosaccharide.






























































5.6 Ligand geometry (i)

Of 19 ligands modelled in this entry, 2 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	True	Chain	Res	Link	Bond lengths			Bond angles		
	Type				Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	MLT	А	1104	11	8,8,8	0.98	0	10,10,10	1.68	2 (20%)
13	PEG	А	1107	-	$6,\!6,\!6$	0.49	0	$5,\!5,\!5$	0.53	0
14	EDO	А	1110	-	3,3,3	0.50	0	2,2,2	0.44	0
9	NAG	А	1101	1	14,14,15	0.41	0	17,19,21	0.43	0
9	NAG	А	1103	1	14,14,15	0.34	0	17,19,21	0.40	0
9	NAG	В	1103	1	14,14,15	0.65	0	17,19,21	0.75	0



Mal	Tuno	Chain	Dog	Link	Bo	ond leng	$_{\rm sths}$	Bond angles		
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	MLT	В	1105	11	8,8,8	0.97	0	10,10,10	1.83	4 (40%)
12	UKG	А	1106	-	20,24,24	2.74	6 (30%)	$25,\!35,\!35$	3.49	8 (32%)
12	UKG	В	1107	-	20,24,24	2.69	6 (30%)	25,35,35	3.44	8 (32%)
14	EDO	В	1108	-	3,3,3	0.45	0	2,2,2	0.59	0
13	PEG	В	1109	-	6,6,6	0.53	0	$5,\!5,\!5$	0.59	0
9	NAG	В	1101	1	14,14,15	0.50	0	17,19,21	0.60	0
9	NAG	В	1104	1	14,14,15	1.22	2 (14%)	17,19,21	1.09	1 (5%)
9	NAG	В	1102	1	14,14,15	0.67	1 (7%)	17,19,21	0.67	0
14	EDO	А	1109	-	3,3,3	0.48	0	2,2,2	0.36	0
9	NAG	А	1102	1	14,14,15	0.32	0	17,19,21	0.73	1 (5%)
14	EDO	А	1108	-	3,3,3	0.47	0	2,2,2	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	MLT	А	1104	11	-	2/8/8/8	-
13	PEG	А	1107	-	-	1/4/4/4	-
14	EDO	А	1110	-	-	1/1/1/1	-
9	NAG	А	1101	1	-	0/6/23/26	0/1/1/1
9	NAG	А	1103	1	-	0/6/23/26	0/1/1/1
9	NAG	В	1103	1	-	3/6/23/26	0/1/1/1
10	MLT	В	1105	11	-	2/8/8/8	-
12	UKG	А	1106	-	-	6/9/15/15	0/3/3/3
12	UKG	В	1107	-	-	2/9/15/15	0/3/3/3
14	EDO	В	1108	-	-	1/1/1/1	-
13	PEG	В	1109	-	-	3/4/4/4	-
9	NAG	В	1101	1	-	0/6/23/26	0/1/1/1
9	NAG	В	1104	1	-	4/6/23/26	0/1/1/1
9	NAG	В	1102	1	-	4/6/23/26	0/1/1/1
14	EDO	А	1109	-	-	1/1/1/1	-
9	NAG	А	1102	1	-	0/6/23/26	0/1/1/1
14	EDO	А	1108	-	-	1/1/1/1	-

All (15) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
12	А	1106	UKG	C19-S21	-5.71	1.62	1.72
12	А	1106	UKG	S02-N03	5.69	1.73	1.63
12	В	1107	UKG	C19-S21	-5.59	1.62	1.72
12	В	1107	UKG	S02-N03	5.33	1.72	1.63
12	А	1106	UKG	C15-S21	-5.15	1.63	1.72
12	В	1107	UKG	C15-S21	-5.13	1.63	1.72
12	А	1106	UKG	C15-S02	4.43	1.83	1.76
12	В	1107	UKG	C15-S02	4.39	1.83	1.76
12	А	1106	UKG	O22-S02	3.91	1.48	1.43
12	В	1107	UKG	O22-S02	3.55	1.47	1.43
12	В	1107	UKG	O01-S02	3.55	1.47	1.43
12	А	1106	UKG	O01-S02	3.37	1.47	1.43
9	В	1104	NAG	O5-C1	-3.01	1.38	1.43
9	В	1104	NAG	C1-C2	2.79	1.56	1.52
9	В	1102	NAG	O5-C1	2.23	1.47	1.43

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
12	А	1106	UKG	O22-S02-O01	-15.26	100.79	119.55
12	В	1107	UKG	O22-S02-O01	-14.68	101.50	119.55
12	В	1107	UKG	C07-N08-N09	3.54	108.02	104.87
12	А	1106	UKG	C15-S02-N03	3.49	111.35	107.27
12	В	1107	UKG	O01-S02-C15	3.49	113.40	107.66
12	В	1107	UKG	C07-N11-N10	3.44	107.93	104.87
9	В	1104	NAG	C4-C3-C2	3.36	115.94	111.02
10	В	1105	MLT	O2-C1-C2	3.23	119.82	112.72
12	В	1107	UKG	N11-C07-N08	-2.98	108.07	111.39
12	А	1106	UKG	C07-N08-N09	2.91	107.46	104.87
12	А	1106	UKG	N11-N10-N09	-2.87	107.66	109.53
10	А	1104	MLT	O2-C1-C2	2.87	119.02	112.72
12	А	1106	UKG	C07-N11-N10	2.84	107.39	104.87
12	А	1106	UKG	O01-S02-C15	2.61	111.96	107.66
9	А	1102	NAG	C1-O5-C5	2.57	115.68	112.19
12	В	1107	UKG	N11-N10-N09	-2.57	107.86	109.53
10	В	1105	MLT	O5-C4-C3	2.41	121.81	114.07
10	А	1104	MLT	O2-C1-O1	-2.41	118.61	124.09
10	В	1105	MLT	O2-C1-O1	-2.30	118.86	124.09
10	В	1105	MLT	O5-C4-O4	-2.16	117.91	123.30
12	В	1107	UKG	N08-N09-N10	-2.15	108.13	109.53
12	А	1106	UKG	N11-C07-N08	-2.13	109.01	111.39
12	В	1107	UKG	C15-S02-N03	2.09	109.72	107.27
12	А	1106	UKG	O01-S02-N03	2.01	111.78	106.73



There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	А	1106	UKG	C04-N03-S02-O01
12	В	1107	UKG	C04-N03-S02-O01
9	В	1104	NAG	O5-C5-C6-O6
9	В	1102	NAG	C4-C5-C6-O6
9	В	1103	NAG	C4-C5-C6-O6
9	В	1104	NAG	C4-C5-C6-O6
9	В	1102	NAG	O5-C5-C6-O6
9	В	1102	NAG	C8-C7-N2-C2
9	В	1102	NAG	O7-C7-N2-C2
9	В	1104	NAG	C8-C7-N2-C2
9	В	1104	NAG	O7-C7-N2-C2
9	В	1103	NAG	O5-C5-C6-O6
12	А	1106	UKG	C04-N03-S02-C15
14	А	1109	EDO	O1-C1-C2-O2
13	А	1107	PEG	O2-C3-C4-O4
13	В	1109	PEG	O2-C3-C4-O4
14	А	1110	EDO	O1-C1-C2-O2
10	В	1105	MLT	O1-C1-C2-O3
13	В	1109	PEG	C4-C3-O2-C2
13	В	1109	PEG	C1-C2-O2-C3
10	А	1104	MLT	C1-C2-C3-C4
14	В	1108	EDO	O1-C1-C2-O2
10	В	1105	MLT	O2-C1-C2-O3
9	В	1103	NAG	C3-C2-N2-C7
12	А	1106	UKG	C05-C06-C07-N08
12	А	1106	UKG	C12-C06-C07-N08
12	A	1106	UKG	C05-C06-C07-N11
12	В	1107	UKG	C04-N03-S02-C15
12	А	1106	UKG	C12-C06-C07-N11
10	А	1104	MLT	C2-C3-C4-O5
14	А	1108	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	А	1104	MLT	2	0
10	В	1105	MLT	1	0
12	А	1106	UKG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	857/873~(98%)	-0.49	5 (0%) 89 88	17, 37, 64, 104	0
1	В	859/873~(98%)	-0.40	7 (0%) 86 84	18, 42, 75, 119	0
All	All	1716/1746~(98%)	-0.45	12 (0%) 87 85	17, 40, 71, 119	0

All (12) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	222	MET	4.5
1	А	1023	TRP	2.9
1	В	1026	ARG	2.8
1	В	648	THR	2.5
1	В	249	GLU	2.5
1	В	639	MET	2.4
1	А	513	ASP	2.4
1	А	1024	TRP	2.3
1	В	228	GLN	2.2
1	В	751	ASP	2.2
1	А	223	SER	2.2
1	А	514	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
6	BMA	Q	3	11/12	0.61	0.24	95,122,127,127	0
6	NAG	Т	2	14/15	0.62	0.31	90,120,124,127	0
6	NAG	L	2	14/15	0.63	0.32	96,116,120,121	0
3	NAG	F	2	14/15	0.70	0.50	102,122,125,126	0
6	NAG	N	2	14/15	0.71	0.38	118,125,129,133	0
6	BMA	N	3	11/12	0.71	0.30	89,117,123,126	0
4	MAN	Н	5	11/12	0.71	0.24	85,101,114,115	0
3	NAG	F	1	14/15	0.71	0.31	87,97,111,124	0
8	MAN	Р	6	11/12	0.74	0.32	100,120,126,128	0
3	NAG	R	2	14/15	0.75	0.33	115,131,139,141	0
3	NAG	J	2	14/15	0.75	0.41	91,113,118,118	0
8	MAN	Р	5	11/12	0.75	0.24	89,96,108,110	0
5	BMA	Ι	3	11/12	0.75	0.33	107,117,126,126	0
5	MAN	Ι	5	11/12	0.76	0.37	102,111,118,119	0
3	NAG	S	1	14/15	0.76	0.33	73,86,100,109	0
6	BMA	L	3	11/12	0.77	0.32	91,101,111,113	0
6	BMA	0	3	11/12	0.77	0.45	118,129,139,140	0
3	NAG	R	1	14/15	0.78	0.22	87,102,115,127	0
3	NAG	S	2	14/15	0.78	0.27	94,108,113,116	0
4	MAN	Н	4	11/12	0.78	0.32	92,111,118,123	0
3	NAG	D	2	14/15	0.79	0.22	83,98,106,108	0
6	NAG	0	2	14/15	0.80	0.47	103,128,144,146	0
3	NAG	K	1	14/15	0.80	0.30	84,99,107,112	0
5	MAN	Ι	4	11/12	0.81	0.36	86,98,109,110	0
6	NAG	0	1	14/15	0.82	0.28	73,91,108,122	0
8	BMA	Р	3	11/12	0.82	0.17	107,115,118,120	0
3	NAG	K	2	14/15	0.83	0.28	91,103,110,112	0
2	MAN	С	5	11/12	0.83	0.24	87,104,111,115	0
4	BMA	Н	3	11/12	0.83	0.29	66, 91, 96, 105	0
3	NAG	Е	2	14/15	0.83	0.37	93,104,111,111	0
3	NAG	U	2	14/15	0.84	0.52	108,115,121,123	0
2	MAN	С	6	11/12	0.84	0.24	102,112,125,125	0
6	BMA	Т	3	11/12	0.84	0.30	112,122,127,128	0
5	NAG	Ι	1	14/15	0.85	0.19	$64,\!84,\!95,\!100$	0
5	NAG	Ι	2	14/15	0.85	0.37	75,99,109,124	0
8	MAN	Р	4	11/12	0.86	0.18	101,114,121,128	0
3	NAG	U	1	14/15	0.86	0.32	$71,\!90,\!\overline{101,\!106}$	0
6	NAG	Q	2	14/15	0.86	0.20	$66,\!97,\!105,\!114$	0
8	NAG	P	2	14/15	0.87	0.16	72,85,95,106	0
7	MAN	М	5	11/12	0.88	0.24	34,76,92,94	0
6	NAG	L	1	14/15	0.88	$0.1\overline{2}$	61,73,88,108	0
3	NAG	J	1	14/15	0.88	0.31	63, 93, 99, 105	0
2	BMA	С	3	11/12	0.88	0.13	69,75,81,83	0

Continued on next page...



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
7	BMA	М	3	11/12	0.88	0.10	77,80,95,105	0
7	MAN	М	4	11/12	0.88	0.22	105,109,115,119	0
7	MAN	М	6	11/12	0.89	0.13	91,97,100,104	0
3	NAG	G	2	14/15	0.89	0.28	70,86,95,96	0
6	NAG	Т	1	14/15	0.90	0.37	80,95,100,116	0
6	NAG	Ν	1	14/15	0.91	0.18	$63,\!77,\!91,\!106$	0
2	NAG	С	2	14/15	0.91	0.14	$58,\!69,\!80,\!83$	0
7	NAG	М	2	14/15	0.92	0.11	$61,\!76,\!84,\!93$	0
3	NAG	G	1	14/15	0.92	0.22	74,80,94,96	0
2	MAN	С	4	11/12	0.92	0.15	67,82,92,100	0
6	NAG	Q	1	14/15	0.92	0.15	$29,\!65,\!76,\!87$	0
4	NAG	Н	2	14/15	0.92	0.21	$81,\!92,\!95,\!95$	0
4	NAG	Н	1	14/15	0.93	0.13	40,68,78,80	0
7	NAG	М	1	14/15	0.93	0.15	42,63,68,74	0
3	NAG	Е	1	14/15	0.93	0.28	65,77,90,93	0
3	NAG	D	1	14/15	0.94	0.12	$3\overline{2,\!67,\!86,\!98}$	0
2	NAG	C	1	14/15	0.95	0.15	30,49,68,73	0
8	NAG	Р	1	14/15	0.96	0.15	39,52,63,80	0

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.
































































6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	NAG	В	1104	14/15	0.70	0.44	99,118,125,128	0
9	NAG	В	1101	14/15	0.76	0.32	108,114,122,123	0
13	PEG	А	1107	7/7	0.79	0.56	61,73,78,79	0
9	NAG	В	1103	14/15	0.80	0.32	83,100,109,111	0
9	NAG	В	1102	14/15	0.82	0.21	85,93,101,101	0
9	NAG	А	1103	14/15	0.84	0.50	92,107,114,114	0
12	UKG	А	1106	22/22	0.85	0.36	58,88,173,258	0
12	UKG	В	1107	22/22	0.86	0.29	67,95,140,159	0
9	NAG	А	1101	14/15	0.87	0.33	85,98,103,106	0
9	NAG	А	1102	14/15	0.88	0.25	47,81,92,96	0
13	PEG	В	1109	7/7	0.90	0.33	55,56,67,68	0
14	EDO	А	1109	4/4	0.91	0.32	47,57,59,65	0
10	MLT	А	1104	9/9	0.95	0.24	42,59,75,77	0
14	EDO	А	1108	4/4	0.96	0.11	42,45,50,59	0

Continued on next page...



contract from proceeds pagette											
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9			
14	EDO	А	1110	4/4	0.96	0.12	37,40,47,50	0			
10	MLT	В	1105	9/9	0.98	0.25	57,68,78,80	0			
14	EDO	В	1108	4/4	0.98	0.10	41,42,44,46	0			
11	ZN	А	1105	1/1	1.00	0.15	31,31,31,31	0			
11	ZN	В	1106	1/1	1.00	0.19	43,43,43,43	0			

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

