



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 08:50 am BST

PDB ID : 4CKC
Title : Vaccinia virus capping enzyme complexed with SAH (monoclinic form)
Authors : Kyrieleis, O.J.P.; Chang, J.; de la Pena, M.; Shuman, S.; Cusack, S.
Deposited on : 2014-01-02
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	844	 4% 86% 11% •
1	D	844	 4% 87% 10% •
2	B	287	 2% 87% 10% ••
2	E	287	 2% 85% 12% ••

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 18065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called MRNA-CAPPING ENZYME CATALYTIC SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	819	Total 6640	C 4280	N 1091	O 1250	S 19	0	1	0
1	D	821	Total 6659	C 4293	N 1094	O 1253	S 19	0	1	0

- Molecule 2 is a protein called MRNA-CAPPING ENZYME REGULATORY SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	284	Total 2320	C 1492	N 385	O 430	S 13	0	0	0
2	E	283	Total 2312	C 1488	N 383	O 428	S 13	0	0	0

- Molecule 3 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
3	D	1	Total	C	N	O	S	0	0
			26	14	6	5	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	27	Total	O	0	0
			27	27		
4	B	5	Total	O	0	0
			5	5		
4	D	30	Total	O	0	0
			30	30		
4	E	20	Total	O	0	0
			20	20		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MRNA-CAPPING ENZYME CATALYTIC SUBUNIT




- Molecule 1: MRNA-CAPPING ENZYME CATALYTIC SUBUNIT





- Molecule 2: MRNA-CAPPING ENZYME REGULATORY SUBUNIT

Chain B:  2% 87% 10% ..



- Molecule 2: MRNA-CAPPING ENZYME REGULATORY SUBUNIT

Chain E:  2% 85% 12% ..



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.71Å 200.26Å 128.10Å 90.00° 102.18° 90.00°	Depositor
Resolution (Å)	125.00 – 2.90 29.47 – 2.90	Depositor EDS
% Data completeness (in resolution range)	93.5 (125.00-2.90) 93.6 (29.47-2.90)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.84 (at 2.90Å)	Xtrriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.255 , 0.297 0.256 , 0.297	Depositor DCC
R_{free} test set	3174 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	32.1	Xtrriage
Anisotropy	0.881	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	18065	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.92 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.5373e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/6774	0.53	0/9157
1	D	0.33	0/6794	0.54	0/9184
2	B	0.32	0/2365	0.53	0/3189
2	E	0.34	0/2357	0.54	0/3178
All	All	0.32	0/18290	0.53	0/24708

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6640	0	6723	36	1
1	D	6659	0	6738	34	1
2	B	2320	0	2363	10	2
2	E	2312	0	2357	13	1
3	A	26	0	19	0	0
3	D	26	0	19	0	0
4	A	27	0	0	1	1
4	B	5	0	0	1	0
4	D	30	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	20	0	0	1	0
All	All	18065	0	18219	93	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:513:ILE:CD1	4:D:2014:HOH:O	2.41	0.69
1:D:513:ILE:HD12	4:D:2014:HOH:O	1.95	0.67
1:A:85:VAL:HG13	1:A:90:VAL:HG21	1.79	0.64
1:D:85:VAL:HG13	1:D:90:VAL:HG21	1.80	0.62
1:A:594:VAL:HB	1:A:616:LEU:HD12	1.82	0.61
1:A:158:ILE:HD11	1:A:215:LEU:HD11	1.82	0.60
1:D:594:VAL:HB	1:D:616:LEU:HD12	1.83	0.60
1:D:158:ILE:HD11	1:D:215:LEU:HD11	1.83	0.59
2:B:170:ARG:NH2	4:B:2003:HOH:O	2.36	0.59
2:B:52:ASP:HB3	2:B:264:TYR:CE1	2.41	0.56
2:E:52:ASP:HB3	2:E:264:TYR:CE1	2.41	0.55
1:A:59:ILE:HA	4:A:2001:HOH:O	2.06	0.53
1:D:580:TYR:O	1:D:592:ARG:NH1	2.43	0.52
1:A:749:ILE:HD11	1:A:765:ILE:HG12	1.90	0.52
1:D:485:VAL:HG11	1:D:518:LEU:HA	1.93	0.51
1:D:749:ILE:HD11	1:D:765:ILE:HG12	1.91	0.51
1:A:717:LEU:HD13	1:A:749:ILE:CD1	2.42	0.50
1:A:485:VAL:HG11	1:A:518:LEU:HA	1.94	0.49
2:E:268:THR:O	2:E:269:SER:C	2.51	0.49
1:D:717:LEU:HD13	1:D:749:ILE:CD1	2.42	0.49
1:A:580:TYR:O	1:A:592:ARG:NH1	2.46	0.49
1:D:767:LYS:HE2	4:D:2026:HOH:O	2.12	0.49
1:D:49:THR:HG21	1:D:191:LEU:HD22	1.95	0.48
1:D:682:HIS:HA	1:D:766:ILE:HD11	1.96	0.48
1:A:49:THR:HG21	1:A:191:LEU:HD22	1.95	0.48
2:B:9:ARG:NH2	2:B:285:LEU:O	2.45	0.47
1:A:454:ASN:OD1	1:A:454:ASN:N	2.48	0.46
1:A:601:ASN:OD1	1:A:628:ARG:NH1	2.48	0.46
1:A:831:ASP:O	1:A:834:SER:OG	2.25	0.46
2:B:268:THR:O	2:B:269:SER:C	2.54	0.46
1:D:454:ASN:OD1	1:D:454:ASN:N	2.47	0.45
1:D:64:ILE:HD12	1:D:95:LEU:HD22	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:PHE:CE2	1:A:134:TYR:HB3	2.51	0.45
1:D:131:PHE:CE2	1:D:134:TYR:HB3	2.51	0.45
2:E:9:ARG:NH2	2:E:285:LEU:O	2.47	0.45
2:B:141:PHE:CZ	2:B:168:THR:HG23	2.52	0.45
1:D:593:LYS:N	1:D:673:ASN:OD1	2.49	0.45
2:E:277:LYS:HA	2:E:280:ARG:HD2	1.99	0.45
1:A:64:ILE:HD12	1:A:95:LEU:HD22	1.98	0.44
1:D:784:ASP:HB3	1:D:840:VAL:HB	1.99	0.44
1:D:601:ASN:OD1	1:D:628:ARG:NH1	2.47	0.44
1:A:264:ILE:CD1	1:A:281:HIS:HB3	2.47	0.44
1:A:264:ILE:HD13	1:A:281:HIS:HB3	1.99	0.44
2:E:141:PHE:CZ	2:E:168:THR:HG23	2.53	0.43
2:B:277:LYS:HA	2:B:280:ARG:HD2	2.00	0.43
2:B:77:LYS:HG3	2:B:186:SER:OG	2.18	0.43
1:D:264:ILE:HD13	1:D:281:HIS:HB3	2.00	0.43
1:A:153:THR:HG21	1:A:215:LEU:HD13	2.01	0.43
1:D:264:ILE:CD1	1:D:281:HIS:HB3	2.48	0.43
1:D:300:VAL:HG11	1:D:314:LEU:CD2	2.49	0.43
2:B:4:ILE:HG21	2:B:254:GLU:HG2	2.01	0.43
2:E:159:THR:HB	4:E:2014:HOH:O	2.19	0.43
1:A:682:HIS:HA	1:A:766:ILE:HD11	2.01	0.43
1:A:300:VAL:HG11	1:A:314:LEU:CD2	2.49	0.43
2:E:4:ILE:HG21	2:E:254:GLU:HG2	2.01	0.42
1:A:141:ILE:O	1:A:168:SER:HA	2.18	0.42
1:A:242:LEU:HB2	1:A:391:PHE:HB3	2.01	0.42
1:D:141:ILE:O	1:D:168:SER:HA	2.18	0.42
1:D:669[A]:PHE:CG	1:D:670:GLY:N	2.87	0.42
2:B:175:LEU:HD22	2:B:206:LEU:HA	2.00	0.42
1:D:153:THR:HG21	1:D:215:LEU:HD13	2.02	0.42
2:E:175:LEU:HD22	2:E:206:LEU:HA	2.00	0.42
2:E:100:VAL:HA	2:E:154:ILE:O	2.19	0.42
1:D:242:LEU:HB2	1:D:391:PHE:HB3	2.02	0.42
1:D:399:ILE:HD11	1:D:485:VAL:HG13	2.02	0.42
1:A:92:ASN:HB2	1:A:171:GLN:O	2.19	0.42
1:A:114:ARG:CB	1:A:120:LEU:HD23	2.50	0.42
1:A:399:ILE:HD11	1:A:485:VAL:HG13	2.02	0.42
1:A:480:ILE:HD11	1:A:500:TYR:HB2	2.02	0.42
1:A:550:ASN:N	1:A:551:PRO:HD3	2.35	0.41
1:A:673:ASN:OD1	1:A:673:ASN:N	2.50	0.41
1:D:275:LEU:HD23	1:D:345:ILE:HD12	2.02	0.41
2:E:72:GLU:OE2	2:E:191:LYS:NZ	2.43	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:669[A]:PHE:CG	1:A:670:GLY:N	2.89	0.41
1:A:784:ASP:HB3	1:A:840:VAL:HB	2.02	0.41
1:D:114:ARG:CB	1:D:120:LEU:HD23	2.50	0.41
1:D:596:ALA:HB1	1:D:599:PHE:CD1	2.55	0.41
1:D:831:ASP:O	1:D:834:SER:OG	2.30	0.41
2:B:100:VAL:HA	2:B:154:ILE:O	2.20	0.41
1:D:564:PRO:O	1:D:568:LEU:HG	2.20	0.41
1:A:275:LEU:HD23	1:A:345:ILE:HD12	2.03	0.41
2:E:183:LYS:HG2	2:E:189:TRP:CZ2	2.56	0.41
2:E:142:ARG:N	2:E:143:PRO:CD	2.84	0.41
1:A:564:PRO:O	1:A:568:LEU:HG	2.21	0.40
1:A:792:ILE:CG2	1:A:822:ILE:HD11	2.51	0.40
1:A:87:GLY:O	1:A:89:ASP:N	2.53	0.40
1:D:87:GLY:O	1:D:89:ASP:N	2.54	0.40
1:A:596:ALA:HB1	1:A:599:PHE:CD1	2.56	0.40
1:D:773:ARG:O	1:D:777:GLU:HG3	2.21	0.40
1:D:784:ASP:CB	1:D:840:VAL:HB	2.52	0.40
1:A:686:HIS:CG	1:A:687:PRO:HD2	2.57	0.40
2:E:77:LYS:HG3	2:E:186:SER:OG	2.21	0.40
1:A:771:ILE:HD11	1:A:775:PHE:CE1	2.56	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:272:LYS:NZ	4:A:2014:HOH:O[2_556]	2.00	0.20
1:D:668:TYR:O	2:E:180:ARG:NH1[1_455]	2.14	0.06
1:A:668:TYR:O	2:B:180:ARG:NH1[1_455]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	812/844 (96%)	764 (94%)	45 (6%)	3 (0%)	34	66
1	D	814/844 (96%)	767 (94%)	45 (6%)	2 (0%)	47	78
2	B	280/287 (98%)	263 (94%)	13 (5%)	4 (1%)	11	36
2	E	279/287 (97%)	263 (94%)	13 (5%)	3 (1%)	14	42
All	All	2185/2262 (97%)	2057 (94%)	116 (5%)	12 (0%)	29	61

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	119	SER
1	A	88	LEU
1	A	248	VAL
1	D	88	LEU
1	D	248	VAL
2	B	200	ASP
2	B	269	SER
2	E	200	ASP
2	E	269	SER
1	A	89	ASP
2	B	148	VAL
2	E	148	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	754/774 (97%)	723 (96%)	31 (4%)	30	64
1	D	756/774 (98%)	724 (96%)	32 (4%)	30	63
2	B	269/272 (99%)	256 (95%)	13 (5%)	25	58
2	E	268/272 (98%)	256 (96%)	12 (4%)	27	61
All	All	2047/2092 (98%)	1959 (96%)	88 (4%)	29	62

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	THR
1	A	74	VAL
1	A	105	GLU
1	A	140	SER
1	A	190	SER
1	A	196	THR
1	A	201	GLU
1	A	230	SER
1	A	258	VAL
1	A	287	ARG
1	A	292	ARG
1	A	319	GLU
1	A	365	MET
1	A	390	ASP
1	A	404	ASN
1	A	408	ARG
1	A	441	SER
1	A	454	ASN
1	A	548	ARG
1	A	557	THR
1	A	644	TYR
1	A	649	TYR
1	A	653	THR
1	A	664	ARG
1	A	673	ASN
1	A	698	SER
1	A	758	SER
1	A	763	GLU
1	A	806	GLU
1	A	824	CYS
1	A	837	VAL
2	B	9	ARG
2	B	14	VAL
2	B	32	SER
2	B	49	ARG
2	B	90	TYR
2	B	140	VAL
2	B	170	ARG
2	B	182	LEU
2	B	186	SER
2	B	201	VAL
2	B	232	ILE
2	B	235	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	275	GLU
1	D	58	THR
1	D	74	VAL
1	D	105	GLU
1	D	140	SER
1	D	190	SER
1	D	196	THR
1	D	201	GLU
1	D	230	SER
1	D	258	VAL
1	D	287	ARG
1	D	292	ARG
1	D	319	GLU
1	D	365	MET
1	D	390	ASP
1	D	398	THR
1	D	404	ASN
1	D	408	ARG
1	D	441	SER
1	D	454	ASN
1	D	548	ARG
1	D	557	THR
1	D	644	TYR
1	D	649	TYR
1	D	653	THR
1	D	664	ARG
1	D	673	ASN
1	D	698	SER
1	D	758	SER
1	D	763	GLU
1	D	806	GLU
1	D	824	CYS
1	D	837	VAL
2	E	9	ARG
2	E	14	VAL
2	E	32	SER
2	E	49	ARG
2	E	90	TYR
2	E	140	VAL
2	E	170	ARG
2	E	182	LEU
2	E	186	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	232	ILE
2	E	235	ASN
2	E	275	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SAH	A	1845	-	21,28,28	1.04	1 (4%)	20,40,40	1.24	2 (10%)
3	SAH	D	1845	-	21,28,28	1.07	1 (4%)	20,40,40	1.42	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAH	A	1845	-	-	0/7/31/31	0/3/3/3
3	SAH	D	1845	-	-	1/7/31/31	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1845	SAH	C5-C4	2.35	1.47	1.40
3	D	1845	SAH	C5-C4	2.35	1.47	1.40

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1845	SAH	N3-C2-N1	-3.89	122.60	128.68
3	A	1845	SAH	N3-C2-N1	-3.47	123.26	128.68
3	D	1845	SAH	C4-C5-N7	-2.32	106.98	109.40
3	A	1845	SAH	C4-C5-N7	-2.13	107.18	109.40
3	D	1845	SAH	C2-N1-C6	2.07	122.30	118.75

There are no chirality outliers.


All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	1845	SAH	CB-CG-SD-C5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	819/844 (97%)	0.10	30 (3%) 41 37	19, 46, 98, 115	0
1	D	821/844 (97%)	-0.00	30 (3%) 41 37	17, 36, 77, 111	0
2	B	284/287 (98%)	0.00	6 (2%) 63 61	19, 39, 74, 94	0
2	E	283/287 (98%)	-0.18	7 (2%) 57 55	16, 24, 57, 82	0
All	All	2207/2262 (97%)	0.01	73 (3%) 46 41	16, 38, 84, 115	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	639	GLY	5.1
1	D	640	ILE	4.4
1	D	409	TYR	3.9
2	B	120	ASN	3.9
1	D	731	ASN	3.9
1	A	272	SER	3.9
1	A	641	LYS	3.8
1	A	640	ILE	3.7
1	A	200	ASN	3.7
1	D	558	ASN	3.5
1	A	319	GLU	3.5
1	D	435	PHE	3.4
1	A	2	ASP	3.4
1	A	202	THR	3.4
1	D	642	THR	3.4
1	D	530	ASN	3.3
1	A	7	SER	3.2
1	A	71	LYS	3.2
1	D	529	PHE	3.2
1	A	72	GLU	3.2
2	B	90	TYR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	93	SER	3.1
2	B	1	MET	3.1
1	D	111	THR	3.1
1	A	273	ASN	3.0
1	A	111	THR	2.9
1	D	308	LYS	2.9
1	D	200	ASN	2.9
1	A	27	GLN	2.8
1	D	72	GLU	2.8
1	A	344	ARG	2.8
2	B	112	ARG	2.7
1	A	307	ASP	2.7
1	D	199	ASP	2.7
1	A	558	ASN	2.7
1	A	154	LYS	2.7
1	A	113	ASN	2.6
1	A	526	GLY	2.6
2	E	94	THR	2.6
1	A	248	VAL	2.5
1	A	199	ASP	2.5
1	A	813	ASN	2.5
1	D	735	SER	2.4
1	D	825	GLU	2.4
1	A	552	GLU	2.4
1	D	154	LYS	2.4
1	D	641	LYS	2.4
2	E	95	LYS	2.3
1	D	206	ASP	2.3
1	D	71	LYS	2.3
2	E	1	MET	2.3
1	D	325	ASN	2.2
1	D	2	ASP	2.2
1	D	721	THR	2.2
1	D	732	LEU	2.2
1	D	25	LEU	2.2
1	A	133	ASP	2.2
1	A	343	ASP	2.1
1	A	631	GLU	2.1
1	D	319	GLU	2.1
1	A	198	ARG	2.1
2	E	112	ARG	2.1
1	A	361	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	825	GLU	2.1
2	B	215	SER	2.1
1	D	528	ILE	2.1
2	E	90	TYR	2.1
1	D	3	ALA	2.0
1	D	58	THR	2.0
1	A	142	ARG	2.0
1	D	354	GLY	2.0
2	E	93	SER	2.0
2	E	118	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SAH	A	1845	26/26	0.95	0.16	22,24,25,25	0
3	SAH	D	1845	26/26	0.95	0.15	18,19,20,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SAH A 1845:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAH D 1845:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.