

# Full wwPDB X-ray Structure Validation Report (i)

Nov 20, 2023 – 12:26 PM JST

:	7CK3
:	Crystal structure of Arabidopsis CESA3 catalytic domain
:	Qiao, Z.; Gao, Y.G.
:	2020-07-15
:	2.90  Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	А	429	49%	32%	••	14%		
1	В	429	41%	32%	•	14%		



#### $7 \mathrm{CK3}$

## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 5817 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Cellulose synthase A catalytic subunit 3 [UDP-forming], Cellul ose synthase A catalytic subunit 3 [UDP-forming].

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	369	Total 2908	C 1860	N 496	O 532	S 20	0	0	0
1	В	369	Total 2908	C 1860	N 496	O 532	S 20	0	0	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	697	GLY	-	linker	UNP Q941L0
А	698	SER	-	linker	UNP Q941L0
А	699	GLY	-	linker	UNP Q941L0
А	700	SER	-	linker	UNP Q941L0
А	701	GLY	-	linker	UNP Q941L0
В	697	GLY	-	linker	UNP Q941L0
В	698	SER	-	linker	UNP Q941L0
В	699	GLY	-	linker	UNP Q941L0
В	700	SER	-	linker	UNP Q941L0
В	701	GLY	-	linker	UNP Q941L0

There are 10 discrepancies between the modelled and reference sequences:

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total O 1 1	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cellulose synthase A catalytic subunit 3 [UDP-forming], Cellulose synthase A catalytic subunit 3 [UDP-forming]



• Molecule 1: Cellulose synthase A catalytic subunit 3 [UDP-forming], Cellulose synthase A catalytic subunit 3 [UDP-forming]









## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	49.14Å 58.43Å 321.89Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	39.52 - 2.90	Depositor
	39.52 - 2.90	EDS
% Data completeness	99.9 (39.52-2.90)	Depositor
(in resolution range)	100.0 (39.52 - 2.90)	EDS
$R_{merge}$	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.13 (at 2.90 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R R.	0.244 , $0.268$	Depositor
$n, n_{free}$	0.243 , $0.267$	DCC
$R_{free}$ test set	1077 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	66.6	Xtriage
Anisotropy	0.414	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.33, $130.4$	EDS
L-test for $twinning^2$	$ < L >=0.46, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	5817	wwPDB-VP
Average B, all atoms $(Å^2)$	144.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.49% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.80	3/2978~(0.1%)	0.92	6/4032~(0.1%)	
1	В	0.39	0/2978	0.61	1/4032~(0.0%)	
All	All	0.63	3/5956~(0.1%)	0.78	7/8064~(0.1%)	

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	А	403	CYS	CB-SG	-8.25	1.68	1.82
1	А	432	PHE	CE2-CZ	5.98	1.48	1.37
1	А	618	CYS	CB-SG	-5.57	1.72	1.81

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
1	А	435	ASP	CB-CG-OD1	-9.20	110.02	118.30
1	А	528	LEU	CB-CG-CD2	-7.27	98.63	111.00
1	А	733	LEU	CA-CB-CG	6.43	130.10	115.30
1	А	435	ASP	CB-CG-OD2	6.28	123.95	118.30
1	А	353	LEU	CA-CB-CG	-5.50	102.64	115.30
1	В	544	LEU	CA-CB-CG	5.24	127.36	115.30
1	А	439	MET	CG-SD-CE	5.23	108.56	100.20

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2908	0	2853	130	0
1	В	2908	0	2853	136	1
2	А	1	0	0	0	0
All	All	5817	0	5706	255	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (255) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:379:ASP:OD2	1:B:512:LYS:NZ	1.97	0.96
1:A:618:CYS:HB3	1:A:780:ILE:HD11	1.48	0.96
1:B:529:VAL:O	1:B:622:ARG:NH2	2.01	0.94
1:A:753:MET:HG3	1:A:755:ILE:H	1.37	0.89
1:A:496:ASP:HB3	1:A:502:LEU:HD21	1.56	0.88
1:B:625:LEU:HD12	1:B:756:GLY:HA2	1.63	0.81
1:B:530:ARG:HB3	1:B:713:PHE:HE2	1.45	0.81
1:A:798:SER:HA	1:A:801:LEU:HD23	1.64	0.79
1:A:353:LEU:HD21	1:A:447:LYS:HG2	1.65	0.78
1:A:338:VAL:HG12	1:A:540:PHE:HB2	1.64	0.78
1:B:488:PHE:HB3	1:B:489:LEU:HD12	1.65	0.78
1:B:527:ALA:HA	1:B:530:ARG:HE	1.50	0.74
1:A:596:VAL:HG23	1:A:597:PHE:H	1.52	0.73
1:B:396:ALA:O	1:B:400:VAL:HG12	1.90	0.72
1:B:623:THR:HG23	1:B:630:PRO:HD2	1.72	0.72
1:A:384:LEU:HD11	1:A:454:VAL:HG12	1.72	0.72
1:B:366:ASP:OD2	1:B:554:LYS:HE3	1.90	0.72
1:B:530:ARG:HB3	1:B:713:PHE:CE2	2.24	0.72
1:B:397:ARG:NH2	1:B:495:LEU:O	2.22	0.71
1:A:599:ASP:OD2	1:A:600:ILE:N	2.23	0.71
1:A:337:ALA:HA	1:A:371:LYS:HB3	1.73	0.70
1:A:441:ARG:O	1:A:445:GLU:HG2	1.90	0.70
1:A:706:ARG:HH12	1:A:748:LYS:HB2	1.56	0.70
1:A:566:PRO:HA	1:A:777:TRP:CZ2	2.27	0.69
1:A:337:ALA:O	1:A:539:PRO:HD2	1.93	0.68
1:B:775:ARG:HD2	1:B:778:ARG:HD2	1.76	0.68
1:B:400:VAL:HG13	1:B:401:PRO:HD3	1.77	0.67
1:B:496:ASP:HB3	1:B:502:LEU:HD11	1.77	0.67
1:A:805:LEU:O	1:A:806:ARG:HG3	1.95	0.67
1:B:753:MET:HG3	1:B:755:ILE:H	1.59	0.67
1:B:397:ARG:HB3	1:B:496:ASP:HA	1.76	0.66



	Clash		
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:B:488:PHE:HB2	1:B:505:LEU:HB3	1.76	0.66
1:B:775:ARG:HA	1:B:778:ARG:CZ	B:778:ARG:CZ 2.27	
1:B:753:MET:HG3	1:B:755:ILE:HG12	1.79	0.65
1:B:528:LEU:HA	1:B:531:VAL:HG12	1.79	0.64
1:A:712:VAL:HG21	1:A:736:GLU:HG3	1.78	0.64
1:B:627:GLY:HA2	1:B:773:HIS:CD2	2.32	0.64
1:A:347:PRO:HB2	1:A:384:LEU:HD23	1.81	0.63
1:B:521:LYS:H	1:B:521:LYS:HD3	1.64	0.62
1:A:753:MET:CE	1:A:756:GLY:HA3	2.29	0.61
1:A:708:GLY:HA3	1:A:745:TYR:CZ	2.35	0.61
1:A:753:MET:HE3	1:A:755:ILE:O	2.01	0.61
1:B:393:SER:HB2	1:B:489:LEU:HD11	1.82	0.61
1:A:706:ARG:NH2	1:A:747:ASP:O	2.34	0.60
1:A:802:ASN:HD21	1:A:806:ARG:HH11	1.50	0.60
1:B:390:ALA:HA	1:B:488:PHE:HE1	1.66	0.60
1:A:802:ASN:ND2	1:A:806:ARG:HH11	1.99	0.60
1:B:347:PRO:HG3	1:B:385:SER:OG	2.00	0.60
1:A:488:PHE:HB2	1:A:505:LEU:HB3	1.84	0.60
1:A:706:ARG:CZ	1:A:749:SER:HA	2.32	0.60
1:A:596:VAL:HG23	1:A:597:PHE:N	2.17	0.59
1:B:337:ALA:O	1:B:539:PRO:HD2	2.02	0.59
1:A:750:ASP:OD2	1:A:753:MET:HB2	2.02	0.59
1:A:706:ARG:NE	1:A:749:SER:HA	2.17	0.59
1:A:463:GLU:H	1:A:463:GLU:CD	2.06	0.58
1:A:510:ARG:HA	1:A:741:ILE:HD12	1.85	0.58
1:B:753:MET:HE3	1:B:756:GLY:HA3	1.84	0.58
1:B:566:PRO:HA	1:B:777:TRP:CZ2	2.39	0.58
1:B:755:ILE:HG22	1:B:773:HIS:CE1	2.39	0.58
1:A:773:HIS:O	1:A:775:ARG:HG3	2.04	0.58
1:B:351:PRO:O	1:B:354:VAL:HG22	2.03	0.58
1:A:753:MET:HG3	1:A:755:ILE:HG12	1.86	0.57
1:B:526:ASN:O	1:B:530:ARG:HG2	2.04	0.57
1:B:550:ILE:O	1:B:550:ILE:HG13	2.04	0.57
1:A:480:ASP:OD1	1:A:513:ARG:NH1	2.36	0.57
1:A:704:GLU:HG3	1:A:705:LYS:H	1.68	0.57
1:B:598:PHE:HB2	1:B:780:ILE:HG23	1.87	0.56
1:A:803:GLN:NE2	1:B:800:ARG:HH22	2.01	0.56
1:B:775:ARG:HG2	1:B:778:ARG:HH21	1.70	0.56
1:A:367:TYR:OH	1:A:560:MET:HG3	2.04	0.56
1:A:705:LYS:HD2	1:A:707:PHE:HE2	1.70	0.56
1:A:803:GLN:HB3	1:B:800:ARG:HH12	1.69	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:488:PHE:N	1:B:505:LEU:O	2.35	0.56
1:A:803:GLN:CD	1:B:800:ARG:HH22	2.09	0.56
1:B:389:LEU:HD11	1:B:505:LEU:HD21	1.86	0.56
1:A:706:ARG:NH1	1:A:748:LYS:HB2	2.19	0.56
1:B:554:LYS:HG2	1:B:557:ARG:HD2	1.88	0.55
1:A:364:ALA:HB1	1:A:411:ARG:HD2	1.88	0.55
1:A:784:PRO:HG3	1:A:808:ALA:HA	1.88	0.55
1:B:359:VAL:HA	1:B:362:ILE:HD12	1.88	0.55
1:B:798:SER:HA	1:B:801:LEU:HD23	1.89	0.55
1:A:596:VAL:O	1:A:597:PHE:HB3	2.07	0.55
1:B:441:ARG:HH11	1:B:442:GLU:HA	1.71	0.54
1:A:758:ILE:HD12	1:A:758:ILE:N	2.23	0.54
1:A:489:LEU:HG	1:A:502:LEU:HD12	1.89	0.54
1:B:353:LEU:HD21	1:B:447:LYS:HG2	1.90	0.54
1:B:775:ARG:HG2	1:B:778:ARG:NH2	2.23	0.54
1:A:618:CYS:HB3	1:A:780:ILE:CD1	2.31	0.54
1:A:750:ASP:C	1:A:753:MET:HB3	2.28	0.54
1:A:347:PRO:HG3	1:A:385:SER:OG	2.08	0.54
1:A:379:ASP:OD1	1:A:524:ALA:HB2	2.08	0.54
1:B:393:SER:OG	1:B:394:GLU:OE2	2.26	0.53
1:A:753:MET:HG3	1:A:755:ILE:N	2.17	0.53
1:B:452:ALA:O	1:B:456:LYS:HG2	2.08	0.53
1:B:355:THR:HG22	1:B:546:CYS:HB2	1.88	0.53
1:A:753:MET:SD	1:A:755:ILE:HG12	2.47	0.53
1:A:538:GLY:O	1:A:622:ARG:HD2	2.09	0.52
1:B:395:PHE:CE1	1:B:442:GLU:HG3	2.44	0.52
1:A:623:THR:HB	1:A:630:PRO:HD2	1.91	0.52
1:B:495:LEU:HD23	1:B:501:GLU:HA	1.90	0.52
1:A:574:TYR:O	1:A:594:ASN:HB2	2.08	0.52
1:B:375:TYR:OH	1:B:504:ARG:NH1	2.43	0.52
1:B:624:ALA:HB1	1:B:772:MET:CG	2.39	0.52
1:B:390:ALA:HA	1:B:488:PHE:CE1	2.45	0.52
1:A:594:ASN:O	1:A:784:PRO:HD2	2.10	0.51
1:A:619:VAL:O	1:A:780:ILE:HD12	2.11	0.51
1:B:706:ARG:HH12	1:B:748:LYS:HB2	1.75	0.51
1:A:593:ARG:HD3	1:B:797:LEU:HD11	1.91	0.51
1:A:708:GLY:HA3	1:A:745:TYR:OH	2.11	0.51
1:A:451:ASN:O	1:A:454:VAL:HG22	2.10	0.51
1:B:525:MET:HG2	1:B:770:PHE:HZ	1.75	0.51
1:B:715:ALA:O	1:B:719:MET:HG2	2.10	0.51
1:B:736:GLU:HA	1:B:739:HIS:HB3	1.93	0.51



	lo uo pugo	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:758:ILE:HD11	1:A:771:LYS:HB2	1.93	0.51
1:A:597:PHE:HA	1:A:780:ILE:O	2.11	0.51
1:A:803:GLN:CB	1:B:800:ARG:HH12	2.24	0.50
1:A:749:SER:OG	1:A:751:TRP:HD1	1.93	0.50
1:B:625:LEU:HD11	1:B:770:PHE:HB3	1.93	0.50
1:B:573:CYS:C	1:B:574:TYR:HD1	2.15	0.50
1:B:620:PHE:CE1	1:B:625:LEU:HD21	2.47	0.50
1:A:417:PHE:CE1	1:A:440:LYS:HB2	2.46	0.50
1:A:784:PRO:CG	1:A:808:ALA:HA	2.42	0.50
1:A:704:GLU:HG3	1:A:705:LYS:N	2.26	0.50
1:B:358:THR:O	1:B:362:ILE:HG13	2.12	0.50
1:A:800:ARG:NH1	1:B:803:GLN:OE1	2.40	0.49
1:B:521:LYS:HD3	1:B:521:LYS:N	2.27	0.49
1:B:621:ASN:HD22	1:B:621:ASN:H	1.59	0.49
1:A:753:MET:HE3	1:A:756:GLY:HA3	1.93	0.49
1:A:567:ASN:H	1:A:777:TRP:HH2	1.58	0.49
1:B:621:ASN:HD22	1:B:621:ASN:N	2.11	0.49
1:A:751:TRP:CE3	1:A:753:MET:HE2	2.47	0.49
1:B:375:TYR:CZ	1:B:532:SER:HA	2.47	0.49
1:B:345:VAL:HG12	1:B:350:GLU:OE2	2.13	0.49
1:B:620:PHE:HE1	1:B:625:LEU:HD21	1.78	0.49
1:B:442:GLU:HA	1:B:445:GLU:HB3	1.95	0.49
1:B:713:PHE:CD1	1:B:713:PHE:C	2.86	0.49
1:B:441:ARG:NH1	1:B:442:GLU:OE2	2.45	0.48
1:B:730:PRO:O	1:B:734:LEU:HD13	2.13	0.48
1:B:773:HIS:O	1:B:775:ARG:HG3	2.13	0.48
1:B:775:ARG:HA	1:B:778:ARG:NH2	2.28	0.48
1:A:710:SER:O	1:A:714:VAL:HG23	2.12	0.48
1:A:340:ILE:HG12	1:A:542:LEU:HD23	1.96	0.48
1:A:335:LEU:HB3	1:A:367:TYR:OH	2.13	0.48
1:A:364:ALA:O	1:A:411:ARG:NH1	2.47	0.47
1:A:754:GLU:O	1:A:771:LYS:NZ	2.40	0.47
1:B:347:PRO:O	1:B:352:PRO:HD3	2.14	0.47
1:B:346:ASP:HB3	1:B:349:LYS:CG	2.44	0.47
1:A:568:LEU:HD11	1:B:562:PHE:HZ	1.80	0.47
1:A:705:LYS:HD2	1:A:707:PHE:CE2	2.50	0.47
1:B:346:ASP:OD2	1:B:349:LYS:HG2	2.15	0.47
1:B:539:PRO:HG3	1:B:722:GLY:HA3	1.97	0.47
1:B:551:ASN:OD1	1:B:552:ASN:N	2.48	0.47
1:A:532:SER:OG	1:A:622:ARG:NH2	2.44	0.47
1:A:593:ARG:N	1:A:784:PRO:O	2.47	0.47



	lo ao pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:480:ASP:HA	1:A:512:LYS:O	2.14	0.47	
1:B:389:LEU:CD2	1:B:507:TYR:HB2	2.45	0.47	
1:A:535:LEU:O	1:A:537:ASN:N	2.48	0.47	
1:B:347:PRO:HB2	1:B:384:LEU:HD23	1.96	0.46	
1:A:751:TRP:HA	1:A:753:MET:SD	2.55	0.46	
1:B:389:LEU:HD23	1:B:507:TYB:HB2	1.98	0.46	
1:A:706:ARG:NH1	1:A:748:LYS:O	2.49	0.46	
1:B:597:PHE:HA	1:B:780:ILE:O	2.16	0.46	
1:B:359:VAL:O	1:B:363:LEU:HD12	2.16	0.46	
1:A:572:VAL:HG12	1:B:572:VAL:HG13	1.97	0.46	
1:A:573:CYS:N	1:B:571:GLN:O	2.48	0.46	
1:A:351:PRO:HB2	1:A:354:VAL:HG23	1.98	0.46	
1·A·413·PRO·HB2	1:A·443·TYB·CE2	2.51	0.46	
1:B:594:ASN:O	1:B:784:PRO:HD2	2.16	0.46	
1:A:531:VAL:HG23	1:A:737:ALA:HB1	1.98	0.45	
1.A.346.ASP.OD2	1.A.349.LYS.HE2	2.16	0.45	
1:B:345:VAL:HG12	1:B:350:GLU:CD	2.36	0.15	
1.B.708.GLY.HA3	1·B·745·TYB·CZ	2.50	0.45	
1:B:624:ALA:HB1	1.B.772.MET.HG2	1.98	0.15	
1.A.567.ASN.O	1·A·777·TRP·HH2	2.00	0.45	
1.B.750.ASP.C	1.B.753.MET.HB3	2.37	0.45	
1:A:730:PRO:HA	1:A:733:LEU:CD2	2.48	0.44	
1.B.377.SEB.HB2	1·B·528·LEU·HD13	1 99	0.44	
1:A:518:HIS:O	1:A:523:GLY:HA3	2.17	0.44	
1:A:596:VAL:HG22	1.A.782.CYS.O	2.18	0.44	
1.B:567:ASN.H	1·B·777·TRP·HH2	1.64	0.44	
1:B:421:ILE:HD11	1:B:423:TYB:CZ	2.52	0.44	
$1 \cdot A \cdot 395 \cdot PHE \cdot CE2$	1·A·399·TRP·HB2	2.52	0.44	
1:A:434:LYS:HD2	1:A:434:LYS:O	2.16	0.44	
1.B.386.PHE.O	1·B·389·LEU·HB3	2.18	0.44	
1:B:556:LEU:HA	1:B:559:ALA:HB3	1.99	0.44	
1:B:801:LEU:O	1·B·804·VAL·HG12	2.18	0.44	
1:B:375:TYB:OH	1:B:504:ABG:NH2	2.50	0.44	
1.B.599.ASP.OD1	1:B:600:ILE:HG13	2.18	0.44	
1:A:350:GLU:HA	1:A:351:PRO:HD3	1.88	0.43	
1:A:358:THR:HG23	1:A:549:TYB:HA	2.00	0.43	
1:A:570:LYS:HB3	1:A:571:GLN:OE1	2.18	0.43	
1:B:753:MET:CE	1:B:756:GLY:HA3	2.49	0.43	
1:A:353:LEU:HA	1:A:353:LEU:HD12	1.33	0.43	
1:A:568:LEU:HD21	1:B:562:PHE·CZ	2.53	0.43	
1:A:777:TRP:O	1:A:778:ARG:HG3	2.19	0.43	



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:398:LYS:HE3	1:B:439:MET:HE2	2.01	0.43
1:A:341:PHE:CG	1:A:528:LEU:CD2	3.02	0.43
1:A:753:MET:HE1	1:A:756:GLY:HA3	2.00	0.43
1:A:496:ASP:CB	1:A:502:LEU:HD21	2.39	0.42
1:A:519:HIS:O	1:A:520:LYS:C	2.57	0.42
1:A:389:LEU:HD23	1:A:507:TYR:HD1	1.85	0.42
1:A:402:PHE:CE2	1:A:408:ILE:HG13	2.53	0.42
1:A:753:MET:CG	1:A:755:ILE:HG12	2.49	0.42
1:B:414:GLU:HB2	1:B:443:TYR:OH	2.20	0.42
1:B:480:ASP:OD1	1:B:513:ARG:NH1	2.52	0.42
1:B:805:LEU:O	1:B:809:LEU:HG	2.19	0.42
1:B:445:GLU:HG3	1:B:449:ARG:HH12	1.84	0.42
1:A:341:PHE:HB2	1:A:543:ASN:HA	2.00	0.42
1:A:340:ILE:HD13	1:A:362:ILE:HG23	2.01	0.42
1:A:465:TRP:N	1:A:476:ASN:OD1	2.36	0.42
1:A:520:LYS:HD3	1:A:520:LYS:HA	1.86	0.42
1:A:433:VAL:O	1:A:437:ARG:HG3	2.20	0.42
1:A:750:ASP:O	1:A:753:MET:HB3	2.20	0.42
1:B:364:ALA:O	1:B:411:ARG:NH1	2.49	0.42
1:A:518:HIS:CE1	1:A:520:LYS:HD3	2.55	0.42
1:A:541:ILE:HD11	1:A:622:ARG:HG3	2.02	0.42
1:B:518:HIS:O	1:B:523:GLY:HA3	2.20	0.42
1:A:720:GLU:OE2	1:A:721:ASN:OD1	2.38	0.41
1:B:351:PRO:HB2	1:B:354:VAL:HG13	2.02	0.41
1:A:494:GLY:O	1:A:495:LEU:HB2	2.20	0.41
1:B:611:PRO:HA	1:B:772:MET:O	2.20	0.41
1:B:798:SER:O	1:B:801:LEU:HG	2.20	0.41
1:B:627:GLY:HA2	1:B:773:HIS:NE2	2.35	0.41
1:B:758:ILE:HD12	1:B:759:TYR:H	1.85	0.41
1:B:391:GLU:OE2	1:B:449:ARG:NE	2.52	0.41
1:A:340:ILE:HG21	1:A:362:ILE:HD13	2.01	0.41
1:A:565:ASP:HA	1:A:566:PRO:HD3	1.84	0.41
1:A:572:VAL:HA	1:B:572:VAL:HA	2.03	0.41
1:B:346:ASP:HB3	1:B:349:LYS:HG2	2.02	0.41
1:B:613:TYR:HA	1:B:770:PHE:O	2.20	0.41
1:B:784:PRO:HB2	1:B:807:TRP:CZ2	2.55	0.41
1:B:797:LEU:HD23	1:B:797:LEU:H	1.86	0.41
1:B:459:LYS:HD2	1:B:459:LYS:HA	1.64	0.41
1:A:414:GLU:HB2	1:A:443:TYR:OH	2.20	0.41
1:A:725:PRO:HA	1:A:726:PRO:HD3	1.89	0.41
1:A:348:LEU:HD12	1:A:348:LEU:N	2.36	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:598:PHE:N	1:A:598:PHE:CD1	2.85	0.41
1:A:737:ALA:O	1:A:740:VAL:HG12	2.20	0.41
1:B:360:LEU:CD2	1:B:396:ALA:HB2	2.51	0.41
1:B:517:GLN:OE1	1:B:517:GLN:HA	2.21	0.41
1:B:375:TYR:HB2	1:B:528:LEU:HD21	2.03	0.41
1:B:530:ARG:HG2	1:B:530:ARG:H	1.70	0.41
1:B:441:ARG:NH1	1:B:442:GLU:HA	2.35	0.40
1:B:525:MET:HG2	1:B:770:PHE:CZ	2.56	0.40
1:A:400:VAL:N	1:A:401:PRO:HD2	2.37	0.40
1:A:425:LYS:HD2	1:A:425:LYS:HA	1.83	0.40
1:B:593:ARG:N	1:B:784:PRO:O	2.54	0.40
1:A:538:GLY:HA2	1:A:539:PRO:HD3	1.91	0.40
1:B:400:VAL:HG13	1:B:401:PRO:CD	2.48	0.40
1:B:485:ILE:HA	1:B:507:TYR:O	2.22	0.40
1:B:489:LEU:HD23	1:B:502:LEU:HD12	2.03	0.40
1:B:775:ARG:CD	1:B:778:ARG:HD2	2.49	0.40
1:A:714:VAL:O	1:A:717:THR:HB	2.20	0.40
1:B:384:LEU:O	1:B:388:SER:OG	2.34	0.40
1:B:373:SER:HB3	1:B:504:ARG:HD3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:437:ARG:NH2	1:B:498:GLU:O[4_445]	2.19	0.01

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	359/429~(84%)	327 (91%)	25~(7%)	7 (2%)	8 28



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	В	359/429~(84%)	327 (91%)	29~(8%)	3(1%)	19	51
All	All	718/858 (84%)	654 (91%)	54 (8%)	10 (1%)	11	36

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	520	LYS
1	А	536	THR
1	В	520	LYS
1	А	806	ARG
1	В	536	THR
1	А	720	GLU
1	А	597	PHE
1	А	761	SER
1	А	764	GLU
1	В	495	LEU

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	311/362~(86%)	291~(94%)	20~(6%)	17 45
1	В	311/362~(86%)	285~(92%)	26~(8%)	11 31
All	All	622/724~(86%)	576~(93%)	46 (7%)	13 38

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	377	SER
1	А	379	ASP
1	А	409	GLU
1	А	441	ARG
1	А	489	LEU
1	А	508	VAL



Mol	Chain	Res	Type
1	А	520	LYS
1	А	528	LEU
1	А	706	ARG
1	А	729	THR
1	А	733	LEU
1	А	740	VAL
1	А	747	ASP
1	А	758	ILE
1	А	759	TYR
1	А	780	ILE
1	А	797	LEU
1	А	801	LEU
1	А	804	VAL
1	А	805	LEU
1	В	342	VAL
1	В	348	LEU
1	В	379	ASP
1	В	417	PHE
1	В	435	ASP
1	В	441	ARG
1	В	459	LYS
1	В	468	GLN
1	В	521	LYS
1	В	528	LEU
1	В	530	ARG
1	В	543	ASN
1	В	544	LEU
1	В	550	ILE
1	В	552	ASN
1	В	621	ASN
1	В	623	THR
1	В	713	PHE
1	В	733	LEU
1	B	740	VAL
1	В	759	TYR
1	В	772	MET
1	В	780	ILE
1	В	797	LEU
1	В	801	LEU
1	В	804	VAL

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:



Mol	Chain	Res	Type
1	А	803	GLN
1	В	621	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2		$\mathbf{OWAB}(\mathbf{\AA}^2)$	$\mathbf{Q}{<}0.9$
1	А	369/429~(86%)	0.67	35 (9%) 8 6	5	27,64,161,241	0
1	В	369/429~(86%)	3.09	176 (47%) 0	0	97, 212, 281, 323	0
All	All	738/858~(86%)	1.88	211 (28%) 0	0	27, 147, 265, 323	0

All (211) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	630	PRO	20.7
1	В	777	TRP	19.5
1	В	516	PHE	18.8
1	В	629	GLU	18.1
1	В	767	LEU	17.0
1	В	762	VAL	16.1
1	В	707	PHE	15.8
1	В	421	ILE	15.1
1	В	776	GLY	14.8
1	В	763	THR	14.1
1	В	749	SER	13.3
1	В	430	THR	13.2
1	В	419	ALA	13.1
1	А	776	GLY	13.1
1	В	568	LEU	12.9
1	В	743	CYS	12.8
1	В	766	ILE	12.6
1	В	567	ASN	12.6
1	А	630	PRO	12.4
1	В	515	GLY	11.8
1	В	709	GLN	11.5
1	В	514	PRO	11.2
1	A	761	SER	11.2
1	В	761	SER	11.1



Mol	Chain	Res	Type	RSRZ
1	В	416	TYR	11.0
1	В	744	GLY	10.8
1	А	755	ILE	10.6
1	А	629	GLU	10.4
1	В	748	LYS	10.2
1	В	751	TRP	10.1
1	В	760	GLY	10.0
1	В	426	ASP	10.0
1	В	423	TYR	9.6
1	В	399	TRP	9.6
1	В	420	LYS	9.4
1	А	774	ALA	9.3
1	В	475	GLY	8.9
1	В	745	TYR	8.8
1	В	478	THR	8.8
1	В	422	ASP	8.6
1	В	626	TYR	8.4
1	В	429	GLN	8.3
1	В	406	TYR	8.2
1	В	502	LEU	8.0
1	В	436	ARG	8.0
1	В	424	LEU	8.0
1	А	777	TRP	8.0
1	В	759	TYR	8.0
1	А	567	ASN	7.9
1	А	569	GLY	7.9
1	В	412	ALA	7.9
1	В	755	ILE	7.7
1	В	628	TYR	7.6
1	В	433	VAL	7.5
1	В	774	ALA	7.5
1	В	747	ASP	7.4
1	В	704	GLU	7.3
1	В	432	PHE	7.3
1	В	462	GLU	6.9
1	В	750	ASP	6.8
1	В	764	GLU	6.7
1	В	610	GLY	6.5
1	В	765	ASP	6.4
1	В	497	ALA	6.4
1	В	513	ARG	6.3
1	В	439	MET	6.2



Mol	Chain	Res	Type	RSRZ
1	В	534	VAL	6.1
1	В	710	SER	6.0
1	В	740	VAL	5.9
1	В	437	ARG	5.9
1	А	568	LEU	5.8
1	В	335	LEU	5.6
1	А	628	TYR	5.6
1	В	455	SER	5.6
1	В	741	ILE	5.5
1	В	708	GLY	5.5
1	В	599	ASP	5.4
1	А	775	ARG	5.4
1	В	746	GLU	5.4
1	В	801	LEU	5.2
1	В	427	LYS	5.2
1	В	334	GLN	5.2
1	В	711	ALA	5.1
1	А	566	PRO	5.1
1	В	482	PRO	5.0
1	А	759	TYR	5.0
1	В	611	PRO	4.9
1	В	431	SER	4.9
1	В	402	PHE	4.9
1	В	428	VAL	4.9
1	А	773	HIS	4.8
1	В	721	ASN	4.8
1	В	481	HIS	4.8
1	В	425	LYS	4.7
1	В	465	TRP	4.7
1	В	754	GLU	4.7
1	А	760	GLY	4.7
1	В	705	LYS	4.7
1	В	718	LEU	4.6
1	В	799	ASP	4.4
1	В	797	LEU	4.4
1	В	415	TRP	4.3
1	В	405	LYS	4.3
1	В	410	PRO	4.3
1	В	407	SER	4.2
1	A	767	LEU	4.1
1	В	569	GLY	4.1
1	В	480	ASP	4.0



Mol	Chain	Res	Type	RSRZ
1	В	434	LYS	4.0
1	А	754	GLU	4.0
1	В	388	SER	4.0
1	В	768	THR	4.0
1	В	440	LYS	3.9
1	В	726	PRO	3.9
1	А	756	GLY	3.9
1	В	387	GLU	3.9
1	В	517	GLN	3.8
1	В	509	SER	3.8
1	В	417	PHE	3.7
1	В	800	ARG	3.7
1	В	483	GLY	3.7
1	В	507	TYR	3.7
1	В	503	PRO	3.7
1	В	725	PRO	3.6
1	В	758	ILE	3.5
1	В	504	ARG	3.5
1	В	498	GLU	3.5
1	В	353	LEU	3.5
1	В	511	GLU	3.5
1	В	408	ILE	3.4
1	В	473	TRP	3.4
1	А	765	ASP	3.4
1	В	454	VAL	3.4
1	В	618	CYS	3.4
1	В	757	TRP	3.4
1	В	600	ILE	3.3
1	В	706	ARG	3.2
1	В	458	LEU	3.1
1	В	737	ALA	3.1
1	В	780	ILE	3.1
1	В	724	VAL	3.1
1	В	500	ASN	3.1
1	В	456	LYS	3.0
1	В	453	LEU	3.0
1	В	374	CYS	3.0
1	А	800	ARG	3.0
1	В	479	ARG	3.0
1	В	484	MET	3.0
1	В	384	LEU	3.0
1	В	385	SER	2.9



Mol	Chain	Res	Type	RSRZ
1	А	762	VAL	2.9
1	В	418	ALA	2.9
1	В	722	GLY	2.9
1	В	593	ARG	2.8
1	В	723	GLY	2.8
1	В	811	SER	2.8
1	В	779	SER	2.7
1	В	476	ASN	2.7
1	В	491	GLN	2.7
1	В	742	SER	2.7
1	В	756	GLY	2.7
1	В	339	ASP	2.7
1	В	398	LYS	2.6
1	А	778	ARG	2.6
1	А	721	ASN	2.6
1	В	733	LEU	2.6
1	А	599	ASP	2.6
1	В	616	THR	2.5
1	В	512	LYS	2.5
1	В	460	CYS	2.5
1	В	728	ALA	2.5
1	В	545	ASP	2.5
1	В	783	MET	2.5
1	А	799	ASP	2.5
1	В	805	LEU	2.4
1	В	477	ASN	2.4
1	А	419	ALA	2.4
1	В	562	PHE	2.4
1	В	796	ASN	2.4
1	А	593	ARG	2.4
1	В	771	LYS	2.3
1	A	598	PHE	2.3
1	В	459	LYS	2.3
1	В	474	PRO	2.3
1	В	713	PHE	2.3
1	B	775	ARG	2.3
1	В	753	MET	2.3
1	А	763	THR	2.3
1	В	523	GLY	2.3
1	A	383	MET	2.3
1	В	409	GLU	2.2
1	В	351	PRO	2.2



Mol	Chain	Res	Type	RSRZ
1	В	492	ASN	2.2
1	В	510	ARG	2.2
1	В	448	ILE	2.1
1	В	598	PHE	2.1
1	В	391	GLU	2.1
1	В	543	ASN	2.1
1	В	518	HIS	2.1
1	В	613	TYR	2.1
1	В	614	VAL	2.1
1	В	803	GLN	2.1
1	А	626	TYR	2.1
1	А	571	GLN	2.0
1	А	771	LYS	2.0
1	В	798	SER	2.0
1	В	574	TYR	2.0
1	А	562	PHE	2.0
1	В	348	LEU	2.0
1	В	508	VAL	2.0
1	В	489	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

There are no ligands in this entry.

#### 6.5 Other polymers (i)

There are no such residues in this entry.

