



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 03:43 PM JST

PDB ID : 7CLI
Title : Structure of NF- κ B p52 homodimer bound to P-Selectin κ B DNA fragment
Authors : Meshcheryakov, V.A.; Wang, V.Y.-F.
Deposited on : 2020-07-21
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	 2% 48% 25% 27%
1	B	398	 2% 52% 22% 26%
2	C	18	 44% 50% 6%
3	D	18	 11% 72% 28%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5359 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear factor NF-kappa-B p52 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	292	Total 2300	C 1449	N 412	O 427	S 12	0	0	0
1	B	296	Total 2334	C 1469	N 420	O 433	S 12	0	0	0

- Molecule 2 is a DNA chain called DNA (5'-D(*CP*AP*AP*GP*GP*GP*GP*TP*CP*AP*CP*CP*CP*CP*TP*TP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	17	Total 341	C 163	N 62	O 100	P 16	0	0	0

- Molecule 3 is a DNA chain called DNA (5'-D(*GP*AP*AP*GP*GP*GP*GP*GP*TP*GP*AP*CP*CP*CP*CP*TP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	D	18	Total 372	C 176	N 73	O 106	P 17	0	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	6	Total 6 O 6	0	0
4	C	1	Total 1 O 1	0	0
4	B	4	Total 4 O 4	0	0
4	D	1	Total 1 O 1	0	0


SER SER
SER LEU
ALA TYR
SER SER
PRO TYR
GLN
SER SER
GLY ALA
GLY PRO
MET
GLY CYS
TYR

- Molecule 2: DNA (5'-D(*CP*AP*AP*GP*GP*GP*GP*TP*CP*AP*CP*CP*CP*CP*TP*TP*C)-3')

Chain C:  44% 50% 6%

C1 A2 A3 G4 G5 G6 G7 A10 C14 C15 T16 T17 DC

- Molecule 3: DNA (5'-D(*GP*AP*AP*GP*GP*GP*GP*GP*TP*GP*AP*CP*CP*CP*CP*TP*TP*G)-3')

Chain D:  11% 72% 28%

G1 G4 C14 C15 T16 T17 G18

4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.50Å 85.37Å 140.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.72 – 3.00 42.69 – 3.00	Depositor EDS
% Data completeness (in resolution range)	94.9 (42.72-3.00) 94.8 (42.69-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 3.01Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.236 , 0.275 0.238 , 0.276	Depositor DCC
R_{free} test set	973 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	86.8	Xtrriage
Anisotropy	0.694	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 73.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.000 for k,h,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5359	wwPDB-VP
Average B, all atoms (Å ²)	115.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.31 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.5943e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/2348	0.92	0/3160
1	B	0.68	0/2384	0.93	0/3211
2	C	0.67	0/381	1.04	0/585
3	D	0.54	0/418	1.02	1/645 (0.2%)
All	All	0.69	0/5531	0.94	1/7601 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	D	4	DG	C1'-O4'-C4'	-5.81	104.29	110.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2300	0	2309	82	0
1	B	2334	0	2345	74	0
2	C	341	0	192	9	0
3	D	372	0	203	5	0
4	A	6	0	0	0	0
4	B	4	0	0	0	0
4	C	1	0	0	1	0
4	D	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5359	0	5049	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:TRP:NE1	1:A:295:HIS:HB3	1.67	1.10
1:B:167:THR:HG23	1:B:170:GLU:H	1.26	0.97
1:B:240:VAL:HG23	1:B:294:TYR:HB3	1.48	0.93
1:B:308:GLN:NE2	1:B:317:VAL:HG11	1.86	0.91
1:A:270:TRP:CD1	1:A:295:HIS:HB3	2.07	0.88
1:A:158:ARG:HG2	1:A:166:LEU:HB3	1.58	0.85
1:B:155:GLN:O	1:B:159:LEU:HB2	1.78	0.83
1:A:141:VAL:HG11	1:A:149:THR:HG21	1.63	0.80
1:A:158:ARG:HD3	1:A:166:LEU:O	1.83	0.78
1:A:142:THR:HG22	2:C:10:DA:H5'	1.67	0.77
1:A:270:TRP:CG	1:A:295:HIS:ND1	2.52	0.76
1:B:151:ILE:O	1:B:155:GLN:HG3	1.85	0.76
1:B:79:THR:CG2	1:B:132:GLN:HG3	2.14	0.76
1:A:199:ARG:HG3	1:A:204:SER:HB3	1.66	0.76
1:B:79:THR:HG22	1:B:132:GLN:HG3	1.68	0.75
1:B:308:GLN:NE2	1:B:317:VAL:CG1	2.48	0.74
1:B:270:TRP:NE1	1:B:295:HIS:HB3	2.03	0.73
1:A:167:THR:HG22	1:A:169:ALA:H	1.55	0.71
2:C:5:DG:N2	3:D:14:DC:O2	2.20	0.70
1:B:219:ASP:HB3	1:B:222:SER:HB3	1.72	0.69
1:A:189:ILE:HG12	1:A:218:HIS:ND1	2.08	0.69
1:A:283:LYS:O	1:A:284:GLN:HG2	1.94	0.68
1:A:158:ARG:NH1	1:A:168:GLU:HA	2.08	0.67
1:B:167:THR:HG23	1:B:170:GLU:N	2.05	0.67
1:A:199:ARG:HA	1:A:205:PHE:H	1.59	0.67
1:B:235:LYS:HD2	1:B:245:GLU:O	1.95	0.67
1:A:122:VAL:HG21	1:A:131:ALA:HB1	1.74	0.67
1:B:228:LEU:H	1:B:228:LEU:HD12	1.61	0.65
1:A:115:SER:OG	1:A:119:ILE:HG22	1.97	0.65
1:B:122:VAL:HG21	1:B:131:ALA:HB1	1.79	0.64
1:A:40:LEU:HD22	1:A:196:ALA:HB2	1.81	0.63
1:A:270:TRP:CD1	1:A:295:HIS:CB	2.81	0.63
1:B:228:LEU:HD11	1:B:311:ARG:HE	1.65	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:ASP:N	1:B:101:PRO:HD2	2.14	0.62
1:A:259:GLU:HG2	1:A:310:LYS:O	2.01	0.60
1:A:297:MET:CE	1:A:328:LEU:HD11	2.31	0.60
1:A:308:GLN:OE1	1:A:317:VAL:HG11	2.01	0.60
1:A:87:GLY:O	1:A:129:MET:HE1	2.01	0.60
1:B:270:TRP:CD1	1:B:295:HIS:HB3	2.36	0.60
1:A:222:SER:HB3	1:A:223:PRO:HD2	1.82	0.60
1:A:161:SER:OG	1:A:166:LEU:HD22	2.02	0.60
1:B:170:GLU:HA	1:B:173:GLU:HB3	1.85	0.59
1:A:254:GLN:HB2	1:A:257:ASP:HB3	1.85	0.58
1:A:297:MET:HE3	1:A:328:LEU:HD11	1.84	0.58
1:B:308:GLN:CD	1:B:317:VAL:CG1	2.73	0.57
1:B:40:LEU:HD23	1:B:41:VAL:N	2.20	0.57
1:A:283:LYS:O	1:A:284:GLN:CG	2.53	0.57
1:A:309:LEU:HB2	1:A:318:SER:HB3	1.86	0.57
1:A:87:GLY:O	1:A:129:MET:CE	2.54	0.56
1:B:170:GLU:HG3	1:B:173:GLU:OE1	2.04	0.56
1:B:235:LYS:HB2	1:B:246:VAL:HG22	1.87	0.56
1:B:200:ALA:HB2	1:B:207:LEU:CD2	2.36	0.56
1:B:79:THR:HG22	1:B:132:GLN:CG	2.35	0.56
1:B:308:GLN:CD	1:B:317:VAL:HG11	2.26	0.56
1:A:55:TYR:CE2	2:C:10:DA:H5''	2.41	0.56
1:B:240:VAL:CG2	1:B:294:TYR:HB3	2.29	0.55
1:A:107:HIS:O	1:A:153:LYS:NZ	2.39	0.55
1:A:161:SER:C	1:A:166:LEU:HD13	2.27	0.55
1:A:48:GLN:HG3	1:A:216:PRO:O	2.06	0.55
1:A:270:TRP:HE1	1:A:295:HIS:HB3	1.69	0.55
1:A:81:LYS:CB	1:A:130:THR:HG22	2.38	0.54
1:B:107:HIS:O	1:B:153:LYS:NZ	2.40	0.54
1:B:240:VAL:HG21	1:B:297:MET:HA	1.88	0.54
1:A:245:GLU:OE1	1:A:288:VAL:HG11	2.07	0.54
1:A:296:LYS:HE3	1:A:298:LYS:HE3	1.91	0.53
2:C:4:DG:O6	1:B:62:HIS:HE1	1.92	0.53
1:A:105:HIS:CD2	1:A:190:VAL:HG12	2.45	0.52
2:C:6:DG:H2'	2:C:7:DG:C8	2.45	0.52
1:A:100:ASP:N	1:A:101:PRO:HD2	2.25	0.52
1:A:270:TRP:CD1	1:A:295:HIS:ND1	2.78	0.51
1:A:161:SER:C	1:A:166:LEU:HD22	2.31	0.51
1:B:189:ILE:HG12	1:B:218:HIS:ND1	2.25	0.51
1:A:81:LYS:HB3	1:A:130:THR:HG22	1.92	0.51
1:B:170:GLU:HG2	1:B:174:LEU:HG	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:GLU:HG3	1:A:72:LYS:HG2	1.93	0.51
1:A:184:VAL:HG12	1:A:184:VAL:O	2.10	0.51
1:B:86:GLU:HG3	1:B:126:PRO:O	2.11	0.51
1:B:148:GLY:O	1:B:151:ILE:HG13	2.11	0.51
1:B:237:ALA:O	1:B:323:PHE:CZ	2.64	0.51
1:A:45:GLN:OE1	1:A:46:PRO:HD2	2.11	0.50
1:A:296:LYS:O	1:A:299:ILE:HG12	2.12	0.50
1:B:45:GLN:OE1	1:B:46:PRO:HD2	2.12	0.50
1:B:310:LYS:NZ	1:B:315:GLY:O	2.40	0.50
1:B:40:LEU:HD12	1:B:196:ALA:HB2	1.94	0.49
1:B:200:ALA:HB2	1:B:207:LEU:HD21	1.93	0.49
1:A:207:LEU:HD12	1:A:208:PRO:HD2	1.94	0.49
1:A:235:LYS:HB2	1:A:246:VAL:HG22	1.93	0.49
1:B:226:SER:O	1:B:311:ARG:NH2	2.45	0.49
1:B:142:THR:OG1	1:B:145:ASN:HB2	2.13	0.49
1:B:199:ARG:HA	1:B:205:PHE:HA	1.94	0.49
1:A:261:ARG:NH1	1:A:308:GLN:OE1	2.46	0.49
1:B:172:ARG:NH1	1:B:175:GLU:OE2	2.46	0.49
1:A:142:THR:OG1	1:A:145:ASN:HB2	2.13	0.48
1:B:198:LEU:O	1:B:207:LEU:HB2	2.11	0.48
1:B:93:VAL:CG1	1:B:120:CYS:HB2	2.43	0.48
3:D:14:DC:H2'	3:D:15:DC:C5	2.48	0.48
1:B:48:GLN:HG3	1:B:216:PRO:O	2.14	0.48
1:B:105:HIS:CD2	1:B:190:VAL:HG12	2.49	0.48
1:B:167:THR:CG2	1:B:170:GLU:H	2.12	0.47
1:B:273:PHE:O	1:B:292:PRO:HB3	2.15	0.47
1:B:170:GLU:O	1:B:174:LEU:HG	2.15	0.46
1:A:93:VAL:HG22	1:A:194:PHE:CD1	2.50	0.46
1:A:307:LEU:HD23	1:A:323:PHE:HB2	1.97	0.46
1:A:40:LEU:HD22	1:A:196:ALA:CB	2.45	0.46
1:A:74:ARG:O	1:A:74:ARG:HG3	2.15	0.46
1:B:308:GLN:CD	1:B:317:VAL:HG13	2.36	0.46
1:B:94:ASP:OD1	1:B:193:ARG:HB3	2.15	0.46
1:B:199:ARG:HB2	1:B:205:PHE:CD1	2.52	0.46
1:A:40:LEU:HB3	1:A:212:VAL:CG2	2.45	0.45
2:C:5:DG:H2'	2:C:6:DG:O4'	2.16	0.45
1:B:260:VAL:HG22	1:B:309:LEU:HD23	1.98	0.45
1:B:270:TRP:CE2	1:B:295:HIS:HB3	2.52	0.45
1:B:241:ARG:O	1:B:293:PRO:HB3	2.17	0.45
1:B:307:LEU:HD23	1:B:323:PHE:HB2	1.98	0.45
1:A:158:ARG:CD	1:A:166:LEU:O	2.58	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:THR:HG22	1:B:132:GLN:HA	1.99	0.45
1:B:100:ASP:N	1:B:101:PRO:CD	2.78	0.45
1:A:294:TYR:HE2	1:A:299:ILE:HD11	1.82	0.44
1:B:329:VAL:HG13	1:B:329:VAL:O	2.18	0.44
1:A:166:LEU:HD12	1:A:166:LEU:HA	1.90	0.44
1:B:93:VAL:HG12	1:B:120:CYS:HB2	1.99	0.44
1:B:258:ILE:HD11	1:B:309:LEU:HB3	1.99	0.44
1:A:100:ASP:N	1:A:101:PRO:CD	2.81	0.44
1:A:44:GLU:OE2	1:A:44:GLU:HA	2.17	0.44
1:A:305:VAL:HG12	1:A:306:PHE:N	2.33	0.44
1:B:65:LEU:HD12	1:B:66:PRO:HD2	1.99	0.43
1:A:156:ARG:O	1:A:159:LEU:N	2.50	0.43
1:A:224:GLY:O	1:A:311:ARG:NH2	2.51	0.43
1:B:182:LYS:O	1:B:182:LYS:HG2	2.18	0.43
1:A:256:ASP:OD1	1:A:312:LYS:NZ	2.52	0.43
1:B:133:PHE:HB3	1:B:136:LEU:HG	2.01	0.43
1:A:65:LEU:HD12	1:A:66:PRO:HD2	2.01	0.43
1:A:240:VAL:HG23	1:A:297:MET:HE3	2.00	0.43
1:A:273:PHE:O	1:A:292:PRO:HB3	2.18	0.43
2:C:1:DC:H2'	2:C:2:DA:C8	2.54	0.43
1:A:310:LYS:HG3	1:A:317:VAL:HG12	2.01	0.42
1:A:161:SER:OG	1:A:166:LEU:CD2	2.66	0.42
1:A:219:ASP:O	1:A:225:ALA:HB1	2.19	0.42
1:A:253:VAL:HB	1:A:258:ILE:HD13	2.01	0.42
1:B:311:ARG:HD2	1:B:316:ASP:HB2	2.01	0.42
1:B:79:THR:CG2	1:B:132:GLN:CG	2.92	0.42
2:C:14:DC:H5'	4:C:101:HOH:O	2.19	0.42
1:A:283:LYS:C	1:A:284:GLN:HG2	2.39	0.42
1:A:94:ASP:OD1	1:A:193:ARG:HB3	2.20	0.41
1:B:117:LEU:HD22	1:B:156:ARG:HG2	2.01	0.41
1:B:310:LYS:HA	1:B:316:ASP:O	2.19	0.41
3:D:15:DC:H2'	3:D:16:DT:C7	2.50	0.41
1:A:146:MET:O	1:A:149:THR:HG22	2.19	0.41
1:B:240:VAL:HG11	1:B:297:MET:HG3	2.02	0.41
3:D:15:DC:H2''	3:D:16:DT:O5'	2.20	0.41
1:A:139:LEU:C	1:A:139:LEU:HD23	2.40	0.41
1:A:248:LEU:C	1:A:248:LEU:HD23	2.40	0.41
1:A:282:HIS:CE1	1:B:249:LEU:HB3	2.56	0.41
1:B:197:PHE:HA	1:B:207:LEU:O	2.21	0.41
1:A:81:LYS:HB2	1:A:130:THR:HG22	2.02	0.41
2:C:14:DC:H2'	2:C:15:DC:C6	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:311:ARG:HD2	1:B:316:ASP:OD2	2.20	0.40
1:A:219:ASP:O	1:A:225:ALA:CB	2.69	0.40
1:A:299:ILE:HG23	1:A:301:ARG:O	2.22	0.40
1:A:305:VAL:N	1:A:323:PHE:O	2.47	0.40
1:A:310:LYS:CG	1:A:317:VAL:HG12	2.52	0.40
1:A:136:LEU:HD23	1:A:136:LEU:HA	1.94	0.40
1:B:59:GLY:HA2	1:B:60:PRO:HD3	1.87	0.40
1:B:189:ILE:CD1	1:B:218:HIS:CE1	3.05	0.40
3:D:16:DT:H2'	3:D:17:DT:C6	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/398 (72%)	275 (96%)	13 (4%)	0	100	100
1	B	294/398 (74%)	284 (97%)	10 (3%)	0	100	100
All	All	582/796 (73%)	559 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/330 (77%)	249 (98%)	4 (2%)	62	86
1	B	257/330 (78%)	249 (97%)	8 (3%)	40	75
All	All	510/660 (77%)	498 (98%)	12 (2%)	49	79

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	PRO
1	A	74	ARG
1	A	226	SER
1	A	268	ASN
1	B	159	LEU
1	B	177	GLU
1	B	181	LEU
1	B	202	ASP
1	B	256	ASP
1	B	257	ASP
1	B	264	GLU
1	B	319	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	ASN
1	B	295	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/398 (73%)	0.14	7 (2%) 59 30	73, 109, 167, 218	0
1	B	296/398 (74%)	0.14	7 (2%) 59 30	66, 110, 175, 212	0
2	C	17/18 (94%)	0.29	0 100 100	89, 110, 146, 153	0
3	D	18/18 (100%)	1.04	2 (11%) 5 1	88, 112, 157, 157	0
All	All	623/832 (74%)	0.17	16 (2%) 56 27	66, 110, 171, 218	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	D	16	DT	3.5
3	D	1	DG	3.5
1	A	155	GLN	3.4
1	A	158	ARG	3.3
1	A	203	GLY	3.1
1	B	301	ARG	3.1
1	B	159	LEU	3.0
1	A	325	TYR	2.7
1	B	267	GLU	2.7
1	B	82	ILE	2.4
1	A	329	VAL	2.4
1	A	326	TYR	2.3
1	B	104	ALA	2.3
1	B	171	GLN	2.2
1	B	156	ARG	2.2
1	A	237	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.