



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2024 – 01:11 pm GMT

PDB ID : 8CLA
Title : Z-SBTubA4 photoswitch bound to tubulin-DARPin D1 complex
Authors : Wranik, M.; Bertrand, Q.; Kepa, M.W.; Weinert, T.; Steinmetz, M.; Standfuss, J.
Deposited on : 2023-02-16
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	435	 3% 82% 17%
2	B	430	 10% 73% 26%
3	F	155	 0% 86% 14%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 16105 atoms, of which 7692 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	435	6686	2150	3290	576	648	22	0	3	0

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	B	430	6546	2103	3197	568	651	27	0	2	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	ARG	deletion	UNP Q6B856

- Molecule 3 is a protein called Designed Ankyrin Repeat Protein (DARPIN) D1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
3	F	155	2322	730	1163	199	227	3	0	1	0

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
4	A	1	44	10	12	5	14	3	0	0


- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
5	A	1	1	1	0	0

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
6	A	1	1	1	0	0

- Molecule 7 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
7	B	1	40	10	12	5	11	2	0	0

- Molecule 8 is 2-methoxy-5-[2-(5,6,7-trimethoxy-1,3-benzothiazol-2-yl)ethyl]phenol (three-letter code: I8R) (formula: $C_{19}H_{21}NO_5S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
8	B	1	44	19	18	1	5	1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	236	Total 236	O 236	0	0
9	B	98	Total 98	O 98	0	0
9	F	87	Total 87	O 87	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain



- Molecule 2: Tubulin beta-2B chain



- Molecule 3: Designed Ankyrin Repeat Protein (DARPIN) D1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.23Å 90.94Å 82.43Å 90.00° 96.74° 90.00°	Depositor
Resolution (Å)	13.00 – 2.00 15.04 – 1.74	Depositor EDS
% Data completeness (in resolution range)	94.4 (13.00-2.00) 67.9 (15.04-1.74)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 1.74Å)	Xtrriage
Refinement program	PHENIX 1.20_4459	Depositor
R, R_{free}	0.155 , 0.206 0.174 , 0.204	Depositor DCC
R_{free} test set	1038 reflections (1.38%)	wwPDB-VP
Wilson B-factor (Å ²)	23.5	Xtrriage
Anisotropy	0.009	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.47 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16105	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, CA, I8R, GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/3487	0.85	0/4739
2	B	0.69	2/3425 (0.1%)	0.82	5/4641 (0.1%)
3	F	0.62	0/1178	0.81	0/1601
All	All	0.69	2/8090 (0.0%)	0.84	5/10981 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
2	B	1	5
All	All	1	11

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	431[A]	GLU	C-N	-9.49	1.12	1.34
2	B	431[B]	GLU	C-N	-9.49	1.12	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	283	TYR	CB-CA-C	9.83	130.06	110.40
2	B	153	LEU	O-C-N	8.62	136.49	122.70
2	B	153	LEU	CA-C-N	-5.88	104.27	117.20
2	B	179	ASP	CB-CG-OD1	-5.36	113.48	118.30
2	B	179	ASP	CB-CG-OD2	5.11	122.89	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	283	TYR	CA

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	2	ARG	Sidechain
1	A	214	ARG	Sidechain
1	A	215	ARG	Sidechain
1	A	320	ARG	Sidechain
1	A	402	ARG	Sidechain
1	A	84	ARG	Sidechain
2	B	152	LEU	Mainchain
2	B	215	ARG	Sidechain
2	B	243	ARG	Sidechain
2	B	278	ARG	Sidechain
2	B	79	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3396	3290	3280	52	0
2	B	3349	3197	3195	76	0
3	F	1159	1163	1162	18	0
4	A	32	12	12	1	0
5	A	1	0	0	0	0
6	A	1	0	0	0	0
7	B	28	12	12	0	0
8	B	26	18	0	3	0
9	A	236	0	0	7	0
9	B	98	0	0	1	0
9	F	87	0	0	1	0
All	All	8413	7692	7661	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:248:LEU:HD23	2:B:250:ALA:HB2	1.42	0.98
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.65	0.79
2:B:286:LEU:HD23	2:B:291:LEU:HD23	1.75	0.68
1:A:330:ALA:O	1:A:334:THR:HG23	1.95	0.67
3:F:79:MET:CE	3:F:111:THR:HG21	2.23	0.67
2:B:118:VAL:HG11	2:B:153:LEU:HD21	1.76	0.67
2:B:292:THR:HG22	2:B:335:VAL:HG21	1.80	0.64
3:F:34:MET:HE3	3:F:66:LEU:HD23	1.80	0.63
2:B:328:VAL:HG12	2:B:353:THR:HG21	1.82	0.61
2:B:46:LEU:HD11	2:B:61:TYR:CZ	2.35	0.61
2:B:318:ILE:CG2	2:B:376:THR:HB	2.31	0.60
2:B:286:LEU:HD23	2:B:291:LEU:CD2	2.31	0.60
1:A:270:ALA:HB3	1:A:302:MET:HE2	1.84	0.60
1:A:204:VAL:HG11	1:A:231:ILE:HG12	1.84	0.59
1:A:177:VAL:HG13	1:A:177:VAL:O	2.03	0.58
2:B:318:ILE:HG23	2:B:318:ILE:O	2.03	0.58
2:B:46:LEU:HD21	2:B:61:TYR:OH	2.04	0.58
1:A:2:ARG:HB3	1:A:133:GLN:CG	2.35	0.57
8:B:502:I8R:C11	8:B:502:I8R:O1	2.53	0.57
1:A:416:GLY:O	1:A:420:GLU:HG3	2.04	0.57
1:A:188:ILE:HG23	1:A:425:MET:HG2	1.86	0.57
3:F:79:MET:HE1	3:F:111:THR:HG21	1.85	0.57
2:B:62:VAL:HG11	2:B:88:ARG:HG3	1.87	0.56
2:B:205:ASP:HB3	2:B:303:ALA:HA	1.88	0.56
2:B:106:GLY:O	2:B:111:GLY:HA3	2.05	0.56
2:B:274:PRO:HG2	2:B:371:LEU:HD22	1.88	0.56
3:F:60:LEU:HD11	3:F:98:VAL:HG21	1.86	0.56
2:B:68:VAL:HG11	2:B:118:VAL:HG21	1.87	0.56
2:B:352:LYS:HB2	8:B:502:I8R:C17	2.37	0.55
2:B:153:LEU:O	2:B:157:ILE:HG13	2.07	0.55
3:F:61:GLU:HB2	9:F:218:HOH:O	2.07	0.54
2:B:217:LEU:HD13	2:B:277:SER:OG	2.08	0.54
2:B:345:GLU:HG3	2:B:440:ALA:HB2	1.90	0.53
3:F:34:MET:HE2	3:F:40:VAL:HG21	1.90	0.53
1:A:210:TYR:CE1	1:A:222:PRO:HD2	2.43	0.53
2:B:63:PRO:CD	2:B:86:ILE:HG13	2.39	0.53
1:A:312:TYR:CE2	1:A:341:ILE:HG23	2.44	0.53
2:B:46:LEU:HD11	2:B:61:TYR:CE2	2.43	0.53
2:B:83:PHE:O	2:B:86:ILE:HG22	2.07	0.53
3:F:79:MET:HE3	3:F:111:THR:HG21	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ILE:HD13	1:A:171:ILE:HD11	1.89	0.52
2:B:7:ILE:O	2:B:137:LEU:HA	2.09	0.52
2:B:395:PHE:CE1	2:B:422:GLU:HB2	2.44	0.52
1:A:362:VAL:HG12	9:A:723:HOH:O	2.09	0.52
2:B:347:ILE:HG22	2:B:350:ASN:HB3	1.92	0.52
1:A:337:THR:O	1:A:338:LYS:CB	2.58	0.52
2:B:284:ARG:O	2:B:285:ALA:HB3	2.09	0.52
2:B:326:LYS:O	2:B:330:GLU:HG3	2.10	0.52
3:F:34:MET:CE	3:F:69:HIS:HB2	2.40	0.52
2:B:30:ILE:HD13	2:B:30:ILE:N	2.25	0.52
2:B:318:ILE:HG23	2:B:376:THR:HB	1.94	0.50
2:B:12:CYS:CB	2:B:140:SER:HB3	2.42	0.50
1:A:172:TYR:CE2	1:A:391:LEU:HD22	2.46	0.50
1:A:141:PHE:CE1	1:A:170:SER:HB3	2.46	0.50
2:B:120:ASP:O	2:B:124:LYS:HD2	2.12	0.50
3:F:130:GLU:O	3:F:134:LYS:HG2	2.11	0.50
2:B:315:VAL:HG11	2:B:377:PHE:CE1	2.46	0.50
1:A:306:ASP:OD1	1:A:308:ARG:HD3	2.11	0.50
2:B:141:LEU:HD21	2:B:170:SER:HB3	1.94	0.50
2:B:203:CYS:SG	2:B:267:PHE:HB3	2.52	0.50
2:B:315:VAL:CG1	2:B:377:PHE:CE1	2.95	0.49
2:B:67:LEU:CD2	2:B:78:VAL:HG11	2.42	0.49
8:B:502:I8R:S	8:B:502:I8R:C15	3.00	0.49
3:F:34:MET:HE2	3:F:40:VAL:CG2	2.42	0.49
1:A:2:ARG:HB3	1:A:133:GLN:HG2	1.94	0.48
1:A:265:ILE:O	1:A:265:ILE:HG13	2.13	0.48
3:F:34:MET:CE	3:F:66:LEU:HD23	2.43	0.48
2:B:12:CYS:HB3	2:B:140:SER:HB3	1.96	0.48
1:A:106:GLY:O	1:A:111:GLY:HA3	2.14	0.47
1:A:193:THR:HG23	9:A:742:HOH:O	2.14	0.47
2:B:192:HIS:CE1	2:B:424:ASN:HD22	2.32	0.47
2:B:46:LEU:HA	2:B:49:ILE:HB	1.97	0.47
2:B:67:LEU:HD22	2:B:78:VAL:HG11	1.97	0.47
2:B:406:HIS:CE1	2:B:407:TRP:CD1	3.02	0.47
1:A:401:LYS:HE3	2:B:438:ALA:HB1	1.96	0.47
1:A:234:ILE:HG21	1:A:302:MET:SD	2.55	0.47
1:A:292:THR:HG22	1:A:335:ILE:HD12	1.97	0.47
2:B:312:TYR:CE1	2:B:377:PHE:HZ	2.33	0.47
3:F:34:MET:HE1	3:F:69:HIS:HB2	1.97	0.47
1:A:2:ARG:HB3	1:A:133:GLN:HG3	1.96	0.46
2:B:312:TYR:CZ	2:B:377:PHE:CZ	3.04	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:430:LYS:HE2	9:A:737:HOH:O	2.15	0.46
2:B:171:VAL:HA	2:B:204:ILE:O	2.14	0.46
1:A:210:TYR:CZ	1:A:222:PRO:HD2	2.50	0.46
1:A:362:VAL:HA	9:A:688:HOH:O	2.15	0.46
1:A:229:ARG:CD	1:A:366:GLY:HA2	2.46	0.46
2:B:147:SER:HB2	2:B:190:SER:OG	2.15	0.46
2:B:165:ILE:HG21	2:B:252:LEU:HB3	1.98	0.46
3:F:34:MET:HE1	3:F:66:LEU:HA	1.98	0.45
2:B:312:TYR:CE1	2:B:377:PHE:CZ	3.05	0.45
1:A:100:ALA:HB2	2:B:253:ARG:HD2	1.98	0.45
3:F:121:ALA:HB1	3:F:161:LEU:HD21	1.98	0.45
1:A:119:LEU:CD1	1:A:156:ARG:NH2	2.80	0.45
2:B:205:ASP:CB	2:B:303:ALA:HA	2.46	0.45
2:B:241:CYS:O	2:B:250:ALA:HB3	2.16	0.45
1:A:296:PHE:CE1	1:A:335:ILE:HD13	2.52	0.45
3:F:112:TRP:C	3:F:144:LYS:HG3	2.37	0.45
2:B:36:TYR:CZ	2:B:38:GLY:HA3	2.52	0.45
2:B:88:ARG:NH1	2:B:125:GLU:OE2	2.50	0.45
2:B:70:LEU:HD21	2:B:111:GLY:HA2	1.99	0.45
1:A:12:ALA:HB3	1:A:140:SER:HB3	1.99	0.44
1:A:179:THR:HG21	9:A:612:HOH:O	2.17	0.44
1:A:362:VAL:HG21	1:A:370:LYS:NZ	2.33	0.44
1:A:362:VAL:HA	9:A:723:HOH:O	2.16	0.44
2:B:63:PRO:HD2	2:B:86:ILE:HG13	2.00	0.44
2:B:126:SER:O	2:B:129:CYS:HB2	2.17	0.44
1:A:187:SER:HB3	1:A:391:LEU:HD21	2.00	0.44
1:A:71:GLU:HG2	1:A:98:ASP:HB3	1.99	0.43
2:B:399:PHE:CE1	2:B:405:LEU:HD11	2.53	0.43
1:A:9:VAL:HG22	1:A:68[B]:VAL:CG1	2.48	0.43
1:A:150:THR:O	1:A:154:MET:HG2	2.18	0.43
1:A:270:ALA:HB3	1:A:302:MET:CE	2.45	0.43
2:B:328:VAL:CG1	2:B:353:THR:HG21	2.47	0.43
1:A:167:LEU:HD22	1:A:252:LEU:HD22	2.00	0.43
2:B:296:PHE:CZ	2:B:377:PHE:HE1	2.37	0.43
1:A:71:GLU:OE1	1:A:73:THR:HG23	2.19	0.42
2:B:36:TYR:CE1	2:B:38:GLY:HA3	2.54	0.42
2:B:154:ILE:HG23	2:B:166:MET:HG2	2.00	0.42
2:B:88:ARG:NH1	2:B:125:GLU:CD	2.73	0.42
2:B:172:MET:HE2	2:B:203:CYS:HA	2.02	0.42
1:A:105:ARG:HA	1:A:109:THR:OG1	2.20	0.42
1:A:147:SER:HB2	1:A:190:THR:HB	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:HIS:CG	1:A:421:ALA:HA	2.55	0.42
1:A:346:TRP:CZ2	1:A:435:VAL:HG22	2.55	0.42
3:F:25:GLY:HA2	3:F:62:ILE:HD12	2.01	0.42
3:F:91:GLY:HA2	3:F:128:ILE:CD1	2.50	0.42
2:B:240:THR:OG1	2:B:320:ARG:HD2	2.20	0.42
2:B:42:LEU:CA	2:B:45:GLN:N	2.83	0.41
1:A:313:MET:SD	1:A:435:VAL:HG11	2.61	0.41
2:B:387:LEU:HD23	2:B:387:LEU:C	2.40	0.41
2:B:329:ASP:O	2:B:333:LEU:HD13	2.19	0.41
2:B:391:ILE:HG22	2:B:425:MET:HE1	2.03	0.41
2:B:4:ILE:CD1	2:B:242:LEU:HD13	2.51	0.41
1:A:11:GLN:HB2	9:A:621:HOH:O	2.20	0.41
1:A:68[A]:VAL:HG11	1:A:118:VAL:HG21	2.03	0.41
2:B:187:ALA:O	2:B:191:VAL:HG23	2.21	0.41
1:A:66:VAL:HG22	1:A:91:GLN:OE1	2.21	0.41
2:B:12:CYS:SG	2:B:171:VAL:HG21	2.61	0.41
2:B:99:ALA:O	2:B:105:LYS:HD2	2.21	0.41
3:F:133:LEU:HD11	3:F:165:LEU:HD23	2.02	0.41
1:A:167:LEU:HG	1:A:200:CYS:HB3	2.03	0.40
2:B:181:VAL:HG22	9:B:675:HOH:O	2.21	0.40
2:B:195:VAL:HG13	2:B:264:ARG:HG2	2.02	0.40
2:B:115:VAL:HG23	2:B:153:LEU:HD13	2.02	0.40
1:A:179:THR:HG23	4:A:501:GTP:H2'	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	436/435 (100%)	426 (98%)	9 (2%)	1 (0%)	47 44
2	B	428/430 (100%)	410 (96%)	15 (4%)	3 (1%)	22 16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	F	154/155 (99%)	152 (99%)	2 (1%)	0	100	100
All	All	1018/1020 (100%)	988 (97%)	26 (3%)	4 (0%)	34	30

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	338	LYS
2	B	285	ALA
2	B	245	PRO
2	B	56	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/366 (100%)	365 (100%)	1 (0%)	92	95
2	B	363/371 (98%)	357 (98%)	6 (2%)	60	65
3	F	121/120 (101%)	121 (100%)	0	100	100
All	All	850/857 (99%)	843 (99%)	7 (1%)	81	86

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU
2	B	40	SER
2	B	155	SER
2	B	190	SER
2	B	215	ARG
2	B	372	LYS
2	B	423	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
2	B	300	ASN
2	B	331	GLN
2	B	406	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	GDP	B	501	-	24,30,30	1.36	4 (16%)	30,47,47	0.85	1 (3%)
4	GTP	A	501	5	26,34,34	1.07	2 (7%)	32,54,54	0.73	0
8	I8R	B	502	-	25,28,28	1.68	2 (8%)	31,39,39	1.81	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GDP	B	501	-	-	7/12/32/32	0/3/3/3
4	GTP	A	501	5	-	5/18/38/38	0/3/3/3
8	I8R	B	502	-	-	6/12/13/13	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	502	I8R	C4-C5	-6.41	1.45	1.49
7	B	501	GDP	PB-O3B	-4.09	1.39	1.54
7	B	501	GDP	C5-C6	-3.04	1.41	1.47
8	B	502	I8R	C3-C4	-3.00	1.32	1.53
4	A	501	GTP	C5-C6	-2.76	1.41	1.47
7	B	501	GDP	C8-N7	-2.28	1.31	1.35
4	A	501	GTP	C8-N7	-2.21	1.31	1.35
7	B	501	GDP	C5-C4	-2.00	1.38	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	502	I8R	C3-C4-C5	6.74	123.98	112.67
8	B	502	I8R	C4-C3-C2	3.29	124.85	113.28
8	B	502	I8R	C13-O3-C12	-3.15	106.77	114.88
8	B	502	I8R	C11-O2-C10	2.97	122.92	114.78
7	B	501	GDP	O6-C6-C5	2.17	128.60	124.37
8	B	502	I8R	C14-C6-N	2.16	112.87	108.19

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	501	GTP	C5'-O5'-PA-O1A
4	A	501	GTP	C5'-O5'-PA-O2A
7	B	501	GDP	C5'-O5'-PA-O1A
7	B	501	GDP	C5'-O5'-PA-O2A
8	B	502	I8R	C3-C4-C5-N
8	B	502	I8R	C12-C10-O2-C11
8	B	502	I8R	C8-C10-O2-C11
7	B	501	GDP	PB-O3A-PA-O2A
7	B	501	GDP	C4'-C5'-O5'-PA
8	B	502	I8R	C1-C2-C3-C4
8	B	502	I8R	C10-C8-O1-C9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	501	GTP	PB-O3B-PG-O3G
7	B	501	GDP	PA-O3A-PB-O3B
4	A	501	GTP	C5'-O5'-PA-O3A
7	B	501	GDP	C5'-O5'-PA-O3A
7	B	501	GDP	PB-O3A-PA-O1A
4	A	501	GTP	C4'-C5'-O5'-PA
8	B	502	I8R	C15-C2-C3-C4


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	501	GTP	1	0
8	B	502	I8R	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	3

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	42:LEU	C	45:GLN	N	3.44
1	B	431[A]:GLU	C	432:TYR	N	1.12
1	B	431[B]:GLU	C	432:TYR	N	1.12

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	435/435 (100%)	-0.28	15 (3%) 45 44	10, 22, 51, 87	0
2	B	430/430 (100%)	0.36	44 (10%) 6 6	15, 37, 74, 120	0
3	F	155/155 (100%)	-0.34	2 (1%) 77 76	15, 23, 46, 62	0
All	All	1020/1020 (100%)	-0.02	61 (5%) 21 20	10, 27, 64, 120	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	281	GLN	8.8
1	A	337	THR	8.2
2	B	285	ALA	7.6
2	B	280	SER	6.9
2	B	247	GLN	6.6
2	B	283	TYR	5.8
2	B	37	HIS	5.7
2	B	279	GLY	5.4
2	B	38	GLY	5.4
2	B	57	THR	5.4
2	B	282	GLN	5.3
2	B	41	ASP	5.2
2	B	56	ALA	5.1
2	B	333	LEU	4.9
2	B	39	ASP	4.4
2	B	441	ASP	4.0
1	A	41	THR	3.9
1	A	46	ASP	3.9
2	B	284	ARG	3.8
1	A	40	LYS	3.8
1	A	348	PRO	3.7
2	B	88	ARG	3.5
2	B	337	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	338	LYS	3.4
2	B	406	HIS	3.3
2	B	33	THR	3.2
1	A	345	ASP	3.2
2	B	42	LEU	3.0
2	B	322	ARG	3.0
2	B	59	ASN	3.0
2	B	286	LEU	3.0
2	B	326	LYS	2.9
3	F	31	ARG	2.9
3	F	167	LYS	2.9
1	A	220	GLU	2.9
2	B	220	THR	2.8
1	A	349	THR	2.8
2	B	278	ARG	2.8
1	A	84	ARG	2.7
1	A	347	CYS	2.6
2	B	324	SER	2.6
1	A	284	GLU	2.6
2	B	58	GLY	2.5
2	B	113	GLU	2.5
2	B	249	ASN	2.5
2	B	293	GLN	2.4
2	B	97	SER	2.4
2	B	50	ASN	2.4
2	B	359	PRO	2.3
1	A	309	HIS	2.3
2	B	90	ASP	2.2
2	B	334	ASN	2.2
2	B	60	LYS	2.2
1	A	333	ALA	2.2
2	B	55	GLU	2.2
2	B	47	GLU	2.2
2	B	127	GLU	2.1
1	A	81	GLY	2.1
2	B	221	THR	2.1
2	B	372	LYS	2.0
2	B	340	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MG	A	502	1/1	0.93	0.10	10,10,10,10	0
7	GDP	B	501	28/28	0.93	0.12	12,24,33,34	0
8	I8R	B	502	26/26	0.93	0.12	27,46,72,87	0
6	CA	A	503	1/1	0.96	0.04	39,39,39,39	0
4	GTP	A	501	32/32	0.97	0.09	8,13,15,18	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around I8R B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.