



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 10, 2019 – 02:19 PM EST

PDB ID : 6CMG
Title : Crystal Structure of the Hendra Virus Attachment G Glycoprotein Bound to a Potent Cross-Reactive Neutralizing Human Monoclonal Antibody m102.3
Authors : Xu, K.; Nikolov, D.
Deposited on : 2018-03-05
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : rb-20031633
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031633


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2449 (2.70-2.70)
Clashscore	122126	2756 (2.70-2.70)
Ramachandran outliers	120053	2716 (2.70-2.70)
Sidechain outliers	120020	2716 (2.70-2.70)
RSRZ outliers	108989	2376 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	428	 82% 17%
2	B	214	 15% 77% 18%
3	C	235	 9% 70% 25%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	A	707	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6891 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycoprotein G.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	428	3368	2145	566	638	19	0	0	0


- Molecule 2 is a protein called m102.3 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	206	1585	991	273	316	5	0	0	0

- Molecule 3 is a protein called IgG Heavy chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	226	1704	1080	284	333	7	0	0	0

- Molecule 4 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is BETA-D-MANNOSE (three-letter code: BMA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 6 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 7 is ALPHA-L-FUCOSE (three-letter code: FUC) (formula: C₆H₁₂O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			10	6	4		
7	A	1	Total	C	O	0	0
			10	6	4		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	60	Total 60	O 60	0	0
8	B	2	Total 2	O 2	0	0
8	C	4	Total 4	O 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycoprotein G



- Molecule 2: m102.3 light chain



- Molecule 3: IgG Heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	72.92Å 72.92Å 653.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.42 – 2.70 45.42 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (45.42-2.70) 99.1 (45.42-2.70)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.69Å)	Xtrriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.229 , 0.275 0.232 , 0.274	Depositor DCC
R_{free} test set	1530 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	47.3	Xtrriage
Anisotropy	0.211	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6891	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.29	0/3449	0.56	1/4698 (0.0%)
2	B	0.28	0/1620	0.55	0/2197
3	C	0.30	0/1747	0.54	0/2381
All	All	0.29	0/6816	0.55	1/9276 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
3	C	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	212	ARG	NE-CZ-NH1	-7.59	116.51	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	287	HIS	Peptide
3	C	29	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3368	0	3306	47	0
2	B	1585	0	1543	31	0
3	C	1704	0	1657	38	0
4	A	126	0	110	2	0
5	A	11	0	9	0	0
6	A	11	0	10	0	0
7	A	20	0	20	0	0
8	A	60	0	0	2	0
8	B	2	0	0	0	0
8	C	4	0	0	0	0
All	All	6891	0	6655	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:470:ASP:HB2	1:A:478:GLN:OE1	1.21	1.24
3:C:55:LEU:HB3	3:C:57:ILE:HD13	1.52	0.91
1:A:470:ASP:CB	1:A:478:GLN:OE1	2.17	0.83
1:A:404:LYS:HE2	1:A:404:LYS:HA	1.65	0.78
2:B:108:ARG:NH1	2:B:170:ASP:O	2.17	0.77
2:B:118:PHE:HB2	2:B:133:VAL:HG22	1.66	0.76
3:C:89:GLU:N	3:C:89:GLU:OE1	2.21	0.73
3:C:182:VAL:HG22	3:C:201:VAL:HG12	1.69	0.72
2:B:143:GLU:OE1	2:B:143:GLU:N	2.22	0.71
3:C:18:VAL:HG23	3:C:86:LEU:HD11	1.79	0.64
3:C:91:THR:HG23	3:C:129:THR:HA	1.80	0.64
3:C:19:LYS:HG3	3:C:82:GLU:HB2	1.79	0.63
1:A:561:THR:HA	1:A:577:LEU:O	2.01	0.61
3:C:166:PRO:O	3:C:219:HIS:NE2	2.33	0.61
2:B:145:LYS:HZ3	2:B:195:GLU:HG2	1.65	0.61
3:C:2:VAL:HG13	3:C:26:GLY:H	1.65	0.60
1:A:310:TRP:O	1:A:347:LYS:NZ	2.32	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:LEU:HD11	1:A:426:LEU:HD11	1.84	0.60
2:B:179:LEU:HD22	2:B:181:LEU:HD23	1.83	0.60
3:C:157:LEU:HG	3:C:201:VAL:HG23	1.84	0.60
2:B:21:LEU:HD22	2:B:102:THR:HG21	1.83	0.59
3:C:229:LYS:HD3	3:C:229:LYS:H	1.66	0.59
2:B:49:ILE:HD11	2:B:74:LEU:HD13	1.86	0.58
2:B:133:VAL:HG21	3:C:143:LEU:HD13	1.85	0.58
1:A:484:VAL:HG23	1:A:485:ILE:HG12	1.86	0.57
1:A:327:SER:HB2	1:A:330:TYR:HB3	1.86	0.57
1:A:311:THR:O	8:A:802:HOH:O	2.17	0.57
2:B:145:LYS:NZ	2:B:195:GLU:HG2	2.20	0.57
1:A:313:SER:OG	8:A:801:HOH:O	2.12	0.56
1:A:587:VAL:HG12	1:A:589:ARG:HB3	1.88	0.55
2:B:190:LYS:HA	2:B:211:ARG:HH22	1.71	0.55
3:C:16:SER:OG	3:C:17:SER:N	2.40	0.55
2:B:149:LYS:HG3	2:B:154:LEU:HD23	1.89	0.54
2:B:49:ILE:HG23	2:B:54:SER:H	1.73	0.54
3:C:138:PRO:HB3	3:C:164:TYR:HB3	1.90	0.54
3:C:51:ILE:HD13	3:C:72:THR:HG23	1.90	0.54
2:B:150:VAL:HG12	2:B:151:ASP:H	1.72	0.54
2:B:50:TYR:O	2:B:54:SER:OG	2.25	0.53
1:A:258:ARG:NH2	1:A:260:ASP:OD1	2.42	0.53
2:B:36:TRP:CD1	2:B:49:ILE:HD12	2.44	0.53
1:A:580:ILE:HD11	1:A:591:LYS:HG3	1.91	0.53
3:C:6:GLN:H	3:C:124:GLN:HE22	1.56	0.52
2:B:133:VAL:HG12	2:B:178:THR:HG23	1.90	0.52
1:A:413:LEU:HD22	1:A:475:LEU:HD22	1.92	0.52
2:B:92:TYR:CD1	3:C:117:TYR:HA	2.45	0.52
1:A:218:THR:OG1	1:A:219:ASP:N	2.44	0.51
2:B:34:LEU:HD22	2:B:72:PHE:CD1	2.46	0.50
3:C:214:ILE:HD12	3:C:228:LYS:O	2.12	0.50
1:A:329:ASP:OD2	1:A:333:LYS:NZ	2.36	0.50
1:A:264:SER:HB3	1:A:266:PHE:CE1	2.47	0.49
4:A:707:NAG:H83	4:A:707:NAG:H3	1.93	0.49
1:A:450:GLN:HB2	1:A:516:ARG:NH2	2.27	0.49
3:C:103:GLU:O	3:C:104:GLN:NE2	2.43	0.49
3:C:157:LEU:HG	3:C:201:VAL:CG2	2.42	0.49
2:B:145:LYS:HG3	2:B:197:THR:HB	1.94	0.49
1:A:324:LYS:HE3	1:A:327:SER:HB3	1.95	0.48
1:A:541:LYS:HD3	1:A:546:LEU:HD21	1.94	0.48
3:C:30:SER:OG	3:C:31:ASN:N	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:ARG:NH1	1:A:405:SER:OG	2.47	0.48
2:B:136:LEU:HB2	2:B:175:LEU:HB3	1.96	0.48
2:B:163:VAL:HG22	2:B:175:LEU:HD12	1.95	0.47
1:A:453:PHE:O	1:A:466:LEU:HA	2.14	0.47
3:C:13:LYS:NZ	3:C:14:ARG:O	2.36	0.46
3:C:138:PRO:HD2	3:C:224:THR:HG21	1.97	0.46
3:C:166:PRO:HG2	3:C:221:PRO:HB2	1.97	0.46
3:C:54:ILE:HG23	3:C:55:LEU:HD13	1.97	0.46
2:B:49:ILE:HA	2:B:54:SER:O	2.16	0.46
3:C:56:GLY:C	3:C:57:ILE:HD12	2.36	0.45
1:A:555:ASP:N	1:A:555:ASP:OD1	2.32	0.45
3:C:219:HIS:HB3	3:C:224:THR:OG1	2.17	0.45
1:A:573:TRP:CH2	1:A:596:LYS:HB2	2.52	0.44
1:A:191:GLN:HB2	1:A:601:CYS:SG	2.57	0.44
4:A:701:NAG:H61	4:A:702:NAG:C7	2.47	0.44
3:C:18:VAL:O	3:C:82:GLU:HA	2.18	0.44
1:A:468:ASP:CG	1:A:519:TRP:HZ2	2.21	0.44
1:A:554:ASP:N	1:A:554:ASP:OD1	2.51	0.44
3:C:67:ARG:NH2	3:C:90:ASP:OD2	2.49	0.44
2:B:38:GLN:HB2	2:B:87:TYR:CE2	2.52	0.44
3:C:173:TRP:CZ3	3:C:215:CYS:HB3	2.53	0.44
2:B:61:ASP:N	2:B:61:ASP:OD2	2.51	0.43
1:A:555:ASP:HB3	2:B:30:ARG:NH1	2.34	0.43
1:A:420:LEU:HA	1:A:420:LEU:HD23	1.83	0.43
2:B:74:LEU:HD12	2:B:75:THR:H	1.83	0.43
1:A:207:LEU:HD11	1:A:265:MET:HE2	1.99	0.43
2:B:136:LEU:O	2:B:174:SER:HA	2.19	0.43
1:A:355:GLY:HA2	1:A:444:ILE:HG23	2.01	0.43
3:C:68:VAL:HG22	3:C:83:LEU:HD13	2.00	0.43
2:B:176:SER:HB3	3:C:185:PHE:CE1	2.54	0.42
1:A:210:ASN:CB	1:A:212:ARG:HH12	2.33	0.42
1:A:210:ASN:HB2	1:A:212:ARG:HH12	1.85	0.42
3:C:135:THR:HG23	3:C:166:PRO:HG3	2.00	0.42
3:C:69:THR:HG22	3:C:71:THR:HG23	2.01	0.42
1:A:283:SER:O	1:A:293:THR:HA	2.20	0.42
1:A:284:SER:OG	1:A:293:THR:HB	2.20	0.41
1:A:460:TRP:CD2	1:A:500:PRO:HA	2.55	0.41
1:A:468:ASP:OD1	1:A:519:TRP:HZ2	2.03	0.41
1:A:181:LEU:HD21	1:A:514:ILE:HA	2.00	0.41
1:A:398:SER:OG	1:A:502:VAL:HA	2.21	0.41
1:A:566:PHE:HE2	1:A:575:ILE:HG13	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:48:LEU:HD11	2:B:87:TYR:CE2	2.55	0.41
1:A:232:SER:HA	1:A:249:ILE:O	2.21	0.41
3:C:145:PRO:HD3	3:C:157:LEU:HB3	2.03	0.41
3:C:12:LYS:HG3	3:C:18:VAL:HG22	2.03	0.41
2:B:38:GLN:HB2	2:B:87:TYR:HE2	1.85	0.41
3:C:169:VAL:HG23	3:C:219:HIS:HB2	2.02	0.40
1:A:490:GLN:HB2	1:A:505:GLU:CD	2.42	0.40
1:A:580:ILE:CD1	1:A:591:LYS:HG3	2.51	0.40
1:A:385:ILE:HD13	1:A:385:ILE:HA	1.95	0.40
1:A:466:LEU:O	1:A:480:ARG:HG2	2.22	0.40
1:A:285:THR:HG23	1:A:364:PHE:CE1	2.56	0.40
1:A:211:THR:HG21	1:A:589:ARG:NH1	2.36	0.40
2:B:176:SER:HB3	3:C:185:PHE:CD1	2.57	0.40
3:C:36:TRP:CE2	3:C:81:MET:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/428 (100%)	405 (95%)	21 (5%)	0	100	100
2	B	202/214 (94%)	191 (95%)	11 (5%)	0	100	100
3	C	222/235 (94%)	216 (97%)	6 (3%)	0	100	100
All	All	850/877 (97%)	812 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/383 (100%)	374 (98%)	8 (2%)	56	83
2	B	177/185 (96%)	170 (96%)	7 (4%)	34	64
3	C	187/197 (95%)	176 (94%)	11 (6%)	21	47
All	All	746/765 (98%)	720 (96%)	26 (4%)	39	69

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	293	THR
1	A	342	ARG
1	A	351	TYR
1	A	413	LEU
1	A	478	GLN
1	A	487	ARG
1	A	519	TRP
1	A	554	ASP
2	B	14	SER
2	B	55	ARG
2	B	61	ASP
2	B	66	SER
2	B	145	LYS
2	B	185	ASP
2	B	190	LYS
3	C	3	GLN
3	C	16	SER
3	C	63	LYS
3	C	81	MET
3	C	88	SER
3	C	131	SER
3	C	157	LEU
3	C	180	SER
3	C	189	LEU
3	C	216	ASN
3	C	229	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	701	1,4	14,14,15	0.25	0	17,19,21	0.68	1 (5%)
4	NAG	A	702	4	14,14,15	0.29	0	17,19,21	0.55	0
4	NAG	A	703	1	14,14,15	0.40	0	17,19,21	0.75	1 (5%)
4	NAG	A	704	1,4	14,14,15	0.37	0	17,19,21	0.49	0
4	NAG	A	705	4	14,14,15	0.26	0	17,19,21	0.55	0
4	NAG	A	706	1,4	14,14,15	0.39	0	17,19,21	0.65	0
4	NAG	A	707	4	14,14,15	0.39	0	17,19,21	1.29	1 (5%)
4	NAG	A	708	1,4,7	14,14,15	0.68	1 (7%)	17,19,21	0.61	0
4	NAG	A	709	5,4	14,14,15	0.28	0	17,19,21	0.48	0
5	BMA	A	710	4,6	11,11,12	1.10	1 (9%)	15,15,17	1.03	1 (6%)
6	MAN	A	711	5	11,11,12	1.16	2 (18%)	15,15,17	1.13	1 (6%)
7	FUC	A	712	4	9,10,11	0.58	0	13,14,16	1.11	1 (7%)
7	FUC	A	713	4	9,10,11	0.90	0	13,14,16	1.03	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	701	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	702	4	-	0/6/23/26	0/1/1/1
4	NAG	A	703	1	-	0/6/23/26	0/1/1/1
4	NAG	A	704	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	705	4	-	0/6/23/26	0/1/1/1
4	NAG	A	706	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	707	4	-	0/6/23/26	0/1/1/1
4	NAG	A	708	1,4,7	-	0/6/23/26	0/1/1/1
4	NAG	A	709	5,4	-	0/6/23/26	0/1/1/1
5	BMA	A	710	4,6	-	0/2/19/22	0/1/1/1
6	MAN	A	711	5	-	0/2/19/22	0/1/1/1
7	FUC	A	712	4	-	0/0/17/20	0/1/1/1
7	FUC	A	713	4	-	0/0/17/20	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	710	BMA	O5-C1	-2.56	1.39	1.43
4	A	708	NAG	O5-C1	-2.45	1.39	1.43
6	A	711	MAN	O5-C1	-2.06	1.40	1.43
6	A	711	MAN	C2-C3	2.04	1.55	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	711	MAN	O2-C2-C3	-2.60	105.13	110.19
5	A	710	BMA	C1-C2-C3	2.14	112.37	109.66
4	A	701	NAG	C1-O5-C5	2.18	115.18	112.19
7	A	713	FUC	C1-C2-C3	2.27	112.54	109.66
7	A	712	FUC	C1-O5-C5	2.35	117.58	112.39
4	A	703	NAG	C1-O5-C5	2.39	115.48	112.19
4	A	707	NAG	C2-N2-C7	4.34	129.28	122.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	NAG	1	0
4	A	702	NAG	1	0
4	A	707	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/428 (100%)	-0.03	6 (1%) 75 76	13, 26, 58, 104	0
2	B	206/214 (96%)	0.70	32 (15%) 2 1	33, 64, 99, 111	0
3	C	226/235 (96%)	0.48	21 (9%) 8 6	23, 63, 90, 101	0
All	All	860/877 (98%)	0.28	59 (6%) 17 15	13, 45, 90, 111	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	184	ALA	5.8
2	B	152	ASN	5.1
3	C	27	GLY	4.7
2	B	192	TYR	4.3
2	B	188	LYS	4.1
3	C	141	PHE	3.9
1	A	205	TYR	3.8
2	B	181	LEU	3.6
1	A	327	SER	3.5
2	B	154	LEU	3.4
2	B	129	THR	3.4
3	C	142	PRO	3.3
3	C	28	THR	3.3
2	B	133	VAL	3.2
2	B	191	LEU	3.2
1	A	211	THR	3.1
2	B	132	VAL	3.1
2	B	194	CYS	3.1
2	B	130	ALA	3.0
2	B	186	TYR	2.9
2	B	134	CYS	2.9
2	B	182	SER	2.9
3	C	196	SER	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	26	GLY	2.8
3	C	76	THR	2.8
2	B	189	HIS	2.7
2	B	209	PHE	2.7
3	C	1	GLU	2.7
3	C	217	VAL	2.6
2	B	118	PHE	2.6
2	B	131	SER	2.6
3	C	3	GLN	2.6
3	C	2	VAL	2.6
3	C	29	PHE	2.5
2	B	179	LEU	2.5
2	B	190	LYS	2.5
2	B	178	THR	2.5
3	C	231	GLU	2.4
2	B	153	ALA	2.4
2	B	76	ILE	2.4
2	B	187	GLU	2.4
2	B	58	GLY	2.3
1	A	206	THR	2.3
2	B	211	ARG	2.3
2	B	156	SER	2.3
3	C	32	TYR	2.3
1	A	380	SER	2.2
3	C	226	VAL	2.2
2	B	180	THR	2.2
3	C	165	PHE	2.2
3	C	14	ARG	2.1
2	B	177	SER	2.1
3	C	191	SER	2.1
3	C	200	VAL	2.1
3	C	25	SER	2.1
2	B	78	ARG	2.0
3	C	138	PRO	2.0
1	A	602	SER	2.0
2	B	128	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	703	14/15	0.67	0.39	83,94,99,99	0
6	MAN	A	711	11/12	0.72	0.21	70,78,85,87	0
4	NAG	A	707	14/15	0.75	0.52	79,93,97,97	0
4	NAG	A	705	14/15	0.77	0.27	57,63,79,84	0
5	BMA	A	710	11/12	0.80	0.16	61,68,76,80	0
4	NAG	A	702	14/15	0.87	0.19	49,65,81,82	0
4	NAG	A	706	14/15	0.88	0.26	30,55,75,83	0
4	NAG	A	709	14/15	0.88	0.12	46,54,60,64	0
7	FUC	A	713	10/11	0.89	0.13	39,43,47,48	0
4	NAG	A	704	14/15	0.90	0.14	18,40,47,58	0
4	NAG	A	708	14/15	0.91	0.12	32,38,49,49	0
4	NAG	A	701	14/15	0.92	0.14	35,40,47,53	0
7	FUC	A	712	10/11	0.93	0.15	50,53,58,66	0

6.5 Other polymers [i](#)

There are no such residues in this entry.