



Full wwPDB X-ray Structure Validation Report

Feb 29, 2024 – 06:17 pm GMT

PDB ID : 8CMK
Title : Transportin-3 TNPO3 in complex with RSY region of CIRBP
Authors : Zhou, Q.; Sagmeister, T.; Pavkov-Keller, T.; Madl, T.
Deposited on : 2023-02-20
Resolution : 2.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2969 (2.98-2.90)
Clashscore	141614	3218 (2.98-2.90)
Ramachandran outliers	138981	3122 (2.98-2.90)
Sidechain outliers	138945	3124 (2.98-2.90)
RSRZ outliers	127900	2902 (2.98-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	923	
1	B	923	
2	C	35	
2	D	35	
2	E	35	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 29089 atoms, of which 14266 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transportin-3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	913	14304	4603	7075	1231	1342	53	0	0	0
1	B	893	14011	4507	6932	1205	1314	53	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	511	ALA	CYS	engineered mutation	UNP Q9Y5L0
B	511	ALA	CYS	engineered mutation	UNP Q9Y5L0

- Molecule 2 is a protein called Cold-inducible RNA-binding protein.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	H	N	O			
2	C	14	198	69	83	20	26	0	0	0
2	D	14	198	69	83	20	26	0	0	0
2	E	12	166	54	72	18	22	0	0	0

- Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
3	A	1	16	4	9	3	0	0

- Molecule 4 is 2-(1H-INDOL-3-YL)ETHANAMINE (three-letter code: TSS) (formula: $C_{10}H_{12}N_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	N		
4	B	1	24	10	12	2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	86	Total O 86 86	0	0
5	B	73	Total O 73 73	0	0
5	C	8	Total O 8 8	0	0
5	D	5	Total O 5 5	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transportin-3




- Molecule 1: Transportin-3







- Molecule 2: Cold-inducible RNA-binding protein



- Molecule 2: Cold-inducible RNA-binding protein



- Molecule 2: Cold-inducible RNA-binding protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	97.53Å 101.81Å 114.13Å 90.00° 111.13° 90.00°	Depositor
Resolution (Å)	48.72 – 2.94 48.72 – 2.94	Depositor EDS
% Data completeness (in resolution range)	98.3 (48.72-2.94) 98.3 (48.72-2.94)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.96Å)	Xtrriage
Refinement program	REFMAC 5.8.0403, REFMAC 5.8.0403	Depositor
R, R_{free}	0.246 , 0.317 0.245 , 0.317	Depositor DCC
R_{free} test set	2105 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	66.9	Xtrriage
Anisotropy	0.109	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 57.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	29089	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.1067e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TSS, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/7374	0.69	2/10018 (0.0%)
1	B	0.34	0/7215	0.73	3/9792 (0.0%)
2	C	0.39	0/118	0.85	0/159
2	D	0.37	0/118	0.89	0/159
2	E	0.46	0/95	0.88	0/125
All	All	0.34	0/14920	0.71	5/20253 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	3
2	E	0	1
All	All	0	8

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	556	GLU	CB-CA-C	-7.26	95.89	110.40
1	B	556	GLU	N-CA-CB	6.03	121.46	110.60
1	A	290	ASP	CB-CA-C	-5.93	98.54	110.40
1	A	400	ARG	NE-CZ-NH2	5.67	123.14	120.30
1	B	142	PHE	CB-CG-CD2	-5.26	117.12	120.80

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	158	SER	Peptide
1	A	653	ARG	Sidechain
1	A	667	ARG	Sidechain
1	A	671	ARG	Sidechain
1	B	156	SER	Peptide
1	B	194	ASP	Peptide
1	B	671	ARG	Sidechain
2	E	161	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7229	7075	7257	26	3
1	B	7079	6932	7106	38	7
2	C	115	83	90	0	0
2	D	115	83	90	0	0
2	E	94	72	77	0	0
3	A	7	9	10	0	0
4	B	12	12	12	0	0
5	A	86	0	0	6	0
5	B	73	0	0	5	0
5	C	8	0	0	0	0
5	D	5	0	0	0	0
All	All	14823	14266	14642	62	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:94:ILE:HD12	1:B:142:PHE:CE1	1.97	0.97
1:B:94:ILE:HD12	1:B:142:PHE:CZ	2.13	0.83
1:A:730:ILE:HB	1:A:731:PRO:HD3	1.60	0.82
1:B:541:LEU:HB3	1:B:565:THR:HG22	1.71	0.71
1:B:599:GLU:OE2	5:B:1101:HOH:O	2.11	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:549:ASP:OD1	1:B:614:ARG:NH1	2.30	0.64
1:B:367:ALA:HB2	5:B:1141:HOH:O	1.98	0.63
1:A:54:ARG:HG2	1:A:97:LEU:HD21	1.81	0.62
1:A:373:LEU:CD2	5:A:1170:HOH:O	2.46	0.62
1:A:230:GLU:HG3	5:A:1111:HOH:O	2.00	0.60
1:A:513:LYS:O	5:A:1101:HOH:O	2.16	0.60
1:A:54:ARG:HD3	1:A:96:ASN:HB3	1.83	0.60
1:B:536:GLN:HG3	5:B:1132:HOH:O	2.03	0.57
1:B:589:VAL:HG13	1:B:644:VAL:HG11	1.87	0.57
1:B:94:ILE:HB	1:B:142:PHE:CE2	2.40	0.56
1:A:541:LEU:HB3	1:A:565:THR:HG22	1.89	0.55
1:A:174:ALA:HA	1:A:213:VAL:HB	1.89	0.53
1:B:94:ILE:HG22	1:B:108:LEU:HD13	1.90	0.53
1:B:277:GLU:OE1	1:B:322:ARG:NH1	2.39	0.53
1:A:373:LEU:HD21	5:A:1170:HOH:O	2.08	0.53
1:B:839:HIS:HD2	5:B:1136:HOH:O	1.93	0.51
1:A:424:TYR:CE2	1:A:428:LYS:HE3	2.46	0.51
1:B:673:VAL:O	1:B:673:VAL:HG12	2.12	0.50
1:B:101:SER:O	1:B:104:ILE:HG13	2.12	0.50
1:B:94:ILE:HD12	1:B:142:PHE:CD1	2.44	0.49
1:B:576:LYS:HE2	1:B:580:CYS:SG	2.52	0.48
1:B:641:ILE:O	1:B:644:VAL:HG12	2.13	0.48
1:A:753:PHE:CD2	1:A:795:VAL:HG22	2.48	0.48
1:B:803:ILE:HD13	1:B:860:ILE:CG1	2.44	0.48
1:B:87:ARG:HB2	1:B:122:TRP:CH2	2.49	0.47
1:B:753:PHE:CD2	1:B:795:VAL:HG22	2.50	0.47
1:A:384:PRO:HB3	5:A:1119:HOH:O	2.14	0.47
1:B:905:ALA:HB1	1:B:910:GLN:HB2	1.95	0.46
1:A:599:GLU:N	1:A:600:PRO:CD	2.78	0.46
1:A:373:LEU:HD22	5:A:1170:HOH:O	2.15	0.46
1:B:394:ASP:HB3	1:B:397:GLY:H	1.80	0.46
1:B:561:LEU:O	1:B:565:THR:HG23	2.15	0.46
1:A:87:ARG:HD2	1:A:122:TRP:CD2	2.51	0.46
1:B:839:HIS:CD2	5:B:1136:HOH:O	2.69	0.46
1:A:151:PRO:HB3	1:A:211:LEU:HD22	1.97	0.45
1:B:153:GLU:HA	1:B:156:SER:HB3	1.98	0.45
1:B:303:CYS:SG	1:B:323:THR:HB	2.57	0.44
1:A:424:TYR:CE2	1:A:428:LYS:CE	3.00	0.44
1:B:219:MET:HB2	1:B:265:LEU:HD13	2.00	0.43
1:A:561:LEU:O	1:A:565:THR:HG23	2.18	0.43
1:B:546:ARG:HA	1:B:587:VAL:HG21	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:411:ILE:HG23	1:B:419:CYS:SG	2.58	0.43
1:B:133:TYR:HB3	1:B:139:SER:HB2	1.99	0.43
1:A:75:PHE:CZ	1:A:83:HIS:CE1	3.07	0.43
1:B:321:LEU:HD12	1:B:324:LEU:HD12	2.01	0.43
1:B:500:ASP:HB3	1:B:501:PRO:HD3	2.00	0.42
1:B:424:TYR:CD2	1:B:428:LYS:HE2	2.55	0.42
1:A:667:ARG:HH21	1:A:667:ARG:HG3	1.83	0.42
1:A:157:ARG:NH2	1:B:917:ASP:OD2	2.52	0.42
1:A:456:ASN:N	1:A:457:PRO:HD2	2.35	0.42
1:B:730:ILE:HB	1:B:731:PRO:HD3	2.01	0.41
1:A:894:GLN:NE2	1:B:155:HIS:O	2.53	0.41
1:A:358:ASP:OD1	1:A:358:ASP:C	2.60	0.41
1:A:424:TYR:CG	1:A:462:VAL:HG22	2.55	0.41
1:B:552:LEU:HD13	1:B:552:LEU:HA	1.83	0.41
1:A:427:LEU:HD21	1:A:440:VAL:HB	2.03	0.40
1:B:630:GLN:OE1	1:B:630:GLN:HA	2.21	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:263:LEU:HD23	1:B:549:ASP:CG[2_656]	0.96	0.64
1:A:45:GLU:OE2	1:B:54:ARG:CB[2_556]	1.86	0.34
1:B:263:LEU:CD2	1:B:549:ASP:CG[2_656]	1.88	0.32
1:B:271:GLN:OE1	1:B:598:GLN:NE2[2_656]	1.95	0.25
1:B:263:LEU:HD23	1:B:549:ASP:OD2[2_656]	1.45	0.15
1:A:45:GLU:OE2	1:B:54:ARG:HB2[2_556]	1.46	0.14
1:A:45:GLU:CD	1:B:54:ARG:HB2[2_556]	1.55	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	909/923 (98%)	895 (98%)	14 (2%)	0	100	100
1	B	881/923 (95%)	849 (96%)	30 (3%)	2 (0%)	47	76
2	C	12/35 (34%)	12 (100%)	0	0	100	100
2	D	12/35 (34%)	12 (100%)	0	0	100	100
2	E	10/35 (29%)	10 (100%)	0	0	100	100
All	All	1824/1951 (94%)	1778 (98%)	44 (2%)	2 (0%)	51	80

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	120	PRO
1	B	119	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	812/820 (99%)	808 (100%)	4 (0%)	88	96
1	B	796/820 (97%)	788 (99%)	8 (1%)	76	91
2	C	12/30 (40%)	11 (92%)	1 (8%)	11	30
2	D	12/30 (40%)	12 (100%)	0	100	100
2	E	10/30 (33%)	10 (100%)	0	100	100
All	All	1642/1730 (95%)	1629 (99%)	13 (1%)	81	93

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	271	GLN
1	A	290	ASP
1	A	759	PHE
1	A	828	GLN
1	B	72	GLN
1	B	183	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	209	PHE
1	B	213	VAL
1	B	258	ASN
1	B	627	GLU
1	B	667	ARG
1	B	759	PHE
2	C	171	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	HIS
1	A	96	ASN
1	A	268	GLN
1	A	271	GLN
1	B	13	GLN
1	B	49	GLN
1	B	155	HIS
1	B	271	GLN
1	B	656	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PEG	A	1001	-	6,6,6	0.33	0	5,5,5	0.24	0
4	TSS	B	1001	-	11,13,13	0.64	0	11,17,17	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	A	1001	-	-	0/4/4/4	-
4	TSS	B	1001	-	-	0/3/3/3	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	913/923 (98%)	0.54	55 (6%) 21 20	41, 73, 115, 151	0
1	B	893/923 (96%)	0.96	143 (16%) 1 1	39, 83, 170, 237	0
2	C	14/35 (40%)	0.22	1 (7%) 16 14	43, 60, 84, 89	0
2	D	14/35 (40%)	0.22	1 (7%) 16 14	41, 60, 81, 90	0
2	E	12/35 (34%)	1.82	4 (33%) 0 0	101, 124, 138, 143	0
All	All	1846/1951 (94%)	0.75	204 (11%) 5 5	39, 78, 152, 237	0

All (204) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	159	LEU	11.2
1	B	153	GLU	10.4
1	B	59	SER	9.7
1	B	152	GLU	9.6
1	B	49	GLN	8.9
1	B	99	ASP	8.8
1	B	210	ASN	8.8
1	B	53	ILE	8.4
1	B	94	ILE	8.1
1	B	78	LEU	7.3
1	B	20	HIS	7.1
1	B	92	THR	6.5
1	B	93	HIS	6.3
1	B	142	PHE	5.8
1	B	100	LEU	5.8
1	B	54	ARG	5.7
1	B	383	GLU	5.6
1	B	204	CYS	5.5
1	B	158	SER	5.5
1	B	15	VAL	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	105	VAL	5.4
1	B	121	SER	5.4
1	B	65	GLN	5.4
1	B	47	SER	5.3
1	B	150	LEU	5.2
1	B	208	TRP	5.2
1	B	134	SER	5.1
1	A	22	PRO	5.0
1	B	62	PHE	4.9
1	B	63	ALA	4.9
1	B	98	LYS	4.8
1	B	472	THR	4.8
1	B	361	ILE	4.8
1	B	50	LEU	4.7
1	B	173	LEU	4.7
1	B	106	THR	4.6
1	B	66	THR	4.6
1	B	30	ALA	4.5
1	B	41	VAL	4.5
1	B	51	LEU	4.4
1	B	382	LEU	4.3
1	B	102	PRO	4.3
1	B	154	VAL	4.3
1	B	81	ASP	4.3
1	B	197	MET	4.2
1	B	25	SER	4.1
1	B	31	SER	4.1
1	B	502	VAL	4.1
1	B	135	ASN	4.1
1	B	316	GLN	4.1
1	B	156	SER	4.1
1	A	100	LEU	4.0
1	B	220	ALA	4.0
1	A	50	LEU	3.9
1	B	890	VAL	3.8
1	A	443	ILE	3.8
2	E	164	TYR	3.8
1	B	103	VAL	3.8
1	B	891	THR	3.8
1	B	165	ARG	3.8
1	B	414	ILE	3.8
1	A	472	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	120	PRO	3.7
1	B	73	THR	3.7
1	B	476	ALA	3.7
1	A	37	LEU	3.6
1	B	97	LEU	3.6
1	A	38	GLN	3.6
1	B	46	ILE	3.6
1	B	122	TRP	3.5
1	A	857	LEU	3.5
1	A	11	VAL	3.5
1	B	389	VAL	3.5
1	B	258	ASN	3.5
1	B	18	LEU	3.5
1	B	144	LEU	3.5
1	B	19	TYR	3.4
1	B	143	LEU	3.4
1	B	104	ILE	3.4
1	B	48	ASP	3.4
1	B	314	PRO	3.4
1	A	889	THR	3.4
1	A	890	VAL	3.4
1	B	12	TYR	3.4
1	B	14	ALA	3.4
1	B	80	THR	3.4
1	A	12	TYR	3.3
1	B	174	ALA	3.3
2	E	163	SER	3.3
1	A	60	CYS	3.3
1	B	561	LEU	3.3
2	E	156	SER	3.3
1	B	454	GLU	3.3
1	B	455	ASN	3.2
1	B	431	ASN	3.2
1	B	52	GLN	3.2
1	A	43	ALA	3.2
1	B	151	PRO	3.2
1	B	911	VAL	3.1
1	B	420	PHE	3.1
1	B	541	LEU	3.1
1	B	91	LEU	3.1
1	B	157	ARG	3.1
1	B	205	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	33	TRP	3.1
1	B	221	ASN	3.1
1	B	194	ASP	3.1
1	B	32	PHE	3.0
1	A	57	VAL	3.0
1	B	40	SER	3.0
1	B	86	LEU	3.0
1	A	328	LEU	2.9
1	B	473	VAL	2.9
1	A	115	LEU	2.9
1	B	37	LEU	2.9
1	B	90	LEU	2.9
1	B	56	ASP	2.9
1	A	73	THR	2.9
1	A	159	LEU	2.8
1	B	328	LEU	2.8
1	B	36	GLU	2.8
1	B	441	LEU	2.8
1	B	147	LEU	2.7
1	B	562	LEU	2.7
1	B	64	ALA	2.7
1	A	157	ARG	2.7
1	A	561	LEU	2.7
1	B	552	LEU	2.7
1	A	118	GLN	2.7
1	B	477	VAL	2.7
1	A	79	PRO	2.7
1	B	360	VAL	2.7
1	B	29	ARG	2.7
1	B	17	ALA	2.6
1	B	811	HIS	2.6
1	B	117	LEU	2.6
1	B	551	PHE	2.6
1	A	90	LEU	2.6
1	B	140	LEU	2.6
1	B	469	LEU	2.6
1	B	681	LEU	2.6
1	B	148	THR	2.6
1	B	33	TRP	2.6
1	A	417	MET	2.5
1	A	807	VAL	2.5
1	B	847	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	34	LEU	2.5
1	B	139	SER	2.5
1	A	845	LEU	2.5
1	B	118	GLN	2.5
1	B	318	LEU	2.5
2	E	160	TYR	2.5
1	B	209	PHE	2.5
1	B	417	MET	2.4
1	B	162	GLY	2.4
1	A	114	ASP	2.4
1	B	70	LYS	2.4
1	A	54	ARG	2.4
1	A	455	ASN	2.4
1	A	741	GLY	2.4
1	A	416	SER	2.4
1	A	86	LEU	2.4
1	B	289	LEU	2.3
1	A	575	ASP	2.3
1	A	365	PHE	2.3
1	A	359	GLU	2.3
1	A	911	VAL	2.3
2	C	171	ASN	2.3
1	A	53	ILE	2.3
1	A	18	LEU	2.3
1	A	97	LEU	2.3
1	A	52	GLN	2.3
1	A	861	MET	2.3
1	B	453	PRO	2.2
1	A	551	PHE	2.2
1	A	74	SER	2.2
1	A	742	LEU	2.2
1	A	842	CYS	2.2
1	B	131	GLU	2.2
1	B	241	LEU	2.2
1	B	868	PHE	2.2
1	B	902	VAL	2.2
1	B	257	GLU	2.1
1	B	384	PRO	2.1
1	A	263	LEU	2.1
1	B	526	ILE	2.1
1	A	353	LEU	2.1
1	A	645	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	61	TYR	2.1
1	A	878	GLY	2.1
1	A	42	HIS	2.1
1	B	732	THR	2.1
1	B	527	CYS	2.1
1	A	16	GLN	2.1
1	B	443	ILE	2.1
1	B	390	PRO	2.1
1	B	374	HIS	2.1
1	B	163	ALA	2.1
1	B	321	LEU	2.0
1	B	346	TRP	2.0
1	A	6	PRO	2.0
1	A	813	GLU	2.0
1	B	23	ASP	2.0
2	D	171	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	TSS	B	1001	12/12	0.83	0.22	68,74,78,80	0
3	PEG	A	1001	7/7	0.84	0.21	63,73,77,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.